COURIER MANAGEMENT SYSTEM

Salesforce Activity Documentation

NAME : Jainul Asifa k

TOPIC : COURIER MANAGEMENT SYSTEM

NM ID: CA6445AAEB9017C8807444EA6A5F27D3

1. SALESFORCE ACCOUNT

Definition

Salesforce is a cloud-based platform used to build and manage business applications. A Developer Edition

account provides an environment for creating and testing the Courier Management System.

Activity 1: Create Developer Account

- Open the Salesforce Developer registration page.
- Enter the required registration details.
- Choose a unique username.
- Accept the required terms.
- Submit the registration form.
- Verify the account from the activation email.

Result: The Salesforce Developer Edition account is created and verified.

1. SALESFORCE ACCOUNT – ACCOUNT ACTIVATION

Definition

Account activation completes the verification and sign-in process so that the Salesforce organization can be

configured.

Activity 2: Account Activation

- Open the activation email.
- Verify the account.
- Set the password if prompted.
- Log in to the Developer Edition org.
- Confirm that the Salesforce Home page is displayed.
- Open Setup when configuration is required.

Result: The Developer Edition organization is ready for project configuration.

2. OBJECTS

Definition

A Salesforce object stores a specific type of business information. Custom objects are used for project-specific data.

Custom Objects Used

No.	Object	Purpose
1	Customer__c	Stores customer details.
2	Shipment__c	Stores shipment information.
3	Delivery_Agent__c	Stores delivery agent details.
4	Branch__c	Stores branch information.
5	Delivery_Update__c	Stores delivery status updates.

6	Invoice__c	Stores invoice information.

General Activity: Create a Custom Object

- Open Setup.
- Go to Object Manager.
- Click Create and select Custom Object.
- Enter the Label and Plural Label.
- Confirm the object/API name.
- Enable the required project options such as Reports, Activities or Field History.
- Set Deployment Status to Deployed.
- Click Save.

2. OBJECTS – CUSTOMER & SHIPMENT

Activity 1: Create Customer Object

- Open Setup → Object Manager → Create → Custom Object.
- Set Label as Customer and Plural Label as Customers.
- Confirm the Customer__c API name.
- Enable the required project options.
- Set Deployment Status to Deployed.
- Click Save.

Activity 2: Create Shipment Object

- Open Setup → Object Manager → Create → Custom Object.
- Set Label as Shipment and Plural Label as Shipments.

- Confirm the Shipment__c API name.
- Enable the required project options.
- Set Deployment Status to Deployed.
- Click Save.

Result: Customer__c and Shipment__c are created.

2. OBJECTS – DELIVERY AGENT & BRANCH

Activity 3: Create Delivery Agent Object

- Open Setup → Object Manager → Create → Custom Object.
- Set Label as Delivery Agent and Plural Label as Delivery Agents.
- Confirm the Delivery_Agent__c API name.
- Enable the required project options.
- Set Deployment Status to Deployed.
- Click Save.

Activity 4: Create Branch Object

- Open Setup → Object Manager → Create → Custom Object.
- Set Label as Branch and Plural Label as Branches.
- Confirm the Branch__c API name.
- Enable the required project options.
- Set Deployment Status to Deployed.

- Click Save.

2. OBJECTS – DELIVERY UPDATE & INVOICE

Activity 5: Create Delivery Update Object

- Open Setup → Object Manager → Create → Custom Object.
- Set Label as Delivery Update and Plural Label as Delivery Updates.
- Confirm the Delivery_Update__c API name.
- Enable the required project options.
- Set Deployment Status to Deployed.
- Click Save.

Activity 6: Create Invoice Object

- Open Setup → Object Manager → Create → Custom Object.
- Set Label as Invoice and Plural Label as Invoices.
- Confirm the Invoice__c API name.
- Enable the required project options.
- Set Deployment Status to Deployed.
- Click Save.

LABEL	API NAME	TYPE	DESCRIPTION	LAST MODIFIED	DEPLOYED
Customer	Customer__c	Custom Object		9/25/2026	✓
Delivery Agent	Delivery_Agent__c	Custom Object		9/25/2026	✓
Shipment	Shipment__c	Custom Object		9/25/2026	✓
Invoice	Invoice__c	Custom Object		9/25/2026	✓
Delivery Update	Delivery_Update__c	Custom Object		9/25/2026	✓
Branch	Branch__c	Custom Object		9/25/2026	✓

3. TABS

Definition


A tab provides a user interface entry point for opening an object and viewing its records.

Activity: Create Custom Object Tabs

- Open Setup and search for Tabs.
- Open Custom Object Tabs.
- Click New Custom Object Tab.
- Select the required object.
- Choose the tab style.
- Save the tab.
- Repeat the process for the required custom objects.
- Verify the tabs in the application navigation.

Required Navigation Items

- Customers
- Shipments
- Delivery Agents
- Branches
- Delivery Updates
- Invoices
- Reports
- Dashboards



4. FIELDS & RELATIONSHIPS

Definition

Fields store individual values in an object. Relationships connect records from different objects.

Activity: Create a Field

- Open Setup → Object Manager.
- Select the required object.
- Open Fields & Relationships.
- Click New.
- Select the field type.
- Enter the field label and properties.
- Set field-level security and other required options.
- Add the field to the required page layout.

- Click Save.

Activity: Create a Relationship

- Open the child object.
- Open Fields & Relationships and click New.
- Select Lookup Relationship or Master-Detail Relationship as required.
- Select the related object.
- Enter the relationship label.
- Configure visibility and page layout options.
- Click Save and verify the related list.


4. FIELDS – CUSTOMER

Activity: Create Customer Fields

Field	Type
Email__c	Email
Phone__c	Phone
Address__c	Text Area
Customer_Type__c	Picklist
City__c	Text
State__c	Text
Pincode__c	Text
Is_Active__c	Checkbox

- Open Object Manager → Customer__c.
- Open Fields & Relationships.
- Click New.
- Select the required field type.
- Enter the field label and field properties.
- Set field-level security as required.
- Add the field to the page layout.

- Click Save.



Result: The required Customer fields are available.


4. FIELDS – SHIPMENT Activity:

Create Shipment Fields

Field	Type
Customer__c	Lookup
Source_Address__c	Text Area
Destination_Address__c	Text Area
Weight__c	Number
Price__c	Currency
Status__c	Picklist
Expected_Date__c	Date
Assigned_Agent__c	Lookup
Shipment_Type__c	Picklist

- Open Object Manager → Shipment__c.
- Open Fields & Relationships.
- Create each required field with its corresponding type.
- For lookup fields, select the related object.

- For picklist fields, enter the required values.
- Set field-level security and page layout settings.
- Save each field.



Result: The required Shipment fields are created.

4. FIELDS – DELIVERY AGENT & BRANCH

Activity: Create Delivery Agent Fields

- Email__c – Email
- Phone__c – Phone
- Branch__c – Lookup
- Status__c – Picklist
- Joining_Date__c – Date

Activity: Create Branch Fields

- Branch_Code__c – Text
- City__c – Text
- State__c – Text
- Manager_Name__c – Text
- Open the required object in Object Manager.
- Open Fields & Relationships → New.
- Select the field type.
- Enter the field label and properties.

- Configure lookup/picklist settings where required.
- Set security and layout settings.
- Click Save.

Fields & Relationships
10 Items, Sorted by Field Label

FIELD LABEL	FIELD NAME	DATA TYPE
Agent Name	Agent_Name__c	Text(50)
Agent Name	Name	Text(80)
Branch	Branch__c	Lookup(Branch)
Created By	CreatedById	Lookup(User)
Email	Email__c	Email
Joining Date	Joining_Date__c	Date
Last Modified By	LastModifiedById	Lookup(User)
Owner	OwnerId	Lookup(User,Group)
Phone	Phone__c	Phone
Status	Status__c	Picklist

Result: Delivery Agent and Branch fields are created.

4. FIELDS – DELIVERY UPDATE & INVOICE

Activity: Create Delivery Update Fields

- Shipment__c – Master-Detail
- Status__c – Picklist
- Update_Date__c – Date/Time
- Remarks__c – Text

Activity: Create Invoice Fields

- Shipment__c – Lookup
- Amount__c – Currency
- Invoice_Date__c – Date

- Payment_Status__c – Picklist

- Open Object Manager → required object.
- Open Fields & Relationships → New.
- Select the required field type.
- Enter the label and properties.
- Configure relationship fields with the related object.
- Set security and page layout settings.
- Click Save.

Fields & Relationships
7 Items, Sorted by Field Label

FIELD LABEL	FIELD NAME	DATA TYPE
Created By	CreatedById	Lookup(User)
Last Modified By	LastModifiedById	Lookup(User)
Remarks	Remarks__c	Text(50)
Shipment	Shipment__c	Master-Detail(Shipment)
Status	Status__c	Picklist
Update Date	Update_Date__c	Date/Time
Update Number	Name	Auto Number

Result: The required Delivery Update and Invoice fields are created.

5. VALIDATION RULES

Definition

A validation rule prevents a record from being saved when the entered data does not satisfy the specified formula.

Activity: Create a Validation Rule

- Open Object Manager → required object.
- Open Validation Rules.
- Click New.

- Enter the rule name.
- Enter the formula.
- Enter the error message.
- Choose the error display location.
- Click Check Syntax.
- Click Save.

Validation Rules Used

- Customer Email – Email must not be blank.
- Customer Phone – Phone length must be valid.
- Customer Pincode – Pincode length must be valid.
- Shipment Weight – Weight must be greater than zero.
- Shipment Price – Price must be greater than zero.
- Expected Date – Prevent invalid past date.
- Delivery Agent Email – Check email format indicator.
- Branch Code – Branch code is required.
- Delivery Update – Delayed status requires remarks.

5. VALIDATION RULE – DELIVERY UPDATE

Activity: Remarks Required If Status is Delayed

Purpose: Require remarks whenever a Delivery Update is saved with the status Delayed.


Step-by-Step Process

- Open Setup → Object Manager → Delivery_Update__c.
- Open Validation Rules.
- Click New.
- Enter Rule Name: Remarks_Required_For_Delay.
- Enter the formula: AND(ISPICKVAL(Status__c,"Delayed"), ISBLANK(Remarks__c)).
- Enter the error message: Remarks are required when status is Delayed.
- Set the error location to the Remarks field.

- Click Check Syntax.
- Click Save.

Formula

AND(ISPICKVAL(Status__c,"Delayed"), ISBLANK(Remarks__c))



Result: The record cannot be saved as Delayed without remarks.

6. PAGE LAYOUTS

Definition

Page layouts control the fields and sections shown on a Salesforce record page and organize the information for users.

General Activity: Edit a Page Layout

- Open Setup → Object Manager → required object.
- Click Page Layouts.
- Open the required layout.
- Create or arrange sections.
- Drag fields into the appropriate sections.

- Arrange fields logically.
- Click Save.

Project Layouts

- Customer – Customer Information; Address Details
- Shipment – Shipment Details; Address Information; Delivery Information
- Delivery Agent – Agent Details; Additional Information
- Branch – Branch Information
- Delivery Update – Update Information
- Invoice – Invoice Details


6. PAGE LAYOUT – CUSTOMER & SHIPMENT

Activity 1: Customer Layout

- Customer Information: Customer Name, Customer Type, Email, Phone, Is Active
- Address Details: Address, City, State, Pincode


Steps

- Setup → Object Manager → Customer__c.
- Click Page Layouts.
- Open the default Customer Layout.
- Add/arrange the sections.
- Drag the required fields into the sections.
- Click Save.



Activity 2: Shipment Layout

- Shipment Details: Tracking Number, Customer, Shipment Type, Weight, Price, Status
- Address Information: Source Address, Destination Address
- Delivery Information: Expected Date, Assigned Agent




Result: Customer and Shipment layouts are arranged.

6. PAGE LAYOUT – DELIVERY AGENT & BRANCH

Activity 3: Delivery Agent Layout

- Agent Details: Agent Name, Email, Phone, Branch, Status, Joining Date
- Additional Information: Related Shipments, Related Delivery Updates




Activity 4: Branch Layout

- Branch Information: Branch Name, Branch Code, City, State, Manager Name

- Open Setup → Object Manager → required object.
- Click Page Layouts.

- Open the default layout.
- Arrange the fields into the required sections.
- Click Save.




Result: Delivery Agent and Branch layouts are arranged.

6. PAGE LAYOUT – DELIVERY UPDATE & INVOICE

Activity 5: Delivery Update Layout


- Update Information: Update Number, Shipment, Status, Update Date, Remarks



Activity 6: Invoice Layout

- Invoice Details: Invoice Number, Shipment, Amount, Invoice Date, Payment Status
- Open Setup → Object Manager → required object.
- Click Page Layouts.
- Open the default layout.
- Arrange the required fields and sections.

- Click Save.



Result: Delivery Update and Invoice layouts are arranged.

7. FLOW

Definition


A Salesforce Flow automates business processes, collects or updates data, and performs actions without requiring manual record updates.

Activity: Auto-Update Shipment Status When Delivery Update is Created

Scenario: Whenever a Delivery_Update__c record is created, automatically update the related Shipment__c Status__c with the latest status from the Delivery Update.

Part 1 – Create the Record-Triggered Flow

- Click the Gear Icon → Setup.
- In Quick Find, type Flows.
- Click Flows.
- Click New Flow.
- Select Record-Triggered Flow.
- Click Create.

- 

7. FLOW – START CONFIGURATION

Step 2: Configure the Start

- On the Start panel, select Object: Delivery_Update__c.
- Under Trigger the Flow When, select A record is created.
- Under Condition Requirements, choose None.
- Under Optimize the Flow For, select Actions and Related Records.
- Click Done.

Expected Configuration

- Object: Delivery_Update__c
- Trigger: A record is created
- Condition Requirements: None
- Optimize for: Actions and Related Records

7. FLOW – UPDATE RELATED SHIPMENT

Part 2: Add Update Records

- Click the + icon under the Start element.
- Select Update Records.

- Set Label: Update_Shipment_Status.
- Select Specify conditions to identify records.
- Set Object: Shipment__c.
- Set Field: Id.
- Set Operator: Equals.
- Set Value: {!$Record.Shipment__c}.
- Set Shipment Status__c = {!$Record.Status__c}.
- Click Done.

7. FLOW – SAVE & ACTIVATE

Part 3: Save and Activate

- Click Save in the top-right corner.
- Enter Flow Label: Auto_Update_Shipment_Status.
- Allow the API Name to auto-fill.
- Click Save.
- Click Activate.
- Confirm that the Flow status shows Active.

Final Flow Logic

Delivery_Update__c created → find related Shipment__c using Shipment__c lookup → copy Status__c from Delivery Update to Shipment.

8. LIGHTNING APP

Definition

A Salesforce app is a group of tabs that work together as a unit.


Activity: Create Courier Management System App

- From Setup, search for App Manager and open it.
- Click New Lightning App.
- Enter App Name: Courier Management System.

- Upload an image or icon if required, then click Next.
- Under App Options, leave the required/default selections and click Next.
- Under Utility Items, continue as required and click Next.
- Move the required items from Available Items to Selected Items.
- Click Next.
- Select the required profiles.
- Click Save & Finish.

Selected Items

- Customer
- Shipment
- Delivery Agent
- Branch
- Delivery Update
- Invoice
- Reports
- Dashboards



Result: The Courier Management System Lightning App is creatd.

9. PROFILES

Definition

A profile is a collection of settings and permissions that controls what a Salesforce user can access and perform.

Activity 1: Create Courier Admin Profile

- From Setup, enter Profiles in Quick Find.
- Click Profiles.
- Click New Profile.
- Select Existing Profile: System Administrator.
- Enter Profile Name: Courier Admin.
- Click Save.

Activity 2: Create Branch Manager Profile

- Open Profiles and click New Profile.
- Select Existing Profile: Standard Platform User.
- Enter Profile Name: Branch Manager.
- Click Save.
- Click Edit on the Branch Manager profile.

9. PROFILES – BRANCH MANAGER

Activity: Configure Branch Manager

- Set the default app to Courier Management System App.
- Set the required tabs as Default On or Visible: Customers, Shipments, Delivery Agents, Branches, Delivery Updates, Invoices, Reports and Dashboards.
- Scroll to Custom Object Permissions.
- Set Customer__c: Create, Read, Edit.
- Set Shipment__c: Create, Read, Edit.
- Set Delivery_Agent__c: Read, Edit.
- Set Branch__c: Read, Edit.
- Set Delivery_Update__c: Create, Read, Edit.
- Set Invoice__c: Read.
- Under Session Settings, set Session Timeout to 2 Hours of Inactivity.

- Under Password Policies, set User passwords expire in: Never Expires.
- Set Minimum Password Length: 8.
- Click Save.


9. PROFILES – DELIVERY AGENT & CUSTOMER SUPPORT

Activity 3: Create Delivery Agent Profile

- Setup → Profiles → New Profile.
- Existing Profile: Standard Platform User.
- Profile Name: Delivery Agent.
- Set default app: Courier Management System.
- Visible tabs: Shipments, Delivery Updates.
- Shipment__c: Read, Edit.
- Delivery_Update__c: Create, Read, Edit.
- Customer__c: Read.
- Invoice__c: Read.
- Do not grant Branch editing or delete permissions.
- Save.

Activity 4: Create Customer Support Profile

- Setup → Profiles → New Profile.
- Base Profile: Standard User.
- Profile Name: Customer Support.
- Visible tabs: Customers, Shipments, Delivery Updates.
- Customer__c: Read, Edit.
- Shipment__c: Read, Edit.
- Delivery_Update__c: Read.
- Invoice__c: Read.
- Set Session Timeout to 2 Hours and password length to 8.
- Save.



10. ROLES & 11. USERS

Role Definition

Roles are used to determine data access and define the reporting hierarchy within the Salesforce organization.

Activity: Create Role Hierarchy

- From Setup, search for Roles.
- Open Set Up Roles.
- Click Expand All.
- Add Role under CEO and label it Courier Admin.
- Save.
- Below Courier Admin, click Add Role.
- Enter Branch Manager and save.
- Below Branch Manager, click Add Role.
- Enter Delivery Agent and save.
- Under Branch Manager, click Add Role.
- Enter Customer Support and save.


User Definition

A user is a person who logs in to Salesforce. The user account is configured with a role, user license and profile.

Activity: Create User

- Setup → Users → Users.

- Click New User.
- Enter the required name fields.
- Enter a unique username.
- Enter the email.
- Select the role.
- Select the user license.
- Select the profile.
- Click Save.



12. REPORTS & DASHBOARDS

Definition

Reports organize Salesforce records into summaries. Dashboards display report results as charts, tables and metrics.

Activity 1: Create a Report


- Open Reports.
- Click New Report.
- Select the required report type.
- Click Start Report.
- Add the required filters and columns.
- Group records when required.
- Save the report.

Project Reports

- Shipment Status Summary – Tracking Number, Customer, Status, Expected Date, Assigned Agent; group by Status.


• Agent Performance – Agent Name, Branch, Number of Shipments, Status; group by Delivery Agent.

• Revenue by Branch – Tracking Number, Customer, Price, Invoice Status; group by Branch and Month.



Activity 2: Create Dashboard

- Open Dashboards.
- Click New Dashboard.
- Enter dashboard name: Courier Management Dashboard.
- Select the required folder, such as CMS Reports.
- Click Create.
- Add components from the project reports.
- Use Donut for Shipment Status Overview.
- Use Bar for Agent Performance.
- Use Column for Revenue by Branch.
- Save and share with the required project users/groups.



Dashboard

Courier Management Dashboard

As of Sep 26, 2026, 2:46 AM · Viewing as Naveetha M


Shipment Status overview



View Report (Shipment Status Summary)

As of Sep 26, 2026, 2:46 AM

Agent Performance



View Report (Agent Performance Report)

As of Sep 26, 2026, 2:46 AM

Revenue by Branch



View Report (Revenue by Branch Report)

As of Sep 26, 2026, 2:46 AM