


COMMON LIFESTYLE DISORDERS (NCDs) AND WAYS TO AVOID THESE CONDITIONS




DR.R.P. SAINI
CONSULTANT & PROFESSOR
(MEDICINE)
VMMC & SJH,ND.

INTRODUCTION

- Non Communicable Diseases (NCDs) are health conditions that are not caused by any infection and therefore are not communicable from person to person.
- They are chronic in nature. If untreated, they can lead to further health complications and even early death.
- Common NCDs include cardiovascular diseases (diseases of the heart and blood vessels), stroke, cancer, diabetes, chronic respiratory diseases (asthma, chronic obstructive pulmonary disease due to pollution indoor and outside) and mental health disorders (anxiety and depression).

- Noncommunicable diseases (NCDs) kill 41 million people each year, equivalent to 71% of all deaths globally.
- More than one in two deaths now in India (60%) are because of NCDs.
- Each year, more than 15 million people die from a NCD between the ages of 30 and 69 years; 85% of these "premature" deaths occur in low- and middle-income countries.
- Cardiovascular diseases account for most NCD deaths (17.9 million people annually) followed by cancers (9.3 million), respiratory diseases (4.1 million) and diabetes (1.5 million).
- Tobacco use, physical inactivity, the harmful use of alcohol and unhealthy diets all increase the risk of dying from a NCD.
- Detection, screening and treatment of NCDs, as well as palliative care are key components of the response to NCDs.



NON COMMUNICABLE DISEASES

- CARDIOVASCULAR DISEASES (DISEASES OF THE HEART AND BLOOD VESSELS)
 - DIABETES
 - CANCER
- CHRONIC RESPIRATORY DISEASES
- COMMON MENTAL HEALTH DISORDERS
 - MANY OTHERS

NCDs are the new epidemic

heart attack...



Let us know about the heart

What is it?

Where is it situated?

What is its shape?

How big is it?




Does the heart also need blood for itself

- Yes
- Coronary arteries supply the blood



Heart attack?

When an artery in the heart gets blocked, it can lead to a heart attack



The Heart

Heart pumps blood through blood vessels to supply oxygen to all parts of the body
Oxygen is the fuel for the energy needs of the body



How does an artery get blocked?

- Progressive deposition (cholesterol) in the vessel wall and growth of plaque
- Clot formation obstructing forward blood flow



Heart attack warning signs

- Pain, pressure or constriction in the centre of the chest
- Nausea, sweating, or feeling faint
- Pain in the jaw, neck, arms, shoulders or back
- Shortness of breath


Don't hesitate to seek MEDICAL HELP

Chewing a tablet of water soluble aspirin at the onset of heart attack can reduce chances of death by 25%

MOHFW, Govt
of India

DIABETES

KNOW THE SYMPTOMS



cancer...



- Avoid smoking, tobacco products and alcohol
- Adopt and maintain a healthy diet
- Maintain ideal body weight for height
- Eat plenty of vegetables and fruits



WARNING SIGNALS

C HANGE IN BOWEL OR BLADDER HABITS
A SORE THAT DOES NOT HEAL
U NUSUAL BLEEDING OR DISCHARGE
T HICKENING OR LUMP IN THE BREAST OR ELSEWHERE
I NDIGESTION OR DIFFICULTY IN SWALLOWING
O BVIOUS CHANGE IN A WART OR MOLE
N AGGING COUGH OR HOARSENESS OF VOICE

Cancer is treatable
in early stages

In case of any symptom don't
delay, get medical advice

MOHFW, Govt
of India

Chronic Respiratory diseases

- Long-lasting cough
- Mucus
- Breathlessness
- Wheeze
- Easy tiredness





COMMON MENTAL DISORDERS



Wholehealthnow.com

DEPRESSION

Sad mood
Lack of interest
Irritation
Worry
Hopeless and Helpless feeling
Loss of appetite
Loss of weight
Loss of energy
Feeling of guilt
Death wish or attempt to harm self
SYMPTOMS persist for two weeks or more

ANXIETY

Feelings of fear or panic
Cold and clammy hands
Difficulty sleeping
Shortness of breath
Rapid heart beat
Restlessness
Dry mouth
Tingling and numbness of hands or feet
Trembling
SYMPTOMS persist without any obvious cause

SIGNS OF STRESS IN A PERSON

- *A person can have some health problems like headache or body pain, high blood pressure, tiredness, weight gain or loss of weight, upset stomach, back pain, sleeplessness or loss of interest in sexual activity*
- *He/ she can also feel worried, restlessness, have no interest to do anything, get irritable, angry and feel sad*
- *There can be behaviour changes like overeating or not eating, shouting at others, using alcohol & tobacco to reduce tension , taking medication without doctors advise*

Such changes in emotion and behavior are signs of psychological distress

If these complaints persists for a longer duration, they need to get help

RELATIONSHIP BETWEEN STRESS AND DISEASE

- Psychologists have found that stress is a contributing factor in human disease.
- Depression is common among people having a serious illness or physical disease.
- Chronic stress triggers or worsens depression, cardiovascular disease and HIV/AIDS.
- Stress can affect the immune system and worsen depression, infections, arthritis, coronary artery disease and at least some (e.g., viral) cancers.
- Stress plays a part in worsening cancer, by reducing the sufferer's immunity

A person having depression will feel sad, have no interest in life and will not enjoy anything (e.g. food, fun). He/ she can complain of feeling tired or not feeling hungry, has difficulty sleeping and cannot concentrate on anything and feels guilty. Suicidal thoughts or acts can occur.

(There can be physical problems like headaches, back pain, muscle & joint pain, chest pain, digestive problems, change in appetite or weight or dizziness. Life events (losing a loved one, losing a job, failure of a love affair) can lead to depression in the person

If these problems persists daily and for more than 2 weeks contact CHW or the Health Centre)

STRESS MANAGEMENT

Stress is the reaction of the body (physical or mental) to the interpretation of a known situation. As a negative influence, it can result in feelings of disruption, rejection, anger, and depression which in turn can lead to health problems such as headache, upset stomach, rashes, insomnia, ulcers, high blood pressure, heart disease, and stroke.



ORIGIN OF STRESS

- Physical
- Social
- Psychological
- Life's events
- Situation
- Individual
- Environment

Yoga for **STRESS** MANAGEMENT



Preneyama help in relaxing. It can be done either lying down or in sitting posture



AUM chanting is soothing



Joint relaxing exercises and progressive whole body relaxation techniques with deep breathing are useful

COPING WITH STRESS

- Relaxation exercises
- Practicing yoga and meditation
- Acquiring problem solving skills
- Developing hobbies (listening to music)
- Positive thinking
- Social support
- Physical activity

RISK FACTORS

- A risk factor is a condition or behavior that increases the chances of developing a particular disease, injury or other health condition.
- Risk factors are of two kinds:
 - Those that cannot be modified (age, gender, race, family history)
 - Those that can be modified by changing our behavior (diet, weight, physical activity, lifestyles including tobacco and alcohol use, stress).

COMMON AND PREVENTABLE RISK FACTORS

- TOBACCO USE
- ALCOHOL USE
- UNHEALTHY DIET
- PHYSICAL INACTIVITY
 - STRESS

Non-Modifiable Risk Factors

- ♦ Age
- ♦ Sex
- ♦ Family history

Modifiable Health Risk Factors

- ♦ Unhealthy diets
- ♦ Lack of Physical activity
- ♦ Tobacco use
- ♦ Harmful use of Alcohol
- ♦ Environmental factors

Intermediate Risk Factors

- ♦ Hypertension
- ♦ Impaired blood glucose levels
- ♦ Hyperlipidemia
- ♦ Overweight/ Obesity

Outcome

- ♦ Cardiovascular diseases and Cerebrovascular diseases (Heart diseases and Stroke)
- ♦ Diabetes
- ♦ Cancers
- ♦ Chronic Respiratory Diseases (Asthma, difficulty in breathing)
- ♦ Tooth decay/cavities
- ♦ Gum Diseases

NON-MODIFIABLE RISK FACTORS

- **AGE** - With increasing age, our body undergoes changes. As we grow older, there is an increase in the risk of developing hypertension (high blood pressure), high blood sugar levels, high levels of body and blood fats. These conditions can lead to Non-Communicable Diseases like- heart and blood vessel diseases (stroke), diabetes, cancer, respiratory problems, etc.
- **SEX** - Both women and men are at risk of developing Non-Communicable Diseases. Men are at a higher risk of developing Non-Communicable Diseases. However, women who have reached menopause are more likely to suffer from heart attacks than pre-menopausal women. Some risk factors for developing Non-Communicable Diseases such as high blood pressure or high blood glucose can affect women even during pregnancy.
- **FAMILY HISTORY** - If a person has a family history of NCDs (if a close family member, parents, siblings also have the disease) she/he has a high chance of getting the disease.

MODIFIABLE RISK FACTORS

• TOBACCO

- If you smoke, you are almost three times more likely to die of heart and blood vessel disease (including heart attack and stroke), compared to people who don't smoke, you are at least three times more likely to die from sudden cardiac death.
- Even people who smoke a few cigarettes a day have around double the risk of dying from heart and blood vessel disease compared to people who have never smoked.
- Breathing other people's smoke (second hand smoke) is harmful to health.
- Non-smokers living with people who smoke have about a 30 per cent increase in the risk of heart disease.

SMOKING DAMAGES THE HEART AND BLOOD VESSEL

- Chemicals in cigarette smoke cause the cells that line blood vessels to become swollen and inflamed. This can narrow the blood vessels and can lead to many cardiovascular conditions.
- Tobacco smoke contains thousands of chemicals including:
 - **NICOTINE** – an addictive drug that affects brain and muscle activity and increases your blood pressure, making your heart work harder
 - **CARBON MONOXIDE** – a poisonous gas that replaces oxygen in your blood, reducing the supply of oxygen to your heart and other organs
 - **TAR** – a sticky substance that coats your lungs like soot in a chimney, making it harder for you to breathe. Tar contains dozens of chemicals that cause cancer.

CARDIOVASCULAR CONDITIONS CAUSED DUE TO TOBACCO USE

- **ATHEROSCLEROSIS** - in which arteries narrow and become less flexible, occurs when fat, cholesterol, and other substances in the blood form plaque that builds up in the walls of arteries.
- **CORONARY HEART DISEASE** - occurs when arteries that carry blood to the heart muscle are narrowed by plaque or blocked by clots. Chemicals in cigarette smoke cause the blood to thicken and form clots inside veins and arteries. Blockage from a clot can lead to a heart attack and sudden death.

- **STROKE** - is a loss of brain function caused when blood flow within the brain is interrupted. . Deaths from strokes are more likely among smokers than among former smokers or people who have never smoked.

➤ The acronym FAST is used to signify the symptoms of a stroke -

It stands for:

- a. Face: Face drooping on one side is the most common visible symptom, followed by dropping of mouth or eye.
- b. Arms: Weakness or numbness in one or both arms doesn't allow a person to raise both of his or her hands up and hold them there.
- c. Speech: Slurred or garbled speech in some cases, and in other cases: no speech.
- d. Time: It is time to call the emergency services if you see any of these symptoms.

- **PERIPHERAL ARTERIAL DISEASE (PAD) AND PERIPHERAL VASCULAR DISEASE** - occur when blood vessels become narrower and the flow of blood to arms, legs, hands and feet is reduced.


A

Coronary heart (artery) disease
(leading to chest pain,
heart attack, and heart failure)



Peripheral artery disease
(leads to pain, numbness,
infection, gangrene; and
can lead to amputation)

B


**Detail of peripheral (leg)
artery with
atherosclerosis**

**C**

**Detail of coronary (heart) artery
with atherosclerosis**



TOBACCO USE AND IMPACT ON HEALTH



ILL – EFFECTS OF TOBBACO ON LUNGS



BENEFITS OF QUITTING TOBACCO

- ✓ Within 20 minutes your BP, pulse rate reduce.
- ✓ Within 2 hours nicotine gets washed out.
- ✓ Within 8 hours carbon monoxide/ tar in your body reduces.
- ✓ Within 24 hours your chance of a heart attack has already reduced.
- ✓ Within 48 hours your sense of smell improves.
- ✓ By 3 months your fertility improves.
- ✓ By 9 months your shortage of breath improves.
- ✓ Over 5–15 years your risks of lung cancer, heart disease & stroke will reduce to levels of that of a non-smoker.

ALCOHOL

- Drinking too much alcohol can be dangerous and can cause problems.
- Having more than 1 alcohol drink a day for women or more than 2 drinks a day for men may:
 - Contribute to high blood pressure, which is a risk factor for coronary artery disease.
 - Increase your risk of stroke.
 - Directly damage heart muscle (alcoholic cardiomyopathy), which may weaken the heart, leading to heart failure.
 - Cause abnormal heart rhythms.
 - Slightly increase the risk of breast cancer in women. Interact with your medicines if you are being treated for heart disease (or other diseases or conditions). Increase your risk of liver disease


ALCOHOL USE IS A RISK FACTOR FOR MANY NCDS

- **Cardiovascular diseases:** Alcohol weakens heart muscles and decreases cardiovascular fitness. Alcohol hardens blood vessels and increases blood pressure (hypertension) and increases the risk for heart attacks.
- **Cancer:** Cancer of the liver can result from heavy drinking, and is very difficult to treat.
- Both cirrhosis (liver cells begin to die and are replaced by scar tissue) and liver cancer can finally result in death, as the liver is a very important organ, and the body cannot survive without it.
- Mouth cancer, cancer of esophagus (food pipe, through which food travels from the mouth to the stomach), and gastric cancer (cancer of stomach) occur at high rates in heavy drinkers, due to the corrosive effects of alcohol.
- **Diabetes:** Alcohol seriously impairs blood sugar levels through liver damage and affects the hormones which keep blood sugar under control and leads to higher risk for developing diabetes.
- **Mental health disorders:** Heavy use of alcohol can also alter various brain chemicals resulting in risk of developing common mental health disorders such as anxiety and depression, as well as major psychotic disorders, mood disorders and delirium (acute confusion).

Liver: Swollen, Cancer, Liver failure, Coma & death

Gastrointestinal system: Inflammation, Ulcer of stomach, Loss of appetite, Nausea, Diarrhea, Vomiting & Cancer.

Changes in Mood, Anxiety & Depression




High blood pressure, Irregular heart beat, Damage to heart muscle, Increased risk of heart attack & Stroke

Intestines: Inflammations, Ulcers & Cancer

Pancreas: Painful, inflammation & bleeding

HEALTHY HEART



ENLARGEMENT OF HEART OF A HEAVY DRINKER



HEALTHY PERSON'S LIVER



LIVER OF A HEAVY DRINKER



'ADVISE' HEALTHY LIFE STYLES & WAYS OF REDUCING ALCOHOL USE



- Avoid company of friends who drink; avoid bars, hotels
- Use 4 Ds
- Say 'NO' to drinking
- Healthy food, sleep & work schedule
- Spend time with family & friends (who do not drink)
- Have hobbies
- When you are stressed or feeling sad or lonely, talk to someone (close to you)

*When you are at high risk situations (occasions when you are close to drinking alcohol again) use 4 Ds: - Delay (postpone use); Distract (move away, shift your attention); Drink water; Deep breathing (take a few deep breaths)

SALT REDUCTION

- High sodium consumption (>2 grams/day, equivalent to 5 g salt/day) and insufficient potassium intake (less than 3.5 grams/day) contribute to high blood pressure and increase the risk of heart disease and stroke.
- Most people consume too much salt—on average 9–12 grams per day, or around twice the recommended maximum level of intake.
- Salt intake of less than 5 grams per day for adults helps to reduce blood pressure and risk of cardiovascular disease, stroke and coronary heart attack. The principal benefit of lowering salt intake is a corresponding reduction in high blood pressure.

RECOMMENDATIONS FOR SALT REDUCTION

- For adults: WHO recommends that adults consume less than 5 g (just under a teaspoon) of salt per day .
- All salt that is consumed should be iodized or “fortified” with iodine, which is essential for healthy brain development in the fetus and young child and optimizing people’s mental function in general.

HYPERTENSION

- Hypertension or elevated blood pressure—is a serious medical condition that—significantly increases the risks of heart, brain, kidney and other diseases.
- An estimated 1.28 billion adults aged 30-79 years worldwide have hypertension, most (two-thirds) living in low- and middle-income countries.
- An estimated 46% of adults with hypertension are unaware that they have the condition. Less than half of adults (42%) with hypertension are diagnosed and treated.
- Approximately 1 in 5 adults (21%) with hypertension have it under control. Hypertension is a major cause of premature death worldwide.
- One of the global targets for noncommunicable diseases is to reduce the prevalence of hypertension by 33% between 2010 and 2030.

HOW CAN THE BURDEN OF HYPERTENSION BE REDUCED?

PREVENTION

- Reducing salt intake (to less than 5g daily).
- Eating more fruit and vegetables.
- Being physically active on a regular basis.
- Avoiding use of tobacco.
- Reducing alcohol consumption.
- Limiting the intake of foods high in saturated fats.
- Eliminating/reducing trans fats in diet.

MANAGEMENT

- Reducing and managing stress.
- Regularly checking blood pressure.
- Treating high blood pressure.
- Managing other medical conditions.

UNHEALTHY DIET

- Unhealthy diet has the greatest impact on young people, particularly those in developing countries. There is a rapid change in traditional diet onto energy dense and often nutrient poor foods that are high in fat, sugar and salt.
- In India, the problem of obesity is higher in women compared to men.
- Malnutrition and diet - related NCDs are on the rise. One in four adults and one in five school - going children are overweight in India.

UNHEALTHY DIET



- High intake of salt & oily food
- Low intake of vegetables & fruits
- Excess intake of fast foods (chaats, gobi manchurian, samosas, burgers, potato chips)
- High consumption of bakery items, noodles, candies, chocolates



HOW TO OVERCOME BARRIERS TO HEALTHY DIET?



- Identify the barriers and work on them
- Plan meal using seasonal and locally available food to cut down the cost
- Instead of eating/ not eating to cope with stress, practice relaxation, engage in physical activity or talk to someone when stressed
- Understand that unhealthy diet leads to health problems
- Contact the Health Centre for help

5 EFFECTIVE WAYS TO PREVENT LIFESTYLE DISEASES

1. DIET (LESS CARBOHYDRATE, MORE PROTEIN, LESS OIL)

- A healthy diet is very crucial to a healthy being. Rather than focusing on individual foods, it is wise to coordinate the general eating habit towards more healthy options by incorporating a variety of food products in the right proportion, at right intervals mixed with the right amount of physical exercise.
- Avoid junk food.
- Opt for healthy snacks over burgers and chips.
- Incorporate more greens (leafy veggies) and fresh fruits in your diet.
- Switch over to whole-grain flour or multigrain flour.
- Eat in small proportions at regular intervals of time.
- Know what you eat.

2) REGULAR EXERCISE –

- Take up regular exercise like walking, yoga, dancing, aerobics and cycling.
- A half an hour's walk, at least 5 days a week is the minimum an adult should indulge their body into for an active immune system.
- Exercising religiously for at least 3-5 days per week will benefit tremendously to a happier healthier you.
- Use stair-case instead of lift or escalator.
- For additional and more extensive health benefits, adults can increase their aerobic physical activity to 300 minutes (5 hours) a week of moderate-intensity, or 150 minutes a week of vigorous-intensity aerobic physical activity.

Type of physical activity	Moderate intensity Modality	Duration	Frequency/ days per week	Vigorous intensity Modality repetitions	Duration/ Duration/	Frequency/ week
Aerobic physical activity	Brisk walking, stair climbing, jogging (4-7m/sec), cycling, treadmill and swimming	30 min	5	Football, badminton, basketball, running, rope jumping, dancing	20 min	3 days
Muscle strengthening activity	Resistance weight training, curls, presses, anti-gravity exercise, isometric exercise Children-Body weight activity (Pull ups)	1-3 sets of 8-12 repetitions targeting major muscle groups	2-3	Resistance training, curls, presses, anti gravity exercise, isometric exercise Children- Body weight activity (Pull ups)	>3 sets of >12 repetitions targeting major muscle groups	2-3 days

Calculating Target Heart Rate

The highest, safe heart rate you should theoretically be able to have your heart beat at is known as the **Maximum Heart Rate (MHR)**.

Determine your Maximum Heart Rate (MHR) by subtracting your age from 220.

$$220 - \text{age} = \text{MHR}$$

We will use a 20 year-old with a resting heart rate of 60 beats per minute (BPM) for our example:

$$220 - 20 = 200 \text{ BPM}$$

YOUR DESIRED PERCENT EFFORT

- 40-50% — Beginner Exerciser
- 50-60% — Intermediate Exerciser
- 60-70% — Advanced Intermediate Exerciser
- 70-85% — Advanced Exerciser

Heart Rate	Effort	Effect
171 - 190	Very hard 90-100%	Performance Redline Zone Develops maximum preformance and speed
152 - 171	Hard 80-90%	Threshold Zone Increases maximum preformance capacity
133 - 152	Moderate 70-80%	Aerobic Zone Improves aerobic fitness
114 - 133	Light 60-70%	Temperate Zone Improves basic endurance and fat burning
95 - 114	Very light 50-60%	Healthy Heart Zone Improves overall health and helps recovery

Your heart rate training zone is a critical element in exercise. You must train at a variety of different heart rates in order to stimulate your body to improve your fitness level. Taking your pulse and calculating your heart rate during a workout is one of the primary indicators in ascertaining the intensity level at which you and your heart is working.

Zone 1 - Healthy Heart Zone: 50% - 60% of your Max Hr Easiest, Most Comfortable Zone Exercise Benefits: Body fat decreases, blood pressure lowered, cholesterol lowered, muscle mass improvements, decreased risk for degenerative diseases, safety high.

Zone 2 - Temperate Zone: 60% - 70% of your Max Hr Cruise Zone – you can train for extended periods of time in this zone 75% - 85% of all calories from fat as fuel, 6 – 10 calories per minute Exercise Benefits: Gain muscle mass, lose fat mass, strengthen heart muscle, fat utilization zone, training your fat mobilization, fat transportation, your muscles to burn fat, your fat cells to increase the rate of fat release, increase in the number of mitochondria in the muscle.

Zone 3 - Aerobic Zone: 70% - 80% of your Max Hr Transition Zone – from two health zones to two performance zones still feels comfortable, you will break a sweat, but no anaerobic burn sensation Exercise Benefits: Improved overall functional capacity with increase in the number and size of blood vessels, increased vital capacity, respiratory rate, max pulmonary ventilation, pulmonary diffusion, increase in size and strength of the heart, improvements in cardiac output and stroke volume

Zone 4 - Threshold Zone: 80% - 90% of your Max Hr Max Calorie Burn Zone Exercise Benefits: Max fat burn, but you must be fit enough to train with some oxygen present for additional fat burn. No fat burning if exercising above fat burning heart rate. High total calories. burned during exercise, high carbohydrates as source of calories. Improved VO 2 and higher lactate tolerance.

Zone 5 - Performance Redline Zone: 90% - 100% of your Max Hr Peak Race Zone – Athlete Only Zone! Exercise Benefits: Highest total calories burned, but lowest percentage of fat calories. Lactate tolerance zone. This zone is only for the very healthy and fit!!! Spending too much time in this zone, even for elite athletes can be painful, cause injuries and lead to over training, which leads to poor performance

3) ABSTAIN FROM SUBSTANCE ABUSE –


. Quit smoking and drinking for a younger you, good skin, more energy, better lung capacity and thus better breathing.

4) CONTROL WEIGHT –

By eating right and ensuring regular exercises it is important that each individual keeps their weight under control to ensure a healthy living. Being overweight, especially with a bigger middle, leads to conditions that harm the heart.

Body Mass Index (BMI) that helps determine healthy and unhealthy body fat. A BMI of more than 25 marks the line of obesity indicates that each one should keep an eye on.

Nutritional status	BMI (kg/m ²)
Underweight	<18.5
Normal range	18.5-22.9
Overweight	23-24.9
Obese I	25-29.9
Obese II	>30



5) CONTROL BLOOD PRESSURE AND SUGAR –

As a result of all the dietary measures that one takes along with the physical exercises they perform to maintain a body proportion and control weight, an impact is affected on the blood pressure and blood sugar levels.

ADVISE ON WHAT TO AVOID?

- AVOID FRIED FOODS
- RESTRICT INTAKE OF GHEE, OIL

- AVOID RED MEAT

- AVOID SALTED FISH, PAPADS & PICKLES

- REDUCE SALT & SUGAR

- AVOID INTAKE OF AERATED DRINKS (COLA)

- AVOID FAST/PROCESSED FOOD (CHIPS, SAMOSAS)

- TEA & COFFEE SHOULD BE AVOIDED AT LEAST FOR ONE HOUR BEFORE AND AFTER FOOD



ADVISE ON HEALTHY EATING PRACTICES

- Wash your hands properly before eating food
- Do not drink too much water while eating
- Do not eat too fast
- Eat cooked food than raw food
- Chew food thoroughly and then swallow
- Eat at regular intervals and avoid overeating
- Drink about 2 litres of water per day



THANK YOU