

SMARTMINEGUARD — MINERAL TRANSPORT MONITORING SYSTEM

ENFORCEMENT & INTELLIGENCE DIVISION • STATUTORY EVIDENCE DOSSIER
CONFIDENTIAL • FOR OFFICIAL USE ONLY • GENERATED UNDER MMDR ACT ENFORCEMENT RULES

CASE FILE ID:	SMG-2026-00041	DATE OF INCIDENT:	2026-09-18 19:20:30
INVESTIGATION STATUS:	UNDER_INVESTIGATION	LEAD INVESTIGATOR:	Inspector Rajesh K. Meena

1. VEHICLE, LEASEHOLD & e-RAWAANA PERMIT PROFILES

Vehicle Reg. No.:	HR26AB1234	e-Rawaana Transit Pass:	SMG-2026-00125
Vehicle Type / Tare:	10-Wheeler Tipper Truck (Tare: 11.5 MT)	Permitted Mineral:	Quartzite Aggregate
Registered Owner:	Shri Ram Logistics Pvt Ltd	Source Quarry / Lease:	HSI IDC Ltd. (Khanak Stone Mines) (Bhiwani)
Driver Name / Contact:	Vikram Singh (+91 98123 45678)	Consignee / Destination:	Bhiwadi Aggregates & ReadyMix Ltd (Bhiwadi Industrial Crushing Zone)



2. WEIGHBRIDGE TELEMETRY AUDIT & OVERLOAD VERIFICATION

Audit Parameter	Permitted Limit (e-Rawaana)	Actual Recorded (Weighbridge)	Variance / Discrepancy	Enforcement Status
Net Mineral Payload	20.00 MT	28.50 MT	+8.50 MT (+42.5%)	ILLEGAL OVERWEIGHT
Gross Vehicle Weight (GVW)	31.50 MT	42.50 MT	+8.50 MT	AXLE OVERLOAD

3. SUMMARY OF DETECTED STATUTORY RULE VIOLATIONS

Rule Violation	Severity	Risk Points	Deterministic Evidence Summary
Weight Anomaly	CRITICAL	+30	Weighbridge Net Weight 31.0 MT exceeds e-Rawaana permitted limit 20.0 MT (+11.0 MT / +55.0% overload).
Route Deviation	HIGH	+20	Vehicle deviated 1,420m outside permitted NH-48 mineral transit corridor toward unmonitored rural link.
Gps Blackout	HIGH	+20	GPS heartbeat lost for 14 minutes immediately adjacent to Sabi Riverbed Restricted Mining Zone.
Overweight Dispatch	HIGH	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 24.6 MT, Difference = +4.6 MT (+23.0% vs 5.0% allowed tolerance).
Manual Weight Override	MEDIUM	+15	MANUAL WEIGHT OVERRIDE: Scale weight was manually altered from 31.0 MT to 28.5 MT (Net delta: -2.5 MT). Reason: Calibration tare error verified at exit gate.
Overweight Dispatch	CRITICAL	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 26.0 MT, Difference = +6.0 MT (+30.0% vs 5.0% allowed tolerance).
Overweight Dispatch	CRITICAL	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 30.0 MT, Difference = +10.0 MT (+50.0% vs 5.0% allowed tolerance). Axle capacity exceeded (Max vehicle capacity: 28.0 MT).

Gps Blackout	CRITICAL	+30	ILLEGAL GPS JAMMER DETECTED: Transponder C/N0 noise ratio collapsed to 12.8 dB-Hz on vehicle HR26AB1234. Zero satellite lock.
Permit Reuse Attempt	CRITICAL	+40	PASS RECYCLING FRAUD DETECTED (PARCHI REUSE): Vehicle HR26AB1234 is attempting a second unmetered haul using already CONSUMED e-Ravanna RAW-TEST-VEL-1789759500 (Delivered at 2026-09-18 19:15:00). Single-use transit authorization exhausted. Automated gate barrier locked under MMDR Rule 102.
Weighbridge Axle Cheating	CRITICAL	+35	KANTA MANIPULATION DETECTED (AXLE OFF-PLATFORM): Infrared position beam broken! Vehicle tires resting on approach concrete ramp during gross weighment (38.0 MT). Load cells registering false lower weight to evade unbilled payload royalty. Boom barrier locked.
Mineral Grade Arbitrage	HIGH	+25	GRADE ARBITRAGE DETECTED (SANDWICH LOADING): Quarry source 'Northern Quartzite Pit (Block 1A)' (Sharma Stone Aggregates Ltd. (Ramesh Sharma)) is registered for High-Grade Blue Quartzite (Neela Maal, Statutory Tariff ₹375.00/MT), but transit pass is declared at ₹300.00/MT (Red Quartzite Grit (Laal Maal)). Unpaid tariff evasion delta: ₹75.00/MT under MMDR Rule 104.
Token System Bypass	CRITICAL	+40	OFF-RECORD TOKEN / KACHA MAAL BYPASS DETECTED: Vehicle HR26AB1234 detected at mine boundary gate with NO digital e-Ravanna registered on the state portal. Informal token / cash bypass attempt intercepted. Automated boom barrier locked.
Unclosed Entry Timeout	HIGH	+30	UNCLOSED ENTRY / GHOST TRUCK TIMEOUT: Vehicle HR26AB1234 entered pit at 2026-09-18 22:45:00 (130 mins ago). Exceeded statutory loading dwell limit of 90 mins. Suspected credential swapping or unrecorded off-the-books extraction.
Overweight Dispatch	HIGH	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 24.6 MT, Difference = +4.6 MT (+23.0% vs 5.0% allowed tolerance).
Manual Weight Override	MEDIUM	+15	MANUAL WEIGHT OVERRIDE: Scale weight was manually altered from 31.0 MT to 28.5 MT (Net delta: -2.5 MT). Reason: Calibration tare error verified at exit gate.
Overweight Dispatch	CRITICAL	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 26.0 MT, Difference = +6.0 MT (+30.0% vs 5.0% allowed tolerance).
Overweight Dispatch	CRITICAL	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 30.0 MT, Difference = +10.0 MT (+50.0% vs 5.0% allowed tolerance). Axle capacity exceeded (Max vehicle capacity: 28.0 MT).
Gps Blackout	CRITICAL	+30	ILLEGAL GPS JAMMER DETECTED: Transponder C/N0 noise ratio collapsed to 12.8 dB-Hz on vehicle HR26AB1234. Zero satellite lock.
Permit Reuse Attempt	CRITICAL	+40	PASS RECYCLING FRAUD DETECTED (PARCHI REUSE): Vehicle HR26AB1234 is attempting a second unmetered haul using already CONSUMED e-Ravanna RAW-TEST-VEL-1789759991 (Delivered at 2026-09-18 19:23:12). Single-use transit authorization exhausted. Automated gate barrier locked under MMDR Rule 102.
Weighbridge Axle Cheating	CRITICAL	+35	KANTA MANIPULATION DETECTED (AXLE OFF-PLATFORM): Infrared position beam broken! Vehicle tires resting on approach concrete ramp during gross weighment (38.0 MT). Load cells registering false lower weight to evade unbilled payload royalty. Boom barrier locked.

Mineral Grade Arbitrage	HIGH	+25	GRADE ARBITRAGE DETECTED (SANDWICH LOADING): Quarry source 'Northern Quartzite Pit (Block 1A)' (Sharma Stone Aggregates Ltd. (Ramesh Sharma)) is registered for High-Grade Blue Quartzite (Neela Maal, Statutory Tariff ₹375.00/MT), but transit pass is declared at ₹300.00/MT (Red Quartzite Grit (Laal Maal)). Unpaid tariff evasion delta: ₹75.00/MT under MMDR Rule 104.
Token System Bypass	CRITICAL	+40	OFF-RECORD TOKEN / KACHA MAAL BYPASS DETECTED: Vehicle HR26AB1234 detected at mine boundary gate with NO digital e-Ravanna registered on the state portal. Informal token / cash bypass attempt intercepted. Automated boom barrier locked.
Unclosed Entry Timeout	HIGH	+30	UNCLOSED ENTRY / GHOST TRUCK TIMEOUT: Vehicle HR26AB1234 entered pit at 2026-09-18 22:53:12 (130 mins ago). Exceeded statutory loading dwell limit of 90 mins. Suspected credential swapping or unrecorded off-the-books extraction.
Overweight Dispatch	CRITICAL	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 30.0 MT, Difference = +10.0 MT (+50.0% vs 5.0% allowed tolerance). Axle capacity exceeded (Max vehicle capacity: 28.0 MT).
Overweight Dispatch	CRITICAL	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 30.0 MT, Difference = +10.0 MT (+50.0% vs 5.0% allowed tolerance). Axle capacity exceeded (Max vehicle capacity: 28.0 MT).
Overweight Dispatch	CRITICAL	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 26.0 MT, Difference = +6.0 MT (+30.0% vs 5.0% allowed tolerance).
Overweight Dispatch	HIGH	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 24.6 MT, Difference = +4.6 MT (+23.0% vs 5.0% allowed tolerance).
Manual Weight Override	MEDIUM	+15	MANUAL WEIGHT OVERRIDE: Scale weight was manually altered from 31.0 MT to 28.5 MT (Net delta: -2.5 MT). Reason: Calibration tare error verified at exit gate.
Overweight Dispatch	CRITICAL	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 26.0 MT, Difference = +6.0 MT (+30.0% vs 5.0% allowed tolerance).
Overweight Dispatch	CRITICAL	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 30.0 MT, Difference = +10.0 MT (+50.0% vs 5.0% allowed tolerance). Axle capacity exceeded (Max vehicle capacity: 28.0 MT).
Gps Blackout	CRITICAL	+30	ILLEGAL GPS JAMMER DETECTED: Transponder C/N0 noise ratio collapsed to 12.8 dB-Hz on vehicle HR26AB1234. Zero satellite lock.
Permit Reuse Attempt	CRITICAL	+40	PASS RECYCLING FRAUD DETECTED (PARCHI REUSE): Vehicle HR26AB1234 is attempting a second unmetered haul using already CONSUMED e-Ravanna RAW-TEST-VEL-1789760371 (Delivered at 2026-09-18 19:29:31). Single-use transit authorization exhausted. Automated gate barrier locked under MMDR Rule 102.
Weighbridge Axle Cheating	CRITICAL	+35	KANTA MANIPULATION DETECTED (AXLE OFF-PLATFORM): Infrared position beam broken! Vehicle tires resting on approach concrete ramp during gross weighment (38.0 MT). Load cells registering false lower weight to evade unbilled payload royalty. Boom barrier locked.
Mineral Grade Arbitrage	HIGH	+25	GRADE ARBITRAGE DETECTED (SANDWICH LOADING): Quarry source 'Northern Quartzite Pit (Block 1A)' (Sharma Stone Aggregates Ltd. (Ramesh Sharma)) is registered for High-Grade Blue Quartzite (Neela Maal, Statutory Tariff ₹375.00/MT), but transit pass is declared at ₹300.00/MT (Red Quartzite Grit (Laal Maal)). Unpaid tariff evasion delta: ₹75.00/MT under MMDR Rule 104.

Token System Bypass	CRITICAL	+40	OFF-RECORD TOKEN / KACHA MAAL BYPASS DETECTED: Vehicle HR26AB1234 detected at mine boundary gate with NO digital e-Ravanna registered on the state portal. Informal token / cash bypass attempt intercepted. Automated boom barrier locked.
Unclosed Entry Timeout	HIGH	+30	UNCLOSED ENTRY / GHOST TRUCK TIMEOUT: Vehicle HR26AB1234 entered pit at 2026-09-18 22:59:31 (130 mins ago). Exceeded statutory loading dwell limit of 90 mins. Suspected credential swapping or unrecorded off-the-books extraction.
Gps Blackout	CRITICAL	+30	ILLEGAL GPS JAMMER DETECTED: Transponder C/N0 noise ratio collapsed to 12.8 dB-Hz on vehicle HR26AB1234. Zero satellite lock.
Overweight Dispatch	HIGH	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 24.6 MT, Difference = +4.6 MT (+23.0% vs 5.0% allowed tolerance).
Manual Weight Override	MEDIUM	+15	MANUAL WEIGHT OVERRIDE: Scale weight was manually altered from 31.0 MT to 28.5 MT (Net delta: -2.5 MT). Reason: Calibration tare error verified at exit gate.
Overweight Dispatch	CRITICAL	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 26.0 MT, Difference = +6.0 MT (+30.0% vs 5.0% allowed tolerance).
Overweight Dispatch	CRITICAL	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 30.0 MT, Difference = +10.0 MT (+50.0% vs 5.0% allowed tolerance). Axle capacity exceeded (Max vehicle capacity: 28.0 MT).
Gps Blackout	CRITICAL	+30	ILLEGAL GPS JAMMER DETECTED: Transponder C/N0 noise ratio collapsed to 12.8 dB-Hz on vehicle HR26AB1234. Zero satellite lock.
Permit Reuse Attempt	CRITICAL	+40	PASS RECYCLING FRAUD DETECTED (PARCHI REUSE): Vehicle HR26AB1234 is attempting a second unmetered haul using already CONSUMED e-Ravanna RAW-TEST-VEL-1789760954 (Delivered at 2026-09-18 19:39:14). Single-use transit authorization exhausted. Automated gate barrier locked under MMDR Rule 102.
Weighbridge Axle Cheating	CRITICAL	+35	KANTA MANIPULATION DETECTED (AXLE OFF-PLATFORM): Infrared position beam broken! Vehicle tires resting on approach concrete ramp during gross weighment (38.0 MT). Load cells registering false lower weight to evade unbilled payload royalty. Boom barrier locked.
Mineral Grade Arbitrage	HIGH	+25	GRADE ARBITRAGE DETECTED (SANDWICH LOADING): Quarry source 'Northern Quartzite Pit (Block 1A)' (Sharma Stone Aggregates Ltd. (Ramesh Sharma)) is registered for High-Grade Blue Quartzite (Neela Maal, Statutory Tariff ₹375.00/MT), but transit pass is declared at ₹300.00/MT (Red Quartzite Grit (Laal Maal)). Unpaid tariff evasion delta: ₹75.00/MT under MMDR Rule 104.
Token System Bypass	CRITICAL	+40	OFF-RECORD TOKEN / KACHA MAAL BYPASS DETECTED: Vehicle HR26AB1234 detected at mine boundary gate with NO digital e-Ravanna registered on the state portal. Informal token / cash bypass attempt intercepted. Automated boom barrier locked.
Unclosed Entry Timeout	HIGH	+30	UNCLOSED ENTRY / GHOST TRUCK TIMEOUT: Vehicle HR26AB1234 entered pit at 2026-09-18 23:09:14 (130 mins ago). Exceeded statutory loading dwell limit of 90 mins. Suspected credential swapping or unrecorded off-the-books extraction.
Overweight Dispatch	CRITICAL	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 30.0 MT, Difference = +10.0 MT (+50.0% vs 5.0% allowed tolerance). Axle capacity exceeded (Max vehicle capacity: 28.0 MT).
Overweight Dispatch	CRITICAL	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 30.0 MT, Difference = +10.0 MT (+50.0% vs 5.0% allowed tolerance). Axle capacity exceeded (Max vehicle capacity: 28.0 MT).

Overweight Dispatch	HIGH	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 24.6 MT, Difference = +4.6 MT (+23.0% vs 5.0% allowed tolerance).
Manual Weight Override	MEDIUM	+15	MANUAL WEIGHT OVERRIDE: Scale weight was manually altered from 31.0 MT to 28.5 MT (Net delta: -2.5 MT). Reason: Calibration tare error verified at exit gate.
Overweight Dispatch	CRITICAL	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 26.0 MT, Difference = +6.0 MT (+30.0% vs 5.0% allowed tolerance).
Overweight Dispatch	CRITICAL	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 30.0 MT, Difference = +10.0 MT (+50.0% vs 5.0% allowed tolerance). Axle capacity exceeded (Max vehicle capacity: 28.0 MT).
Overweight Dispatch	HIGH	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 24.6 MT, Difference = +4.6 MT (+23.0% vs 5.0% allowed tolerance).
Manual Weight Override	MEDIUM	+15	MANUAL WEIGHT OVERRIDE: Scale weight was manually altered from 31.0 MT to 28.5 MT (Net delta: -2.5 MT). Reason: Calibration tare error verified at exit gate.
Overweight Dispatch	HIGH	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 24.6 MT, Difference = +4.6 MT (+23.0% vs 5.0% allowed tolerance).
Manual Weight Override	MEDIUM	+15	MANUAL WEIGHT OVERRIDE: Scale weight was manually altered from 31.0 MT to 28.5 MT (Net delta: -2.5 MT). Reason: Calibration tare error verified at exit gate.
Overweight Dispatch	CRITICAL	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 26.0 MT, Difference = +6.0 MT (+30.0% vs 5.0% allowed tolerance).
Overweight Dispatch	CRITICAL	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 30.0 MT, Difference = +10.0 MT (+50.0% vs 5.0% allowed tolerance). Axle capacity exceeded (Max vehicle capacity: 28.0 MT).
Overweight Dispatch	HIGH	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 24.6 MT, Difference = +4.6 MT (+23.0% vs 5.0% allowed tolerance).
Manual Weight Override	MEDIUM	+15	MANUAL WEIGHT OVERRIDE: Scale weight was manually altered from 31.0 MT to 28.5 MT (Net delta: -2.5 MT). Reason: Calibration tare error verified at exit gate.
Overweight Dispatch	CRITICAL	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 26.0 MT, Difference = +6.0 MT (+30.0% vs 5.0% allowed tolerance).
Overweight Dispatch	CRITICAL	+30	WEIGHT ANOMALY DETECTED: Permitted = 20.0 MT, Actual = 30.0 MT, Difference = +10.0 MT (+50.0% vs 5.0% allowed tolerance). Axle capacity exceeded (Max vehicle capacity: 28.0 MT).
CUMULATIVE RISK SCORE:	CRITICAL	100 / 100	Rule-based risk assessment: Immediate field enforcement action required.

4. INVESTIGATING OFFICER FINDINGS & STATUTORY ACTION

Initial Field Findings: Vehicle HR26AB1234 dispatched from Aravalli Quarry Block A with +11 MT excess Quartzite. Vehicle subsequently diverted 1.4km from legal corridor into rural link road toward Sabi riverbed with intermittent GPS loss.

Officer Field Notes: Enforcement squad intercepted vehicle at Kotputli bypass junction. Physical weighment verified 31.2 MT net load. Driver failed to present valid extension permit. Notice served under Section 21 of MMDR Act.

Final Administrative Decision: Vehicle impounded at Behror police yard pending compounding fee and environmental damage assessment.

Compounding Fee / Statutory Penalty Assessed: INR ■175,000.00

Investigating Enforcement Officer:

Inspector Rajesh K. Meena
Badge: MES-Z4-409

Counter-Signed / Authorized Signatory:

District Mining Officer / Competent Authority
Department of Mines & Geology