

PONCIANO ARRIAGA INTL

© JEPPESEN, 1999, 2011. ALL RIGHTS RESERVED.

MMSP/SLP

PONCIANO ARRIAGA INTL

4 FEB 11


10-3

Eff 10 Feb

SID

Apt Elev
6035'

Trans level: FL 195 Trans alt: 18500'




DEPARTURES RWY 14

ALOMA TWO ALFA (ALOMA2A) [ALOM2A], AVPUS TWO (AVPUS2) [AVPUS2],
COYOL TWO ALFA (COYOL2A) [COYO2A], LIDOX TWO ALFA (LIDOX2A) [LIDO2A],
LUNAS TWO (LUNAS2) [LUNAS2], MILPA TWO ALFA (MILPA2A) [MILP2A],
POTOSI THREE ALFA (SLP3A) [SLP3A], TAMSA TWO (TAMSA2) [TAMSA2]

A MINIMUM CROSSING ALTITUDE

MTY		UJ-45	8000
TTM	V-43	J-25	8000
TMN	V-47		8000
AVPUS		UJ-47	8100
QET	V-43	UJ-45	6300
BJX	V-39	UJ-40	8300
GDL		J-25	8000
AGU	V-61		8000
ZCL	V-47	UJ-50	8000
TRC		UJ-47	8000
CDR	V-39	UJ-40	6200
SLW		UJ-31	6200



These SIDs require a minimum climb gradient of:
ALOMA TWO ALFA, LIDOX TWO ALFA, LUNAS TWO:
260' per NM to 11000'.

Gnd speed-KT	75	100	150	200	250	300
260' per NM	325	433	650	867	1083	1300

B
D7 SLP
N22 09.3
W100 52.1

POTOSI
THREE ALFA

Turn at D7 SLP
(or 7400' in case
of DME failure)

C
POTOSI THREE ALFA
(SLP3A)

SID	INITIAL CLIMB
ALOMA TWO ALFA LIDOX TWO ALFA LUNAS TWO	Climb on SLP R-143 to D9 SLP, turn RIGHT to proceed on SLP 12 DME Arc until intercepting the corresponding radial from SLP to ALOMA, LIDOX or LUNAS, then continue on assigned route or in accordance with ATC instructions.
AVPUS TWO COYOL TWO ALFA MILPA TWO ALFA	Climb on SLP R-143 to D9 SLP, turn LEFT to proceed on SLP 12 DME Arc until intercepting the corresponding radial from SLP to AVPUS, COYOL or MILPA, then continue on assigned route or in accordance with ATC instructions.
POTOSI THREE ALFA	Climb on SLP R-143 to D7 SLP (or 7400' in case of DME failure), turn LEFT within 10 NM to SLP. Depart SLP at the MCA A of the assigned route or in accordance with ATC instructions.
TAMSA TWO	Climb on SLP R-143 to D12 SLP, turn RIGHT to heading 160° to intercept SLP R-151 to TAMSA, then continue on assigned route or in accordance with ATC instructions.


CHANGES: Procedures renumbered, revised.

© JEPPESEN, 2006, 2011. ALL RIGHTS RESERVED.

SID

Eff 10 Feb


D
CONDE
N22 40.4
W100 55.8



A MINIMUM CROSSING ALTITUDE			
MTY		UJ-45	8000
TTM	V-43	J-25	8000
TMN	V-47		8000
AVPUS		UJ-47	8100
QET	V-43	UJ-45	6300
BJX	V-39	UJ-40	8300
GDL		J-25	8000
AGU	V-61		8000
ZCL	V-47	UJ-50	8000
TRC		UJ-47	8000
CDR	V-39	UJ-40	6200
SLW		UJ-31	6200

SID	INITIAL CLIMB
ALOMA TWO BRAVO LIDOX TWO BRAVO TECAS TWO	Climb on SLP R-323 to D7 SLP, turn LEFT to proceed on SLP 10 DME Arc until intercepting the corresponding radial from SLP to ALOMA, LIDOX or TECAS, then continue on assigned route or in accordance with ATC instructions.
AMEXI TWO	Climb on SLP R-323 to D10 SLP, turn RIGHT to heading 005° to intercept SLP R-338 to AMEXI, then continue on assigned route or in accordance with ATC instructions.
CONDE TWO COYOL TWO BRAVO MESAD TWO MILPA TWO BRAVO	Climb on SLP R-323 to D7 SLP, turn RIGHT to proceed on SLP 10 DME Arc until intercepting the corresponding radial from SLP to CONDE, COYOL, MESAD or MILPA, then continue on assigned route or in accordance with ATC instructions.
POTOSI THREE BRAVO	Climb on SLP R-323 to D7 SLP (or 7200' in case of DME failure), turn RIGHT within 10 NM to SLP. Depart SLP at the MCA A of the assigned route or in accordance with ATC instructions.
RIZOS TWO	Climb on SLP R-323, turn LEFT to heading 313° to intercept SLP R-319 to RIZOS, then continue on assigned route or in accordance with ATC instructions.

MMSP/SLP **JEPPESEN** **SAN LUIS POTOSI, MEXICO**
PONCIANO ARRIAGA INTL 4 FEB 11 **(11-1)** **Eff 10 Feb** **ILS DME 1 Rwy 14**




CHANGES: Procedure.

© JEPPESEN, 2007, 2011. ALL RIGHTS RESERVED.

MMSP/SLP
 Apt Elev **6035'**
 N22 15.3 W100 55.8

JEPPesen **SAN LUIS POTOSI, MEXICO**
 4 FEB 11 **(11-1)** **Eff 10 Feb** **PONCIANO ARRIAGA INTL**




ADDITIONAL RUNWAY INFORMATION

		USABLE LENGTHS		TAKE-OFF	WIDTH
RWY		Threshold	Glide Slope		
04					98' 30m
22					
14	HIRL (90') ALSF-I REIL PAPI-L (angle 3.0°)				148'
	HIRL (90') REIL PAPI-L (angle 3.0°)				45m
32					

TAKE-OFF				FOR FILING AS ALTERNATE	
	Rwys 14, 32	Rwys 04, 22		Precision	Non-Precision
		DAY	NIGHT		
1 & 2 Eng	500-1	VFR	NA	A	600-2 1100-3
3 & 4 Eng	500-1/2			B	
				C	
				D	


MMSP/SLP **JEPPesen** **SAN LUIS POTOSI, MEXICO**
PONCIANO ARRIAGA INTL 4 FEB 11 **(11-2)** **Eff 10 Feb** **ILS DME 2 Rwy 14**



CHANGES: Procedure.

© JEPPESEN, 2007, 2011. ALL RIGHTS RESERVED.


MMSP/SLP
PONCIANO ARRIAGA INTL 4 FEB 11 **(13-1)** **Eff 10 Feb** **SAN LUIS POTOSI, MEXICO**
VOR DME-1 Rwy 14



CHANGES: Procedure.

© JEPPESEN, 1999, 2011. ALL RIGHTS RESERVED.


MMSP/SLP **JEPPESEN** **SAN LUIS POTOSI, MEXICO**
PONCIANO ARRIAGA INTL 4 FEB 11 **(13-2)** **Eff 10 Feb** **VOR DME-2 Rwy 14**




CHANGES: Procedure.

© JEPPESEN, 1999, 2011. ALL RIGHTS RESERVED.

MMSP/SLP **JEPPesen** **SAN LUIS POTOSI, MEXICO**
PONCIANO ARRIAGA INTL 4 FEB 11 **(13-3)** **Eff 10 Feb** **VOR DME-1 Rwy 32**




MMSP/SLP **JEPPesen** **SAN LUIS POTOSI, MEXICO**
PONCIANO ARRIAGA INTL 4 FEB 11 **(13-4)** **Eff 10 Feb** **VOR DME-2 Rwy 32**



CHANGES: Procedure.

© JEPPESEN, 1999, 2011. ALL RIGHTS RESERVED.

MMSP/SLP **JEPPESEN** **SAN LUIS POTOSI, MEXICO**
PONCIANO ARRIAGA INTL 4 FEB 11 **(13-5)** **Eff 10 Feb** **VOR Rwy 14**



CHANGES: Procedure.