



User Interface Design(23CSE111)

LAB MANUAL

Submitted by: -	
NAME:	CH. JAI RAM CHARAN
ROLL NO:	AV.SC.U4CSE25106
YEAR/SEM/SECTION:	1 ST YR/SEM-2/CSE-B
Submitted to: -	
NAME:	Dr. Rajkumar Batchu
DEPARTMENT:	CSE
DESIGNATION:	Assistant Professor

MARKS:	
--------	--

INDEX

S.NO	TITLE	PAGE NO	REMARKS
1.	WEEK-1 <u>A. To understand the installation process of a VS code and get familiar with its environment for web development.</u> <u>B. To learn the basic structure of an HTML document and create a simple webpage using headings and paragraphs.</u> <u>C. To understand and implement basic HTML tags such as image, hyperlink, text formatting, and inline styling to design a simple webpage.</u>	9-19	
2.	WEEK-2 <u>A. To design a simple web page using HTML that demonstrates the use of background color, background image, heading styling, and preformatted text.</u> <u>B. To create a static webpage using only HTML that displays basic information about Amrita Vishwa Vidyapeetham, including a heading, descriptive text, background styling through HTML</u>	20-30	

	<u>attributes, and a table showing the list of campuses in different states</u> C. <u>To design a restaurants menu webpage using HTML and displaying menu items in a table format with proper layout and visual styling.</u>		
3.	WEEK-3 A. <u>To design and develop an academic timetable using HTML tables by applying row span, column span, and styling for proper structure and presentation.</u> B. <u>To create a comprehensive webpage that includes an academic timetable along with syllabus representation using images and structured HTML elements.</u>	31-47	
4.	WEEK-4 A. <u>To understand the concept of forms and design a structured student registration form using HTML tables, including various input types such as text fields, radio buttons, checkboxes, file upload, and dropdown lists.</u> B. <u>To understand the concept of forms and</u>	48-58	

	<u>design user login and registration webpages using HTML, and to display them within a single interface using iframe for better layout and user interaction.</u>		
5.	WEEK-5 A. <u>To create a responsive card layout using HTML and CSS with three cards, each containing an image, title, and button.</u> B. <u>To design a mini website using iframe with navigation links (Home, About, Contact), where clicking on each link displays the respective content within the same page using internal or external CSS.</u> C. <u>To design an Amrita login page using HTML and CSS that displays different campuses, where clicking on each campus shows its details on the same page</u>	59-71	
6.	WEEK-6 A. <u>Design a responsive e-commerce application using the grid layout. This application should contain different categories of products such as electronics,</u>	72-88	

	<u>clothing, home-appliances, books.</u> B. <u>Design a responsive e-commerce application using the grid layout. This application should contain different categories of products such as electronics, clothing, home-appliances, books. Based on the category we select corresponding products should be displayed on the sidebar</u>		
7.	WEEK-7 A. <u>Create a github account and create a repository named UIDLAB-CSE25106 and upload every week experiments, lab report in that repository and make the repository private.</u>	89-92	
8.	WEEK-8 A. <u>Create a webpage that displays a square that continuously rotates 360 using CSS.</u> B. <u>Create a ball that moves up and down continuously using CSS animation.</u> C. <u>Create a circle that moves horizontally and rotates at the same time.</u>	92-97	

9.	WEEK-9 A. <u>A1. Write a JavaScript program to determine if a number is even or odd</u> A2. <u>Write a JavaScript program to determine if a number is prime or not.</u> A3. <u>Write a JavaScript program to find the factorial of a given number.</u> A4. <u>Write a JavaScript program to determine if a number is Armstrong or not.</u>	98-103	
10.	WEEK-10 A. <u>Write a JavaScript conditional statement to find the sign of product of three numbers using functions .Display an alert box with the specified sign.</u> B. <u>Write a JavaScript conditional statement to sort three numbers using functions .Display an alert box to show the result.</u> C. <u>Write a JavaScript conditional statement to find the largest of five numbers using function and onclick event .Display an alert box to show the result.</u>	104-119	


	D. <u>Write a JavaScript for loop that will iterate from 0 to 15. For each iteration, it will check if the current number is odd or even, and display a message to the screen.</u> E. <u>Write a JavaScript program which iterates the integers from 1 to 100. But for multiples of three print "LOL" instead of the number and for the multiples of five print "OK". For numbers which are multiples of both three and five print "LOL-OK".</u> F. <u>Write a JavaScript program to read 6 subjects marks from the student then compute the average marks of the student. Then, this average is used to determine the corresponding grade.</u>		
11.	WEEK-11 A. <u>A website requires users to enter a username. The system should display a message while typing if the username is less than 5 characters.</u>		

	B. <u>A registration form should validate email format before submission. If invalid, the form should not be submitted.</u> C. <u>A system should check password strength while typing and display whether it is weak or strong.</u> D. <u>A form should validate a mobile number when the user leaves the input field. The number must be exactly 10 digits.</u> E. <u>Design an HTML page, such that the registration form must validate:</u> <u>Name (not empty)</u> <u>Email (valid format)</u> <u>Password (minimum 6 characters)</u>	120-130	
12.	WEEK-12 A. <u>The setup and installation process of Electron.js and node.js corresponding to its output.</u>	131-133	


Week-1

A. Downloading and Installing Visual Studio Code (VS Code):


- Aim: To understand the installation process of a VS code and get familiar with its environment for web development
- Procedure:
- ✓ Step-1: Visit the official VS code website to get the downloadable file. Here is website link <https://code.visualstudio.com/download>.




- ✓ Step-2: Click on the download Option based on the Operating system.
- ✓ Step-3: Click on the downloaded file to Install.
- ✓ Step-4: Accept the agreement and click on “Next”.




- ✓ Step-5: Select a folder by clicking Browse or continue with the default path. Click "Next".



- ✓ Step-6: Select the required options and click “Next”.



- ✓ Step-7: Select “Install”.




- ✓ Step-8: Click "Finish" after installing successfully.

Completing the Visual Studio Code Setup Wizard

Setup has finished installing Visual Studio Code on your computer. The application may be launched by selecting the installed shortcuts.

Click Finish to exit Setup.




☒ Launch Visual Studio Code

Finish

- ✓ Step-9: Open VS code and go to Extensions tab on the left side panel, search for “Open in browser” extension and download that extension.

- ❖ **Step-9: Open VS code and go to Extensions tab on the left side panel, search for “Open in browser” extension and download that extension.**



→ These are the steps to download VS Code in your computer.

B. Understanding structure of HTML:

- Aim: To learn the basic structure of an HTML document and create a simple webpage using headings and paragraphs.
- Program:
- ✓ Input:

```
<> HTML_basic.HTML > DOCTYPE
1  <DOCTYPE html>
2  <html>
3  |   <head>
4  |   |   <title>Structure of HTML</title>
5  |   </head>
6  |   <body>
7  |   |   <h1>Happy to learn HTML</h1>
8  |   |   <p>This is my first sample code</p>
9  |   |   <p>Name:Ch. Jai Ram Charan,Roll no:25106,Sec:CSE-B. </p>
10 |   </body>
11 </html>
12
13
```

- ✓ Output:




❖ Explanation:

- `<!DOCTYPE html>`
The `<!DOCTYPE html>` declaration defines that this document is an HTML5 document.

- <html>
 - This is the main element of the HTML document.
 - Everything on the webpage will be inside this tag.
 - We use </html> to close this.
- <head>
 - The head section contains information about the page.
 - Things here are not shown directly on the webpage.
 - This contains information that is applied to whole webpage like images or colour to the web page.
 - We use </head> to close this.
- <title>
 - Sets the title of the webpage.
 - This text appears on the Browser tab.
 - We </title> to close this.
- <body>
 - This is the visible part of the webpage.
 - Everything the user sees (text, images, buttons, forms, etc.) goes here.
 - We </body> to close this.


C. Understanding the basic html tags:

- Aim: To understand and implement basic HTML tags such as image, hyperlink, text formatting, and inline styling to design a simple webpage.
- Program:
- ✓ Input:



```
1 <!DOCTYPE html>
2 <html>
3 <head>Basic html tags
4 </head>
5 <body>
6     <p>My name is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.</p>
7     <h1>Heading Element</h1>
8     <a href="https://intranet.av.amrita.edu/">This is aums link. </a><br>
9     <!--THIS IS A COMMENT-->
10
11     
12
13
14
15
16 </body>
17 </html>
```

✓ Output:




❖ Explanation:

- ✓ `<h1></h1>`
 - It Is Heading tag.
 - There are total of 6 heading tags from h1 to h6, h1 is highest and h6 is smallest.
 - Used for main titles of a page. ∞
- ✓ `<p></p>`
 - Paragraph tag.
 - Used for normal text content.
 - Any extra spaces than 1 space is removed automatically in-between sentence.
- ✓ `<a href=""></a>`
 - Anchor tag → used to create links.
 - href = Hypertext Reference (link address).
 - Can link to:
 - Websites.
 - Other pages.
 - Sections in the same page.
- ✓ `<br>`
 - Line break tag.
 - Moves content to the next line.
 - It has no closing tag.
- ✓ `<img>`
 - Used to display images.
 - “src” attribute contains source of image (image URL).
 - “alt” attribute contains alternate text to display if image is not displayed.
 - “width” and “height” attributes of the image are also passed into this tag.
 - It is a self-closing tag.

Week-2


A. To design a simple web page using HTML that demonstrates the use of background color, background image, heading styling, and preformatted text.

- Aim: To design a simple web page using HTML that demonstrates the use of background color, background image, heading styling, and preformatted text.
- Program:
- ✓ Input:



```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>
5 Styles using HTML
6 </title>
7 </head>
8 <body style="background-color: #Bisque;background-image: url('wallpaper-4.jpg');background-repeat: no-repeat;">
9 <h1 style="text-align: center;color: #828282;border: 3px solid #000000;float: right;clear: both;">Amrita Vishwavidyapeetam</h1>
10 <p style="text-align: center;">My name is CH. JAI RAM CHARAN, Roll no - 25106, Sec: CSE-8.</p>
11 <pre style="font-size: medium;color: #4682B4;text-align: center;font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial, sans-serif;font-size: large;font-style: italic;">
12 Anime (derived from a shortening of the English word animation) is animation originating from Japan.
13 Outside Japan and in English, anime refers specifically to animation produced in Japan.
14 However, anime, in Japan and in Japanese, describes all animated works, regardless of style or origin.
15 Many works of animation with a similar style to Japanese animation are also produced outside Japan.
16 Video games sometimes also feature themes and art styles that may be labelled as anime.
17 </pre>
18 <table border="1" cellpadding="5" cellspacing="10" width="50%" align="center">
19 <caption style="font-size: large;font-weight: bold; color: #3CB371;background-color: #B0E0E6;">Anime Details</caption>
20 <tr style="color: red;background-color: #FFDAB9;">
21 <th>Company</th>
22 <th>MC</th>
23 <th>Country</th>
24 </tr>
25 <tr style="background-color: #FFDAB9;">
26 <td>toei</td>
27 <td>One Piece</td>
28 <td>Monkey D Luffy</td>
29 <td>Japan</td>
30 </tr>
31 <tr style="background-color: #FFDAB9;">
32 <td>MAPPA</td>
33 <td>JJK</td>
34 <td>Wuji Itadori</td>
35 <td>Japan</td>
36 </tr>
37 <tr style="background-color: #Bisque;">
38 <td>MAPPA</td>
39 <td>Black Clover</td>
40 <td>Asta</td>
41 <td>Japan</td>
42 </tr>
43 </table>
44 </body>
45 </html>
```

✓ Output:



➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element of an HTML page.
- <head>: Contains information about the HTML page.
- <title>: Specifies a title for the HTML page.
- <body>: Contains contents like images, links, etc.
- <h1> and <h2>: Defines heading .1 and 2 defines sizes.
- <pre>: defines preformatted text.
- style: style attribute for styling HTML elements.
- color: for text color.
- background-color: for background color.
- background-image: for background Image.
- background-size: for setting the background size.
- border: for border.
- align: for alignment.
- <table>: Defines a table
- <caption>: Defines a table caption
- <col>: Specifies column properties for each column within a <colgroup> element.
- <colgroup>: Specifies a group of one or more columns in a table for formatting
- <tr>: Defines a row in a table
- <th>: Defines a header cell in a table

- <td>: Defines a cell in a table
-
: defines a line break.

B. To create a static webpage using only HTML that displays basic information about Amrita Vishwa Vidyapeetham, including a heading, descriptive text, background styling through HTML attributes, and a table showing the list of campuses in different states.

➤ **Aim:** To create a static webpage using only HTML that displays basic information about Amrita Vishwa Vidyapeetham, including a heading, descriptive text, background styling through HTML attributes, and a table showing the list of campuses in different states.

➤ **Procedure:**

✓ **Input:**

```
✓ <!DOCTYPE html>
✓ <html>
✓   <head>
✓     <title style="color: brown;"> Amrita Vishwavidyapeetham </title>
✓   </head>
✓   <body style="background-color: bisque;background-image:
url(amaravathi.campus.jpg);background-repeat: no-repeat;background-
size:cover;">
✓     <p style="text-align: center;">My name is CH. JAI RAM CHARAN,Roll
no - 25106,Sec:CSE-B.</p>
✓     <h1 style="color:maroon;text-align: center;border: 3px solid
rgb(20,
✓ 27, 90);">Amrita Vishwavidyapeetham</h1>
✓     <pre style="font-style: oblique;font-family: 'Times New Roman',
Times,
✓ serif;font-size: large;color:black;text-align: center;">
✓       Amrita Vishwa Vidyapeetham, commonly known as Amrita University,
✓ multi-disciplinary university in India.
✓       Founded in 1994 by Mata Amritanandamayi Devi (Amma).
✓       Accredited with the highest possible 'A++' grade by NAAC.
✓
✓ To create a static webpage using only HTML that displays basic
✓ information about Amrita Vishwa Vidyapeetham, including a heading,
✓ descriptive text, background styling through HTML attributes, and a
✓ table showing the list of campuses in different states.
✓   </pre>
✓   <table border="1" cellpadding="5" cellspacing="10"
width="50%"align="center" style="background-image: url(amrita\
inside.jpg);">
```

```

✓ <caption style="font-size: x-large;font-weight: 400;color: rgb(0,
0, 0);background-color:rgb(175, 216, 212);">Amrita Campus
Branches</caption>
✓ <colgroup>
✓ <col style="background-color: bisque;">
✓ </colgroup>
✓ <tr><colgroup>
✓ <col style="background-color: wheat;"> </colgroup>
✓ <colgroup><col style="background-color: wheat;"></colgroup>
✓ <th style="background-color: white;color: rgb(185, 88,
88);">S.NO</th>
✓ <th style="background-color: white;color: rgb(190, 92,
92);">Campus Name</th>
✓ <th style="background-color: white;color: rgb(193, 92,
92);">Campus Location</th>
✓ </tr>
✓ <tr>
✓ <td>1.</td>
✓ <td>Amaravati</td>
✓ <td>Andhra pradesh</td>
✓ </tr>
✓ <tr>
✓ <td>2.</td>
✓ <td>Amritapuri</td>
✓ <td>Kerala</td>
✓ </tr>
✓ <tr>
✓ <td>3.</td>
✓ <td>Bengaluru</td>
✓ <td>Karnataka</td>
✓ </tr>
✓ <tr>
✓ <td>4.</td>
✓ <td>Chennai</td>
✓ <td rowspan="2">Tamil Nadu</td>
✓ </tr>
✓ <tr>
✓ <td>5.</td>
✓ <td>Coimbatore</td>
✓ </tr>
✓ <tr>
✓ <td>6.</td>
✓ <td>Faridabad</td>
✓ <td>Haryana</td>
✓ </tr>
✓ <tr>
✓ <td>7.</td>
✓ <td>Kochi</td>

```



```

✓      <td>Kerala</td>
✓    </tr>
✓  </tr>
✓ </table>
✓ </body>
✓ </html>
✓

```

✓ Output:



➤ Explanation:

- **HTML-Hyper Text Markup Language.**
- **<DOCTYPE HTML>:** Tells the browser about HTML version.
- **<html>:** Root element of an HTML page.
- **<head>:** Contains information about the HTML page.
- **<title>:** Specifies a title for the HTML page.
- **<body>:** Contains contents like images, links, etc.
- **<h1> and <h2>:** Defines heading .1 and 2 defines sizes.
- **<pre>:** defines preformatted text.
- **style:** style attribute for styling HTML elements.
- **color:** for text color.
- **background-color:** for background color.
- **background-image:** for background Image.
- **background-size:** for setting the background size.

- **border:** for border.
- **align:** for alignment.
- **<table>:** Defines a table
- **<caption>:** Defines a table caption
- **<col>:** Specifies column properties for each column
- **within a <colgroup> element.**
- **<colgroup>:** Specifies a group of one or more
- **columns in a table for formatting**
- **<tr>:** Defines a row in a table
- **<th>:** Defines a header cell in a table
- **<td>:** Defines a cell in a table
- **
:** defines a line break.

C. To design a restaurants menu webpage using HTML and displaying menu items in a table format with proper layout and visual styling.

- Aim: To design a restaurants menu webpage using HTML and displaying menu items in a table format with proper layout and visual styling.
- Procedure:

Input:

```
<!DOCTYPE html>

<html>
  <head>
    <title>2c</title>
  </head>
  <body style="background-image: url(menu.jpg); background-repeat: no-repeat;background-size: cover;">
    <br>
    <br>
    <p style="text-align: center;color:red;font-size: large;">My name is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.</p>
    <br>
    <br>
    <h1 style="text-align: center;"> Our Restaurant Menu</h1>
    <br>
    <br>
    <table border="6" cellspacing="5" cellpadding="5"
align="center"width="50%">
      <tr style="color: brown; font-size: large; background-color: burlywood;">
        <th >Item</th>
        <th>Price($)</th>
```

```
</tr>
<tr style="background-color:rgb(248, 227, 188);">
  <th>1.Momos</th>
  <th>15$</th>
</tr>
<tr style="background-color:rgb(248, 227, 188);">
  <th>2.Nuddles</th>
  <th>$20</th>
</tr>
<tr style="background-color:rgb(248, 227, 188);">
  <th>3.Sushi</th>
  <th>$18</th>
</tr>
<tr style="background-color:rgb(248, 227, 188);">
  <th>4.Ramen</th>
  <th>$15</th>
</tr>
<tr style="background-color:rgb(248, 227, 188);">
  <th>5.Udon</th>
  <th>$10</th>
</tr>
<tr style="background-color:rgb(248, 227, 188);">
  <th>6.Water Bottle</th>
  <th>$2</th>
</tr>
</table>
</body>
</html>
```

✓ Output:



➤ Explanation:

- **HTML-Hyper Text Markup Language.**
- **<DOCTYPE HTML>:** Tells the browser about HTML version.
- **<html>:** Root element of an HTML page.
- **<head>:** Contains information about the HTML page.
- **<title>:** Specifies a title for the HTML page.
- **<body>:** Contains contents like images, links, etc.
- **<h1> and <h2>:** Defines heading .1 and 2 defines sizes.
- **<pre>:** defines preformatted text.
- **style:** style attribute for styling HTML elements.
- **color:** for text color.
- **background-color:** for background color.
- **background-image:** for background Image.
- **background-size:** for setting the background size.
- **border:** for border.
- **align:** for alignment.
- **<table>:** Defines a table
- **<caption>:** Defines a table caption
- **<col>:** Specifies column properties for each column within a <colgroup> element.
- **<colgroup>:** Specifies a group of one or more columns in a table for formatting
- **<tr>:** Defines a row in a table

- **<th>: Defines a header cell in a table**
- **<td>: Defines a cell in a table**
- **
: defines a line break.**

Week-3

A. To design and develop an academic timetable using HTML tables by applying row span, column span, and styling for proper structure and presentation.

➤ Aim: To design and develop an academic timetable using HTML tables by applying row span, column span, and styling for proper structure and presentation.

➤ Program:

✓ Input:

```
✓ <!DOCTYPE html>
✓ <html>
✓   <head>
✓     <title>CSE-B Time Table</title>
✓   </head>
✓   <body>
✓     <h1 style="text-align: center;"> TIME TABLE </h1>
✓     <p style="text-align: center;">My name is CH. JAI RAM
CHARAN, Roll no - 25106, Sec: CSE-B.</p>
✓     <table border = "2" width = "50%" align = "center" style = "border-
collapse: collapse;">
✓       <tr>
✓         <th style = "text-align: center;" colspan = "12">Master
Time Table CSE II Semester B Section </th>
✓       </tr>
✓       <tr>
✓         <td colspan = "4">Dept.CSE</td>
✓         <td colspan = "8" rowspan = "3">Class Room Venue: 511</td>
✓       </tr>
✓       <tr>
✓         <td colspan = "4"> Class: B.Tech CSE-B</td>
✓       </tr>
✓       <tr>
✓         <td colspan = "4"> Semester II</td>
✓       </tr>
✓       <tr>
✓         <td colspan = "4" style = "text-align: left;">
✓           <p>
✓             Class Advisors:
✓             1.Name: Dr.Kurmala Gowri Raghavendra
Narayan<br>
✓             Email: kgr_narayan@av.amrita.edu<br>
✓             Moblie Number: +91-9705409393<br>
✓           </p>
✓         </td>
✓         <td colspan = "8">
✓           <p>
```

```

✓      2.Name: Dr.Ankit Sachan<br>
✓      Email: s_ankit@av.amrita.edu<br>
✓      Moblie Number: +91-8381800129<br>
✓    </p>
✓    </td>
✓  </tr>
✓  <tr>
✓    <th rowspan="2">Time/Day</th>
✓    <th>slot 1</th>
✓    <th>Slot 2</th>
✓    <th rowspan="2">10:35am-10:45am</th>
✓    <th>Slot 3</th>
✓    <th>Slot 4</th>
✓    <th>Slot 5</th>
✓    <th rowspan="2">1:15pm-2:05pm</th>
✓    <th>Slot 6</th>
✓    <th rowspan="2">3:00pm-3:10pm</th>
✓    <th>Slot 7</th>
✓    <th>Slot 8</th>
✓  </tr>
✓    <th>8:55am-9:45am</th>
✓    <th>9:45am-10:35am</th>
✓    <th>10:45am-11:35am</th>
✓    <th>11:35am-12:25pm</th>
✓    <th>12:25pm-1:15pm</th>
✓    <th>2:10pm-3:00pm</th>
✓    <th>3:10pm-4:00pm</th>
✓    <th>4:00pm-4:50pm</th>
✓  </tr>
✓  <tr>
✓    <th>Monday</th>
✓    <td colspan="2">Linear Algebra LAB</td>
✓    <td rowspan="5" style="background-color: yellow;
writing-mode: vertical-rl; text-align: center;">Short break</td>
✓    <td>LIBRARY</td>
✓    <td>Modern Physics</td>
✓    <td>LIBRARY</td>
✓    <td rowspan="5" style="background-color:
yellow;writing-mode: vertical-lr; text-align: center;">Lunch Break</td>
✓    <td>Manufacturing Practice LAB</td>
✓    <td rowspan="5" style="background-color: yellow;
writing-mode: vertical-rl; text-align: center;">Short break</td>
✓    <td colspan="2">Manufacturing Practice LAB</td>
✓  </tr>
✓  <tr>
✓    <th>Tuesday</th>
✓    <td>Discrete Mathematics</td>
✓    <td>Linear Algebra</td>

```

```

<td>Modern Physics</td>
<td>Object Oriented Programming</td>
<td>User Interface Design</td>
<td>LIBRARY</td>
<td colspan="2">Glimpses of Glorious India</td>
</tr>
<tr>
<th>Wednesday</th>
<td colspan="2">Object Oriented Programming</td>
<td>Discrete Mathematics</td>
<td>User Interface Design</td>
<td>Glimpses of Glorious India</td>
<td style="color: red;">COUNSELLING</td>
<td colspan="2">LIBRARY</td>
</tr>
<tr>
<th>Thursday</th>
<td>Linear Algebra</td>
<td>Object Oriented Programming</td>
<td>Discrete Mathematics</td>
<td style="color: red;">COUNSELLING</td>
<td>LIBRARY</td>
<td>Modern Physics</td>
<td colspan="2">LIBRARY</td>
</tr>
<tr>
<th>Friday</th>
<td colspan="2">User Interface Design LAB BYOD </td>
<td>Linear Algebra</td>
<td>Object Oriented Programming</td>
<td>LIBRARY</td>
<td>Glimpses of Glorious India</td>
<td colspan="2">Discrete Mathematics LAB</td>
</tr>
<tr>
<th>Course Code</th>
<th colspan="2">Course Name</th>
<th></th>
<th> L-T-P</th>
<th>Credits</th>
<th colspan="3">Faculty Name</th>
<th></th>
<th colspan="2"> Assisting Faculty</th>
</tr>
<tr>
<th>23MAT116</th>

```

```

✓      <td colspan="2">Discrete Mathematics</td>
✓      <td></td>
✓      <th>3-0-2</th>
✓      <th>4</th>
✓      <td colspan="3">Dr.Srivivasa Rao Thota</td>
✓      <td></td>
✓      <td colspan="2"></td>
✓  </tr>
✓  <tr>
✓      <th>23MAT117</th>
✓      <td colspan="2">Linear Algebra</td>
✓      <td></td>
✓      <th>3-0-2</th>
✓      <th>4</th>
✓      <td colspan="3">Mr.Sapavat Bixapathi</td>
✓      <td></td>
✓      <td colspan="2"></td>
✓  </tr>
✓  <tr>
✓      <th>23CSE111</th>
✓      <td colspan="2">Object Oriented Programming</td>
✓      <td></td>
✓      <th>3-0-2</th>
✓      <th>4</th>
✓      <td colspan="3">Dr. Balaji TK</td>
✓      <td></td>
✓      <td colspan="2"></td>
✓  </tr>
✓  <tr>
✓      <th>23PHY115</th>
✓      <td colspan="2">Modern Physics</td>
✓      <td></td>
✓      <th>2-1-0</th>
✓      <th>3</th>
✓      <td colspan="3">Dr. C R Kesavalu</td>
✓      <td></td>
✓      <td colspan="2"></td>
✓  </tr>
✓  <tr>
✓      <th>23CSE113</th>
✓      <td colspan="2">User Interface Design</td>
✓      <td></td>
✓      <th>2-0-2</th>
✓      <th>3</th>
✓      <td colspan="3">Dr.Rajkumar Batchu</td>
✓      <td></td>

```



```

✓      <td colspan="2">Mr. Barge Bharadwaj</td>
✓    </tr>
✓    <tr>
✓      <th>23MEE115</th>
✓      <td colspan="2">Manufacturing Practice</td>
✓      <td></td>
✓      <th>0-0-3</th>
✓      <th>1</th>
✓      <td colspan="3">Dr. Sathies S.</td>
✓      <td></td>
✓      <td colspan="2"></td>
✓    </tr>
✓    <tr>
✓      <th>22ADM111</th>
✓      <td colspan="2">Glimpses of Glorious India</td>
✓      <td></td>
✓      <th>2-0-1</th>
✓      <th>2</th>
✓      <td colspan="3">Dr. Siva Panuganti</td>
✓      <td></td>
✓      <td colspan="2"></td>
✓
✓
✓    </tr>
✓    <tr>
✓      <th></th>
✓      <td colspan="2">Total (15L + 1Tut +12P =28 hrs)</td>
✓      <td></td>
✓      <th>15-1-12</th>
✓      <th>21</th>
✓      <td colspan="3"></td>
✓      <td></td>
✓      <td colspan="2"></td>
✓    </tr>
✓    </table>
✓  </body>
✓ </html>

```

✓ Output:

TIME TABLE

My name is CH. JAI RAM CHARAN, Roll no - 25106, Sec: CSE-B.

Master Time Table CSE II Semester B Section											
Dept.CSE				Class Room Venue: 511							
Class: B.Tech CSE-B											
Semester II											
Class Advisors: 1.Name: Dr.Kurmala Gowri Raghavendra Narayan Email: kgr_narayan@av.amrita.edu Mobile Number: +91-9705409393				2.Name: Dr.Ankit Sachan Email: s_ankit@av.amrita.edu Mobile Number: +91-8381800129							
Time/Day	slot 1 8:55am-9:45am	Slot 2 9:45am-10:35am	10:35am-10:45am	Slot 3 10:45am-11:35am	Slot 4 11:35am-12:25pm	Slot 5 12:25pm-1:15pm	1:15pm-2:05pm	Slot 6 2:10pm-3:00pm	3:00pm-3:10pm	Slot 7 3:10pm-4:00pm	Slot 8 4:00pm-4:50pm
Monday	Linear Algebra LAB			LIBRARY	Modern Physics	LIBRARY	Lunch Break	Manufacturing Practice LAB	Short break	Manufacturing Practice LAB	
Tuesday	Discrete Mathematics	Linear Algebra	Short break	Modern Physics	Object Oriented Programming	User Interface Design		LIBRARY		Glimpses of Glorious India	
Wednesday	Object Oriented Programming			Discrete Mathematics	User Interface Design	Glimpses of Glorious India		COUNSELLING		LIBRARY	
Thursday	Linear Algebra	Object Oriented Programming		Discrete Mathematics	COUNSELLING	LIBRARY		Modern Physics		LIBRARY	
Friday	User Interface Design LAB BYOD			Linear Algebra	Object Oriented Programming	LIBRARY		Glimpses of Glorious India		Discrete Mathematics LAB	

Course Code	Course Name	L-T-P	Credits	Faculty Name	Assisting Faculty
23MAT116	Discrete Mathematics	3-0-2	4	Dr.Srivivasa Rao Thota	
23MAT117	Linear Algebra	3-0-2	4	Mr.Sapavat Bixapathi	
23CSE111	Object Oriented Programming	3-0-2	4	Dr. Balaji TK	
23PHY115	Modern Physics	2-1-0	3	Dr. C R Kesavalu	
23CSE113	User Interface Design	2-0-2	3	Dr.Rajkumar Batchu	Mr. Barge Bharadwaj
23MEE115	Manufacturing Practice	0-0-3	1	Dr. Sathies S.	
22ADM111	Glimpses of Glorious India	2-0-1	2	Dr. Siva Panuganti	
	Total (15L + 1Tut + 12P - 28 hrs)	15-1-12	21		

➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element of an HTML page.
- <head>: Contains information about the HTML page.
- <title>: Specifies a title for the HTML page.
- <body>: Contains contents like images, links, etc.
- <h1> and <h2>: Defines heading .1 and 2 defines sizes.
- <pre>: defines preformatted text.
- style: style attribute for styling HTML elements.
- color: for text color.
- background-color: for background color.
- background-image: for background Image.
- background-size: for setting the background size.
- border: for border.

- align: for alignment.
- <table>: Defines a table
- border-collapse: sets whether table borders should collapse into a single border or be separated
- <tr>: Defines a row in a table
- <th>: Defines a header cell in a table
- <td>: Defines a cell in a table
-
: defines a line break.
- colspan: To make a cell span over multiple columns
- rowspan: To make a cell span over multiple rows

B. To create a comprehensive webpage that includes an academic timetable along with syllabus representation using images and structured HTML elements.

➤ Aim: To create a comprehensive webpage that includes an academic timetable along with syllabus representation using images and structured HTML elements..

➤ Program:

✓ Input:

```
✓ <!DOCTYPE html>
✓ <html>
✓   <head>
✓     <title>SEM-II Syllabus</title>
✓     <body style="background-color: beige;">
✓       <p style="background-color: white;">Name:Ch. Jai Ram
Charan. Roll No:AV.SC.U4CSE25106 . Sec:CSE-B</p>
✓       <h1 style="text-align: center;">SEM-II Syllabus</h1>
✓       <h2 style="text-align: left;"> Discrete Mathematics</h2>
✓
✓       
✓
✓       <h2 style="text-align: left;">Linear Algebra</h2>
✓       
✓
✓       <h2 style="text-align: left;">Object Oriented
Programming</h2>
✓       
✓
✓       <h2 style="text-align: left;">Modern Physics</h2>
✓       
✓
✓       <h2 style="text-align: left;">User Interface Design</h2>
✓       
```

```

✓
✓      <h2 style="text-align: left;">Manufacturing Practice</h2>
✓      
✓
✓      <h2 style="text-align: left;">Glimpses of Glorious
India</h2>
✓      
✓
✓      <h2 style="text-align: center;color: black;">Class
Calender</h2>
✓      <table border="1" cellspacing="0" cellpadding="1" width="90%"
align="center" >
✓
✓          <tr>
✓              <th colspan="12" style="text-align: center;">MASTER
TIMETABLE CSE II SEMESTER B SECTION</th>
✓          </tr>
✓          <tr>
✓              <th colspan="4" style="text-align: left;">DEPT.CSE</th>
✓              <th colspan="8" rowspan="3" style="text-align: left;">
Class room:511</th>
✓          </tr>
✓          <tr>
✓              <th colspan="4" style="text-align: left;">Class:B-TECH.
CSEB</th>
✓          </tr>
✓          <tr>
✓              <th colspan="4" style="text-align: left;">SEMSETER-
II</th>
✓          </tr>
✓          <th colspan="4" style="text-align: left;"> Class
Advisors:
✓              1.Name:Dr. Kurmala Gowri Raghavendra Narayan</br>
✓              Email : kgr_narayan@av.amrita.edu</br>
✓              Mobile Number : +91-9705409393</br>
✓          </th>
✓          <th colspan="8" style="text-align:
left;">2.Name:Dr.Ankit Schan
✓              Email : s_ankit@av.amrita.edu</br>
✓              Mobile Number :+91-8381800129</br>
✓          </th>
✓

```

```

✓      </tr>
✓      <tr>
✓          <th>
✓              Time/day
✓          </th>
✓          <th style="white-space:nowrap;">Slot1<hr style="border-
top: 3px solid black;">08.55-09.45am</th>
✓          <th style="white-space:nowrap;">Slot2<hr style="border-
top: 3px solid black;">09.45-10.35am</th>
✓          <th style="white-space: nowrap;">10:35 to 10:45</th>
✓          <th style="white-space:nowrap;">slot3<hr border-top:
style="border-top: 3px solid black;">10.45-11.35am</th>
✓          <th style="white-space:nowrap;">slot4<hr style="border-
top: 3px solid black;">11.35am-12.25pm</th>
✓          <th style="white-space:nowrap;">slot5<hr style="border-
top: 3px solid black;">12.25am-01.15pm</th>
✓          <th style="white-space: nowrap;">1:15 to 2:10</th>
✓          <th style="white-space:nowrap;">slot6<hr style="border-
top: 3px solid black;">02.10-03.00pm</th>
✓          <th style="white-space: nowrap;">3:00 to 3:10</th>
✓          <th style="white-space:nowrap;">slot7<hr style="border-
top: 3px solid black;">03.10-04.00pm</th>
✓          <th style="white-space:nowrap;">slot8<hr style="border-
top: 3px solid black;">04.00-04.50pm</th>
✓      </tr>
✓      <tr>
✓          <th>Monday</th>
✓          <th colspan="2">23MAT117 Linear Algebra LAB(BYOD)</th>
✓          <th rowspan="5" style="background-color:
yellow;writing-mode: vertical-lr;text-align: center;">Short break</th>
✓          <th>22ADM111 Glimpses of Glorious India</th>
✓          <th>23PHY115 Modern Physics</th>
✓          <th>LIBRARY</th>
✓          <th rowspan="5" style="background-color: yellow;
writing-mode: vertical-lr;text-align: center;">Lucnh break</th>
✓          <th>23MEE115 Manufacturing Practice LAB</th>
✓          <th rowspan="5" style="background-color:
yellow;writing-mode: vertical-lr;text-align: center;">Short break</th>
✓          <th colspan="2">23MEE115 Manufacturing Practice
LAB</th>
✓      </tr>
✓      <tr>
✓          <th>Tuesday</th>
✓          <th>23MAT116 Discrete Mathematics</th>
✓          <th>23MAT117 Linear Algebra</th>
✓          <th>23PHY115 Modern Physics</th>
✓          <th>23CSE111Object Oriented Programming</th>

```

```

✓      <th>23CSE113 User Interface Design</th>
✓      <th>22ADM111Glimpses of Glorious India(P)</th>
✓      <th colspan="2" style="text-align:
center;">Library</th>
✓    </tr>
✓    <tr>
✓      <th>Wednesday</th>
✓      <th colspan="2">23CSE111Object Oriented
Programming_lab2</th>
✓      <th>23MAT116 Discrete Mathematics</th>
✓      <th>23CSE113 User Interface Design</th>
✓      <th>22ADM111Glimpses of Glorious India</th>
✓      <th>Library/Sports</th>
✓      <th colspan="2">Library/Sports</th>
✓    </tr>
✓    <tr>
✓      <th>Thursday</th>
✓      <th>23MAT117 Linear Algebra</th>
✓      <th>23CSE111 Object Oriented Programming</th>
✓      <th>23MAT116 Discrete Mathematics</th>
✓      <th style=" color: red;">Counselling</th>
✓      <th>Library</th>
✓      <th>23PHY115 Modern Physics(T)</th>
✓      <th colspan="2">Library/Sports</th>
✓    </tr>
✓    <tr>
✓      <th>Friday</th>
✓      <th colspan="2">23CSE113 User Interface Design Lab
(BYOD)</th>
✓      <th>23MAT117 Linear Algebra</th>
✓      <th>23CSE111 Object Oriented Programming</th>
✓      <th>Library/Sports</th>
✓      <th style="color: red;">Counselling</th>
✓      <th colspan="2">23MAT116 Discrete
Mathematics_lab_lab1</th>
✓    </tr>
✓    <tr>
✓      <th>Course Code</th>
✓      <th colspan="2">Course Name</th>
✓      <th></th>
✓      <th> L-T-P</th>
✓      <th>Credits</th>
✓      <th colspan="3">Faculty Name</th>
✓
✓      <th></th>
✓      <th colspan="2"> Assisting Faculty</th>
✓    </tr>

```

```

✓      <tr>
✓          <th>23MAT116</th>
✓          <td colspan="2">Discrete Mathematics</td>
✓          <td></td>
✓          <th>3-0-2</th>
✓          <th>4</th>
✓          <td colspan="3">Dr.Srivivasa Rao Thota</td>
✓          <td></td>
✓          <td colspan="2"></td>
✓      </tr>
✓      <tr>
✓          <th>23MAT117</th>
✓          <td colspan="2">Linear Algebra</td>
✓          <td></td>
✓          <th>3-0-2</th>
✓          <th>4</th>
✓          <td colspan="3">Mr.Sapavat Bixapathi</td>
✓          <td></td>
✓          <td colspan="2"></td>
✓      </tr>
✓      <tr>
✓          <th>23CSE111</th>
✓          <td colspan="2">Object Oriented Programming</td>
✓          <td></td>
✓          <th>3-0-2</th>
✓          <th>4</th>
✓          <td colspan="3">Dr. Balaji TK</td>
✓          <td></td>
✓          <td colspan="2"></td>
✓      </tr>
✓      <tr>
✓          <th>23PHY115</th>
✓          <td colspan="2">Modern Physics</td>
✓          <td></td>
✓          <th>2-1-0</th>
✓          <th>3</th>
✓          <td colspan="3">Dr. C R Kesavalu</td>
✓          <td></td>
✓          <td colspan="2"></td>
✓      </tr>
✓      <tr>
✓          <th>23CSE113</th>
✓          <td colspan="2">User Interface Design</td>
✓          <td></td>
✓          <th>2-0-2</th>
✓          <th>3</th>

```

```

✓      <td colspan="3">Dr.Rajkumar Batchu</td>
✓      <td></td>
✓      <td colspan="2">Mr. Barge Bharadwaj</td>
✓  </tr>
✓  <tr>
✓    <th>23MEE115</th>
✓    <td colspan="2">Manufacturing Practice</td>
✓    <td></td>
✓    <th>0-0-3</th>
✓    <th>1</th>
✓    <td colspan="3">Dr. Sathies S.</td>
✓    <td></td>
✓    <td colspan="2"></td>
✓  </tr>
✓  <tr>
✓    <th>22ADM111</th>
✓    <td colspan="2">Glimpses of Glorious India</td>
✓    <td></td>
✓    <th>2-0-1</th>
✓    <th>2</th>
✓    <td colspan="3">Dr. Siva Panuganti</td>
✓    <td></td>
✓    <td colspan="2"></td>
✓
✓
✓  </tr>
✓  <tr>
✓    <th></th>
✓    <td colspan="2">Total (15L + 1Tut +12P =28 hrs)</td>
✓    <td></td>
✓    <th>15-1-12</th>
✓    <th>21</th>
✓    <td colspan="3"></td>
✓    <td></td>
✓    <td colspan="2"></td>
✓  </tr>
✓  </table>
✓
✓  </body>
✓  </head>
✓ </html>

```


✓ Output:

Name:Ch. Jai Ram Charan. Roll No:AV.SC.U4CSE25106 . Sec:CSE-B

SEM-II Syllabus

Discrete Mathematics

Syllabus

Unit 1

Logic, Mathematical Reasoning and Counting: Logic, Propositional Equivalence, Predicate and Quantifiers, Theorem Proving. Recursive Definitions, Recursive Algorithms, Basics of Counting, Pigeonhole Principle, Permutation and Combinations.

Unit 2

Relations and Their Properties: Representing Relations, Closure of Relations, Partial Ordering, Equivalence Relations and partitions.

Advanced Counting Techniques and Relations: Recurrence Relations, Solving Recurrence Relations, Generating Functions, Solutions of Homogeneous Recurrence Relations, Divide and Conquer Relations, Inclusion-Exclusion.

Unit 3

Graph Theory: Graphs and Sub graphs, isomorphism, matrices associated with graphs, degrees, walks, connected graphs, shortest path algorithm. Euler and Hamilton Graphs: Euler graphs, Euler's theorem. Fleury's algorithm for Eulerian trails. Hamilton cycles, Chinese-postman problem, approximate solutions of traveling salesman problem. Closest neighbour algorithm.

Lab Practice Problems: Verifications of logical statements, truth table, tautology. Recursive algorithms. Graph problems, degree, shortest path algorithm, Euler's algorithm and closest neighbour algorithm.

Linear Algebra

Syllabus

Unit 1

Vector Spaces: Vector spaces - Sub spaces - Linear independence - Basis – Dimension; Inner Product Spaces: Inner products - Orthogonality - Orthogonal basis - Gram Schmidt Process - Change of basis - Orthogonal complements - Projection on subspace - Least Square Principle. QR- Decomposition.

Unit 2

Linear Transformations: Linear transformation - Relation between matrices and linear transformations - Kernel and range of a linear transformation - Change of basis - Nilpotent transformations. Symmetric and Skew Symmetric Matrices, Adjoint and Hermitian Adjoint of a Matrix, Hermitian, Unitary and Normal Transformations, Self-Adjoint and Normal Transformations.

Unit 3

Eigen values and Eigen vectors: Eigen Values and Eigen Vectors, Diagonalization, Orthogonal Diagonalization, Quadratic Forms, Diagonalizing Quadratic Forms, Conic Sections. Similarity of linear transformations - Diagonalization and its applications - Jordan form and rational canonical form. Case Studies: Applications on least square and image transformations.

Object Oriented Programming

Syllabus

Unit1

Structured to Object Oriented Approach by Examples - Object Oriented languages - Properties of Object Oriented system – UML and Object Oriented Software Development - Use case diagrams and documents as a functional model - Identifying Objects and classes - Representation of Objects and its state by Object Diagram - Simple Class using class diagram – Encapsulation - Data Hiding - Reading and Writing Objects - Class Level and Instance Level Attributes and Methods- JIVE environment for debugging.

Unit2

Aggregation and Composition using Class Diagram – Generalization using Class Diagram – Inheritance - Constructor and Over Riding – Visibility – Attribute – Parameter – Package - Local and Global - Polymorphism – Overloading - Abstract Classes and Interfaces.

Unit3

Exception Handling - Inner Classes - Wrapper classes – String - and String Builder classes – Number – Math – Random - Array methods - File Streams - Serialization - Generics - Collection framework - Comparator and Comparable - Vector and ArrayList - Iterator and Iterable.

Modern Physics

Syllabus

Unit 1

Origin of quantum theory of radiation: Black body radiation, photo-electric effect, Compton Effect – pair production and annihilation, De-Broglie hypothesis, description of waves and wave packets, group velocities. Evidence for wave nature of particles: Davisson-Germer experiment, Heisenberg uncertainty principle.

Unit 2

Atomic structure: Historical Development of atomic structures: Thomson's Model, Rutherford's Model: Scattering formula and its predictions, Atomic spectra - Bohr's Model, Sommerfield's Model, The correspondence principle, nuclear motion, and atomic excitation, Application: Lasers.

Unit 3

Quantum mechanics: Wave function, Probability density, expectation values - Schrodinger equation – time dependent and independent, Linearity and superposition, expectation values, operators, Eigen functions and Eigen values

Unit 4

Application of 1D Schrodinger Wave equation: Free particle, Particle in a box, Finite potential well, Tunnel effect, Harmonic oscillator.

Unit 5

Intro to Quantum computing- Q bits- II Quantum correlations: Bell inequalities and entanglement, Schmidt decomposition, super dense coding, teleportation. Module

User Interface Design

Syllabus

Unit 1

Introduction to Internet and Web design – Working of Web – Roles of Front-end, Back-end and Full stack development – Web Server – Internet protocols – Web Hosting – HTML – HTML Tags – Create a simple Web Page – Marking up Text – Adding Links – Adding Images – SVG – Table Markup – Embedded Media - Web Based Forms – HTML Forms - CSS for Presentation - Basic Style Sheet - A CSS Style Primer - Using Style Classes - Using Style IDs - Formatting Text - Advanced Typography with CSS3 - Working with Margins, Padding, Alignment, and Floating. Responsive web design, Introduction to version control systems.

Unit 2

CSS Box Model and Positioning - Creating Layouts Using Modern CSS - Backgrounds and Borders - CSS Transformations and Transitions - Animating with CSS and the Canvas - Dynamic Web Pages – Web Scripting - JavaScript programming for Web Applications – Including JavaScript in HTML – HTML5 Form Controls and Validation - Document Object Model - DOM manipulation and events - Event Handlers

Unit 3

Overview of UI Frameworks – User Interface Design Concepts in Web Development – Accessibility - Introduction to Electron - Overview of Electron - Setting up an Electron project - Creating a basic desktop application with Electron - Object communication - Introduction to other popular frameworks and libraries (e.g., JavaFX, WPF, GTK).

Manufacturing Practice

Syllabus

1. Additive Manufacturing Laboratory –12 hours

Introduction to digital manufacturing. Introduction to Additive Manufacturing - types – additive manufacturing applications - Materials for 3D printing, CAD Modelling for Additive manufacturing, Slicing and STL file generation- G code generation - 3D printing of simple geometries.

2. Mechanical Engineering Laboratory –12 hours

Study of tools and equipment used for basic manufacturing processes.

Manual arc welding practice for making Butt and Lap joints - Soldering Practice

Introduction to Machine Tools and Machining Processes

3. Automation lab –12 hours

Design, simulate and test pneumatic and electro-pneumatic circuits. Introduction to PLC –PLC programming for automation applications.

4. Automobile Engineering lab –9 hours

Overview of automobiles – components –functioning of various sub-systems; Power train, steering system, suspension system and braking system. Introduction to electric vehicles, hybrid vehicles, alternate fuels. Introduction to E Mobility.

Glimpses of Glorious India

Syllabus

Face the Brutes, Role of Women in India, Acharya Chanakya, God and Iswara, Bhagavad Gita: From Soldier to Samsarin to Sadhaka, Lessons of Yoga from Bhagavad Gita, Indian Soft powers, Preserving Nature through Faith, Ancient Indian Cultures (Class Activity), Practical Vedanta, To the World from India, Indian Approach to Science.

Class Calender

MASTER TIMETABLE CSE II SEMESTER B SECTION											
DEPT.CSE											
Class:B-TECH. CSEB			Class room:511								
SEMESTER-II											
Class Advisors: 1.Name:Dr. Kurmala Gowri Raghavendra Narayan Email : kg_r_narayan@av.amrita.edu Mobile Number : +91-9705409393			2.Name:Dr.Ankit Shan Email : s_ankit@av.amrita.edu Mobile Number : +91-8381800129								
Time/day	Slot1 08.55-09.45am	Slot2 09.45-10.35am	10:35 to 10:45	slot3 10.45-11.35am	slot4 11.35am-12.25pm	slot5 12.25am-01.15pm	1:15 to 2:10	slot6 02.10-03.00pm	3:00 to 3:10	slot7 03.10-04.00pm	slot8 04.00-04.50pm
Monday	23MAT117 Linear Algebra LAB(BYOD)		Short break	22ADM111 Glimpses of Glorious India	23PHY115 Modern Physics	LIBRARY	Lunch break	23MEE115 Manufacturing Practice LAB	Short break	23MEE115 Manufacturing Practice LAB	
Tuesday	23MAT116 Discrete Mathematics	23MAT117 Linear Algebra		23PHY115 Modern Physics	23CSE111 Object Oriented Programming	23CSE113 User Interface Design		22ADM111 Glimpses of Glorious India(P)		Library	
Wednesday	23CSE111 Object Oriented Programming_lab2			23MAT116 Discrete Mathematics	23CSE113 User Interface Design	22ADM111 Glimpses of Glorious India		Library/Sports		Library/Sports	
Thursday	23MAT117 Linear Algebra	23CSE111 Object Oriented Programming		23MAT116 Discrete Mathematics	Counselling	Library		23PHY115 Modern Physics(T)		Library/Sports	
Friday	23CSE113 User Interface Design Lab (BYOD)			23MAT117 Linear Algebra	23CSE111 Object Oriented Programming	Library/Sports		Counselling		23MAT116 Discrete Mathematics_lab_1ab1	
Course Code	Course Name			I-T-P	Credits	Faculty Name				Assisting Faculty	
23MAT116	Discrete Mathematics			3-0-2	4	Dr.Srivivasa Rao Thota					
23MAT117	Linear Algebra			3-0-2	4	Mr.Sapavat Bixapathi					
23CSE111	Object Oriented Programming			3-0-2	4	Dr. Balaji TK					
23PHY115	Modern Physics			2-1-0	3	Dr. C R Kesavulu					
23CSE113	User Interface Design			2-0-2	3	Dr.Rajkumar Batchu				Mr. Barge Bharadwaj	
23MEE115	Manufacturing Practice			0-0-3	1	Dr. Sathies S.					
22ADM111	Glimpses of Glorious India			2-0-1	2	Dr. Siva Pamuganti					
	Total (15L + 1Tut +12P =28 hrs)			15-1-12	21						

➤ Explanation:

- HTML-Hyper Text Markup Language.

- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element of an HTML page.
- <head>: Contains information about the HTML page.
- <title>: Specifies a title for the HTML page.
- <body>: Contains contents like images, links, etc.
- <h1> and <h2>: Defines heading .1 and 2 defines sizes.
- <pre>: defines preformatted text.
- style: style attribute for styling HTML elements.
- color: for text color.
- background-color: for background color.
- border: for border.
- align: for alignment.
- : Defines an image.
- src: define the URL of the image
- width: define the size of the image
- <table>: Defines a table
- border-collapse: sets whether table borders should collapse into a single border or be separated
- <tr>: Defines a row in a table
- <th>: Defines a header cell in a table
- <td>: Defines a cell in a table
-
: defines a line break.
- colspan: To make a cell span over multiple columns
- rowspan: To make a cell span over multiple rows

Week-4

A. To understand the concept of forms and design a structured student registration form using HTML tables, including various input types such as text fields, radio buttons, checkboxes, file upload, and dropdown lists.

➤ Aim: To understand the concept of forms and design a structured student registration form using HTML tables, including various input types such as text fields, radio buttons, checkboxes, file upload, and dropdown lists.

➤ Program:

✓ Input:

```
✓ <!DOCTYPE html>
✓ <html style="background-color:bisque ;">
✓   <head>
✓     <title>Admission Form</title>
✓   </head>
✓   <boby>
✓     <h2 style="color:black;">
✓       <p style="text-align: center;">My name is CH. JAI RAM CHARAN, Roll
no - 25106, Sec:CSE-B.</p>
✓
✓
✓
✓     </h2>
✓     <table border="2" align="center" style="background-
color:white;border-collapse: collapse;width:70%; height:500px;">
✓       <tr>
✓         <th colspan="2" style="background-color: aquamarine;">College
Registration Form</th>
✓       </tr>
✓       <tr>
✓         <td>Full Name:</td>
✓         <td>
✓           <input type="text" placeholder="Full Name">
✓         </td>
✓       </tr>
✓       <tr>
✓         <td>Email:</td>
✓         <td>
✓           <input type="email" placeholder="Email"><br>
✓         </td>
✓       </tr>
✓       <tr>
✓         <td>Phone Number:</td>
✓         <td>
✓           <input type="tel" placeholder="Phone Number"><br>
```

```

✓      </td>
✓    </tr>
✓    <tr>
✓      <td>Gender:</td>
✓      <td>
✓        <form>
✓          <input type="radio" id="Male">
✓            <label for="Male">Male</label>
✓          <input type="radio" id="Female">
✓            <label for="Female">Female</label>
✓          <input type="radio" id="Others">
✓            <label for="Others">Others</label>
✓          </form>
✓
✓      </td>
✓    </tr>
✓    <tr>
✓      <td>Course Applying For:</td>
✓      <td>
✓        <form>
✓          <select>
✓            <option value="B.Tech">B.Tech</option>
✓            <option value="M.Tech">M.Tech</option>
✓            <option value="MBA">MBA</option>
✓            <option value="Phd">Phd</option>
✓          </select>
✓        </form>
✓      </td>
✓    </tr>
✓    <tr>
✓      <td>Hobbies:</td>
✓      <td>
✓        <input type="checkbox" id="Sports">
✓          <label for="Sports">Sports</label>
✓        <input type="checkbox" id="Music">
✓          <label for="Music">Music</label>
✓        <input type="checkbox" id="Reading">
✓          <label for="Reading">Reading</label>
✓      </td>
✓    </tr>
✓    <tr>
✓      <td>Date of Birth:</td>
✓      <td>
✓        <input type="date" id="D.O.B" name="D.O.B">
✓      </td>
✓    </tr>
✓  </tr>

```



```

✓      <td>Upload File:</td>
✓      <td>
✓          <input type="file">
✓
✓      </td>
✓  </tr>
✓  <tr>
✓      <td>Address:</td>
✓      <td>
✓          <textarea rows="5" cols="25"></textarea>
✓      </td>
✓  </tr>
✓  <tr align="center">
✓      <td colspan="2">
✓          <input type="submit" value="Submit">
✓          <input type="reset" value="Reset">
✓      </td>
✓  </tr>
✓ </table>
✓ </body>
✓ </html>

```

✓ Output:

My name is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.

College Registration Form	
Full Name:	Full Name
Email:	Email
Phone Number:	Phone Number
Gender:	☐ Male ☐ Female ☐ Others
Course Applying For:	B.Tech ▾
Hobbies:	☐ Sports ☐ Music ☐ Reading
Date of Birth:	dd-mm-yyyy
Upload File:	Choose File No file chosen
Address:	
Submit Reset	

➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element of an HTML page.
- <head>: Contains information about the HTML page.
- <title>: Specifies a title for the HTML page.

- `<body>`: Contains contents like images, links, etc.
- `<h1>` and `<h2>`: Defines heading .1 and 2 defines sizes.
- `<p>`: defines paragraph.
- `style`: style attribute for styling HTML elements.
- `background-color`: for background color.
- `border`: for border.
- `align`: for alignment.
- `src`: define the URL of the image
- `width`: define the size of the image
- `<table>`: Defines a table
- `border-collapse`: sets whether table borders should collapse into a single border or be separated
- `<tr>`: Defines a row in a table
- `<th>`: Defines a header cell in a table
- `<td>`: Defines a cell in a table
- `<br>`: defines a line break.
- `colspan`: To make a cell span over multiple columns
- `<input>`: Defines an input control.
- `<form>`: Defines an HTML form for user input
- `<textarea>`: Defines a multiline input control (text area)
- `<label>`: Defines a label for an `<input>` element
- `<select>`: Defines a drop-down list
- `<option>`: Defines an option in a drop-down list
- `value`: specifies an initial value for an input field
- `type`: Specifies the input type to display
- `for`: is used inside the `<label>` tag to Connects a label to an input field.
- `id`: gives a unique name to an HTML element.
- `submit`: defines a button for submitting .
- `reset`: defines a reset button
- `rows` and `cols`: specifies number of rows and columns.
- `file`: defines a file-select field
- `date`: is used for input fields that should contain a date
- `checkbox`: defines a checkbox.
- `radio`: defines a radio button
- `tel`: is used for input fields that should contain a telephone number
- `placeholder`: specifies a short hint that describes the expected value
- `email`: s used for input fields that should contain an e-mail address

- text: defines a single-line text input field.

B. A company wants to design a webpage that displays two different forms side by side using iframes.

➤ Aim: To design a webpage that displays two different forms side by side using iframes.

➤ Procedure:

✓ Input:

```
✓ <!DOCTYPE html>
✓ <html style="background-color:bisque;">
✓   <head>
✓     <title>Login and registration</title>
✓   </head>
✓   <body>
✓     <h2>
✓       <p style="text-align: center;">My name is CH. JAI RAM CHARAN,Roll no
- 25106,Sec:CSE-B.</p>
✓     </h2>
✓     <iframe src="iframe_1.html" height="500" width="49%"
✓ style="background-color: rgb(151, 151, 85);"></iframe>
✓     <iframe src="iframe_2.html" height="500" width="49%" align="right"
✓ style="background-color: rgb(151, 151, 85);"> </iframe>
✓   </body>
✓ </html>
✓
✓ <!DOCTYPE html>
✓ <html>
✓   <body>
✓     <h3 style="text-align: center;">User Login</h3>
✓     <table border="2" align="center" width="30%" height="150"
✓ style="border-collapse: collapse;background-color:white;">
✓
✓       <td>Username:</td>
✓       <td>
✓         <input type="text"><br>
✓       </td>
✓     </tr>
✓     <tr>
✓       <td>Password:</td>
✓       <td>
✓         <input type="password"><br>
✓       </td>
✓     </tr>
✓     <tr>
✓       <td colspan="2" align="center">
✓         <input type="button" value="Login" align="center">
✓       </td>
```

```

✓      </tr>
✓    </table>
✓  </body>
✓ </html>
✓ <!DOCTYPE html>
✓ <html>
✓   <body>
✓     <h2 align="center">User Registration</h2>
✓     <table border="2" style="border-collapse:
✓ collapse;background-color:white;" align="center" width="50%"
✓ height="250">
✓       <tr>
✓         <td>Full Name:</td>
✓         <td>
✓           <input type="text" placeholder="Full Name"><br>
✓         </td>
✓       </tr>
✓       <tr>
✓         <td>Email:</td>
✓
✓         <td>
✓           <input type="email" placeholder="Email"><br>
✓         </td>
✓       </tr>
✓       <tr>
✓         <td>Phone Number:</td>
✓         <td>
✓           <input type="tel" placeholder="Phone Number"><br>
✓         </td>
✓       </tr>
✓       <tr>
✓         <td>Password:</td>
✓         <td>
✓           <input type="password" placeholder="Password"><br>
✓         </td>
✓       </tr>
✓       <tr align="center">
✓         <td colspan="2">
✓           <input type="submit" value="Register">
✓           <input type="reset" value="Reset">
✓         </td>
✓       </tr>
✓     </table>
✓   </body>
✓ </html>

```

✓ Output:

My name is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.

User Login

Username:	
Password:	
Login	

User Registration

Full Name:	
Email:	
Phone Number:	
Password:	
Register Reset	

➤ **Explanation:**

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element of an HTML page.
- <head>: Contains information about the HTML page.
- <title>: Specifies a title for the HTML page.
- <body>: Contains contents like images, links, etc.
- <h1> ,<h2>and <h3>: Defines heading .1,2 and 3 defines sizes.
- <p>: defines paragraph.
- style: style attribute for styling HTML elements.
- background-color: for background color.
- border: for border.
- align: for alignment.
- src: define the URL of the image
- width and height: define the size of the image

- <iframe>: specifies an inline frame
- <table>: Defines a table
- border-collapse: sets whether table borders should collapse into a single border or be separated
- <tr>: Defines a row in a table
- <td>: Defines a cell in a table

- `<br>`: defines a line break.
- `colspan`: To make a cell span over multiple columns
- `<input>`: Defines an input control.
- `value`: specifies an initial value for an input field
- `type`: Specifies the input type to display
- `submit`: defines a button for submitting .
- `reset`: defines a reset button
- `tel`: is used for input fields that should contain a telephone number
- `placeholder`: specifies a short hint that describes the expected value
- `email`: is used for input fields that should contain an e-mail address
- `text`: defines a single-line text input field.
- `password`: defines a password field
- `button`: defines a button

Week 5

A. To create a responsive card layout using HTML and CSS with three cards, each containing an image, title, and button.

➤ Aim: To create a responsive card layout using HTML and CSS with three cards, each containing an image, title, and button.

➤ Procedure:

✓ Input:

```
✓ <!DOCTYPE html>
✓ <html>
✓   <head>
✓     <title>responsive card layout</title>
✓
✓     <style>
✓       .bodystyle{
✓         background-color:wheat;
✓       }
✓       .card-container{
✓         display:flex;
✓         gap:20px;
✓         justify-content:center;
✓         align-items: stretch;
✓       }
✓       .card{
✓         border:1px solid;
✓         border-color: black;
✓         text-align: center;
✓         align-items: center;
✓         display: flex;
✓         background-color:bisque;
✓         box-shadow: inset;
✓         border-radius: 5px;
✓         flex:1;
✓         flex-direction: column;
✓
✓       }
✓       h1{
✓         text-align: center;
✓         border:solid black;
✓         border-radius: 5px;
✓         background-color: bisque;
✓       }
✓       h3{
✓         text-align:center;
✓         text-decoration: underline;
✓       }
✓       button{
```

```

✓         font-size: medium;
✓         background-color: rgb(249, 221, 117);
✓         border-radius: 5px;
✓         margin-bottom: 5px;
✓         border: none;
✓         margin-top: auto;
✓         width: 200px;
✓     }
✓     button:hover{
✓         background-color: rgb(103, 170, 229);
✓         font-size: large;
✓         border-radius: 25px;
✓     }
✓     img{
✓         width: 100%;
✓         height: 200px;
✓         object-fit: cover;
✓     }
✓ </style>
✓ </head>
✓ <body class="bodystyle">
✓     <p style="text-align: center;">My name is CH. JAI RAM
CHARAN, Roll no - 25106, Sec: CSE-B.</p>
✓     <h1>Anime</h1>
✓     <div class="card-container">
✓         <div class="card">
✓             
✓             <h3>Haikyu</h3>
✓             <p>
✓                 Haikyu!! (ハイキュー!!, Haikyū!!; from the kanji 排球
, 'volleyball') is a Japanese manga series written and<br>
✓                 illustrated by Haruichi Furudate.<br>
✓                 It was serialized in Shueisha's shōnen manga
magazine Weekly Shōnen Jump from February 2012 to July 2020,<br>
✓                 with its chapters collected in 45 tankōbon
volumes.<br>
✓                 The story follows Shoyo Hinata, a boy determined to
become a great volleyball player despite his small stature.<br>
✓             </p>
✓             <button type="button"
onclick='location.href="https://en.wikipedia.org/wiki/Haikyu!!"'>About
Haikyu</button>
✓         </div>
✓         <div class="card">
✓             
✓             <h3>JJK</h3>
✓             <p>


```

```

✓      Jujutsu Kaisen (呪術廻戦) is a Japanese manga series
written and illustrated by Gege Akutami.<br>
✓      It was serialized in Shueisha's shōnen manga
magazine Weekly Shōnen Jump from March 2018 to September 2024,<br>
✓      with its chapters collected in 30 tankōbon
volumes.<br>
✓      The story follows high school student Yuji Itadori
as he joins a secret organization of Jujutsu Sorcerers to<br>
✓      eliminate a powerful Curse named Ryomen Sukuna, of
whom Yuji becomes the host.
✓
✓      </p>
✓      <button type="button"
onclick="location.href='https://en.wikipedia.org/wiki/Jujutsu_Kaisen'">
About JJK</button>
✓
✓      </div>
✓      <div class="card">
✓      
✓      <h3>OnePiece</h3>
✓      <p>
✓      One Piece is a Japanese manga series written and
illustrated by Eiichiro Oda.<br>
✓      It follows the adventures of Monkey D. Luffy and
his crew, the Straw Hat Pirates,<br>
✓      as he explores the Grand Line in search of the
mythical treasure known as the "One Piece" to become the next King of
the Pirates.
✓
✓      </p>
✓      <button type="button"
onclick="location.href='https://en.wikipedia.org/wiki/One_Piece'">About
One Piece</button>
✓
✓      </div>
✓      </div>
✓
✓      </body>
✓      </html>

```


✓ Output:



➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element of an HTML page.
- <head>: Contains information about the HTML page.
- <title>: Specifies a title for the HTML page.
- <body>: Contains contents like images, links, etc.
- <h1> ,<h2>and <h3>: Defines heading .1,2 and 3 defines sizes.
- <p>: defines paragraph.
- style: style attribute for styling HTML elements.
- background-color: for background color.
- border: for border.
- align: for alignment.
- src: define the URL of the image
- width and height: define the size of the image
- “. ”: class.
- text-align: position of text
- button: defines a button
- padding: sapce between margin and text
- div: defines a division or a section in an HTML document
- display:flex; Activates Flexbox layout
- flex-wrap:wrap; Allows items to move to the next line

B. To design a mini website using iframe with navigation links (Home, About, Contact), where clicking on each link displays the respective content within the same page using internal or external CSS.

- Aim: To design a mini website using iframe with navigation links (Home, About, Contact), where clicking on each link displays the respective content within the same page using internal or external CSS.
- Procedure:
- ✓ Input:

```
✓ <!DOCTYPE html>
✓ <html>
✓   <head>
✓     <style>
✓       body
✓       {
✓         font-family: 'Times New Roman', Times, serif;
✓         background-image: url(wallpaper-5.jpg);
✓         background-size: cover;
✓         justify-items: center;
✓         color: rgb(132, 215, 104);
✓         font-size: xx-large;
✓       }
✓     iframe
✓     {
✓       width: 100%;
✓       height: 900px;
✓       border: none;
✓     }
✓     .link
✓     {
✓       display: inline;
✓       padding: 210px;
✓       font-size: 28px;
✓       color: rgb(132, 215, 104);
✓     }
✓     a{
✓       color:greenyellow
✓     }
✓   </style>
✓ </head>
✓ <body>
```

```

✓      <p style="text-align: center;">My name is CH. JAI RAM
CHARAN,Roll no - 25106,Sec:CSE-B.</p>
✓      <div class="link">
✓          <a href="home.html" target="content">Home</a>
✓      </div>
✓      <div class="link">
✓          <a href="about.html" target="content">About</a>
✓      </div>
✓      <div class="link">
✓          <a href="contact.html" target="content">Contact</a>
✓      </div>
✓
✓      <iframe name="content"></iframe>
✓  </body>
✓ </html>

```

- Home:

```

• <!DOCTYPE html>
• <html>
•     <head>
•         <style>
•             h1{
•                 text-align: center;
•                 color: greenyellow;
•             }
•             h2{
•                 color: greenyellow;
•             }
•             body{
•                 background-image: url(jjk-1.jpg);
•                 font-size: larger;
•             }
•             pre{
•                 color: aquamarine;
•             }
•             a{
•                 color: greenyellow;
•             }
•         </style>
•     </head>
•     <body>
•         <h1>MAPPA STUDIOS</h1>
•         <h2>HOME</h2>
•         <pre>
•             Delivering anime that will always remain in the hearts of
viewers
•

```

```

•      What we consider most important are the fans who look
forward to our works.
•      Those fans who cry, laugh, and have their hearts touched by
the stories we bring to life....
•      Thinking of each and every face on the other side of the
screen, we wish to create animation that makes them say to themselves,
"I am glad I
•      encountered this animation", that makes them want to watch
it over and over again.
•      As a studio, we strive to deliver animation that will
remain in the hearts and minds of our fans, while challenging new forms
of expression and
•      experimenting with various genres without focusing on any
particular style.
•      </pre>
•      <a href="https://www.mappa.co.jp/en/">Web site link</a>
•      </body>
•      </html>

```

• About:

```

•      <!DOCTYPE html>
•      <html>
•          <head>
•              <style>
•                  h1{
•                      text-align: center;
•                      color: greenyellow;
•                  }
•                  h2{
•                      color: greenyellow;
•                  }
•                  body{
•                      background-image: url(jjk-1.jpg);
•                      font-size: larger;
•                  }
•                  pre{
•                      color: aquamarine;
•                  }
•              </style>
•          </head>
•          <body>
•              <h1>MAPPA STUDIOS</h1>
•              <h2>ABOUT</h2>
•              <pre>
•                  Company Name:MAPPA Co., LTD.
•                  Established:06/14/2011
•              </pre>

```

```

•      Management
•
•      President : Manabu Otsuka
•      Chairman of the Board of Directors : Masao Maruyama
•      Executive Vice President : Hiroya Hasegawa
•      Board Member : Yusuke Tannawa
•      Board Member : Shuhei Yabuta
•      Board Member : Kosuke Hosokai
•      External Board Member : Yuichi Fukushima
•      Executive Officer : Keisuke Seshimo
•      Executive Officer : Motoi Okuno
•
•      Chief Rights Officer : Eiji Matsuo
•
•      Business Outline:
•      With a focus on the production of TV animation, we plan and
•      produce animated content across all genres and in a variety of other
•      formats such as movies, commercials, and online videos.
•      We also make use of the rights that we own for certain IPs
•      as we operate our licensing business both domestically and overseas.
•      Number of Employees:467
•      </pre>
•      </body>
•
•      </html>

```

- Contact:

```

•      <!DOCTYPE html>
•      <html>
•      <head>
•      <style>
•      h1{
•      text-align: center;
•      color: greenyellow;
•      }
•      h2{
•      color: greenyellow;
•      }
•      body{
•      background-image: url(jjk-1.jpg);
•      font-size: larger;
•      background-repeat: no-repeat;
•      background-size: cover;
•      }
•      pre{
•      color: aquamarine;
•      }

```

```

•      </style>
•
•      </head>
•      <body>
•          <h1>MAPPA STUDIOS</h1>
•          <h2>Contact</h2>
•          <pre>
•              Please feel free to contact us regarding work requests and
•              consultations.
•              Depending on the content of your inquiry, we may not be
•              able to reply to you.
•              We appreciate your understanding in advance.
•
•              Contact
•              info@mappa.co.jp
•
•          </pre>
•      </body>
•  </html>

```

✓ Output:



My name is CH. JAI RAM CHARAN, Roll no - 25106, Sec: CSE, B.

[Home](#)

[About](#)

[Contact](#)

MAPPA STUDIOS

HOME

Delivering anime that will always remain in the hearts of viewers

What we consider most important are the fans who look forward to our works.
Those fans who cry, laugh, and have their hearts touched by the stories we bring to life...
Thinking of each and every face on the other side of the screen, we wish to create animation that makes them say to themselves, "I am glad I encountered this animation", that makes them want to watch it over and over again.
As a studio, we strive to deliver animation that will remain in the hearts and minds of our fans, while challenging new forms of expression and experimenting with various genres without focusing on any particular style.

[Web site link](#)





➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element of an HTML page.
- <head>: Contains information about the HTML page.
- <title>: Specifies a title for the HTML page.
- <body>: Contains contents like images, links, etc.
- <h1> ,<h2>and <h3>: Defines heading .1,2 and 3 defines sizes.
- <p>: defines paragraph.
- style: style attribute for styling HTML elements.
- background-color: for background color.
- border: for border.
- align: for alignment.
- src: define the URL of the image
- width and height: define the size of the image
- ".": defines class.
- text-align: position of text
- padding: sapce between margin and text
- <a>: The tag '<a>' stands for 'anchor', used to define a hyperlink.
- <link>: Used to connect an external file to the HTML page (mostly CSS).
- <iframe>: Used to embed another webpage inside your webpage.
- name: Gives a name/identifier to an element.
- target: Defines where the linked document will open.
- rel: relationship between HTML and the file.
- href: location of the file.

C. To design an Amrita login page using HTML and CSS that displays different campuses, where clicking on each campus shows its details on the same page.

➤ Aim: To design an Amrita login page using HTML and CSS that displays different campuses, where clicking on each campus shows its details on the same page.

➤ Procedure:

✓ Input:

```
✓ <!DOCTYPE html>
✓ <html>
✓   <head>
✓     <title>5c</title>
✓     <style>
✓       h1{
✓         color:red;
✓         text-align: center;
✓       }
✓       .container{
✓         display:flex;
✓         gap:50px;
✓         justify-content: center;
✓       }
✓       iframe{
✓         border:none;
✓         border-radius:10px;
✓         box-shadow:0px 0px 10px brown;
✓         background-color: lightcyan;
✓       }
✓       th{
✓         border:1px solid;
✓         border-radius: 5px;
✓         border-color: grey;
✓         padding-left:10px;
✓         padding-right: 10px;
✓       }
✓       a{
✓         text-decoration: none;
✓         font-size: larger;
✓       }
✓       a:hover{
✓         color:maroon
✓       }
✓       body{
✓         background-image: url(wallpaper-5.jpg);
✓         background-repeat: no-repeat;
✓         background-size: cover;
```

```

✓      }
✓      th{
✓          background-color: rgb(56, 205, 155);
✓          color: black;
✓      }
✓  </style>
✓  </head>
✓  <body>
✓      <h1>AMRITA VISHWA VIDYAPEETHAM</h1>
✓      <p style="text-align: center;color:red;font-size: large;">My
name is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.</p>
✓
✓      <table align="center" cellspacing="50">
✓          <tr>
✓              <th><a href="5c1.html"
target="test1">Amaravati</a></th>
✓              <th><a href="5c2.html"
target="test1">Amritapuri</a></th>
✓              <th><a href="5c3.html"
target="test1">Coimbatore</a></th>
✓              <th><a href="5c4.html"
target="test1">Nagercoil</a></th>
✓              <th><a href="5c5.html"
target="test1">Faridabad</a></th>
✓          </tr>
✓      </table>
✓      <div class="container">
✓          <iframe src="login.html" width="400px" height="400px"></iframe>
✓          <iframe src="5c1.html" name="test1" title="test" width="400px"
height="400px"></iframe>
✓      </div>
✓
✓  </body>
✓  </html>

```

Login

```

✓ <!DOCTYPE html>
✓ <html>
✓   <body>
✓       <h1>Login</h1>
✓       <table>
✓           <form>
✓               <tr>
✓                   <td>
✓                       <label for="email">Email:</label>
✓                   </td>
✓                   <td>
✓                       <input type="text" id="email" placeholder="Email">

```

```

✓      </td>
✓    </tr>
✓    <tr>
✓      <td>
✓        <label for="pass">Password:</label>
✓      </td>
✓      <td>
✓        <input type="text" id="pass"
placeholder="Password">
✓      </td>
✓    </tr>
✓    <tr>
✓      <td>
✓        <input type="checkbox" value="Saveme">Save</input>
✓      </td>
✓      <td>
✓        <a href="">Forgot password?</a>
✓      </td>
✓    </tr>
✓    <tr>
✓      <td>
✓        <button type="button" onclick="alert('login
successful')">Login</button>
✓      </td>
✓    </tr>
✓    <tr>
✓      <td>
✓        <p>Don't have a account?</p>
✓      </td>
✓      <td>
✓        <a href="">Register</a>
✓      </td>
✓    </tr>
✓  </form>
✓</table>
✓</body>
✓</html>

```

```

<!DOCTYPE html>
<html>
  <body>
    <h1>About The Campus</h1>
    <p>Amrita Vishwa Vidyapeetham is a leading multi-disciplinary and
research-intensive university,<br>
    establishing its campus in Amaravati.<br>
    Nestled amidst the scenic beauty of the Krishna River and
surrounded by natural wonders and historical sites,<br>

```

```

        Amaravati city embodies the principles of sustainability and
liveability.<br>
        We are building one of the most buoyant centre of the research,
education and technological advancement,<br>
        in the all new greenfield capital city.</p>
        
    </body>
</html>
<!DOCTYPE html>
<html>
<body>
    <h1>About The Campus</h1>
    <p>Amrita Vishwa Vidyapeetham's Amritapuri <br>
        campus located in the pleasing village of <br>
        Vallikavu is a multi-disciplinary research <br>
        and teaching institute peacefully blended <br>
        with science and spirituality</p>
    
</body>
</html>
<!DOCTYPE html>
<html>
    <body>
        <h1>About The Campus</h1>
        <p>Amrita University's Coimbatore campus started<br>
            in a hidden village named Ettimadai provides<br>
            over 120 UG, PG and doctoral programs to a<br>
            student population of over 12,000 and<br>
            faculty strength of nearly 1500</p>
        

    </body>
</html>
<!DOCTYPE html>
<html>
    <body>
        <h1>About The Campus</h1>
        <p>Amrita Vishwa Vidyapeetham, situated in Erachakulam,<br>
            Nagercoil is a beacon of educational excellence<br>
            which operates under the esteemed Mata<br>
            Amritanandamayi Math. Founded by Satguru<br>
            Mata Amritanandamayi Devi (Amma), our institution<br>
            is dedicated to providing holistic education,<br>
            guided by Amma's profound vision encapsulated<br>
            in the philosophy of "Education for Life."</p>
        

    </body>

```


```

</html>
<!DOCTYPE html>
<html>
  <body>
    <h1>About The Campus</h1>
    <p>A land that has witnessed the historical<br>
      prominence of ultra-modern facilities in<br>
      India. A place where science, technology,<br>
      and research merge to embrace good health<br>
      across a 130-acre sprawling health city campus.</p>
    

  </body>
</html>

```

✓ Output:



➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element of an HTML page.
- <head>: Contains information about the HTML page.
- <title>: Specifies a title for the HTML page.
- <body>: Contains contents like images, links, etc.
- <h1> ,<h2>and <h3>: Defines heading .1,2 and 3 defines sizes.

- `<p>`: defines paragraph.
- `style`: style attribute for styling HTML elements.
- `background-color`: for background color.
- `border`: for border.
- `align`: for alignment.
- `src`: define the URL of the image
- `width` and `height`: define the size of the image
- `“.”`: defines class.
- `text-align`: position of text
- `padding`: sapce between margin and text
- `<a>`: The tag ‘`<a>`’ stands for ‘anchor’, used to define a hyperlink.
- `<link>`: Used to connect an external file to the HTML page (mostly CSS).
- `<iframe>`: Used to embed another webpage inside your webpage.
- `name`: Gives a name/identifier to an element.
- `Target` :Defines where the linked document will open.
- `rel`: relationship between HTML and the file
- `href`: location of the file
- `<input>`: Defines an input control.
- `value`: specifies an initial value for an input field
- `type`: Specifies the input type to display
- `text`: defines a single-line text input field.
- `password`: defines a password field
- `button`: defines a button
- `placeholder`: specifies a short hint that describes the expected value
- `<label>`: Defines a label for an `<input>` element
- `div`: defines a division or a section in an HTML document
- `text-decoration`: Used to add or remove decoration from text
- `margin`: Creates space outside an element
- `text-transform`: Changes the case of text.
- `<img>`: Used to display images in HTML
- `box-shadow`: Adds shadow around elements.
- `backdrop-filter`: Applies blur or visual effect to background behind an element.
- `border-radius`: Makes rounded corners
- `line-height`: Controls space between lines of text.

Week-6

A. Design a responsive e-commerce application using the grid layout.
This application should contain different categories of products such as electronics, clothing, home-appliances, books.

➤ Aim: Design a responsive e-commerce application using the grid layout. This application should contain different categories of products such as electronics, clothing, home-appliances, books.

➤ Procedure:

✓ Input:

```
✓ <!DOCTYPE html>
✓ <html>
✓   <head>
✓     <style>
✓       body{
✓         margin: 0;
✓         background-color:bisque;
✓       }
✓       .main{
✓         display: grid;
✓         grid-template-areas:
✓           "Header Header"
✓           "Sidebar Products"
✓           "Sidebar Products"
✓           "footer footer";
✓         gap: 15px;
✓         grid-template-columns:250px 1fr;
✓       }
✓       .header{
✓         grid-area:Header;
✓         background-color:lightseagreen;
✓         text-align: center;
✓       }
✓       .header h1{
✓         color: ghostwhite;
✓       }
✓
✓       .sidebar{
✓         grid-area:Sidebar;
✓         height: auto;
✓         background-color: lightgoldenrodyellow;
✓         padding: 5px;
```



```

✓    }
✓
✓    .sidebar h3{
✓      margin-bottom: 0;
✓    }
✓    .sidebar p{
✓      border-bottom: 1px solid rgb(161, 154, 154);
✓      padding: 10px;
✓      cursor: pointer;
✓      margin-top: 0;
✓      margin-bottom: 0;
✓    }
✓    .products{
✓      grid-area: Products;
✓      display: grid;
✓      grid-template-columns: repeat(2,1fr);
✓      gap: 20px;
✓      padding: 20px;
✓    }
✓    .card{
✓      box-shadow: 0px 0px 10px;
✓      background-color:lightblue;
✓      text-align: center;
✓      border-radius:10px;
✓    }
✓    .card img{
✓      width:200px;
✓      margin: 5px;
✓
✓    }
✓    .card button{
✓      background:#2563EB;
✓      color:white;
✓      border:none;
✓      padding:8px 15px;
✓      border-radius:5px;
✓      cursor:pointer;
✓    }
✓    .card button:hover{
✓      background:#1D4ED8;
✓    }
✓    .footer{
✓      grid-area: footer;
✓      background-color:black;
✓      color:ghostwhite;
✓      text-align:center;
✓      padding:15px;
✓    }

```

```

✓    </style>
✓  </head>
✓  <body>
✓    <p style="text-align: center;color:red;font-size: large;">My name
is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.</p>
✓    <div class="main">
✓      <div class="header">
✓        <h1>Anime Store</h1>
✓      </div>
✓      <div class="sidebar">
✓        <h3>Category</h3>
✓        <p>Manga</p>
✓        <p>Items</p>
✓        <p>Clothes</p>
✓        <p>Accessories</p>
✓      </div>
✓      <div class="products">
✓        <div class="card">
✓          
✓          <h3>One Piece</h3>
✓          <p>$30</p>
✓          <button>Buy now</button>
✓        </div>
✓        <div class="card">
✓          
✓          <h3>Demon Slayer</h3>
✓          <p>$25</p>
✓          <button>Buy now</button>
✓        </div>
✓        <div class="card">
✓          
✓          <h3>JJk</h3>
✓          <p>$28</p>
✓          <button>Buy now</button>
✓        </div>
✓        <div class="card">
✓          
✓          <h3>Naruto</h3>
✓          <p>$24</p>
✓          <button>Buy now</button>
✓        </div>
✓      </div>
✓      <div class="footer">
✓        <p>© 2026 Anime Store | All Rights Reserved</p>
✓      </div>
✓    </div>
✓  </body>
✓ </html>

```

✓ Output:



➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element that contains the entire webpage
- <head>: Contains metadata and styles of the webpage
- <style>: Used to write CSS styling inside the HTML page
- <body>: Contains all visible content of the webpage
- <div>: Container used to group elements and apply styles
- <h1>: Main heading of the webpage
- <h3>: Sub-heading used for categories and details
- <p>: Defines paragraph text
- : Displays an image on the webpage
- <button>: Creates a clickable button
- class: Connects HTML element with CSS styling
- src: Specifies the image file location
- margin: Creates space outside an element
- background-color: Sets the background color of an element
- display: Defines how elements are displayed (grid layout here)
- grid-template-areas: Defines the layout structure of grid sections
- gap: Creates space between grid items
- grid-template-columns: Defines number and width of columns in grid
- grid-area: Assigns an element to a specific grid area
- text-align: Aligns text (left, right, center)
- color: Sets the text color
- height: Defines the height of an element
- padding: Creates space inside an element
- margin-bottom: Adds space below an element
- margin-top: Adds space above an element
- border-bottom: Adds a bottom border line
- cursor: Changes cursor to pointer when hovering
- box-shadow: Adds shadow around elements
- border-radius: Creates rounded corners
- width: Sets the width of an image
- border: Removes or adds border around element
- hover: Changes style when mouse is over the element

B. Design a responsive e-commerce application using the grid layout.
This application should contain different categories of products such as electronics, clothing, home-appliances, books.

- Aim: Design a responsive e-commerce application using the grid layout. This application should contain different categories of products such as electronics, clothing, home-appliances, books.

➤ Procedure:

✓ Input:

```
✓ <!DOCTYPE html>
✓ <html>
✓   <head>
✓     <style>
✓       body{
✓         margin: 0;
✓         background-color: bisque;
✓       }
✓       .main{
✓         display: grid;
✓         grid-template-areas:
✓           "Header Header"
✓           "Sidebar Product"
✓           "Sidebar Product"
✓           "footer footer";
✓         gap: 15px;
✓         grid-template-columns: 250px 1fr;
✓       }
✓       .header{
✓         grid-area: Header;
✓         background-color: #1F2937;
✓         text-align: center;
✓       }
✓       .header h1{
✓         color: lightseagreen;
✓       }
✓
✓       .sidebar{
✓         grid-area: Sidebar;
✓         height: auto;
✓         background-color: lightgoldenrodyellow;
✓         padding: 5px;
✓       }
✓
✓       .sidebar h3{
✓         margin-bottom: 0;
✓       }
✓       .sidebar p{
```

```

✓      border-bottom: 1px solid rgb(161, 154, 154);
✓      padding: 10px;
✓      cursor: pointer;
✓      margin-top: 0;
✓      margin-bottom: 0;
✓    }
✓    .sidebar a{
✓      text-decoration: none;
✓      color: black;
✓    }
✓    iframe{
✓      width: 100%;
✓      height: 730px;
✓      border: none;
✓    }
✓    .card{
✓      box-shadow: 0px 0px 10px;
✓      background-color: lightblue;
✓      text-align: center;
✓      border-radius:10px;
✓    }
✓
✓    .card img{
✓      width:200px;
✓      margin: 5px;
✓
✓    }
✓    .card button{
✓      background:#2563EB;
✓      color:white;
✓      border:none;
✓      padding:8px 15px;
✓      border-radius:5px;
✓      cursor:pointer;
✓    }
✓    .card button:hover{
✓      background:#1D4ED8;
✓    }
✓    .footer{
✓      grid-area: footer;
✓      background-color:black;
✓      color:ghostwhite;
✓      text-align:center;
✓      padding:15px;
✓    }
✓  </style>
✓ </head>
✓ <body>

```

```

✓ <p style="text-align: center;color:red;font-size: large;">My
name is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.</p>
✓ <div class="main">
✓ <div class="header">
✓ <h1>Anime Store</h1>
✓ </div>
✓ <div class="sidebar">
✓ <h3>Category</h3>
✓ <p>
✓ <a href="manga.html" target="nav">Manga</a>
✓ </p>
✓ <p>
✓ <a href="items.html" target="nav">Items</a>
✓ </p>
✓ <p>
✓ <a href="clothes.html" target="nav">Clothes</a>
✓ </p>
✓ <p>
✓ <a href="accessories.html" target="nav">Accessories</a>
✓ </p>
✓ </div>
✓ <div>
✓ <iframe name="nav"></iframe>
✓ </div>
✓ <div class="footer">
✓ <p>© 2026 Electronics Store | All Rights Reserved</p>
✓ </div>
✓ </div>
✓ </body>
✓ </html>

```

Manga:

```

✓ <!DOCTYPE html>
✓ <html>
✓ <head>
✓ <style>
✓ .product{
✓ display:grid;
✓ grid-template-columns:repeat(2,1fr);
✓ gap:20px;
✓ padding:20px;
✓ }
✓ .card{
✓ box-shadow: 0px 0px 10px;
✓ background-color: lightblue;
✓ text-align: center;
✓ border-radius:10px;
✓ }

```

```

✓      .card img{
✓        width:200px;
✓        margin: 5px;
✓      }
✓      .card button{
✓        background:#2563EB;
✓        color:white;
✓        border:none;
✓        padding:8px 15px;
✓        border-radius:5px;
✓        cursor:pointer;
✓      }
✓      .card button:hover{
✓        background:bisque;
✓      }
✓    </style>
✓  </head>
✓  <body>
✓    <div class="product">
✓      <div class="card">
✓        
✓        <h3>One Piece Manga</h3>
✓        <p>$30</p>
✓        <button>Buy now</button>
✓      </div>
✓      <div class="card">
✓        
✓        <h3>Demon Slayer Manga</h3>
✓        <p>$25</p>
✓        <button>Buy now</button>
✓      </div>
✓      <div class="card">
✓        
✓        <h3>Jjk Manga</h3>
✓        <p>$28</p>
✓        <button>Buy now</button>
✓      </div>
✓      <div class="card">
✓        
✓        <h3>Naruto Manga</h3>
✓        <p>$24</p>
✓        <button>Buy now</button>
✓      </div>
✓    </div>
✓  </body>
✓ </html>

```


Items:

```
✓ <!DOCTYPE html>
✓ <html>
✓   <head>
✓     <style>
✓       .product{
✓         display:grid;
✓         grid-template-columns:repeat(2,1fr);
✓         gap:20px;
✓         padding:20px;
✓       }
✓       .card{
✓         box-shadow: 0px 0px 10px;
✓         background-color: lightblue;
✓         text-align: center;
✓         border-radius:10px;
✓       }
✓       .card img{
✓         width:200px;
✓         margin: 5px;
✓       }
✓       .card button{
✓         background:#2563EB;
✓         color:white;
✓         border:none;
✓         padding:8px 15px;
✓         border-radius:5px;
✓         cursor:pointer;
✓       }
✓       .card button:hover{
✓         background:bisque;
✓       }
✓     </style>
✓   </head>
✓   <body>
✓     <div class="product">
✓       <div class="card">
✓         
✓         <h3>One Piece</h3>
✓         <p>$300</p>
✓         <button>Buy now</button>
✓       </div>
✓       <div class="card">
✓         
✓         <h3>Demon Slayer </h3>
✓         <p>$299</p>
✓         <button>Buy now</button>
✓       </div>
```

```

✓      <div class="card">
✓          
✓          <h3>Jjk </h3>
✓          <p>$199</p>
✓          <button>Buy now</button>
✓      </div>
✓      <div class="card">
✓          
✓          <h3>Naruto</h3>
✓          <p>$240</p>
✓          <button>Buy now</button>
✓      </div>
✓  </div>
✓  </body>
✓  </html>

```

Clothes:

```

<!DOCTYPE html>
<html>
  <head>
    <style>
      .product{
        display:grid;
        grid-template-columns:repeat(2,1fr);
        gap:20px;
        padding:20px;
      }
      .card{
        box-shadow: 0px 0px 10px;
        background-color: lightblue;
        text-align: center;
        border-radius:10px;
      }
      .card img{
        width:200px;
        margin: 5px;
      }
      .card button{
        background:#2563EB;
        color:white;
        border:none;
        padding:8px 15px;
        border-radius:5px;
        cursor:pointer;
      }
      .card button:hover{
        background:bisque;
      }
    </style>
  </head>
  <body>
    <div class="product">
      <div class="card">
        
        <h3>Jjk </h3>
        <p>$199</p>
        <button>Buy now</button>
      </div>
      <div class="card">
        
        <h3>Naruto</h3>
        <p>$240</p>
        <button>Buy now</button>
      </div>
    </div>
  </body>
</html>

```

```

    </style>
</head>
<body>
  <div class="product">
    <div class="card">
      
      <h3>One Piece</h3>
      <p>$200</p>
      <button>Buy now</button>
    </div>
    <div class="card">
      
      <h3>Demon Slayer </h3>
      <p>$199</p>
      <button>Buy now</button>
    </div>
    <div class="card">
      
      <h3>Jjk </h3>
      <p>$300</p>
      <button>Buy now</button>
    </div>
    <div class="card">
      
      <h3>Naruto</h3>
      <p>$220</p>
      <button>Buy now</button>
    </div>
  </div>
</body>
</html>

```

Accessories:

```

<!DOCTYPE html>
<html>
  <head>
    <style>
      .product{
        display:grid;
        grid-template-columns:repeat(2,1fr);
        gap:20px;
        padding:20px;
      }
      .card{
        box-shadow: 0px 0px 10px;
        background-color: lightblue;
        text-align: center;


```

```

        border-radius:10px;
    }
    .card img{
        width:200px;
        margin: 5px;
    }
    .card button{
        background:#2563EB;
        color:white;
        border:none;
        padding:8px 15px;
        border-radius:5px;
        cursor:pointer;
    }
    .card button:hover{
        background:bisque;
    }
</style>
</head>
<body>
    <div class="product">
        <div class="card">
            
            <h3>One Piece</h3>
            <p>$100</p>
            <button>Buy now</button>
        </div>
        <div class="card">
            
            <h3>Demon Slayer </h3>
            <p>$99</p>
            <button>Buy now</button>
        </div>
        <div class="card">
            
            <h3>Jjk </h3>
            <p>$110</p>
            <button>Buy now</button>
        </div>
        <div class="card">
            
            <h3>Naruto</h3>
            <p>$150</p>
            <button>Buy now</button>
        </div>
    </div>
</body>
</html>

```

✓ Output:



My name is CII. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.

Anime Store

Category

Manga

Items

Clothes

Accessories



One Piece

\$300

[Buy now](#)



Demon Slayer

\$299

[Buy now](#)



One Piece

\$200

[Buy now](#)



Demon Slayer

\$199


[Buy now](#)



JJK



Naruto



➤ Explanation:

- HTML-Hyper Text Markup Language.
- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element that contains the entire webpage
- <head>: Contains metadata and styles of the webpage
- <style>: Used to write CSS styling inside the HTML page
- <body>: Contains all visible content of the webpage
- <div>: Container used to group elements and apply styles
- <h1>: Main heading of the webpage
- <h3>: Sub-heading used for categories and details
- <p>: Defines paragraph text
- : Displays an image on the webpage
- <button>: Creates a clickable button
- class: Connects HTML element with CSS styling
- src: Specifies the image file location
- margin: Creates space outside an element
- background-color: Sets the background color of an element
- display: Defines how elements are displayed (grid layout here)
- grid-template-areas: Defines the layout structure of grid sections
- gap: Creates space between grid items
- grid-template-columns: Defines number and width of columns in grid

- grid-area: Assigns an element to a specific grid area
- text-align: Aligns text (left, right, center)
- color: Sets the text color
- height: Defines the height of an element
- padding: Creates space inside an element
- margin-bottom: Adds space below an element
- margin-top: Adds space above an element
- border-bottom: Adds a bottom border line
- cursor: Changes cursor to pointer when hovering
- box-shadow: Adds shadow around elements
- border-radius: Creates rounded corners
- width: Sets the width of an image
- border: Removes or adds border around element
- hover: Changes style when mouse is over the element
- <iframe>: Used to embed another webpage inside the current webpage
- target: Specifies where the linked page should open
- name: Gives a name to an element
- <a>: Used to create hyperlinks

Week-7


- A. Create a github account and create a repository named UIDLAB-CSE25106 and upload every week experiments, lab report in that repository and make the repository private.

Aim:

Create a github account and create a repository named UIDLAB-CSE25106 and upload every week experiments, lab report in that repository and make the repository private.

Step-1:

Create a github account by entering mailid , username, password,



Create your free account
Explore GitHub's core features for individuals and organizations.
[See what's included](#) ▾

Sign up for GitHub

[Continue with Google](#)

[Continue with Apple](#)

or

Email*
 ✓

Password*
 ✓
Password should be at least 15 characters OR at least 8 characters including a number and a lowercase letter.

Username*
 ✓
Username may only contain alphanumeric characters or single hyphens, and cannot begin or end with a hyphen.

Your Country/Region*
 ▾
For compliance reasons, we're required to collect country information to send you occasional updates and announcements.


Email preferences
☒ Receive occasional product updates and announcements

[Create account](#) >

By creating an account, you agree to the [Terms of Service](#). For more information about GitHub's privacy practices, see the [GitHub Privacy Statement](#). We'll occasionally send you account-related emails.


Step2:

Crete a repository by putting it on private with UIDLAB-rollno as name




Step-3:

Click on upload files and upload the files of every week by selecting and dragging the entire folder.




Step-4

Now click on commit changes to add all these files in the repository.



Step-5:

The added files will appear in that repository. If the folders are added them files can be accessed by clicking on the folder name.



Week-8

A. Create a webpage that displays a square that continuously rotates 360 using CSS.


➤ Aim: Create a webpage that displays a square that continuously rotates 360 using css.

➤ Procedure:

✓ Input:

```
✓ <!DOCTYPE html>
✓ <html>
✓ <head>
✓   <title>8a</title>
✓   <style>
✓     body{
✓       display: flex;
✓       flex-direction: column;
✓       align-items: center;
✓       justify-content: center;
✓       background-color:wheat;
✓     }
✓     .square{
✓       width:100px;
✓       height:100px;
✓       background-color:brown;
✓       position:relative;
✓       border-radius: 5px;
✓       animation: squareani;
✓       animation-duration:4s;
✓       animation-iteration-count: infinite;
✓       animation-timing-function: linear;
✓       box-shadow: 0 0 5px;
✓       margin-top: 100px;
✓     }
✓     @keyframes squareani{
✓       from{transform : rotate(0deg);}
✓       to{transform: rotate(360deg);}
✓     }
✓   </style>
✓ </head>
✓ <body>
✓   <p style="text-align: center;color:red;font-size: large;">My
name is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.</p>
✓   <div class="container">
✓     <div class="square"></div>
✓   </div>
✓ </body>
✓ </html>
```

✓ Output:



➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element that contains the entire webpage
- <head>:Contains metadata and styles of the webpage
- <style>:Used to write CSS styling inside the HTML page
- <body>:Contains all visible content of the webpage
- <div>:Container used to group elements and apply styles
- <h1>:Main heading of the webpage
- <h3>:Sub-heading used for categories and details
- <p>:Defines paragraph text
- background-color: Sets the background color of an element
- transform: rotate() performs rotation
- @keyframes : defines motion
- rotate(0deg → 360deg): Starts from normal position to ends after full rotation (circle)
- width / height :Size of square
- position: relative : Positioned relative to itself
- animation-duration : It defines how long an animation should take to complete.
- **animation-iteration-count property: It specifies the number of times an animation should run.**
- **animation-timing-function: This property specifies the speed curve of the animation.**

B. Create a ball that moves up and down continuously using CSS animation.

➤ Aim: Create a ball that moves up and down continuously using CSS animation.


➤ Procedure:

✓ Input:

```
✓ <!DOCTYPE html>
✓ <html>
✓   <head>
✓     <title>8b</title>
✓     <style>
✓       body{
✓         display: flex;
✓         flex-direction: column;
✓         align-items: center;
✓         justify-content: center;
✓         background-color:wheat;
✓       }
✓       .ball{
✓         width:100px;
✓         height:100px;
✓         background-color:brown;
✓         position:absolute;
✓         border-radius: 50%;
✓         animation: animation1;
✓         animation-duration:3s;
✓         animation-delay: 1s;
✓         animation-iteration-count: infinite;
✓         animation-timing-function: linear;
✓         box-shadow: 0 0 5px;
✓         margin-top: 200px;
✓       }
✓       @keyframes animation1{
✓         0%{transform : translateY(0px)}
✓         25%{transform : translateY(-200px)}
✓         50%{transform : translateY(0px)}
✓         75%{transform: translateY(200px)}
✓         100%{transform :translateY(0px)}
✓       }
✓     </style>
✓   </head>
✓   <body>
✓     <p style="text-align: center;color:red;font-size: large;">My
name is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.</p>
✓     <div class="container">
✓       <div class="ball"></div>
✓     </div>
✓   </body>
✓ </html>
```



✓ Output:



➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element that contains the entire webpage
- <head>:Contains metadata and styles of the webpage
- <style>:Used to write CSS styling inside the HTML page
- <body>:Contains all visible content of the webpage
- <div>:Container used to group elements and apply styles
- <h1>:Main heading of the webpage
- <h3>:Sub-heading used for categories and details
- <p>:Defines paragraph text
- background-color: Sets the background color of an element
- transform: rotate() performs rotation
- @keyframes : defines motion
- rotate(0deg → 360deg): Starts from normal position to ends after full rotation (circle)
- width / height :Size of square
- position: relative : Positioned relative to itself
- animation-duration : It defines how long an animation should take to complete.
- **animation-iteration-count property: It specifies the number of times an animation should run.**
- **animation-timing-function: This property specifies the speed curve of the animation.**

C. Create a circle that moves horizontally and rotates at the same time.

➤ Aim: Create a circle that moves horizontally and rotates at the same time.

➤ Procedure:


✓ Input:

```
✓ <!DOCTYPE html>
✓ <html>
✓   <head>
✓     <title>8b</title>
✓     <style>
✓       body{
✓         display: flex;
✓         flex-direction: column;
✓         align-items: center;
✓         justify-content: center;
✓         background-color: wheat;
✓       }
✓     .ball{
✓       width:100px;
✓       height:100px;
✓       background:linear-gradient(100deg,maroon,brown);
✓       border:1px solid black;
✓       position:absolute;
✓       border-radius: 50%;
✓       animation: animation1;
✓       animation-duration:5s;
✓       animation-delay: 1s;
✓       animation-iteration-count: infinite;
✓       animation-timing-function: linear;
✓     }
✓     @keyframes animation1{
✓       0%{transform : translateX(0px) rotate(0deg)}
✓       25%{transform : translateX(-200px) rotate(360deg)}
✓       50%{transform : translateX(0px) rotate(720deg)}
✓       75%{transform: translateX(200px) rotate(1080deg)}
✓       100%{transform :translateX(0px) rotate(1460deg)}
✓     }
✓   </style>
✓   </head>
✓   <body>
✓     <p style="text-align: center;color:red;font-size: large;">My
name is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.</p>
✓     <div class="container">
✓       <div class="ball"></div>
✓     </div>
```



```
✓
✓      </body>
✓ </html>
✓
```

✓ Output:



➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element that contains the entire webpage
- <head>:Contains metadata and styles of the webpage
- <style>:Used to write CSS styling inside the HTML page
- <body>:Contains all visible content of the webpage
- <div>:Container used to group elements and apply styles
- <h1>:Main heading of the webpage
- <h3>:Sub-heading used for categories and details
- <p>:Defines paragraph text
- background-color: Sets the background color of an element
- transform: rotate() performs rotation
- @keyframes : defines motion
- rotate(0deg → 360deg): Starts from normal position to ends after full rotation (circle)
- position: relative : Positioned relative to itself
- animation-duration : It defines how long an animation should take to complete.
- **animation-iteration-count property: It specifies the number of times an animation should run.**
- **animation-timing-function: This property specifies the speed curve of the animation.**

Week-9

- A. A1. Write a JavaScript program to determine if a number is even or odd
A2. Write a JavaScript program to determine if a number is prime or not.
A3. Write a JavaScript program to find the factorial of a given number.
A4. Write a JavaScript program to determine if a number is Armstrong or not.

- Aim: A1. Write a JavaScript program to determine if a number is even or odd
A2. Write a JavaScript program to determine if a number is prime or not.
A3. Write a JavaScript program to find the factorial of a given number.
A4. Write a JavaScript program to determine if a number is Armstrong or not.

- Procedure:

- ✓ Input:

```
✓ <!DOCTYPE html>
✓ <html>
✓   <head>
✓     <title>9a</title>
✓     <style>
✓       body{
✓         background-color: bisque;
✓       }
✓       .container{
✓         display:grid;
✓         grid-template-areas:
✓           "header header"
✓           "frame1 frame2"
✓           "frame3 frame4";
✓         grid-template-rows: auto 1fr 1fr auto;
✓         grid-template-columns:1fr 1fr ;
✓         gap:20px;
✓       }
✓       .header{
✓         grid-area: header;
✓         text-align: center;
✓         background-color: wheat;
✓         border-radius: 10px;
✓         margin-left: 40px;
✓         margin-right: 50px;
✓         box-shadow: 0 0 10px rgba(0, 0, 0, 0.5);
✓       }
✓       .frame1{
✓         grid-area:frame1;
✓         background-color: wheat;
```

```

✓      max-width: 500px;
✓      min-height: 100px;
✓      text-align: center;
✓      justify-content: center;
✓      border-radius: 10px;
✓      margin-left: 50px;
✓      box-shadow: 0 0 10px rgba(0, 0, 0, 0.5);
✓    }
✓    .frame2{
✓      grid-area:frame2;
✓      background-color: wheat;
✓      max-width: 500px;
✓      min-height: 100px;
✓      text-align: center;
✓      justify-content: center;
✓      border-radius: 10px;
✓      margin-left: 50px;
✓      box-shadow: 0 0 10px rgba(0, 0, 0, 0.5);
✓    }
✓    .frame3{
✓      grid-area:frame3;
✓      background-color:wheat;
✓      max-width: 500px;
✓      min-height: 100px;
✓      text-align: center;
✓      justify-content: center;
✓      border-radius: 10px;
✓      margin-left: 50px;
✓      box-shadow: 0 0 10px rgba(0, 0, 0, 0.5);
✓    }
✓    .frame4{
✓      grid-area:frame4;
✓      background-color: wheat;
✓      max-width: 500px;
✓      min-height: 100px;
✓      text-align: center;
✓      justify-content: center;
✓      border-radius: 10px;
✓      margin-left: 50px;
✓      box-shadow: 0 0 10px rgba(0, 0, 0, 0.5);
✓    }
✓    button{
✓      margin-bottom: 10px;
✓      border:none;
✓      font-size: large;
✓      background-color: wheat;
✓      box-shadow: 0 0 5px rgba(0, 0, 0, 0.3);
✓      border-radius: 3px;;

```

```

    }
    button: hover {
        background-color: wheat;
        box-shadow: 0 0 8px rgba(0, 0, 0, 0.5);
        transform: scale(1.02)
    }
</style>
</head>
<body>
    <p style="text-align: center; color: red; font-size: large;">My
name is CH. JAI RAM CHARAN, Roll no - 25106, Sec: CSE-B.</p>
    <script>
        function even_odd() {
            const x = document.getElementById('even').value;
            const display = document.getElementById('res_1');
            const y = parseInt(x);
            if (y % 2 === 0) {
                display.innerHTML = y + " Is even";
            }
            else {
                display.innerHTML = y + " Is odd";
            }
        }
        function factorial() {
            const x = document.getElementById('fac').value;
            const display = document.getElementById('res_2');
            const y = parseInt(x);
            var fact = 1;
            for (var i = 1; i <= x; i++) {
                fact *= i;
            }
            display.innerHTML = "Factorial of the number is: " + fact
        }
        function prime() {
            const x = document.getElementById('pri').value;
            const display = document.getElementById('res_3');
            const y = parseInt(x);

            let isPrime = true;

            for (let i = 2; i <= Math.sqrt(y); i++) {
                if (y % i === 0) {
                    isPrime = false;
                    break;
                }
            }
        }
    </script>

```

```

✓         if(isPrime){
✓             display.innerHTML = y + " Is a Prime Number";
✓         }
✓         else{
✓             display.innerHTML = y + " Is not a Prime Number";
✓         }
✓     }
✓     function amstrong(){
✓         const x= document.getElementById('ang').value;
✓         const display = document.getElementById('res_4')
✓         const y = parseInt(x);
✓         var sum=0;
✓         var temp=y;
✓
✓         const dig = x.length;
✓
✓         while(temp>0){
✓             let rem = temp%10;
✓             sum += Math.pow(rem,dig);
✓             temp = Math.floor(temp/10);
✓         }
✓         if(sum===y){
✓             display.innerHTML = y + " Is an arsmtrong number"
✓         }
✓         else{
✓             display.innerHTML = y + " Is not an arsmtrong
number"
✓         }
✓     }
✓ }
✓ </script>
✓ <div class="container">
✓     <div class="header"><h1>Javascript Applications</h1></div>
✓     <div class="frame1">
✓         <h3>Check even or odd</h3>
✓         <input type="number" id="even">
✓         <button onclick="even_odd()">Even or Odd</button>
✓         <p id="res_1">The result is</p>
✓     </div>
✓     <div class="frame2">
✓         <h3>Check factorial</h3>
✓         <input type="number" id="fac">
✓         <button onclick="factorial()">Find factorial</button>
✓         <p id="res_2">The factorial of the number is </p>
✓     </div>
✓     <div class="frame3">
✓         <h3>Check Prime or Not</h3>
✓         <input type="number" id="pri">
✓         <button onclick="prime()">Prime or not</button>

```

```

✓      <p id="res_3">The result is</p>
✓    </div>
✓    <div class="frame4">
✓      <h3>Check Armstrong Number</h3>
✓      <input type="number" id="ang">
✓      <button onclick="amstrong()">Armstrong or not</button>
✓      <p id="res_4">The result is</p>
✓    </div>
✓
✓  </div>
✓
✓  </body>
✓ </html>

```

✓ Output:

My name is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.

Javascript Applications

Check even or odd

 Even or Odd

The result is

Check factorial

 Find factorial

The factorial of the number is

Check Prime or Not

 Prime or not

The result is

Check Armstrong Number

 Armstrong or not

The result is

➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element that contains the entire webpage
- <head>:Contains metadata and styles of the webpage
- <style>:Used to write CSS styling inside the HTML page
- <body>:Contains all visible content of the webpage
- <div>:Container used to group elements and apply styles
- <h1>:Main heading of the webpage

- `<p>`: Defines paragraph text
- `background-color`: Sets the background color of an element
- `display: grid` – This is used to create a layout system. It allows us to divide the page into rows and columns, making it easy to place different sections like the header, frames, and footer in required places.
- `parseInt()` – In the JavaScript part, this function is used to take the text typed in the input box and convert it into a integer.
- `innerHTML` – This property is used to change the content of an HTML element.
- `document.getElementById("id")` – This is the way JavaScript finds a specific element on the HTML page.
- Variables (`var`) – These are like small storage containers used to hold data.
- The javascript must be written inside `<script></script>` tags
- Javascript can be written in either head or body.
- Function – allows to create reusable code that can execute when called.

Week-10

- A. Write a JavaScript conditional statement to find the sign of product of three numbers using functions .Display an alert box with the specified sign.
- Aim: To Write a JavaScript conditional statement to find the sign of product of three numbers using functions .Display an alert box with the specified sign.
 - Procedure:
 - ✓ Input:

```
✓ <!DOCTYPE html>
✓ <html>
✓ <head>
✓   <title>Sign of Product</title>
✓   <style>
✓     body{
✓       background-color: bisque;
✓     }
✓     form {
✓       background-color: wheat;
✓       padding: 20px;
✓       margin: auto;
✓       width: 300px;
✓       border-radius: 10px;
✓     }
✓   </style>
✓   <script>
✓     function findSign() {
✓       let a = parseInt(prompt("Enter first number:"));
✓       let b = parseInt(prompt("Enter second number:"));
✓       let c = parseInt(prompt("Enter third number:"));
✓
✓       let product = a * b * c;
✓
✓       if (product > 0) {
✓         alert("The sign is + (Positive)");
✓       }
✓       else if (product < 0) {
✓         alert("The sign is - (Negative)");
✓       }
✓       else {
✓         alert("The product is 0");
✓       }
✓     }
✓   </script>
✓ </html>
```



```

✓    </script>
✓ </head>
✓ <body>
✓    <p style="text-align: center;color:red;font-size: large;">My name
    is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.</p>
✓    <form>
✓    <h2>Find Sign of Product</h2>
✓    <button onclick="findSign()">Enter Numbers</button>
✓    </form>
✓ </body>
✓ </html>

```

✓ Output:



➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element that contains the entire webpage
- <head>:Contains metadata and styles of the webpage
- <style>:Used to write CSS styling inside the HTML page
- <body>:Contains all visible content of the webpage
- <div>:Container used to group elements and apply styles
- <h1>:Main heading of the webpage
- <h3>:Sub-heading used for categories and details
- <p>:Defines paragraph text
- background-color: Sets the background color of an element
- The javascript must be written inside <script></script> tags
- Javascript can be written in either head or body.
- Function – allows to create reusable code that can execute when called.
- prompt() → Opens an input box.
- User enters a number.
- parseInt() → Converts the entered text into an integer number.
- let a → Stores the value in variable a.

B. Write a JavaScript conditional statement to sort three numbers using functions .Display an alert box to show the result.

➤ **Aim: TO Write a JavaScript conditional statement to sort three numbers using functions .Display an alert box to show the result.**

➤ **Procedure:**

✓ **Input:**

```
✓ <!DOCTYPE html>
✓ <html>
✓ <head>
✓   <title>Sort Three Numbers</title>
✓   <style>
✓     body{
✓       background-color: bisque;
✓     }
✓     form {
✓       background-color: wheat;
✓       padding: 20px;
✓       margin: auto;
✓       width: 300px;
✓       border-radius: 10px;
✓     }
✓   </style>
✓   <script>
✓     function sortNumbers() {
✓       let a = parseInt(prompt("Enter first number:"));
✓       let b = parseInt(prompt("Enter second number:"));
✓       let c = parseInt(prompt("Enter third number:"));
✓
✓       let temp;
✓
✓       if (a > b) {
✓         temp = a;
✓         a = b;
✓         b = temp;
✓       }
✓
✓       if (a > c) {
✓         temp = a;
✓         a = c;
✓         c = temp;
✓       }
✓
✓       if (b > c) {
✓         temp = b;
✓         b = c;
```

```

✓      c = temp;
✓    }
✓
✓      alert("Sorted numbers: " + a + ", " + b + ", " + c);
✓    }
✓  </script>
✓</head>
✓<body>
✓  <p style="text-align: center;color:red;font-size: large;">My name
  is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.</p>
✓  <form>
✓    <h2>Find the Sorted List</h2>
✓    <button onclick="sortNumbers()">Sort Numbers</button>
✓  </form>
✓</body>
✓</html>

```

✓ Output:



➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element that contains the entire webpage
- <head>:Contains metadata and styles of the webpage
- <style>:Used to write CSS styling inside the HTML page
- <body>:Contains all visible content of the webpage
- <div>:Container used to group elements and apply styles
- <h1>:Main heading of the webpage
- <h3>:Sub-heading used for categories and details
- <p>:Defines paragraph text
- background-color: Sets the background color of an element
- The javascript must be written inside <script></script> tags
- Javascript can be written in either head or body.

- Function – allows to create reusable code that can execute when called.
- prompt() → Opens an input box.
- User enters a number.
- parseInt() → Converts the entered text into an integer number.
- let a → Stores the value in variable a.

C. Write a JavaScript conditional statement to find the largest of five numbers using function and onclick event .Display an alert box to show the result.

➤ Aim: To Write a JavaScript conditional statement to find the largest of five numbers using function and onclick event .Display an alert box to show the result.

➤ Procedure:

✓ Input:

```

✓ <!DOCTYPE html>
✓ <html>
✓ <head>
✓   <title>Largest of 5 Numbers</title>
✓   <style>
✓     body{
✓       background-color: bisque;
✓     }
✓     form {
✓       background-color: wheat;
✓       padding: 20px;
✓       margin: auto;
✓       width: 300px;
✓       border-radius: 10px;
✓     }
✓   </style>
✓   <script>
✓     function findLargest() {
✓       let n1 = parseFloat(document.getElementById("num1").value);
✓       let n2 = parseFloat(document.getElementById("num2").value);
✓       let n3 = parseFloat(document.getElementById("num3").value);
✓       let n4 = parseFloat(document.getElementById("num4").value);
✓       let n5 = parseFloat(document.getElementById("num5").value);
✓
✓       let largest = n1;
✓
✓       if (n2 > largest) largest = n2;
✓       if (n3 > largest) largest = n3;
✓       if (n4 > largest) largest = n4;

```

```

✓         if (n5 > largest) largest = n5;
✓
✓         alert("The largest number is: " + largest);
✓     }
✓ </script>
✓ </head>
✓ <body>
✓     <p style="text-align: center;color:red;font-size: large;">My name
is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.</p>
✓     <form>
✓     <h2>Find Largest of 5 Numbers</h2>
✓
✓     Enter Number 1: <input type="text" id="num1"><br><br>
✓     Enter Number 2: <input type="text" id="num2"><br><br>
✓     Enter Number 3: <input type="text" id="num3"><br><br>
✓     Enter Number 4: <input type="text" id="num4"><br><br>
✓     Enter Number 5: <input type="text" id="num5"><br><br>
✓
✓     <button onclick="findLargest()">Find Largest</button>
✓     </form>
✓ </body>
✓ </html>

```

✓ Output:

The screenshot shows a web page with a light orange background. At the top, a red text message reads: "My name is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.". Below this, there is a white box with a black border containing the form. The form has a title "Find Largest of 5 Numbers" in bold. It contains five input fields, each preceded by a label: "Enter Number 1:", "Enter Number 2:", "Enter Number 3:", "Enter Number 4:", and "Enter Number 5:". At the bottom of the form is a button labeled "Find Largest".

➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element that contains the entire webpage
- <head>:Contains metadata and styles of the webpage
- <style>:Used to write CSS styling inside the HTML page
- <body>:Contains all visible content of the webpage

- <div>: Container used to group elements and apply styles
- <h1>: Main heading of the webpage
- <h3>: Sub-heading used for categories and details
- <p>: Defines paragraph text
- background-color: Sets the background color of an element
- The javascript must be written inside <script></script> tags
- Javascript can be written in either head or body.
- Function – allows to create reusable code that can execute when called.
- prompt() → Opens an input box.
- User enters a number.
- parseInt() → Converts the entered text into an integer number.
- let a → Stores the value in variable a.

D. Write a JavaScript for loop that will iterate from 0 to 15. For each iteration, it will check if the current number is odd or even, and display a message to the screen.

➤ **Aim: To Write a JavaScript for loop that will iterate from 0 to 15. For each iteration, it will check if the current number is odd or even, and display a message to the screen.**

➤ **Procedure:**

✓ **Input:**


```
✓ <!DOCTYPE html>
✓ <html lang="en">
✓ <head>
✓   <style>
✓     body{
✓       background-color: bisque;
✓       max-width: 500px;
✓       margin: 40px auto;
✓       padding: 15px;
✓       text-align: center;
✓       border: solid white 2px;
✓       border-radius: 20px;
✓       color: red;
✓       font-weight: bold;
✓       font-family: Arial, Helvetica, sans-serif;
✓     }
✓   </style>
✓ </head>
✓ <body>
✓   <p style="text-align: center;color:red;font-size: large;">My name
  is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.</p>
```

```

✓ <script>
✓   for(let i=0;i<=15;i++){
✓     if(i==0){
✓       document.write(i+" is zero");
✓     }
✓     else if(i%2==0){
✓       document.write(i+" is even")
✓     }
✓     else{
✓       document.write(i+" is odd");
✓     }
✓     document.write("<br>")
✓     document.write("<br>")
✓   }
✓ </script>
✓ </body>
✓ </html>

```

✓ Output:



➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element that contains the entire webpage
- <head>:Contains metadata and styles of the webpage

- <style>:Used to write CSS styling inside the HTML page
- <body>:Contains all visible content of the webpage
- <div>:Container used to group elements and apply styles
- <h1>:Main heading of the webpage
- <h3>:Sub-heading used for categories and details
- <p>:Defines paragraph text
- background-color: Sets the background color of an element
- The javascript must be written inside <script></script> tags
- Javascript can be written in either head or body.
- parseInt() → Converts the entered text into an integer number.
- document.write : Writens the value.
- For loop is used in the code.

E. Write a JavaScript program which iterates the integers from 1 to 100. But for multiples of three print "LOL" instead of the number and for the multiples of five print "OK". For numbers which are multiples of both three and five print "LOL-OK".

➤ **Aim: To Write a JavaScript program which iterates the integers from 1 to 100. But for multiples of three print "LOL" instead of the number and for the multiples of five print "OK". For numbers which are multiples of both three and five print "LOL-OK".**

➤ **Procedure:**

✓ **Input:**

```
✓ <!DOCTYPE html>
✓ <html>
✓ <head>
✓   <style>
✓     body{
✓       max-width: 400px;
✓       text-align: center;
✓       margin:0px auto;
✓       background-color: bisque;
✓       color: red;
✓       font-size: large;
✓     }
✓   </style>
✓ </head>
✓ <body>
✓   <p style="text-align: center;color:red;font-size: large;">My name
is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.</p>
```



```

✓ <script>
✓   for(let i=0;i<=100;i++){
✓     if(i%3==0 && i%5!=0){
✓       document.write("LOL");
✓     }
✓     else if(i%5==0 && i%3!=0){
✓       document.write("OK");
✓     }
✓     else if(i%3==0 && i%5==0){
✓       document.write("LOL-OK");
✓     }
✓     else{
✓       document.write(i);
✓     }
✓     document.write("<br>")
✓   }
✓ </script>
✓ </body>
✓ </html>

```

✓ Output:

```

My name is CH. JAI RAM CHARAN,Roll no -
25106,Sec:CSE-B.

LOL-OK
1
2
LOL
4
OK
LOL
7
8
LOL
OK
11
LOL
13
14
LOL-OK
16
17
LOL
19
OK
LOL
22
23
LOL
OK
26
LOL
28
29
LOL-OK
31
32

```

➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element that contains the entire webpage
- <head>: Contains metadata and styles of the webpage

- <style>:Used to write CSS styling inside the HTML page
- <body>:Contains all visible content of the webpage
- <div>:Container used to group elements and apply styles
- <h1>:Main heading of the webpage
- <h3>:Sub-heading used for categories and details
- <p>:Defines paragraph text
- background-color: Sets the background color of an element
- The javascript must be written inside <script></script> tags
- Javascript can be written in either head or body.
- parseInt() → Converts the entered text into an integer number.
- document.write : Writens the value.
- For loop is used in the code.

F. Write a JavaScript program to read 6 subjects marks from the student then compute the average marks of the student. Then, this average is used to determine the corresponding grade.

➤ **Aim: To Write a JavaScript program to read 6 subjects marks from the student then compute the average marks of the student. Then, this average is used to determine the corresponding grade.**

➤ **Procedure:**

✓ **Input:**

```
✓ <!DOCTYPE html>
✓ <html>
✓ <head>
✓   <style>
✓     body{
✓       text-align: center;
✓       display: flex;
✓       flex-direction: column;
✓       background-color: bisque;
✓     }
✓     div{
✓       box-shadow: 0 0 5px black;
✓       margin:auto auto;
✓       padding: 30px;
✓       width: fit-content;
✓       display: flex;
✓       flex-direction: column;
✓       border-radius: 10px;
✓       background-color: wheat;
✓     }
```

```

✓      div h3{
✓          background-color: red;
✓          color: white;
✓          padding: 10px;
✓          border-radius: 50px;
✓      }
✓      table{
✓          border: 1px solid black ;
✓          border-spacing: 0;
✓      }
✓      th,td{
✓          padding: 10px;
✓      }
✓      button{
✓          margin:10px;
✓          min-width:500px;
✓          font-size: larger;
✓          border-radius: 10px;
✓          border: none;
✓          background-color:red;
✓          color: white;
✓          padding: 10px;
✓          box-shadow: 0 0 2px black;
✓      }
✓      input{
✓          width: 50px;
✓          padding: 10px;
✓      }
✓      input :focus{
✓          border: 1px solid red ;
✓      }
✓      thead{
✓          background-color: rgb(206, 203, 203);
✓      }
✓      button:hover{
✓          transform: translateY(-2px);
✓          box-shadow: 0 2px 2px grey;
✓      }
✓  </style>
✓  </head>
✓  <body>
✓      <p style="text-align: center;color:red;font-size: large;">My name
is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.</p>
✓      <div>
✓          <h3>Grade Claculator</h3>
✓          <table border="1">
✓              <thead>
✓                  <tr>

```

```

✓      <th>S.NO</th>
✓      <th>Subject</th>
✓      <th>Marks</th>
✓    </tr>
✓  </thead>
✓  <tbody>
✓    <tr>
✓      <th>1</th>
✓      <td>Subject 1</td>
✓      <td><input type="number" name="mark1" value="0"
min="0" max="100"></td>
✓    </tr>
✓    <tr>
✓      <th>2</th>
✓      <td>Subject 2</td>
✓      <td><input type="number" name="mark1" value="0"
min="0" max="100"></td>
✓    </tr>
✓    <tr>
✓      <th>3</th>
✓      <td>Subject 3</td>
✓      <td><input type="number" name="mark1" value="0"
class="mark1" min="0" max="100"></td>
✓    </tr>
✓    <tr>
✓      <th>4</th>
✓      <td>Subject 4</td>
✓      <td><input type="number" name="mark1" value="0"
class="mark1" min="0" max="100"></td>
✓    </tr>
✓    <tr>
✓      <th>5</th>
✓      <td>Subject 5</td>
✓      <td><input type="number" name="mark1" value="0"
class="mark1" min="0" max="100"></td>
✓    </tr>
✓    <tr>
✓      <th>6</th>
✓      <td>Subject 6</td>
✓      <td><input type="number" name="mark1" value="0"
class="mark1" min="0" max="100"></td>
✓    </tr>
✓  </tbody>
✓</table>

```

```

✓      <button type="button"
✓      onclick="calculate_marks()">Result</button>
✓
✓      <table>
✓      <tr>
✓          <th>Total marks</th>
✓          <th>Percentage</th>
✓          <th>Average</th>
✓          <th>Grade</th>
✓      </tr>
✓      <tr>
✓          <td id="total_marks">-</td>
✓          <td id="percentage">-</td>
✓          <td id="average">-</td>
✓          <td id="grade">-</td>
✓      </tr>
✓  </table >
✓ </div>
✓  <script>
✓  function calculate_marks(){
✓      let elements = document.getElementsByTagName("input");
✓      var total = 0;
✓      for(let i=0;i<elements.length;i++){
✓          total+=parseInt(elements[i].value);
✓      }
✓      document.getElementById("total_marks").innerHTML=total;
✓      let average = total/6;
✓      document.getElementById("percentage").innerHTML=average;
✓      document.getElementById("average").innerHTML=average;
✓      document.getElementById("grade").innerHTML=grade(average);
✓  }
✓  function grade(average){
✓      if(average>=100){
✓          return "0"
✓      }
✓      else if(average>=90){
✓          return "A";
✓      }
✓      else if(average>=80){
✓          return "B";
✓      }
✓      else if(average>=70){
✓          return "C";
✓      }
✓      else if(average>=60){
✓          return "D";
✓      }
✓      else{

```

```

✓      return "F";
✓    }
✓  }
✓  </script>
✓ </body>
✓ </html>

```

✓ Output:

My name is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.

Grade Claculator

S.NO	Subject	Marks
1	Subject 1	0
2	Subject 2	0
3	Subject 3	0
4	Subject 4	0
5	Subject 5	0
6	Subject 6	0

Result

Total marks	Percentage	Average	Grade
-	-	-	-

➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element that contains the entire webpage
- <head>:Contains metadata and styles of the webpage

- `<style>`:Used to write CSS styling inside the HTML page
- `<body>`:Contains all visible content of the webpage
- `<div>`:Container used to group elements and apply styles
- `<h1>`:Main heading of the webpage
- `<p>`:Defines paragraph text
- `background-color`: Sets the background color of an element
- `display: grid` – This is used to create a layout system. It allows us to divide the page into rows and columns, making it easy to place different sections like the header, frames, and footer in required places.
- `parseInt()` – In the JavaScript part, this function is used to take the text typed in the input box and convert it into a integer.
- `innerHTML` – This property is used to change the content of an HTML element.
- `document.getElementById("id")` – This is the way JavaScript finds a specific element on the HTML page.
- Variables (`var`) – These are like small storage containers used to hold data.
- The javascript must be written inside `<script></script>` tags
- Javascript can be written in either head or body.
- Function – allows to create reusable code that can execute when called.

Week-11

- A. A website requires users to enter a username. The system should display a message while typing if the username is less than 5 characters.
- Aim: To make a website which requires users to enter a username. The system should display a message while typing if the username is less than 5 characters.
 - Procedure:
 - ✓ Input:

```
✓ <!DOCTYPE html>
✓ <html>
✓ <head>
✓   <title>Username Validation</title>
✓ </head>
✓ <body style="background-color: bisque;">
✓   <p style="text-align: center;color:red;font-size: large;">My name
is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.</p>
✓   <h2>Enter Username</h2>
✓   <input type="text" id="username" onkeyup="checkUsername()"
placeholder="Enter username">
✓   <p id="message"></p>
✓
✓   <script>
✓     function checkUsername() {
✓       let username = document.getElementById("username").value;
✓       let message = document.getElementById("message");
✓
✓       if (username.length < 5) {
✓         message.textContent = "Username must be at least 5
characters";
✓         message.style.color = "red";
✓       } else {
✓         message.textContent = "Username looks good!";
✓         message.style.color = "green";
✓       }
✓     }
✓   </script>
✓ </body>
✓ </html>
```

- ✓ Output;

Enter Username

➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element that contains the entire webpage
- <head>:Contains metadata and styles of the webpage
- <style>:Used to write CSS styling inside the HTML page
- <body>:Contains all visible content of the webpage
- <div>:Container used to group elements and apply styles
- <h1>:Main heading of the webpage
- <p>:Defines paragraph text
- background-color: Sets the background color of an element
- display: grid – This is used to create a layout system. It allows us to divide the page into rows and columns, making it easy to place different sections like the header, frames, and footer in required places.
- parseInt() – In the JavaScript part, this function is used to take the text typed in the input box and convert it into a integer.
- innerHTML – This property is used to change the content of an HTML element.
- document.getElementById("id") – This is the way JavaScript finds a specific element on the HTML page.
- Variables (var) – These are like small storage containers used to hold data.
- The javascript must be written inside <script></script> tags
- Javascript can be written in either head or body.
- Function – allows to create reusable code that can execute when called.
- Onkeyup – Validates the username on clicking it

B. A registration form should validate email format before submission. If invalid, the form should not be submitted.

➤ Aim: To make a registration form which should validate email format before submission. If invalid, the form should not be submitted.

➤ Procedure:

✓ Input:

```
✓ <!DOCTYPE html>
✓ <html>
✓ <head>
✓   <title>Email Validation</title>
✓ </head>
✓ <body style="background-color: bisque;">
✓   <p style="text-align: center;color:red;font-size: large;">My name
is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.</p>
✓   <h2>Registration Form</h2>
✓
✓   <form onsubmit="return validateEmail()">
✓     <input type="text" id="email" placeholder="Enter email">
✓     <p id="error"></p>
✓     <button type="submit">Submit</button>
✓   </form>
✓
✓   <script>
✓     function validateEmail() {
✓       var email = document.getElementById("email").value;
✓       var error = document.getElementById("error");
✓       var pattern = /^[a-zA-Z0-9._-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,4}$/;
✓
✓       if (pattern.test(email)) {
✓         error.innerHTML = "";
✓         return true;
✓       } else {
✓         error.innerHTML = "Invalid email format";
✓         error.style.color = "red";
✓         return false;
✓       }
✓     }
✓   </script>
✓ </body>
✓ </html>
```

✓ Output:

My name is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.

Registration Form

Enter email

Submit

➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element that contains the entire webpage
- <head>:Contains metadata and styles of the webpage
- <style>:Used to write CSS styling inside the HTML page
- <body>:Contains all visible content of the webpage
- <div>:Container used to group elements and apply styles
- <h1>:Main heading of the webpage
- <p>:Defines paragraph text
- background-color: Sets the background color of an element
- display: grid – This is used to create a layout system. It allows us to divide the page into rows and columns, making it easy to place different sections like the header, frames, and footer in required places.
- parseInt() – In the JavaScript part, this function is used to take the text typed in the input box and convert it into a integer.
- innerHTML – This property is used to change the content of an HTML element.
- document.getElementById("id") – This is the way JavaScript finds a specific element on the HTML page.
- Variables (var) – These are like small storage containers used to hold data.
- The javascript must be written inside <script></script> tags
- Javascript can be written in either head or body.
- Function – allows to create reusable code that can execute when called.
- We used conditional statements to validate the email.

C. A system should check password strength while typing and display whether it is weak or strong.


➤ Aim: To write a code for which system should check password strength while typing and display whether it is weak or strong.

➤ Procedure:

✓ Input:

```
✓ <!DOCTYPE html>
✓ <html>
✓ <head>
✓   <title>Password Strength Checker</title>
✓ </head>
✓ <body style="background-color: bisque;">
✓   <p style="text-align: center;color:red;font-size: large;">My name
is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.</p>
✓   <h2>Check Password Strength</h2>
✓
✓   <input type="password" id="password" placeholder="Enter password"
oninput="checkStrength()">
✓   <p id="result"></p>
✓
✓   <script>
✓     function checkStrength() {
✓       var password = document.getElementById("password").value;
✓       var result = document.getElementById("result");
✓
✓       if (password.length < 5) {
✓         result.innerHTML = "Weak Password";
✓         result.style.color = "red";
✓       }
✓       else if (password.match(/[a-z]/) &&
✓         password.match(/[0-9]/) &&
✓         password.match(/[@$!%*?&]/)) {
✓         result.innerHTML = "Strong Password";
✓         result.style.color = "green";
✓       }
✓       else {
✓         result.innerHTML = "Medium Password";
✓         result.style.color = "orange";
✓       }
✓     }
✓   </script>
✓ </body>
✓ </html>
```

✓ Output:



My name is CH. JAI RAM CHARAN, Roll no - 25106, Sec: CSE-B.

Check Password Strength

➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element that contains the entire webpage
- <head>: Contains metadata and styles of the webpage
- <style>: Used to write CSS styling inside the HTML page
- <body>: Contains all visible content of the webpage
- <div>: Container used to group elements and apply styles
- <h1>: Main heading of the webpage
- <p>: Defines paragraph text
- background-color: Sets the background color of an element
- display: grid – This is used to create a layout system. It allows us to divide the page into rows and columns, making it easy to place different sections like the header, frames, and footer in required places.
- parseInt() – In the JavaScript part, this function is used to take the text typed in the input box and convert it into an integer.
- innerHTML – This property is used to change the content of an HTML element.
- document.getElementById("id") – This is the way JavaScript finds a specific element on the HTML page.
- Variables (var) – These are like small storage containers used to hold data.
- The javascript must be written inside <script></script> tags
- Javascript can be written in either head or body.
- Function – allows to create reusable code that can execute when called.
- We used conditional statements to validate the password.

- D. A form should validate a mobile number when the user leaves the input field. The number must be exactly 10 digits.
- Aim: To make a form which should validate a mobile number when the user leaves the input field. The number must be exactly 10 digits.
 - Procedure:
 - ✓ Input:

```
✓ <!DOCTYPE html>
✓ <html>
✓ <head>
✓   <title>Mobile Number Validation</title>
✓   <script>
✓     function validateMobile() {
✓       let mobile = document.getElementById("mobile").value;
✓       let message = document.getElementById("msg");
✓
✓       let pattern = /^[0-9]{10}$/;
✓
✓       if (!pattern.test(mobile)) {
✓         message.innerHTML = " Enter a valid 10-digit mobile
number";
✓         message.style.color = "red";
✓       } else {
✓         message.innerHTML = " Valid mobile number";
✓         message.style.color = "green";
✓       }
✓     }
✓   </script>
✓ </head>
✓
✓ <body style="background-color: bisque;">
✓   <p style="text-align: center;color:red;font-size: large;">My name
is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.</p>
✓   <h2>Mobile Number Validation</h2>
✓
✓   <form>
✓     <label>Enter Mobile Number:</label><br><br>
✓     <input type="text" id="mobile" onblur="validateMobile()">
✓     <p id="msg"></p>
✓   </form>
✓
✓ </body>
✓ </html>
```

✓ Output:

My name is CH. JAI RAM CHARAN, Roll no - 25106, Sec: CSE-B.

Mobile Number Validation

Enter Mobile Number:

➤ Explanation:

- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element that contains the entire webpage
- <head>: Contains metadata and styles of the webpage
- <style>: Used to write CSS styling inside the HTML page
- <body>: Contains all visible content of the webpage
- <div>: Container used to group elements and apply styles
- <h1>: Main heading of the webpage
- <p>: Defines paragraph text
- background-color: Sets the background color of an element
- display: grid – This is used to create a layout system. It allows us to divide the page into rows and columns, making it easy to place different sections like the header, frames, and footer in required places.
- parseInt() – In the JavaScript part, this function is used to take the text typed in the input box and convert it into an integer.
- innerHTML – This property is used to change the content of an HTML element.
- document.getElementById("id") – This is the way JavaScript finds a specific element on the HTML page.
- Variables (var) – These are like small storage containers used to hold data.
- The javascript must be written inside <script></script> tags
- Javascript can be written in either head or body.
- Function – allows to create reusable code that can execute when called.
- We used conditional statements to validate the mobile number.

- E. Design an HTML page, such that the registration form must validate:
Name (not empty),Email (valid format),Password (minimum 6 characters)
- Aim: To design an HTML page, such that the registration form must validate:
Name (not empty),Email (valid format),Password (minimum 6 characters)
 - Procedure:
 - ✓ Input:

```
✓ <!DOCTYPE html>
✓ <html>
✓ <head>
✓   <title>Registration Form Validation</title>
✓   <style>
✓     body {
✓       font-family: Arial;
✓       background-color: bisque;
✓       text-align: center;
✓     }
✓     form {
✓       background: wheat;
✓       padding: 20px;
✓       margin: auto;
✓       width: 300px;
✓       border-radius: 10px;
✓     }
✓     input {
✓       width: 90%;
✓       padding: 8px;
✓       margin: 10px 0;
✓     }
✓     .error {
✓       color: red;
✓       font-size: 14px;
✓     }
✓   </style>
✓   <script>
✓     function validateForm() {
✓       let name = document.getElementById("name").value;
✓       let email = document.getElementById("email").value;
✓       let password = document.getElementById("password").value;
✓
✓       let nameError = document.getElementById("nameError");
✓       let emailError = document.getElementById("emailError");
✓       let passError = document.getElementById("passError");
```



```

✓
✓      nameError.innerHTML = "";
✓      emailError.innerHTML = "";
✓      passError.innerHTML = "";
✓
✓      let valid = true;
✓
✓      if (name === "") {
✓          nameError.innerHTML = "Name cannot be empty";
✓          valid = false;
✓      }
✓
✓      let emailPattern = /^[a-zA-Z0-9._-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,4}$/;
✓      if (!emailPattern.test(email)) {
✓          emailError.innerHTML = "Enter a valid email";
✓          valid = false;
✓      }
✓
✓      if (password.length < 6) {
✓          passError.innerHTML = "Password must be at least 6
characters";
✓          valid = false;
✓      }
✓      return valid;
✓    }
✓  </script>
✓ </head>
✓
✓ <body>
✓   <p style="text-align: center;color:red;font-size: large;">My name
is CH. JAI RAM CHARAN,Roll no - 25106,Sec:CSE-B.</p>
✓   <h2>Registration Form</h2>
✓
✓   <form onsubmit="return validateForm()">
✓     <input type="text" id="name" placeholder="Enter Name">
✓     <div id="nameError" class="error"></div>
✓
✓     <input type="text" id="email" placeholder="Enter Email">
✓     <div id="emailError" class="error"></div>
✓
✓     <input type="password" id="password" placeholder="Enter
Password">
✓     <div id="passError" class="error"></div>
✓
✓     <input type="submit" value="Register">
✓   </form>
✓

```

```
✓ </body>
✓ </html>
```

✓ Output:




➤ Explanation:



- HTML-Hyper Text Markup Language.
- <DOCTYPE HTML>: Tells the browser about HTML version.
- <html>: Root element that contains the entire webpage
- <head>:Contains metadata and styles of the webpage
- <style>:Used to write CSS styling inside the HTML page
- <body>:Contains all visible content of the webpage
- <div>:Container used to group elements and apply styles
- <h1>:Main heading of the webpage
- <p>:Defines paragraph text
- background-color: Sets the background color of an element
- display: grid – This is used to create a layout system. It allows us to divide the page into rows and columns, making it easy to place different sections like the header, frames, and footer in required places.
- parseInt() – In the JavaScript part, this function is used to take the text typed in the input box and convert it into a integer.
- innerHTML – This property is used to change the content of an HTML element.
- document.getElementById("id") – This is the way JavaScript finds a specific element on the HTML page.
- Variables (var) – These are like small storage containers used to hold data.
- The javascript must be written inside <script></script> tags
- Javascript can be written in either head or body.
- Function – allows to create reusable code that can execute when called.

Week-12

- A. The setup and installation process of Electron.js and node.js corresponding to its output.
- Aim: To the setup and installation process of Electron.js and node.js corresponding to its output.
 - ✓ Step-1: Go to Node.js website and download the Node.js for windows. The LTS version is preferred.



- ✓ Step-2: Now open the node.js installer and click next, accept and agree the licence and other agreements.



- ✓ Step-3: Click on next to install Node.js in the system.
- ✓ Step-4: To check if node.js is installed, open terminal and provide `node -v` in the command , then if the node.js is installed then you can find the installed version number. This shows that Node.js is successfully installed.

```
Microsoft Windows [Version 10.0.26200.8246]
(c) Microsoft Corporation. All rights reserved.

C:\Electron app>npm init -y
Wrote to C:\Electron app\package.json:

{
  "name": "electron-app",
  "version": "1.0.0",
  "description": "",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
  "keywords": [],
  "author": "",
  "license": "ISC",
  "type": "commonjs"
}

C:\Electron app>npm -v
11.12.1
```

- ✓ Step-5: Open command and provide `npm init -y` to configure npm
- ✓ Step-6: To install electron app, open the folder in which the electron app is needed to be installed, open it using vs code and in the terminal provide `npm install electron --save-dev` as a command then the packages will be installed in that folder.

```
C:\Electron app>npm install electron --save-dev
npm warn deprecated boolean@3.2.0: Package no longer supported. Contact Support at https://www.npmjs.com/support for more info.

added 70 packages, and audited 71 packages in 2m

17 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
```