Sales and Distribution Tables

KONV	Conditions for Transaction Data
KONP	Conditions for Items
LIKP	Delivery Header Data
LIPS	Delivery: Item data
VBAK	Sales Document: Header Data
VBAP	Sales Document: Item Data
VBBE	Sales Requirements: Individual Records
VBEH	Schedule line history
VBEP	Sales Document: Schedule Line Data
VBFA	Sales Document Flow
VBLB	Sales document: Release order data
VBLK	SD Document: Delivery Note Header
VBPA	Sales Document: Partner
VBRK	Billing: Header Data
VBRP	Billing: Item Data
VBUK	Sales Document: Header Status and Administrative Data
VBUP	Sales Document: Item Status
VEKP	Handling Unit - Header Table
VEPO	Packing: Handling Unit Item (Contents)
VEPVG	Delivery Due Index

[GO TO TOP]

Materials Management Tables

EINA	Purchasing Info Record- General Data
EINE	Purchasing Info Record- Purchasing Organization Data
MAKT	Material Descriptions
MARA	General Material Data
MARC	Plant Data for Material
MARD	Storage Location Data for Material
MAST	Material to BOM Link
MBEW	Material Valuation
MKPF	Header- Material Document
MSEG	Document Segment- Material
MVER	Material Consumption
MVKE	Sales Data for materials
RKPF	Document Header- Reservation
T023	Mat. groups
T024	Purchasing Groups
T156	Movement Type
T157H	Help Texts for Movement Types
MOFF	Lists what views have not been created

Purchasing Tables

A501	Plant/Material
EBAN	Purchase Requisition
EBKN	Purchase Requisition Account Assignment
EKAB	Release Documentation
EKBE	History per Purchasing Document
EKET	Scheduling Agreement Schedule Lines

EKKN	Account Assignment in Purchasing Document
EKKO	Purchasing Document Header
EKPO	Purchasing Document Item
IKPF	Header- Physical Inventory Document
ISEG	Physical Inventory Document Items
LFA1	Vendor Master (General section)
LFB1	Vendor Master (Company Code)
NRIV	Number range intervals
RESB	Reservation/dependent requirements
T161T	Texts for Purchasing Document Types

[GO TO TOP]

Finance Tables

AGKO	Cleared Accounts
ANAR	Asset Types
ANAT	Asset type text
ANEK	Document Header Asset Posting
ANEP	Asset Line Items
ANEV	Asset down payment settlement
ANKT	Asset classes- Description
ANLA	Asset Master Record Segment
ANLB	Depreciation terms
ANLC	Asset Value Fields
ANLH	Main asset number
AT02T	Transaction Activity Category- Description
AT02A	Transaction Code for Menu TIMN
AT10	Transaction type
AT10T	Name of Transaction Type
BKDF	Document Header Supplement for Recurring Entry
BKORM	Accounting Correspondence Requests
BKPF	Accounting Document Header
BLPK	Document log header
BLPP	Document log item
BLPR	Document Log Index and Planned Order (Backflush)
BNKA	Bank master record
BP000	Business Partner Master (General Data)
BPBK	Doc. Header Controlling Obj.
BPEG	Line Item Total Values Controlling Obj.
BPEJ	Line Item Annual Values Controlling Obj.
BPEP	Line Item Period Values Controlling Obj.
BPGE	Totals Record for Total Value Controlling obj.
BPJA	Totals Record for Annual Total Controlling Obj.
BSAD	Accounting- Secondary Index for Customers (Cleared Items)
BSAK	Accounting- Secondary Index for Vendors (Cleared Items)
BSAS	Accounting- Secondary Index for G/L Accounts (Cleared Items)
BSEC	One-Time Account Data Document Segment
BSEG	Accounting Document Segment
BSID	Accounting- Secondary Index for Customers
BSIK	Accounting- Secondary Index for Vendors
BSIM	Secondary Index, Documents for Material
BSIS	Accounting- Secondary Index for G/L Accounts
CEPC	Profit Center Master Data Table
CEPCT	Texts for Profit Center Master Data
COBRA	Settlement Rule for Order Settlement

COBRB	Distribution Rules Settlement Rule Order Settlement
COKA	CO Object- Control Data for Cost Elements
COSP	CO Object- Cost Totals for External Postings
COSS	CO Object- Cost Totals for Internal Postings
CRCO	Assignment of Work Center to Cost Center
CSKA	Cost Elements (Data Dependent on Chart of Accounts)
CSKB	Cost Elements (Data Dependent on Controlling Area)
CSLA	Activity master
FEBEP	Electronic Bank Statement Line Items
FPLA	Billing Plan
FPLT	Billing Plan- Dates
GLPCT	EC-PCA- Totals Table
KNA1	General Data in Customer Master
KOMK	Pricing Communication Header
MAHNV	Management Records for the Dunning Program
REGUT	TemSe - Administration Data
SKA1	G/L Account Master (Chart of Accounts)
SKAT	G/L Account Master Record (Chart of Accounts- Description)
SKB1	G/L account master (company code)
T003T	Document Type Texts
T007S	Tax Code Names
T087J	Text
TAPRFT	Text tab. for investment profile
TKA01	Controlling Areas
TKA09	Basic Settings for Versions
TKVS	CO Versions
TZB0T	Flow types text table
TZPAT	Financial Assets Management product type texts
VBSEGS	Document Segment for G/L Accounts Document Parking
VTBFHA	Transaction
VTBFHAPO	Transaction Flow
VTBFHAZU	Transaction Activity
VTBFINKO	Transaction Condition
VTIDERI	Master Data Listed Options and Futures
VTIFHA	Underlying transaction
VTIFHAPO	Underlying transaction flows
VTIFHAZU	Underlying transaction status table
VTIOF	Options Additional Data
VWPANLA	Asset master for securities

[GO TO TOP]

Production Planning

MAST	Material BOM
STKO	BOM Header
STPO	BOM Positions (detail)
MAPL	Assignment of Task Lists to Materials
PLKO	Routing Group Header
PLSO	Routing Group Sequence
PLPO	Routing Group Operations
AFKO	Production Order Header
AFPO	Production Order Position (details)

Project Systems Tables

IMAK	Appropriation requests - general data
IMAV	Appropriation request variant
IMPR	Investment Program Positions
IMPU	Texts for cap. inv. program positions
IMTP	Investment programs
IMZO	Assignment Table- CO Object - Capital Investment Prog.Pos.
PMCO	Cost structure of maintenance order
PRHI	Work Breakdown Structure, Edges (Hierarchy Pointer)
PROJ	Project definition
PRPS	WBS (Work Breakdown Structure) Element Master Data

[GO TO TOP]

PM \ SD Tables

AFAB	Network - Relationships
AFFH	PRT assignment data for the work order
AFFL	Work order sequence
AFFT	Order - Process Instructions
AFFV	Order - Process Instruction Values
AFFW	Goods movements with errors from confirmations
AFIH	Maintenance order header
AFKO	Order header data PP orders
AFPO	Order item
AFRC	Incorrect cost calculations from confirmations
AFRD	Default values for collective confirmation
AFRH	Header information for confirmation pool
AFRU	Order completion confirmations
AFRV	Confirmations pool
AFVC	Operation within an order
AFVU	DB structure of the user fields of the operation
AFVV	DB structure of the quantities/dates/values in the operation
AFWI	Subsequently posted goods movements for confirmations
AUFK	Order master data
AUFM	Goods movements for order
BGMK	Master Warranty Header
BGMP	Master Warranty Item
BGMS	Master Warranty Text Item
BGMT	Master Warranty Text
BGMZ	Warranty Counter
CRHD	Work Center Header
CRTX	Text for the Work Center or Production Resource/Tool
EQKT	Equipment Short Texts
EQST	Equipment to BOM Link
EQUI	Equipment master data
EQUZ	Equipment time segment
HIKO	Order master data history
IFLO	Table generated for View IFLO
IFLOT	Functional Location (Table)
IFLOTX	Functional Location- Short Texts
IHGNS	Permit Segment for Plant Maintenance
IHPA	Plant Maintenance- Partners
IHSG	Object-Related Permits in Plant Maintenance

ILOA	PM Object Location and Account Assignment
IMPTT	Measuring Point (Table)
IMRG	Measurement Document
KAKO	Capacity Header Segment
KONP	Conditions (Item)
KONV	Conditions (Transaction Data)
OBJK	Plant Maintenance Object List
QMEL	Quality Notification
QMFE	Quality notification - items
QMIH	Quality message - maintenance data excerpt
QMMA	Quality notification - activities
QMSM	Quality notification - tasks
QMUR	Quality notification - causes
T001	Company Codes
T001L	Storage Locations
T001W	Plants/Branches
T077D	Customer account groups
T003O	Order Types
T352R	Maintenance revisions
T353I_T	Maintenance activity type description
T356	Priorities
T357G	Permits
T357G_T	Text for Table 357GT
T370A	Activity Category for PM Lists
TINCT	Customers- Incoterms- Texts
TVKO	Organizational Unit- Sales Organizations
TVKOS	Organizational Unit- Divisions per Sales Organization
TVKOV	Org. Unit- Distribution Channels per Sales Organization
TVTA	Organizational Unit- Sales Area(s)
VIAUFKST	Generated Table for View VIAUFKST

[GO TO TOP]

System Tables

ADCP	Person/Address assignment (central address administration)
ADIRACCESS	Table to store keys for TADIR objects
ADR2	Telephone numbers (central address admin.)
ADRP	Persons (central address administration)
APQD	DATA DEFINITION Queue
APQI	Queue info definition
D010SINF	ABAP- Information about ABAP program source code
E071	Change and Transport System- Object Entries of Requests/Tasks
E07T	Change and Transport System- Short Texts for Requests/Tasks
ENLFDIR	Additional Attributes for Function Modules
INDX	System table INDX
NAST	Message Status
STXH	STXD SAPscript text file header
T005	Countries
T005S	Taxes- Region (Province) Key
T005U	Taxes- Region Key- Texts
T006	Units of Measurement
T015M	Names of the months

T247	Month name and short text
T777A	Building Addresses
TADIR	Directory of Repository Objects
TBTCO	Job status overview table
TBTCP	Batch job step overview
TFDIR	Function Module
TFTIT	Function Module Short Text
TSP03L	Spool- Long device names
TSTC	SAP Transaction Codes
TSTCT	Transaction Code Texts
TUTYP	User Types in Current Price List in SAP System
TUZUS	Special versions
TVARV	Table of variables in selection criteria
TVDIR	View Directory
US930	Data Relevant to Measurement for User Master Record
USR01	User master record (runtime data)
USR02	Logon data
USR04	User master authorizations
USR06	Additional Data per User
USR14	Surchargeable Language Versions per User
USR21	Assign user name address key
ARCH_OBJ	Objects for archiving and reorganization
BTCUED	Description of user event IDs for background processing
BTXSUPB	BSI- Upgrade-Information
CCCFLOW	Client Copy Control Flow
DBSTATC	DB Optimizer Control (Statistics Creation)
DEVACCESS	Table for development users
DEVL	OBSOLETE- Do not use (See TCETRAL)
E070	Change and Transport System- Header of Requests/Tasks
E070L	CTS- Index for Assigning Numbers to Requests/Tasks
INSTVERS	Documentation for installation Status and History
PAT03	Patch Directory
SDBAC	DBA Action Table
T100	Messages
TAPLT	Program Application Long Texts
TASYS	OBSOLETE- Do not use, see TCEDELI
TDEVC	Development Classes
TEMSE	Temp Sequential table.
TLOCK	Change and Transport System- Lock Table
TNAPR	Processing programs for output. Can be very handy to find the print program for a SAPScript.
TNAST	Printed output control table
TPFET	Table of profile parameters
TPFHT	Profile header, administration data for profiles in DB
TPROT	Table contains all DD tables to be logged
TRBAT	Communication Table for Transport Control
TRDIRT	Title texts for programs in TRDIR
TRESN	Table of Naming Conventions in ABAP Workbench
TRJOB	Job ID for Coordinating Batch-ABAP/UNIX for Transports
TSP03C	Spool- Device Description Extension

TST03	TemSe data
TSYST	OBSOLETE- Do not use (see TCESYST)
TWSYS	OBSOLETE- Do not use (See TCETRAL)
USOBT	Relation transaction - authorization object
USR03	User address data
USR05	User Master Parameter ID
USR12	User master authorization values
USR40	Table for illegal passwords
USR41	User master- Additional data
UST04	User masters
VARIT	Variant texts
VARID	Variant directory
D010TAB	Table for Use Report---Tables
DD02L	SAP tables
DD02T	R/3 DD- SAP table texts
DD03L	Table Fields
DD03T	DD- Texts for fields (language dependent)
EDIDC	IDOC Control Records
EDIDOT	Short description of IDoc types
EDID2	IDOC segments (version 3.1)
EDID4	IDOC segments (version 4.6)
EDSEA	EDI- Table of all segments of current release
VRSX2	Central Table for Version Management (Report Source)
TSE05	Can add parameters to the INSERT COMMAND (IC). Then, when you insert command, your i comment blocks, common section of code, etc.
CDPOS	Change document items
CDHDR	Change document header
T529A	governs the foreground sequence of infotypes the system will use to prompt the user during or to code your BDC to follow that sequence of creating infotypes.
T588Z	governs the dynamic event processing that will only take place during online user inputs. For E BDC's to handle any infotypes that are inserted dynamically by this table.
T588M	Infotype Screen Control

[GO TO TOP]

Reports

Original source: abap.mirrorz.com and Schlegel, Martin

REKH0004	SAP demo program that shows how to do 2D, 3D, and 4D graphics.
RGUGBR00	Substitution/Validation utility
RHGEN00	Regen PD and PA inconsistencies

RHGRENZ0	Delimit IT1000 and related 1001s. Program will delete any 1001 infotypes whose sta
RHGRENZ1	Extend the end date on delimited records. Very useful when you delimit a bunch of r the end date.
RHGRENZ2	Delimit IT1001 only.
RKCTSEAR	Search source code for up to two strings. Also see RSRSCAN1 and RPR_ABAP_S
RPDTRA00	List all HR transactions.
RPR_ABAP_SOURCE_SCAN	Search ABAP code for a string. Has many more options for selecting the ABAPs to
RPUAUD00	HR Report to list all logged changes for an employee. Uses the PCL4 Audit Cluster.
RPUAUDDL	HR Report to delete audit data from the PCL4 Audit Cluster.
RPUDELPN	Delete all info for an employee number, including cluster data and infotypes
RPUP1D00/10	View/Delete data from PCL1 Cluster
RPUP2D00/10	View/Delete data from PCL2 Cluster
RPUP3D00/10	View/Delete data from PCL3 Cluster
RPUP4D00/10	View/Delete data from PCL4 Cluster
RSABAPIV	Mass print/display of ABAP/4 help text
RSAVGL00	Table adjustment across clients
RSBDCBTC	Submit a BDC job with an internal batch number and wait for the end of the batch in
RSBDCDRU	Prints the contents of a Batch Input session. No options for error transactions only.
RSBDCOS0	Execute UNIX commands. Looks similar to the old SAPMSOS0 program that disapp
RSBDCSUB	Release batch input sessions automatically
RSBTCDEL	Clean the old background job records
RSSDOCTB	R/3 Table Manual - prints a list of all fields in the selected tables with the field name
RSCLTCOP	Copy tables across clients
RSDBCREO	Clean batch input session log
RSINCL00	Extended program list
RSNASTED	Process message control output for entries in the NAST table
RSORAREL	Get the Oracle Release
RSPARAM	Display all instance parameters
RSPO0041	Removing old spooling objects
RSRSCAN1	Search source code for a given string. Will also search includes. Also see RKCTSE
RSSNAPDL	Clean the old ABAP error dumps
RSTBSERV	Compare a contents of a table between clients
RSTXFCON	Converts SAPScript page formats
RSTXSCRP	Save a SAPScript layout set to disk, and load it back into SAP.
RSTXSCRP	Transport SAPscript files across systems
RSTXSCRP	Upload and download SAPScript layout sets
RSTXTPDF4	Pass the spool number of a report's output to this program to have the output conve
RSTXTRAN	Add standard texts to a transport so they can be moved between systems.
RSUSR003	Check the passwords of users SAP* and DDIC in all clients
RSUSR006	List users last login
RSWBO052	Change development class of a sapscript (provided by Alan Cecchini)
RSWBO060	put objects into a request and transport it to any other system

[GO TO TOP]

Find data in your SAP system and know which tables do what

If you do **not** know the transaction code in which the data is used: then use the Data Dictionary tables, in particular, DD02L and DD02T. Accounts Payable. See examples below.

If you do know any transaction in which (related) data is used:

1) start the transaction.
2) position the cursor on the field you want to have info about.
3) press F1, then F9.
4) now you see the technical information of the data element, such as table name and field name. 5) if the table mentioned is what you're looking for, you're done. It is also possible that the data element is in a structure and not in a table. Now you can either analyze the structure via transaction SE11, or you can double click on the 'data element' field. In the next screen, use the 'Where used' button to find the tables in which this data element is used.

Additional tip:
if you have found the table name, you can use transaction SE36 to see the relationships of this table to other tables. You can use these relationships when defining queries, designing custom ABAP programs, etc. If you're lucky, one or more standard SAP logical database exist which contain the table you found in the previous steps. Proceed as follows:

1) start transaction SE36.
2) use the search help for the logical database name.
3) enter the name of the table in the search help.
4) press enter and, if you're lucky,
you'll see a list of logical databases. Select one, press enter, select the radio button 'Structure' and press the view button. Now you'll see how this table is related to other tables.

The following is a (theorectically) complete ABAP dic list.
source: by rekha (http://www.saptechies.com)

DD0102V	Generated table for view DD0102V
DD01D	Dynpro fields for domain
DD01L	Domains
DD01LV	Generated table for view DD01LV
DD01T	R/3 DD: domain texts
DD01TV	Versioning: foreign languages for domains
DD01V	Generated table for view DD01V
DD01VD	Version display: Domain
DD01VV	Generated table for view DD01VV
DD01V_OLD	DD01V with old names
DD02ALL	Table Parameters for ALLBASE
DD02D	Screen Fields for Table
DD02DB2	DB2/390: Table Parameters
DD02DB6	Table Parameters for DB2 Version 2
DD02INF	Table Parameters for INFORMIX, Version 6
DD02L	SAP tables
DD02MSS	Table Parameters for Microsoft SQL Server

DD02ORA	Table parameters for ORACLE, version 6
DD02SYB	Storage Parameters for Tables in SYBASE
DD02T	R/3 DD: SAP table texts
DD02TV	Versioning: foreign languages for tables
DD02V	Generated table for view DD02V
DD02VD	Version display: table header
DD02VV	Generated table for view DD02VV
DD02V_OLD	DD02V with old names
DD03D	Dynpro fields for table fields
DD03K	Generated table for view DD03K
DD03L	Table Fields
DD03L_F	BAPI field names for update
DD03M	Generated table for view DD03M
DD03MI	Index structure for view DD03M
DD03N	Generated table for view DD03N
DD03P	Structure
DD03P_D	Dictionary Maintenance: Attributes of Structure Fields
DD03T	DD: Texts for fields (language dependent)
DD03TV	Versioning: foreign languages for fields
DD03V	Table fields view
DD03VT	Generated Table for View DD03VT
DD03VV	Generated Table for View DD03VV
DD04D	Dynpro fields for Data Element
DD04L	Data elements
DD04T	R/3 DD: Data element texts
DD04TV	Versioning: foreign languages for data elements
DD04V	Generated Table for View DD04V
DD04VD	Version display: Data element
DD04VV	Generated table for view DD04VV
DD04VVL	Generated table for view DD04VVL
DD04VVT	Generated table for view DD04VVT
DD05M	Interface Structure for DD_TBFK_GET
DD05P	Generated Table for the View DD05P
DD05Q	Generated Table for the View DD05Q
DD05S	Foreign key fields
DD05V	View on foreign key fields
DD05VD	Version display: Foreign key fields
DD06D	Screen fields for SQL table
DD06L	Pool/cluster structures
DD06T	R/3 DD: texts on SQL tables
DD06TV	Versioning: foreign languages for SQL tables
DD06V	Generated table for view DD06V
DD06VD	Version display: SQL table
DD06VV	Generated table for view DD06VV
DD07D	Screen fields for domain values
DD07L	R/3 DD: values for the domains
DD07T	DD: Texts for Domain Fixed Values (Language-Dependent)
DD07TV	Versioning: foreign languages for domain fixed values
DD07V	Generated Table for View DD07V
DD07VD	Version display: Domain fixed values

DD07VT	DD: Temp. Replacement Structure for VIEW DD07TV
DD08D	Screen Fields for Foreign Keys
DD08L	R/3 DD: relationship definitions
DD08T	Texts on the relationship definitions
DD08TV	Texts on the relationship definitions
DD08V	Generated table for view DD08V
DD08VD	Version display: foreign key
DD08VV	Generated table for view DD08VV
DD08VVT	Generated table for view DD08VVT
DD092526V	Generated table for view DD092526V
DD09C	ABAP/4: Sytem-dependent attributes of tech. settings
DD09L	DD: Technical settings of tables
DD09V	Interface: Technical Settings Table/View
DD09VD	Version display: Technical settings
DD09VV	Generated table for View DD09VV
DD09VVT	Generated table for view DD09VVT
DD10L	Lock table for DD activation
DD12D	Screen fields for index maintenance
DD12DB2	DB2/390: Index Parameters
DD12DB6	Index Parameters for DB2 Universal Database Version 2
DD12INF	Index parameter for INFORMIX
DD12L	R/3 S_SECINDEX: secondary indexes, header;
DD12MSS	Index Parameters for MS SQL Server
DD12ORA	Index Parameters for ORACLE
DD12SYB	Index Parameters for SYBASE System_10
DD12T	Text Table for DD12L (Short Descriptions of Sec. Indexes)
DD12TV	Versioning: foreign languages for secondary indexes
DD12V	Generated Table for View DD12V
DD12VD	Version display: index
DD12VVT	ABAP/4 Repository Information System: Index work structure
DD14S	R/3 DD: components of SAP objects
DD14V	R/3 DD: view on SAP object structure
DD15L	R/3 DD: SAP objects
DD15T	R/3 DD: texts on SAP objects
DD15V	R/3 DD: view on SAP objects
DD16D	Screen fields for SQL table fields
DD16S	R/3 DD: SQL table fields
DD16V	Generated table for view DD16V
DD16VD	Version display: Fields of SQL tables
DD17S	R/3 S_SECINDEX: secondary indexes, fields
DD17V	Secondary index fields with language key
DD20L	Matchcode objects
DD20T	AS400-T_MCOBJECT: MC Object Texts
DD20TV	AS400-T_MCOBJECT: MC Object Texts
DD20V	Generated table for DD20V view
DD20VD	Version display: matchcode objects
DD20VVT	Generated table for view DD20VVT
DD21S	S-MCIDTABLE: Tables for a MC ID
DD21V	V-MCIDTABLE: View of Tables for a MC ID
DD21V_VAR1	Special View on DD21V Tailored to Matchcode ID Generation

DD22V	Generated table for view DD22V
DD22VD	Version display: Lock object header
DD23H	Generated table for view DD23H
DD23L	Matchcode ID
DD23LS	Generated table for View DD23LS
DD23T	AS400_L-MCID: Matchcode ID Texts
DD23TV	Versioning: foreign languages for matchcode IDs
DD23V	Generated table for view DD23V
DD23VD	Matchcode ID
DD23VVT	Generated table for view DD23VVT
DD24A	Generated table for view DD24A
DD24H	Help System View on Fields of a MC ID
DD24S	Fields of a matchcode ID
DD24V	S-MCIDFIELD: View of MC ID Fields
DD2526V	Generated table for view DD2526V
DD25D	Screen fields for view
DD25L	Aggregate Header (Views, MC Objects, Lock Objects)
DD25LS	Generated table for view DD25LS
DD25T	Short Texts for Views and Lock Objects
DD25TV	Versioning: foreign languages for views and lock objects
DD25V	Generated table for view DD25V
DD25VD	Version display: View header
DD25VV	Generated table for view DD25VV
DD25VVT	Generated table for view DD25VVT
DD25Z	Assignment of superview to subview - no longer required -
DD26D	Screen fields for lock object maintenance
DD26E	Interface Structure for Base Tables of a Lock Object
DD26EVD	Version display: base tables of a lock object
DD26I	Generated table for view DD26I
DD26S	Base tables and foreign key relationships for a view
DD26V	V-VIEWTABLE: View of Base Tables of a View
DD26VD	Version display: Base tables
DD27D	Screen fields for view fields
DD27I	Generated table for view DD27I
DD27M	Generated table for view DD27M
DD27P	View of Fields in an SAP Table View
DD27S	Fields in an Aggregate (View, MC Object, Lock Object)
DD27SV	Generated table for view DD27SV
DD27V	V-VIEWFIELD: View of Fields in an SAP View
DD27VD	Version display: View fields, lock arguments, matchcode fld.
DD27VV	Generated table for view DD27VV
DD27VVT	Generated table for view DD27VVT
DD27VVTSTR	Repository Infosystem: Structure via DD27VVT: View fields
DD28J	Internal structure for joins of views
DD28JVD	Version display: Joins of views
DD28S	Lines of a selection condition
DD28V	View on a Selection Condition
DD28VD	Version display: Selection conditions
DD29L	Selection Condition for Views and MC IDs
DD29T	AS400_L-SELCOND: Selection Condition Texts

DD29V	V-SELCOND: View on Header for a Selection Condition
DD30L	Search helps
DD30T	Search help texts
DD30TV	Versioning: foreign languages for search helps
DD30V	Generated table for view DD30V
DD30VD	Version Display: General Attributes of Search Helps
DD30VV	Generated table for view DD30VV
DD31D	Search help inclusions with texts of included
DD31S	Assignment of search helps to collective search helps
DD31V	Assignment of search helps to collective search helps
DD32P	Interface structure for search help parameters
DD32S	Search Help Parameter
DD32V	Search help fields
DD32VD	Search help fields
DD33S	Assignment of search help fields
DD33V	Assignment of search help parameters for srch help inclusion
DD35L	Search help attachments to structures: Headers
DD35V	Assignment of structure fields and search helps: Headers
DD35VD	Version display: search help attachm. to structures: header
DD35VV	Generated table for view DD35VV
DD36M	Interface structure for field assignments table-search help
DD36Q	Generated table for view DD36Q
DD36S	Parameter-field assignments for search help attachment
DD36V	Assignment of structure fields and search helps: Fields
DD36VD	Version display: parameter-field assignm. for s.h. attachm.
DD40D	Screen Fields for Table Types
DD40L	Table types (internal tables defined in DD)
DD40T	Text on table types
DD40TV	Versioning: foreign languages for table types
DD40V	DD: Interface structure for table types
DD40VD	Version display: table types
DD40VV	Generated table for view DD40VV
DD41V	Generated table for view DD41V
DD42S	Key fields for table types (internal tab. defined in DD)
DD42V	DD: Interface structure for table type key fields (TTKF)
DD42VD	Version display: table type key fields (TTKF)
DD42V_EXT	DD: Key Field of a Table Incl. Further Information
DD50D	Screen Fields for Type Groups
DD51D	Screen Fields for Lock Objects (Same Fields: DD25D Views)
DD52D	Interface Structure for Base Tables of a Lock Object
DD53D	Screen Fields for Lock Object Fields
DD90L	Header Information for External Index