

## **Table Design**

Name : tbl\_login

Primary Key : login\_id

Index Key : username

Field	Datatype	Description
login_id	Int (11)	Primary key
username	Varchar (25)	username
password	Varchar (25)	password
type	Varchar (5)	User type
status	Tiny int (1)	Status of user

Name : tbl\_users

Primary Key : user\_id

Foreign Key : login\_id

Index Key : login\_id

Field	Datatype	Description
User_id	Int(11)	Primary key
Login_id	Int(11)	Foreign key
name	Varchar(25)	Full name
email	Varchar(50)	email
mobile	Varchar(12)	Mobile no
address	Varchar(200)	address
pincode	Int(6)	pincode

Name : tbl\_categories

Primary Key : cat\_id

Field	Datatype	Description
Cat_id	Int(11)	Primary key
Cat_name	Varchar(55)	Category name
status	Tinyint(1)	Category status

Name : tbl\_subcategories

Primary Key : s\_id

Foreign Key : cat\_id

Index Key : cat\_id

Field	Datatype	Description
S_id	Int(11)	Primary key
Cat_id	Int(11)	Foreign key
Subcat_name	Varchar(25)	Subcategory name
Status	Tinyint(1)	Subcategory status

Name : tbl\_products

Primary Key : P\_id

Foreign Key : s\_id

Index Key : login\_id, h\_id

Field	Datatype	Description
p_id	Int(11)	Primary key
S_id	Int(11)	Foreign key
P_name	Varchar(55)	Product name
P_description	Varchar(255)	Product
P_price	Int(11)	Product price

P_quantity	Int(11)	Product quantity
Add_date	Date	Product add date
P_image	Varchar(25)	Product image
P_status	Tinyint(1)	Product status

Name : tbl\_cart

Primary Key : cart\_id

Foreign Key : user\_id

Index Key : p\_id

Field	Datatype	Description
Cart_id	Int(11)	Primary key
User_id	Int(11)	Foreign key
P_id	Int(11)	Foreign key

Name : tbl\_handcrafters

Primary Key : h\_id

Foreign Key : login\_id

Field	Datatype	Description
H_id	Int(11)	Primary key
Login_id	Int(11)	Foreign key
H_name	Varchar(35)	Full name
Email	Varchar(50)	Email
Mobile	Varchar(2)	Mobile no
Address	Varchar(200)	Address
pincode	Int(6)	pincode

Name : tbl\_payment

Primary Key : pay\_id

Field	Datatype	Description
Pay_id	Int(11)	Primary key
Order_id	Int(11)	Foreign key
Payment_id	Varchar(200)	Payment id
email	Varchar(50)	User email
Price	Int(50)	Amount paid
status	Varchar(7)	Payment status

Name : tbl\_orders

Primary Key : order\_id

Foreign Key : user\_id, p\_id

Index Key : p\_id, user\_id

Field	Datatype	Description
Order_id	Int(11)	Primary key
User_id	Int(11)	Foreign key
P_id	Int(11)	Foreign key
Quantity	Int(11)	Product quantity
Total_price	Int(11)	Total price
Order_date	Date	Product order date
Order_status	Tiny int(1)	Order_status
Pay_status	Varchar(4)	Payment_status
Is_delivered	Varchar(3)	Product deliver status