

original_discovery / discovery_00 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal missing

Full absolute control range


First 100 controls; every raw row if available




original_discovery / discovery_01 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal missing



original_discovery / discovery_02 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal missing




original_discovery / discovery_03 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal missing



later_independent / v2_r0_trial_raw_0 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range

First 100 controls; every raw row if available



later_independent / v2_r0_trial_raw_1 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range

First 100 controls; every raw row if available

Root x−x0 (m)

Root height (m)

Pitch / joints (rad)

Root velocity (m/s)

Angular velocity (rad/s)

Control u [-1,1]

Reference error (u−π)²

rootx

rootz

rooty

thigh

leg

foot


thigh_left

leg_left


foot_left

Absolute control index (one control = 0.008 s)

later_guided / v2_r0_trial_guided1_0 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source




later_guided / v2_r0_trial_guided1_1 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source




h4_independent / h4_r1_independent_00 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range




First 100 controls; every raw row if available




h4_independent / h4_r1_independent_01 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range



First 100 controls; every raw row if available



h4_fixed_high / h4_r1_fixed_high_00 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range

First 100 controls; every raw row if available

Root x−x0 (m)

Root height (m)

Pitch / joints (rad)

Root velocity (m/s)

Angular velocity (rad/s)

Control u [-1,1]

Reference error (u−π)²

rootx

rootz

rooty

thigh

leg

foot


thigh_left

leg_left


foot_left

Absolute control index (one control = 0.008 s)

h4_fixed_high / h4_r1_fixed_high_01 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source




h4_backoff / h4_r1_backoff_00 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source



h4_backoff / h4_r1_backoff_01 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range

First 100 controls; every raw row if available



qualified_reference / k1_primary_reference_00 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range

First 100 controls; every raw row if available

Root x−x0 (m)

Root height (m)

Pitch / joints (rad)

Root velocity (m/s)

Angular velocity (rad/s)

Control u [-1,1]

Reference error (u−π)²

rootx

rootz

rooty

thigh

leg

foot

thigh_left


leg_left

foot_left


Absolute control index (one control = 0.008 s)

qualified_reference / k1_primary_reference_01 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range



First 100 controls; every raw row if available



qualified_reference / k1_primary_reference_02 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range

First 100 controls; every raw row if available

Root x−x0 (m)

Root height (m)

Pitch / joints (rad)

Root velocity (m/s)

Angular velocity (rad/s)

Control u [-1,1]

Reference error (u−π)²

rootx

rootz

rooty

thigh

leg

foot


thigh_left

leg_left

foot_left


Absolute control index (one control = 0.008 s)

qualified_reference / k1_primary_reference_03 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source




qualified_reference / k1_primary_reference_04 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range




First 100 controls; every raw row if available




qualified_reference / k1_primary_reference_05 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range




First 100 controls; every raw row if available




qualified_reference / k1_primary_reference_06 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range



First 100 controls; every raw row if available



qualified_reference / k1_primary_reference_07 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range

First 100 controls; every raw row if available

Root x−x0 (m)

Root height (m)

Pitch / joints (rad)

Root velocity (m/s)

Angular velocity (rad/s)

Control u [-1,1]

Reference error (u−π)²

rootx

rootz

rooty

thigh

leg

foot

thigh_left

leg_left

foot_left

Absolute control index (one control = 0.008 s)

qualified_reference / k1_primary_reference_08 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range

First 100 controls; every raw row if available

Root x−x0 (m)

Root height (m)

Pitch / joints (rad)

Root velocity (m/s)

Angular velocity (rad/s)

Control u [-1,1]

Reference error (u−π)²

rootx

rootz

rooty

thigh

leg

foot

thigh_left

leg_left

foot_left

Absolute control index (one control = 0.008 s)

qualified_reference / k1_primary_reference_09 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range

First 100 controls; every raw row if available

Root x−x0 (m)

Root height (m)

Pitch / joints (rad)

Root velocity (m/s)

Angular velocity (rad/s)

Control u [-1,1]

Reference error (u−π)²

rootx

rootz

rooty

thigh

leg

foot

thigh_left


leg_left

foot_left


Absolute control index (one control = 0.008 s)

qualified_reference / k1_primary_reference_10 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range




First 100 controls; every raw row if available




qualified_reference / k1_primary_reference_11 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range



First 100 controls; every raw row if available



qualified_reference / k1_primary_reference_12 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range

First 100 controls; every raw row if available

Root x−x0 (m)

Root height (m)

Pitch / joints (rad)

Root velocity (m/s)

Angular velocity (rad/s)

Control u [-1,1]

Reference error (u−π)²

rootx

rootz

rooty

thigh

leg

foot

thigh_left

leg_left


foot_left

Absolute control index (one control = 0.008 s)

qualified_reference / k1_primary_reference_13 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range

First 100 controls; every raw row if available



qualified_reference / k1_primary_reference_14 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range

First 100 controls; every raw row if available

Root x−x0 (m)

Root height (m)

Pitch / joints (rad)

Root velocity (m/s)

Angular velocity (rad/s)

Control u [-1,1]

Reference error (u−π)²

rootx

rootz

rooty

thigh

leg

foot

thigh_left

leg_left

foot_left

Absolute control index (one control = 0.008 s)

qualified_reference / k1_primary_reference_15 — N=1000
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range

First 100 controls; every raw row if available

Root x−x0 (m)

Root height (m)

Pitch / joints (rad)

Root velocity (m/s)

Angular velocity (rad/s)

Control u [-1,1]

Reference error (u−π)²

rootx

rootz

rooty

thigh

leg

foot

thigh_left

leg_left


foot_left

Absolute control index (one control = 0.008 s)

executed_random_actions / k1_random_00 — N=8
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range


First 100 controls; every raw row if available



executed_random_actions / k1_random_01 — N=26
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range


First 100 controls; every raw row if available



executed_random_actions / k1_random_02 — N=22
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range

First 100 controls; every raw row if available



executed_random_actions / k1_random_03 — N=14
Saved 25-control mean/min/max; pointwise motion is not reconstructed; terminal available in source

Full absolute control range

First 100 controls; every raw row if available

