Status	Finished
Started	Friday, 25 September 2026, 8:56 AM
Completed	Friday, 25 September 2026, 9:01 AM
Duration	4 mins 57 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following is not the type of function argument?

a. Required argument
b. default argument
c. initial argument ✓
d. Keyword argument

Question **2**

Correct

Mark 1.00 out of 1.00

A function may return multiple values using _____.

a. Tuple ✓
b. List
c. Dictionary
d. String

Question **3**

Correct

Mark 1.00 out of 1.00

The function can be called in the program by writing function name followed by _____.

a. [ ]
b. None of the mentioned
c. ( ) ✓
d. { }

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following function headers is correct?

a. def fun(a = 2, b, c = 3)

b. def fun(a, b = 2, c = 3) ✓

c. def fun(a, b, c = 3, d)

d. def fun(a = 2, b = 3, c)

Question **5**

Correct

Mark 1.00 out of 1.00

Function defined to achieve some task as per the programmer's requirement is called a _____.

a. All of the mentioned

b. user defined function ✓

c. library function

d. built in functions

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the following function call?

```
def fun1(num):
    return num + 25
fun1(5)
print(num)
```

a. NameError ✓

b. 25

c. 5

d. num

Question **7**

Correct

Mark 1.00 out of 1.00

What is the output of the following function call?

```
def fun1(name, age=20):
    print(name, age)
fun1('Emma', 25)
```

- a. Emma 25 ✓
- b. name
- c. age
- d. Emma 20

Question **8**

Incorrect

Mark 0.00 out of 1.00

6. Which of the following is not the built-in function?

- a. print( )
- b. dictionary( )
- c. input( ) ✗
- d. tuple( )

Question **9**

Correct

Mark 1.00 out of 1.00

Functions which do not return any value is called _____.

- a. zero function
- b. void function ✓
- c. null function
- d. default function

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following function definition header is wrong?

- a. def scan(p1, p2 = 4, p3 = 5):
- b. def sum(n1, n2, n = 3):
- c. def mul(p1, n1, m1):
- d. def div(p1=4, p2, p3): ✓

Question **11**

Correct

Mark 1.00 out of 1.00

_____ can be defined as a named group of instructions that accomplish a specific task when it is invoked/called.

- a. Token
- b. Datatype
- c. Function ✓
- d. Operator

Question **12**

Correct

Mark 1.00 out of 1.00

Python function always returns a value

Select one:

- True ✓
- False

Question **13**

Correct

Mark 1.00 out of 1.00

The process of dividing a computer program into separate independent blocks of code with specific functionalities is known as _____.

- a. More Programming
- b. Programming
- c. Step Programming
- d. Modular Programming ✓

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the add() function call?

```
def add(a, b):
    return a+5, b+5
result = add(3, 2)
print(result)
```

a. Syntax Error

b. 8

c. 15

d. (8,7) ✓

Question **15**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def maximum(x, y):
    if x > y:
        return x
    elif x == y:
        return 'The numbers are equal'
    else:
        return y
print(maximum(2, 3))
```

a. The numbers are equal

b. 3 ✓

c. 2

d. None of the mentioned