


BUCKET POLICY HANDS-ON


Screenshot: Create IAM User

- Go to IAM Dashboard
- Click on Users
- Click on Create user




Screenshot: Configure User Details

- Enter user name
- Set a custom password




Screenshot: Attach S3 Full Access Policy

- Click on Attach policies directly
- Search and select AmazonS3FullAccess
- Click on Create user




Screenshot: IAM User Created Successfully

- Verify that the IAM user is created successfully
- Ensure the user has AmazonS3FullAccess policy attached



Screenshot: Create S3 Bucket

- Go to S3 Dashboard
- Click on Buckets
- Click on Create bucket



Screenshot: Configure Bucket Settings

- Select General purpose bucket
- Enter bucket name

The screenshot shows the 'Create bucket' page in the AWS Management Console. The breadcrumb trail at the top reads 'Amazon S3 > Buckets > Create bucket'. The page title is 'Create bucket' with an 'Info' link. Below the title, it states 'Buckets are containers for data stored in S3.' The 'General configuration' section is active. Under 'AWS Region', 'Asia Pacific (Mumbai) ap-south-1' is selected. Under 'Bucket type', 'General purpose' is selected with a blue border, while 'Directory' is unselected. The 'Bucket namespace' section shows 'Global namespace' selected. The 'Bucket name' field contains 'bucketpolicu12354'. Below the field, a note states: 'Bucket names must be 3 to 63 characters and unique within the global namespace. Bucket names must also begin and end with a letter or number. Valid characters are a-z, 0-9, periods (.), and hyphens (-).'. At the bottom, there is a 'Choose bucket' button and a format example: 'Format: s3://bucket/prefix'.

Screenshot: S3 Bucket Created Successfully

- Verify that the bucket is created successfully
- Ensure the bucket is listed in S3 dashboard

The screenshot shows the 'Buckets' page in the AWS S3 console. The left sidebar shows the 'Amazon S3' menu with 'Buckets' expanded. The main content area has tabs for 'General purpose buckets' (selected), 'All AWS Regions', and 'Directory buckets'. Below the tabs, there's a section for 'General purpose buckets (1/1)' with an 'Info' link and buttons for 'Copy ARN', 'Empty', 'Delete', and 'Create bucket'. A search bar says 'Find buckets by name'. Below the search bar is a table with the following data:

Name	AWS Region	Creation date
bucketpolicu12354	Asia Pacific (Mumbai) ap-south-1	March 25, 2026, 20:35:56 (UTC+05:30)

Screenshot: Open Policy Generator

- Go to Google search
- Search for AWS Policy Generator
- Open the AWS Policy Generator tool

The screenshot shows a Google search result for 'bucket policy generator'. The search bar at the top contains the text 'bucket policy generator'. Below the search bar, there are filters for 'All', 'Images', 'Videos', and 'News'. The search results show 'About 33,900 search results'. The first result is 'awspolicygen.s3.amazonaws.com · policygen' with the title 'AWS Policy Generator'. Below the title, there is a disclaimer: 'This AWS Policy Generator is provided for informational purposes only, you are still responsible for your use of Amazon Web Services technologies and ensuring that your use is in compliance with a...'. To the right of the search results, there is a section for 'Related searches' with two suggestions: 'generate bucket policy aws' and 's3 create bucket policy'.

Screenshot: Configure Policy Type

- Select policy type as S3 Bucket Policy
- Set effect as Deny

The screenshot shows the AWS Policy Generator tool. At the top, there's a header with the AWS logo and a 'Browser Default' dropdown. Below the header, the title 'AWS Policy Generator' is followed by a brief description. The main content area is divided into two steps. Step 1, 'Select policy type', shows a dropdown menu with 'S3 Bucket Policy' selected. Step 2, 'Add statement(s)', shows a section for 'Effect' with 'Allow' and 'Deny' radio buttons, where 'Deny' is selected.

AWS Policy Generator

The AWS Policy Generator is a tool that enables you to create policies that control access to [Amazon Web Services \(AWS\)](#) products and resources. For more information about creating policies, [key concepts in Using AWS Identity and Access Management](#).

Step 1: Select policy type

A Policy is a container for permissions. The different types of policies you can create are an [IAM Policy](#), an [S3 Bucket Policy](#), an [SNS Topic Policy](#), a [VPC Endpoint Policy](#), and an [SQS Queue Policy](#).

Type of Policy

S3 Bucket Policy

Step 2: Add statement(s)

A statement is the formal description of a single permission. See a [description of elements](#) that you can use in statements.

Effect

☐ Allow

☒ Deny

Screenshot: Add Principal ARN

- Copy the IAM user ARN
- Paste it in the Principal field
- Select All actions (s3:*)

The screenshot shows the AWS IAM console. The top navigation bar includes the AWS logo, a search bar, and user information. The left sidebar shows the 'Identity and Access Management (IAM)' menu with options for 'Users', 'Groups', 'Roles', 'User groups', and 'Roles'. The main content area shows the 'jai' user details, including a summary of console access and a list of permissions. Below the user details, there's a form to 'Add Principal ARN'. The form has three sections: 'Effect' with 'Allow' and 'Deny' radio buttons (where 'Deny' is selected), 'Principal' with a text input field containing 'arn:aws:iam::301804611986:user/jai', and 'Actions' with a checkbox for 'All Actions (*)' which is checked.

Identity and Access Management (IAM)

Search IAM

Dashboard

Access Management

User groups

Users

Roles

jai Info

Summary

ARN

arn:aws:iam::301804611986:user/jai

Created

March 25, 2026, 20:32 (UTC+05:30)

Console access

Enabled without MFA

Access key 1

Create access key

Last console sign-in

Never

Permissions

Groups

Tags

Security credentials

Last Accessed

Effect

☐ Allow

☒ Deny

Principal

arn:aws:iam::301804611986:user/jai

Use a comma to separate multiple values.

Actions

☒ All Actions (*)

Screenshot: Add Resource ARN

- Copy the bucket ARN
- Paste it in the Resource field

Amazon S3

- Buckets**
 - General purpose buckets
 - Directory buckets
 - Table buckets
 - Vector buckets
- Access management and security**
 - Access Points
 - Access Points for FSx
 - Access Grants

Buckets

General purpose buckets All AWS Regions Directory buckets

Get **bucketpolicu12354** (1/1) Info

Bucket ARN copied

Copy ARN Empty Delete Create bucket

Buckets are containers for data stored in S3.

Find buckets by name

Name	AWS Region	Creation date
bucketpolicu12354	Asia Pacific (Mumbai) ap-south-1	March 25, 2026, 20:35:56 (UTC+05:30)

Amazon Resource Name (ARN)

☐ All Resources (***)

arn:aws:s3:::bucketpolicu12354

ARN should follow the following format: arn:aws:s3:::\$(BucketName)/\$(KeyName). Use a comma to separate multiple values.

Screenshot: Generate and Copy Policy

- Click on Generate Policy
- Copy the generated policy

awspolicygen.s3.amazonaws.com/policygen.html

Policy JSON Document

Click below to edit. To save the policy, copy the text below to a text editor. Changes made below will **not** be reflected in the policy generator tool.

```

1 {
2   "Version": "2012-10-17",
3   "Statement": [
4     {
5       "Sid": "statement1",
6       "Effect": "Deny",
7       "Principal": {
8         "AWS": "arn:aws:iam::301804611986:user/jai"
9       },
10      "Action": "s3:*",
11      "Resource": "arn:aws:s3:::bucketpolicu12354"
12    }
13  ]
14 }
```


1:1 JSON

This AWS Policy Generator is provided for informational purposes only, you are still responsible for your use of Amazon Web Services technologies and ensuring that your use is in compliance with all applicable terms and conditions. This AWS Policy Generator is provided as is without warranty of any kind, whether express, implied, or statutory. This AWS Policy Generator does not modify the applicable terms and conditions governing your use of Amazon Web Services technologies.

Close Copy Policy


Screenshot: Open Bucket Permissions

- Open the created S3 bucket
- Go to the Permissions tab




Screenshot: Apply Bucket Policy

- Click on Edit in Bucket policy
- Paste the generated policy
- Click on Save changes




Screenshot: Login as IAM User

- Logout from current account
- Login using the IAM user credentials



Screenshot: Access S3 Bucket

- Go to S3 Dashboard
- Click on Buckets
- Open the created bucket



Screenshot: Access Denied (Bucket Restriction Verified)

- Attempt to list objects in the bucket
- Verify that it shows insufficient permissions error

