```php
<?php
defined('BASEPATH') OR exit('No direct script access allowed');

class DeliveryReports extends CI_Controller
{
    public function __construct()
    {
        parent::__construct();

        header('Access-Control-Allow-Origin: http://localhost:5175');
        header('Access-Control-Allow-Methods: GET, POST, OPTIONS');
        header('Access-Control-Allow-Headers: Content-Type, Authorization, X-Requested-With');
        header('Access-Control-Allow-Credentials: true');

        if ($_SERVER['REQUEST_METHOD'] === 'OPTIONS') {
            http_response_code(200);
            exit;
        }

        $this->load->model('Delivery_reports_model');
    }

    // ========================================================
    // LATEST REPORT FOR ONE REPORT FILE
    // ========================================================
    public function delivery_report_latest($reportFileId = null)
    {
        try {
            if (strtoupper($this->input->method()) !== 'GET') {
                return $this->output
                    ->set_status_header(405)
```

```
        ->set_content_type('application/json')
        ->set_output(json_encode([
            'success' => false,
            'message' => 'Method not allowed.'
        ]));
}

$reportFileId = (int)$reportFileId;

if ($reportFileId <= 0) {
    return $this->output
        ->set_status_header(400)
        ->set_content_type('application/json')
        ->set_output(json_encode([
            'success' => false,
            'message' => 'Invalid report file ID.'
        ]));
}

$data = $this->Delivery_reports_model->get_dashboard($reportFileId);

return $this->output
    ->set_content_type('application/json')
    ->set_output(json_encode(
        [
            'success' => true,
            'message' => 'Delivery report loaded successfully.',
            'data' => $data
        ],
        JSON_UNESCAPED_UNICODE |
        JSON_UNESCAPED_SLASHES |
        JSON_INVALID_UTF8_SUBSTITUTE
```

```
            ));

    } catch (Throwable $e) {
        log_message(
            'error',
            'Delivery report dashboard error: ' . $e->getMessage()
        );

        return $this->output
            ->set_status_header(500)
            ->set_content_type('application/json')
            ->set_output(json_encode([
                'success' => false,
                'message' => 'Unable to load delivery report.',
                'error' => $e->getMessage()
            ]));
    }
}

// ============================================================
// ONE SPECIFIC ASSIGNED VERSION
// ============================================================
public function delivery_report_assignment($assignmentId = null)
{
    try {
        if (strtoupper($this->input->method()) !== 'GET') {
            return $this->output
                ->set_status_header(405)
                ->set_content_type('application/json')
                ->set_output(json_encode([
                    'success' => false,
                    'message' => 'Method not allowed.'
```

```
        ]));
    }

    $assignmentId = (int)$assignmentId;

    if ($assignmentId <= 0) {
        return $this->output
            ->set_status_header(400)
            ->set_content_type('application/json')
            ->set_output(json_encode([
                'success' => false,
                'message' => 'Invalid assignment ID.'
            ]));
    }

    $data = $this->Delivery_reports_model->get_assignment_by_id($assignmentId);

    if (!$data) {
        return $this->output
            ->set_status_header(404)
            ->set_content_type('application/json')
            ->set_output(json_encode([
                'success' => false,
                'message' => 'Assigned report version not found.'
            ]));
    }

    return $this->output
        ->set_content_type('application/json')
        ->set_output(json_encode(
            [
                'success' => true,
```

```
                'data' => $data
            ],
            JSON_UNESCAPED_UNICODE |
            JSON_UNESCAPED_SLASHES |
            JSON_INVALID_UTF8_SUBSTITUTE
        ));

    } catch (Throwable $e) {
        log_message(
            'error',
            'Delivery assignment error: ' . $e->getMessage()
        );

        return $this->output
            ->set_status_header(500)
            ->set_content_type('application/json')
            ->set_output(json_encode([
                'success' => false,
                'message' => 'Unable to load assigned report.',
                'error' => $e->getMessage()
            ]));
    }
}

// ============================================================
// VERIFY ONE ASSIGNED REPORT ROW
// ============================================================
public function delivery_report_verify_row()
{
    try {
        if (strtoupper($this->input->method()) !== 'POST') {
            return $this->output
```

```
        ->set_status_header(405)
        ->set_content_type('application/json')
        ->set_output(json_encode([
            'success' => false,
            'message' => 'Method not allowed.'
        ]));
}

$input = json_decode($this->input->raw_input_stream, true);

if (!is_array($input)) {
    $input = [];
}

$assignmentId = (int)($input['assignment_id'] ?? 0);
$paperworkId = (int)($input['paperwork_id'] ?? 0);
$userId = (int)($input['verified_by_user_id'] ?? 0);

if ($assignmentId <= 0 || $paperworkId <= 0 || $userId <= 0) {
    return $this->output
        ->set_status_header(400)
        ->set_content_type('application/json')
        ->set_output(json_encode([
            'success' => false,
            'message' => 'Assignment ID, paperwork ID and logged-in user ID are required.'
        ]));
}

$user = $this->Delivery_reports_model->get_user_by_id($userId);

if (!$user) {
    return $this->output
```

```
        ->set_status_header(400)
        ->set_content_type('application/json')
        ->set_output(json_encode([
            'success' => false,
            'message' => 'Logged-in user was not found.'
        ]));
}

$userName = $this->Delivery_reports_model->resolve_user_name($user);

$verification = $this->Delivery_reports_model->verify_report_row(
    $assignmentId,
    $paperworkId,
    $userId,
    $userName
);

if ($verification === false) {
    return $this->output
        ->set_status_header(404)
        ->set_content_type('application/json')
        ->set_output(json_encode([
            'success' => false,
            'message' => 'Unable to verify this report row.'
        ]));
}

return $this->output
    ->set_content_type('application/json')
    ->set_output(json_encode(
        [
            'success' => true,
```

```
                'message' => 'Report row verified successfully.',
                'data' => $verification
            ],
            JSON_UNESCAPED_UNICODE |
            JSON_UNESCAPED_SLASHES
        ));

    } catch (Throwable $e) {
        log_message(
            'error',
            'Delivery report verification error: ' . $e->getMessage()
        );

        return $this->output
            ->set_status_header(500)
            ->set_content_type('application/json')
            ->set_output(json_encode([
                'success' => false,
                'message' => 'Unable to verify report row.',
                'error' => $e->getMessage()
            ]));
    }
}

// ============================================================
// SEND SELECTED DELIVERY REPORT ROWS BY EMAIL
// ============================================================
public function delivery_report_send_mail()
{
    try {
        if (strtoupper($this->input->method()) !== 'POST') {
            return $this->output
```

```
        ->set_status_header(405)
        ->set_content_type('application/json')
        ->set_output(json_encode([
            'success' => false,
            'message' => 'Method not allowed.'
        ]));
}

$input = json_decode($this->input->raw_input_stream, true);

if (!is_array($input)) {
    $input = [];
}

$assignmentId = (int)($input['assignment_id'] ?? 0);

$paperworkIds =
    isset($input['paperwork_ids']) &&
    is_array($input['paperwork_ids'])
        ? $input['paperwork_ids']
        : [];

$receiverEmail =
    trim(
        strtolower(
            (string)($input['receiver_email'] ?? '')
        )
    );

$ccEmails =
    isset($input['cc_emails']) &&
    is_array($input['cc_emails'])
```

```
        ? array_values(
            array_filter(
                array_map(
                    function ($email) {
                        return trim(strtolower((string)$email));
                    },
                    $input['cc_emails']
                )
            )
        )
        : [];

$sentByUserId = (int)($input['sent_by_user_id'] ?? 0);

if ($assignmentId <= 0) {
    return $this->output
        ->set_status_header(400)
        ->set_content_type('application/json')
        ->set_output(json_encode([
            'success' => false,
            'message' => 'Assignment ID is required.'
        ]));
}

$paperworkIds =
    array_values(
        array_unique(
            array_filter(
                array_map('intval', $paperworkIds),
                function ($id) {
                    return $id > 0;
                }
```

```
            )
        )
    );

if (empty($paperworkIds)) {
    return $this->output
        ->set_status_header(400)
        ->set_content_type('application/json')
        ->set_output(json_encode([
            'success' => false,
            'message' => 'Please select at least one report row.'
        ]));
}

if (
    !$receiverEmail ||
    !filter_var($receiverEmail, FILTER_VALIDATE_EMAIL)
) {
    return $this->output
        ->set_status_header(400)
        ->set_content_type('application/json')
        ->set_output(json_encode([
            'success' => false,
            'message' => 'A valid receiver email ID is required.'
        ]));
}

foreach ($ccEmails as $ccEmail) {
    if (!filter_var($ccEmail, FILTER_VALIDATE_EMAIL)) {
        return $this->output
            ->set_status_header(400)
            ->set_content_type('application/json')
```

```
            ->set_output(json_encode([
                'success' => false,
                'message' => 'Invalid CC email: ' . $ccEmail
            ]));
    }
}

if ($sentByUserId <= 0) {
    return $this->output
        ->set_status_header(400)
        ->set_content_type('application/json')
        ->set_output(json_encode([
            'success' => false,
            'message' => 'Logged-in user ID is required.'
        ]));
}

$user = $this->Delivery_reports_model->get_user_by_id($sentByUserId);

if (!$user) {
    return $this->output
        ->set_status_header(400)
        ->set_content_type('application/json')
        ->set_output(json_encode([
            'success' => false,
            'message' => 'Logged-in user was not found.'
        ]));
}

$sentByName = $this->Delivery_reports_model->resolve_user_name($user);

$assignment =
```

```
    $this->Delivery_reports_model
        ->get_assignment_by_id($assignmentId);

if (!$assignment) {
    return $this->output
        ->set_status_header(404)
        ->set_content_type('application/json')
        ->set_output(json_encode([
            'success' => false,
            'message' => 'Assigned report was not found.'
        ]));
}

$snapshot =
    isset($assignment['snapshot']) &&
    is_array($assignment['snapshot'])
        ? $assignment['snapshot']
        : [];

$rows =
    isset($snapshot['rows']) &&
    is_array($snapshot['rows'])
        ? $snapshot['rows']
        : [];

$layout =
    isset($snapshot['layout_json']) &&
    is_array($snapshot['layout_json'])
        ? $snapshot['layout_json']
        : [];

$selectedHeaders =
```

```
    isset($snapshot['selected_headers']) &&
    is_array($snapshot['selected_headers'])
        ? $snapshot['selected_headers']
        : [];

$columns = [];

foreach ($layout as $node) {
    if (!is_array($node)) {
        continue;
    }

    if (
        isset($node['type']) &&
        $node['type'] === 'group'
    ) {
        $children =
            isset($node['children']) &&
            is_array($node['children'])
                ? $node['children']
                : [];

        foreach ($children as $child) {
            if (!is_array($child) || empty($child['key'])) {
                continue;
            }

            $columns[] = [
                'key' => $child['key'],
                'label' =>
                    !empty($child['label'])
                        ? $child['label']
```

```
                    : $child['key']
            ];
        }

        continue;
    }

    if (!empty($node['key'])) {
        $columns[] = [
            'key' => $node['key'],
            'label' =>
                !empty($node['label'])
                    ? $node['label']
                    : $node['key']
        ];
    }
}

if (empty($columns)) {
    foreach ($selectedHeaders as $key) {
        $key = trim((string)$key);

        if ($key === '' || strpos($key, '_') === 0) {
            continue;
        }

        $columns[] = [
            'key' => $key,
            'label' =>
                ucwords(
                    str_replace(
                        '_',
```

```
                    '',
                    $key
                )
            )
        ];
    }
}

$selectedRows = [];

foreach ($rows as $row) {
    if (!is_array($row)) {
        continue;
    }

    $paperworkId =
        (int)(
            $row['_paperwork_id']
            ?? $row['paperwork_id']
            ?? $row['record_id']
            ?? 0
        );

    if (
        $paperworkId > 0 &&
        in_array($paperworkId, $paperworkIds, true)
    ) {
        $selectedRows[] = $row;
    }
}

if (empty($selectedRows)) {
```

```
    return $this->output
        ->set_status_header(400)
        ->set_content_type('application/json')
        ->set_output(json_encode([
            'success' => false,
            'message' => 'Selected rows were not found in this assigned report.'
        ]));
}

$emailColumns = [];

foreach ($columns as $column) {
    $key =
        strtolower(
            trim((string)($column['key'] ?? ''))
        );

    if ($key === 'status') {
        continue;
    }

    $emailColumns[] = $column;
}

$statusGroups = [];

foreach ($selectedRows as $row) {
    $status =
        trim(
            (string)($row['status'] ?? 'No Status')
        );
```

```
    if ($status === '') {
        $status = 'No Status';
    }

    if (!isset($statusGroups[$status])) {
        $statusGroups[$status] = [];
    }

    $statusGroups[$status][] = $row;
}

// ================================================
// WEEKLY FLOORCALL REPORT - CUSTOM STATUS LABELS/ORDER
// contract_signed    -> Signed Contracts
// contract_submitted -> Unsigned Contracts
// Signed Contracts must appear first.
// ================================================
$isWeeklyFloorcall =
    strcasecmp(
        trim(
            (string)(
                $assignment['file_name']
                ?? ''
            )
        ),
        'Weekly Floorcall Report'
    ) === 0;

if ($isWeeklyFloorcall) {
    $orderedStatusGroups = [];

    if (isset($statusGroups['contract_signed'])) {
```

```
        $orderedStatusGroups['contract_signed'] =
            $statusGroups['contract_signed'];
    }

    if (isset($statusGroups['contract_submitted'])) {
        $orderedStatusGroups['contract_submitted'] =
            $statusGroups['contract_submitted'];
    }

    foreach ($statusGroups as $statusKey => $statusRows) {
        if (
            $statusKey === 'contract_signed' ||
            $statusKey === 'contract_submitted'
        ) {
            continue;
        }

        $orderedStatusGroups[$statusKey] =
            $statusRows;
    }

    $statusGroups = $orderedStatusGroups;
}

$defaultColumnWidth = 120;

$columnWidths = [
    'plc_code' => 105,
    'candidate_name' => 150,
    'business_entity' => 120,
    'duration' => 90,
    'start_date' => 110,
```

'contractor_vendor_name' => 175,

'benefit_status' => 120,

'client' => 110,

'end_client' => 180,

'pay_rate' => 95,

'pay_rate_payment_basis' => 150,

'client_rate' => 95,

'client_rate_after_td' => 120,

'client_rate_payment_basis' => 155,

'margin_value' => 105,

'msp_portal_fee_waiver' => 145,

'tenure_discount_waived' => 145,

'early_payment_waiver' => 145,

'vendor_fee' => 105,

'margin_deviation_approval' => 145,

'w2t4_tax' => 95,

'referral' => 95,

'net_margin' => 105,

'rebate_fee' => 105,

'vendor_pass' => 105,

'overhead_cost' => 110,

'bo_tax' => 90,

'net_margin_after_discount' => 145,

'gross_margin_percent' => 120,

'net_margin_percent' => 120,

'recruiter_name' => 145,

'center_of_excellence_name' => 180,

'passthrough_owner_name' => 175,

'passthrough_support_name' => 175,

'lead_recruiter' => 145,

'team_lead_name' => 145,

'delivery_account_lead_name' => 185

```
];

$statusTablesHtml = '';

foreach ($statusGroups as $status => $statusRows) {

    $displayStatus = $status;

    if ($isWeeklyFloorcall) {
        if ($status === 'contract_signed') {
            $displayStatus = 'Signed Contracts';
        } elseif ($status === 'contract_submitted') {
            $displayStatus = 'Unsigned Contracts';
        }
    }

    $statusTitle =
        htmlspecialchars(
            $displayStatus,
            ENT_QUOTES,
            'UTF-8'
        );

    $tableWidth = 0;

    foreach ($emailColumns as $column) {
        $columnKey =
            strtolower(
                trim((string)($column['key'] ?? ''))
            );

        $tableWidth +=
```

```
        isset($columnWidths[$columnKey])
            ? (int)$columnWidths[$columnKey]
            : $defaultColumnWidth;
}

if ($tableWidth <= 0) {
    $tableWidth =
        max(
            count($emailColumns) * $defaultColumnWidth,
            600
        );
}

$tableHeader = '';

foreach ($emailColumns as $column) {
    $columnKey =
        strtolower(
            trim((string)($column['key'] ?? ''))
        );

    $width =
        isset($columnWidths[$columnKey])
            ? (int)$columnWidths[$columnKey]
            : $defaultColumnWidth;

    $label =
        htmlspecialchars(
            $column['label'],
            ENT_QUOTES,
            'UTF-8'
        );
```

```
    $tableHeader .=
        '<th bgcolor="#1F5F91" align="center" valign="middle" width="' .
        $width .
        '" style="background:#1F5F91;color:#fff;border:1px solid #555;' .
        'padding:6px 8px;font-family:Arial,sans-serif;font-size:10px;' .
        'font-weight:bold;line-height:13px;white-space:normal;' .
        'word-break:normal;min-width:' . $width . 'px;width:' . $width . 'px;">' .
        $label .
        '</th>';
}

$tableRows = '';

foreach ($statusRows as $row) {
    $tableRows .= '<tr>';

    foreach ($emailColumns as $column) {
        $columnKey =
            strtolower(
                trim((string)($column['key'] ?? ''))
            );

        $width =
            isset($columnWidths[$columnKey])
                ? (int)$columnWidths[$columnKey]
                : $defaultColumnWidth;

        $value =
            $row[$column['key']]
            ?? '-';
```

```
                if (
                    $value === null ||
                    trim((string)$value) === ''
                ) {
                    $value = '-';
                }

                $safeValue =
                    htmlspecialchars(
                        (string)$value,
                        ENT_QUOTES,
                        'UTF-8'
                    );

                $tableRows .=
                    '<td bgcolor="#FFFFFF" align="center" valign="middle" width="' .
                    $width .
                    '" style="background:#fff;color:#111;border:1px solid #555;' .
                    'padding:6px 8px;font-family:Arial,sans-serif;font-size:10px;' .
                    'line-height:14px;white-space:normal;word-break:normal;' .
                    'min-width:' . $width . 'px;width:' . $width . 'px;">' .
                    $safeValue .
                    '</td>';
            }

            $tableRows .= '</tr>';
        }

        $statusTablesHtml .=
            '<table role="presentation" width="100%" cellpadding="0" cellspacing="0"
border="0" ' .
            'style="width:100%;border-collapse:collapse;">' .
```

```
                '<tr>' .
                    '<td height="18" style="height:18px;font-size:1px;line-height:18px;"> 
</td>' .
                '</tr>' .
                '<tr>' .
                    '<td align="left" style="padding:0 0 6px 0;' .
                    'font-family:Arial,sans-serif;font-size:13px;line-height:17px;' .
                    'font-weight:bold;color:#111;">' .
                        $statusTitle .
                    '</td>' .
                '</tr>' .
                '<tr>' .
                    '<td align="left" valign="top" style="padding:0;">' .
                        '<table cellpadding="0" cellspacing="0" border="0" width="' .
                        $tableWidth .
                        '" style="border-collapse:collapse;font-family:Arial,sans-serif;' .
                        'width:' . $tableWidth . 'px;max-width:none;">' .
                            '<thead><tr>' .
                                $tableHeader .
                            '</tr></thead>' .
                            '<tbody>' .
                                $tableRows .
                            '</tbody>' .
                        '</table>' .
                    '</td>' .
                '</tr>' .
                '<tr>' .
                    '<td height="10" style="height:10px;font-size:1px;line-height:10px;"> 
</td>' .
                '</tr>' .
            '</table>';
        }
```

```
$fileName =
    htmlspecialchars(
        $assignment['file_name']
        ?? 'Assigned Report',
        ENT_QUOTES,
        'UTF-8'
    );

$week =
    (int)(
        $assignment['week_number']
        ?? 0
    );

$subject =
    (
        $assignment['file_name']
        ?? 'Assigned Report'
    )
    . ' - Week '
    . $week;

$html =
    '<!DOCTYPE html>' .
    '<html>' .
    '<head>' .
        '<meta charset="UTF-8">' .
        '<meta name="viewport" content="width=device-width,initial-scale=1.0">' .
    '</head>' .
    '<body style="margin:0;padding:0;background:#fff;font-family:Arial,sans-serif;">' .
```

```
            '<table role="presentation" width="100%" cellpadding="0" cellspacing="0"
border="0" ' .
            'style="width:100%;border-collapse:collapse;background:#fff;">' .
                '<tr>' .
                    '<td align="left" valign="top" ' .
                    'style="padding:20px 10px;color:#111;width:100%;max-width:none;' .
                    'font-family:Arial,sans-serif;font-size:13px;line-height:20px;">' .
                        '<table role="presentation" width="100%" cellpadding="0" cellspacing="0"
border="0" ' .
                        'style="width:100%;max-width:none;border-collapse:collapse;">' .
                            '<tr>' .
                                '<td style="padding:0 0 17px 0;font-family:Arial,sans-serif;' .
                                'font-size:13px;line-height:20px;color:#111;">' .
                                    'Hi Team,' .
                                '</td>' .
                            '</tr>' .
                            '<tr>' .
                                '<td style="padding:0 0 17px 0;font-family:Arial,sans-serif;' .
                                'font-size:13px;line-height:20px;color:#111;">' .
                                    'Please find below the <strong>' .
                                    $fileName .
                                    '</strong> for <strong>Week ' .
                                    $week .
                                    '</strong> for your review.' .
                                '</td>' .
                            '</tr>' .
                            '<tr>' .
                                '<td style="padding:0 0 17px 0;font-family:Arial,sans-serif;' .
                                'font-size:13px;line-height:20px;color:#111;">' .
                                    'Kindly review the details and revert with the updated status, ' .
                                    'along with any corrections or discrepancies, so the necessary ' .
                                    'changes can be incorporated before finalizing the report.' .
```

```
                    '</td>' .
                '</tr>' .
                '<tr>' .
                    '<td style="padding:0 0 4px 0;font-family:Arial,sans-serif;' .
                    'font-size:13px;line-height:20px;color:#111;">' .
                        'Your prompt response will help us complete the validation on time.'
.
                    '</td>' .
                '</tr>' .
                '<tr>' .
                    '<td align="left" valign="top" style="padding:0;width:100%;max-
width:none;">' .
                        '<div style="width:100%;max-width:100vw;overflow-x:auto;-webkit-
overflow-scrolling:touch;">' .
                            $statusTablesHtml .
                        '</div>' .
                    '</td>' .
                '</tr>' .
                '<tr>' .
                    '<td height="18" style="height:18px;font-size:1px;line-height:18px;">' .
                        ' ' .
                    '</td>' .
                '</tr>' .
                '<tr>' .
                    '<td style="padding:0;font-family:Arial,sans-serif;' .
                    'font-size:13px;line-height:19px;color:#111;">' .
                        'Best regards,<br>' .
                        '<strong>VDart PMT Team</strong>' .
                    '</td>' .
                '</tr>' .
            '</table>' .
        '</td>' .
```

```
            '</tr>' .
        '</table>' .
    '</body>' .
    '</html>';

$this->load->library('email');

$this->email->clear(true);

$this->email->from(
    'saranraj.s@vdartinc.com',
    'VDart MDM'
);

$this->email->to(
    $receiverEmail
);

if (!empty($ccEmails)) {
    $this->email->cc(
        implode(',', $ccEmails)
    );
}

$this->email->subject(
    $subject
);

$this->email->message(
    $html
);
```

```
$mailSent =
    $this->email->send();

if (!$mailSent) {
    $smtpDebug =
        $this->email
            ->print_debugger([
                'headers',
                'subject',
                'body'
            ]);

    log_message(
        'error',
        'Delivery report mail failed. Assignment ID: ' .
        $assignmentId .
        ' | SMTP Debug: ' .
        strip_tags($smtpDebug)
    );

    return $this->output
        ->set_status_header(500)
        ->set_content_type('application/json')
        ->set_output(json_encode([
            'success' => false,
            'message' => 'Email could not be sent.',
            'smtp_debug' => strip_tags($smtpDebug)
        ]));
}

$tracking =
    $this->Delivery_reports_model
```

```
        ->update_mail_tracking(
            $assignmentId,
            $paperworkIds,
            $sentByUserId,
            $sentByName,
            $receiverEmail,
            $ccEmails
        );

if ($tracking === false) {
    log_message(
        'error',
        'Mail sent but tracking update failed. Assignment ID: ' .
        $assignmentId
    );

    return $this->output
        ->set_status_header(500)
        ->set_content_type('application/json')
        ->set_output(json_encode([
            'success' => false,
            'message' => 'Email was sent, but mail tracking could not be updated.'
        ]));
}

return $this->output
    ->set_content_type('application/json')
    ->set_output(
        json_encode(
            [
                'success' => true,
                'message' => 'Email sent successfully.',
```

```
                'data' => [
                    'assignment_id' => $assignmentId,
                    'paperwork_ids' => $paperworkIds,
                    'receiver_email' => $receiverEmail,
                    'cc_emails' => $ccEmails,
                    'mail_sent_by_user_id' => $sentByUserId,
                    'mail_sent_by_name' => $sentByName
                ]
            ],
            JSON_UNESCAPED_UNICODE |
            JSON_UNESCAPED_SLASHES
        )
    );

} catch (Throwable $e) {
    log_message(
        'error',
        'Delivery report send mail error: ' .
        $e->getMessage()
    );

    return $this->output
        ->set_status_header(500)
        ->set_content_type('application/json')
        ->set_output(json_encode([
            'success' => false,
            'message' => 'Unable to send delivery report email.',
            'error' => $e->getMessage()
        ]));
}
}
```

```
// ========================================================
// ALL ASSIGNED REPORT FILES
// ========================================================
public function delivery_report_files()
{
    try {
        if (strtoupper($this->input->method()) !== 'GET') {
            return $this->output
                ->set_status_header(405)
                ->set_content_type('application/json')
                ->set_output(json_encode([
                    'success' => false,
                    'message' => 'Method not allowed.'
                ]));
        }

        $files =
            $this->Delivery_reports_model
                ->get_delivery_report_files();

        return $this->output
            ->set_content_type('application/json')
            ->set_output(
                json_encode(
                    [
                        'success' => true,
                        'data' => $files
                    ],
                    JSON_UNESCAPED_UNICODE |
                    JSON_UNESCAPED_SLASHES
                )
            );
```

```
        } catch (Throwable $e) {
            log_message(
                'error',
                'Delivery report files error: ' .
                $e->getMessage()
            );

            return $this->output
                ->set_status_header(500)
                ->set_content_type('application/json')
                ->set_output(json_encode([
                    'success' => false,
                    'message' => 'Unable to load assigned report files.',
                    'error' => $e->getMessage()
                ]));
        }
    }
}
```