

MySQL Workbench

Local instance MySQL80 x MySQL Model x

File Edit View Query Database Server Tools Scripting Help

Aggregate Functions TRIGGERS-STOREDPROCED... functions joins PD queries library

Limit to 50000 rows

```

23 INSERT INTO members (full_name, email) VALUES
24 ('Jaiswal', 'arjun@example.com'),
25 ('Sreepad Sharma', 'rahu@example.com'),
26 ('Reddy', 'vikram@example.com');
27
28 SELECT * FROM books;
29 SELECT * FROM members;
30
31 CREATE TABLE students (
32 student_id INT NOT NULL UNIQUE,

```

Result Grid

student_id	student_name	student_stream
41001	Rohan Mehta	CSE
41002	Arjun Kumar	ECE
41003	Aditya Rao	CSI

Result 1 Result 2 books 3 members 4 students 5 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
250	21:25:06	CREATE TABLE students (student_id INT NOT NULL UNIQUE, student_name VARCHAR(255) NOT NULL, student_stream VARCHAR(255) NOT NULL, student_email VARCHAR(255) NOT NULL);	0 row(s) affected	0.031 sec
251	21:25:06	INSERT INTO students (student_id, student_name, student_stream) VALUES (41001, 'Rohan Mehta', 'CSE'), (41002, 'Arjun Kumar', 'ECE'), (41003, 'Aditya Rao', 'CSI');	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
252	21:25:06	SELECT * FROM students LIMIT 0, 50000	3 row(s) returned	0.000 sec / 0.000 sec
253	21:25:06	CREATE TABLE student (student_id INT NOT NULL UNIQUE, student_name VARCHAR(255) NOT NULL, student_stream VARCHAR(255) NOT NULL, student_email VARCHAR(255) NOT NULL);	0 row(s) affected	0.031 sec
254	21:25:06	DROP TABLE student	0 row(s) affected	0.032 sec
255	21:25:06	DROP DATABASE IF EXISTS bookflow_db	3 row(s) affected	0.031 sec

Active schema was cleared

MySQL Workbench

Local instance MySQL80 x MySQL Model x

File Edit View Query Database Server Tools Scripting Help

Aggregate Functions TRIGGERS-STOREDPROCED... functions joins PD queries library

Limit to 50000 rows

```

23 INSERT INTO members (full_name, email) VALUES
24 ('Jaiswal', 'arjun@example.com'),
25 ('Sreepad Sharma', 'rahu@example.com'),
26 ('Reddy', 'vikram@example.com');
27
28 SELECT * FROM books;
29 SELECT * FROM members;
30
31 CREATE TABLE students (
32 student_id INT NOT NULL UNIQUE,

```

Result Grid

member_id	full_name	email
1	Jaiswal	arjun@example.com
2	Sreepad Sharma	rahu@example.com
3	Reddy	vikram@example.com

Result 1 Result 2 books 3 members 4 x students 5

Output

Action Output

#	Time	Action	Message	Duration / Fetch
250	21:25:06	CREATE TABLE students (student_id INT NOT NULL UNIQUE, student_name VARCHAR(255) NOT NULL, student_stream VARCHAR(255) NOT NULL, student_email VARCHAR(255) NOT NULL);	0 row(s) affected	0.031 sec
251	21:25:06	INSERT INTO students (student_id, student_name, student_stream) VALUES (41001, 'Rohan Mehta', 'CSE'), (41002, 'Arjun Kumar', 'ECE'), (41003, 'Aditya Rao', 'CSI');	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
252	21:25:06	SELECT * FROM students LIMIT 0, 50000	3 row(s) returned	0.000 sec / 0.000 sec
253	21:25:06	CREATE TABLE student (student_id INT NOT NULL UNIQUE, student_name VARCHAR(255) NOT NULL, student_stream VARCHAR(255) NOT NULL, student_email VARCHAR(255) NOT NULL);	0 row(s) affected	0.031 sec
254	21:25:06	DROP TABLE student	0 row(s) affected	0.032 sec
255	21:25:06	DROP DATABASE IF EXISTS bookflow_db	3 row(s) affected	0.031 sec

Active schema was cleared

MySQL Workbench

Local instance MySQL80 x MySQL Model x

File Edit View Query Database Server Tools Scripting Help

Aggregate Functions* TRIGGERS-STOREDPROCED... functions joins PD queries library*

Limit to 50000 rows

```

23 INSERT INTO members (full_name, email) VALUES
24 ('Jaiswal', 'arjun@example.com'),
25 ('Sreepad Sharma', 'rahu@example.com'),
26 ('Reddy', 'vikram@example.com');
27
28 SELECT * FROM books;
29 SELECT * FROM members;
30
31 CREATE TABLE students (
32 student_id INT NOT NULL AUTO_INCREMENT,

```

Result Grid

book_id	title	isbn	published_year
1	The Silent River	9781234567890	1988
2	Winds of Change	9781234567891	2008
3	Beyond the Horizon	9781234567892	2018

Result 1 Result 2 books 3 members 4 students 5

Output

Action Output

#	Time	Action	Message	Duration / Fetch
250	21:25:06	CREATE TABLE students (student_id INT NOT NULL UNIQUE, student_name VARCHAR(255) NOT NULL, student_stream VARCHAR(255) NOT NULL, student_email VARCHAR(255) NOT NULL, PRIMARY KEY (student_id), INDEX (student_name, student_email));	0 row(s) affected	0.031 sec
251	21:25:06	INSERT INTO students (student_id, student_name, student_email) VALUES (41001, 'Rohan Mehta', 'CSE'), (41002, 'Arun Kumar', 'ECE'), (41003, 'Priya Singh', 'CSE');	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
252	21:25:06	SELECT * FROM students LIMIT 0, 50000	3 row(s) returned	0.000 sec / 0.000 sec
253	21:25:06	CREATE TABLE student (student_id INT NOT NULL UNIQUE, student_name VARCHAR(255) NOT NULL, student_stream VARCHAR(255) NOT NULL, student_email VARCHAR(255) NOT NULL, PRIMARY KEY (student_id), INDEX (student_name, student_email));	0 row(s) affected	0.031 sec
254	21:25:06	DROP TABLE student	0 row(s) affected	0.032 sec
255	21:25:06	DROP DATABASE IF EXISTS bookflow_db	3 row(s) affected	0.031 sec

Active schema was cleared

MySQL Workbench

Local instance MySQL80 x MySQL Model x

File Edit View Query Database Server Tools Scripting Help

Aggregate Functions* TRIGGERS-STOREDPROCED... functions joins PD queries library*

Limit to 50000 rows

```

23 INSERT INTO members (full_name, email) VALUES
24 ('Jaiswal', 'arjun@example.com'),
25 ('Sreepad Sharma', 'rahu@example.com'),
26 ('Reddy', 'vikram@example.com');
27
28 SELECT * FROM books;
29 SELECT * FROM members;
30
31 CREATE TABLE students (
32 student_id INT NOT NULL AUTO_INCREMENT,

```

Result Grid

Field	Type	Null	Key	Default	Extra
member_id	int	NO	PRI		auto_increment
full_name	varchar(100)	NO			
email	varchar(150)	NO	UNI		

Result 1 Result 2 books 3 members 4 students 5

Output

Action Output

#	Time	Action	Message	Duration / Fetch
250	21:25:06	CREATE TABLE students (student_id INT NOT NULL UNIQUE, student_name VARCHAR(255) NOT NULL, student_stream VARCHAR(255) NOT NULL, student_email VARCHAR(255) NOT NULL, PRIMARY KEY (student_id), INDEX (student_name, student_email));	0 row(s) affected	0.031 sec
251	21:25:06	INSERT INTO students (student_id, student_name, student_email) VALUES (41001, 'Rohan Mehta', 'CSE'), (41002, 'Arun Kumar', 'ECE'), (41003, 'Priya Singh', 'CSE');	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
252	21:25:06	SELECT * FROM students LIMIT 0, 50000	3 row(s) returned	0.000 sec / 0.000 sec
253	21:25:06	CREATE TABLE student (student_id INT NOT NULL UNIQUE, student_name VARCHAR(255) NOT NULL, student_stream VARCHAR(255) NOT NULL, student_email VARCHAR(255) NOT NULL, PRIMARY KEY (student_id), INDEX (student_name, student_email));	0 row(s) affected	0.031 sec
254	21:25:06	DROP TABLE student	0 row(s) affected	0.032 sec
255	21:25:06	DROP DATABASE IF EXISTS bookflow_db	3 row(s) affected	0.031 sec

Active schema was cleared

MySQL Workbench

Local instance MySQL80 x MySQL Model x

File Edit View Query Database Server Tools Scripting Help

Aggregate Functions TRIGGERS-STOREDPROCED... Functions joins PD queries library

Limit to 50000 rows

```
23 INSERT INTO members (full_name, email) VALUES
24 ('Jaiswal', 'arjun@example.com'),
25 ('Sreepad Sharma', 'rahu@example.com'),
26 ('Reddy', 'vikram@example.com');
27
28 SELECT * FROM books;
29 SELECT * FROM members;
30
31 CREATE TABLE students (
32 student_id INT NOT NULL UNIQUE,
33 student_name VARCHAR(255) NOT NULL,
34 student_stream VARCHAR(255) NOT NULL,
35 student_age INT NOT NULL,
36 student_email VARCHAR(255) NOT NULL);
```

Result Grid

Field	Type	Null	Key	Default	Extra
book_id	int	NO	PR	auto_increm	
title	varchar(255)	NO			
isbn	varchar(13)	NO	UNI		
published_year	int	YES			

Result 1 x Result 2 books 3 members 4 students 5

Output

Action Output

#	Time	Action	Message	Duration / Fetch
250	21:25:06	CREATE TABLE students (student_id INT NOT NULL UNIQUE, student_name VARCHAR(255) NOT NULL, student_stream VARC...	0 row(s) affected	0.031 sec
251	21:25:06	INSERT INTO students (student_id, student_name, student_stream) VALUES (41001, 'Rohan Mehta', 'CSE'), (41002, 'Ajun Kumar', 'EC...	3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0	0.016 sec
252	21:25:06	SELECT * FROM students LIMIT 0, 50000	3 row(s) returned	0.000 sec / 0.000 sec
253	21:25:06	CREATE TABLE student (student_id INT NOT NULL UNIQUE, student_name VARCHAR(255) NOT NULL, student_stream VARC...	0 row(s) affected	0.031 sec
254	21:25:06	DROP TABLE student	0 row(s) affected	0.032 sec
255	21:25:06	DROP DATABASE IF EXISTS bookflow_db	3 row(s) affected	0.031 sec

Active schema was cleared