

MySQL Workbench

Local instance MySQL80 x MySQL Model x

File Edit View Query Database Server Tools Scripting Help

AggregateFunctions* TRIGGERS-STOREDPROCED... functions joins PD queries x

Limit to 50000 rows

```

120 WHERE p.employeeid=d.head
121 );
122
123 • SELECT MAX(employeeid) AS Max_Employee_ID
124 FROM physician;
125
126 • SELECT MIN(employeeid) AS Min_Employee_ID
127 FROM physician;
128

```

Result Grid | Filter Rows: | Export: | Wrap Cell Contents: |

name	name
Ahli	Karthik
Nehal	Sanjay
Varun	Rahul

physician 3 Result 4 Result 5 Result 6 Result 7 physician 8 physician 9 physician 10 physician 11 Result 12 physician 13 Result 14 Result 15 x physician 16 Result 17 department 18 Result 19 Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
234	21:22:18	SELECT d.name, p.name FROM department d JOIN physician p ON d.head=p.employeeid ORDER BY d.name LIMIT 0, 50000	3 row(s) returned	0.000 sec / 0.000 sec
235	21:22:18	SELECT * FROM physician WHERE position NOT LIKE "Surgical" LIMIT 0, 50000	9 row(s) returned	0.000 sec / 0.000 sec
236	21:22:18	SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, 50000	0 row(s) returned	0.000 sec / 0.000 sec
237	21:22:18	SELECT * FROM department d WHERE EXISTS (SELECT 1 FROM physician p WHERE p.employeeid=d.head) LIMIT 0, 5	3 row(s) returned	0.000 sec / 0.000 sec
238	21:22:18	SELECT MAX(employeeid) AS Max_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec
239	21:22:18	SELECT MIN(employeeid) AS Min_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec

Query Completed

MySQL Workbench

Local instance MySQL80 x MySQL Model x

File Edit View Query Database Server Tools Scripting Help

AggregateFunctions* TRIGGERS-STOREDPROCED... functions joins PD queries x

Limit to 50000 rows

```

120 WHERE p.employeeid=d.head
121 );
122
123 • SELECT MAX(employeeid) AS Max_Employee_ID
124 FROM physician;
125
126 • SELECT MIN(employeeid) AS Min_Employee_ID
127 FROM physician;
128

```

Result Grid | Filter Rows: | Export: | Wrap Cell Contents: |

position	Total_Employees
Rahul	1
Rohan	1
Karthik	1
Nehal	1
Head Chief of Medicine	1
Arjun	1
Vikram	1
Aditya	1
Sanjay	1

physician 3 Result 4 Result 5 Result 6 Result 7 physician 8 physician 9 physician 10 physician 11 Result 12 x physician 13 Result 14 Result 15 physician 16 Result 17 department 18 Result 19 Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
234	21:22:18	SELECT d.name, p.name FROM department d JOIN physician p ON d.head=p.employeeid ORDER BY d.name LIMIT 0, 50000	3 row(s) returned	0.000 sec / 0.000 sec
235	21:22:18	SELECT * FROM physician WHERE position NOT LIKE "Surgical" LIMIT 0, 50000	9 row(s) returned	0.000 sec / 0.000 sec
236	21:22:18	SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, 50000	0 row(s) returned	0.000 sec / 0.000 sec
237	21:22:18	SELECT * FROM department d WHERE EXISTS (SELECT 1 FROM physician p WHERE p.employeeid=d.head) LIMIT 0, 5	3 row(s) returned	0.000 sec / 0.000 sec
238	21:22:18	SELECT MAX(employeeid) AS Max_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec
239	21:22:18	SELECT MIN(employeeid) AS Min_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec

Query Completed

MySQL Workbench

Local instance MySQL80 x MySQL Model x

File Edit View Query Database Server Tools Scripting Help

AggregateFunctions* TRIGGERS-STO... functions joins PD queries

Limit to 50000 rows

```

120 WHERE p.employeeid=d.head
121 );
122
123 • SELECT MAX(employeeid) AS Max_Employee_ID
124 FROM physician;
125
126 • SELECT MIN(employeeid) AS Min_Employee_ID
127 FROM physician;
128

```

Result Grid

employeeid	name	position	ssn
1	Arjun	Rahul	111111111
2	Vikram	Rohan	222222222
3	Aditya	Karthik	333333333
5	Varun	Head Chef of Medicine	555555555
6	Aksh	Arjun	666666666
8	Rohan	Aditya	888888888

physician 3 Result 4 Result 5 Result 6 Result 7 physician 8 physician 9 physician 10 physician 11 x Result 12 physician 13 Result 14 Result 15 physician 16 Result 17 department 18 Result 19 Apply Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
234	21:22:18	SELECT d.name, p.name FROM department d JOIN physician p ON d.head=p.employeeid ORDER BY d.name LIMIT 0, 50000	3 row(s) returned	0.000 sec / 0.000 sec
235	21:22:18	SELECT * FROM physician WHERE position NOT LIKE "Surgical"; LIMIT 0, 50000	9 row(s) returned	0.000 sec / 0.000 sec
236	21:22:18	SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, 50000	0 row(s) returned	0.000 sec / 0.000 sec
237	21:22:18	SELECT * FROM department d WHERE EXISTS (SELECT 1 FROM physician p WHERE p.employeeid=d.head) LIMIT 0, 5	3 row(s) returned	0.000 sec / 0.000 sec
238	21:22:18	SELECT MAX(employeeid) AS Max_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec
239	21:22:18	SELECT MIN(employeeid) AS Min_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec

Query Completed

MySQL Workbench

Local instance MySQL80 x MySQL Model x

File Edit View Query Database Server Tools Scripting Help

AggregateFunctions* TRIGGERS-STO... functions joins PD queries

Limit to 50000 rows

```

120 WHERE p.employeeid=d.head
121 );
122
123 • SELECT MAX(employeeid) AS Max_Employee_ID
124 FROM physician;
125
126 • SELECT MIN(employeeid) AS Min_Employee_ID
127 FROM physician;
128

```

Result Grid

employeeid	name	position	ssn
4	Sanjay	Nikhil	444444444
7	Rahul	Vikram	777777777
9	Karthik	Sanjay	999999999

physician 3 Result 4 Result 5 Result 6 Result 7 physician 8 physician 9 physician 10 x physician 11 Result 12 physician 13 Result 14 Result 15 physician 16 Result 17 department 18 Result 19 Apply Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
234	21:22:18	SELECT d.name, p.name FROM department d JOIN physician p ON d.head=p.employeeid ORDER BY d.name LIMIT 0, 50000	3 row(s) returned	0.000 sec / 0.000 sec
235	21:22:18	SELECT * FROM physician WHERE position NOT LIKE "Surgical"; LIMIT 0, 50000	9 row(s) returned	0.000 sec / 0.000 sec
236	21:22:18	SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, 50000	0 row(s) returned	0.000 sec / 0.000 sec
237	21:22:18	SELECT * FROM department d WHERE EXISTS (SELECT 1 FROM physician p WHERE p.employeeid=d.head) LIMIT 0, 5	3 row(s) returned	0.000 sec / 0.000 sec
238	21:22:18	SELECT MAX(employeeid) AS Max_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec
239	21:22:18	SELECT MIN(employeeid) AS Min_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec

Query Completed

MySQL Workbench

Local instance MySQL80 x MySQL Model x

File Edit View Query Database Server Tools Scripting Help

AggregateFunctions* TRIGGERS-STOREDPROCED... functions joins PD queries x

Limit to 50000 rows

```
120 WHERE p.employeeid=d.head
121 );
122
123 • SELECT MAX(employeeid) AS Max_Employee_ID
124 FROM physician;
125
126 • SELECT MIN(employeeid) AS Min_Employee_ID
127 FROM physician;
128
```

Result Grid

employeeid	name	position	ssn
9	Karthik	Sanjay	999999999
8	Rohan	Aditya	888888888
7	Rahul	Vikram	777777777
6	Akhil	Arjun	666666666
5	Varun	Head Chief of Medicine	555555555
4	Sanjay	Nikhil	444444444
3	Aditya	Karthik	333333333
2	Vikram	Rohan	222222222
1	Arjun	Rahul	111111111

physician 3 Result 4 Result 5 Result 6 Result 7 physician 8 physician 9 x physician 10 physician 11 Result 12 physician 13 Result 14 Result 15 physician 16 Result 17 department 18 Result 19 Apply Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
234	21:22:18	SELECT d.name, p.name FROM department d JOIN physician p ON d.head=p.employeeid ORDER BY d.name LIMIT 0, 50000	3 row(s) returned	0.000 sec / 0.000 sec
235	21:22:18	SELECT * FROM physician WHERE position NOT LIKE "Surgical" LIMIT 0, 50000	9 row(s) returned	0.000 sec / 0.000 sec
236	21:22:18	SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, 50000	0 row(s) returned	0.000 sec / 0.000 sec
237	21:22:18	SELECT * FROM department d WHERE EXISTS (SELECT 1 FROM physician p WHERE p.employeeid=d.head) LIMIT 0, 5	3 row(s) returned	0.000 sec / 0.000 sec
238	21:22:18	SELECT MAX(employeeid) AS Max_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec
239	21:22:18	SELECT MIN(employeeid) AS Min_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec

Query Completed

MySQL Workbench

Local instance MySQL80 x MySQL Model x

File Edit View Query Database Server Tools Scripting Help

AggregateFunctions* TRIGGERS-STOREDPROCED... functions joins PD queries x

Limit to 50000 rows

```
120 WHERE p.employeeid=d.head
121 );
122
123 • SELECT MAX(employeeid) AS Max_Employee_ID
124 FROM physician;
125
126 • SELECT MIN(employeeid) AS Min_Employee_ID
127 FROM physician;
128
```

Result Grid

employeeid	name	position	ssn
3	Aditya	Karthik	333333333
6	Akhil	Arjun	666666666
1	Arjun	Rahul	111111111
9	Karthik	Sanjay	999999999
7	Rahul	Vikram	777777777
8	Rohan	Aditya	888888888
4	Sanjay	Nikhil	444444444
5	Varun	Head Chief of Medicine	555555555
2	Vikram	Rohan	222222222

physician 3 Result 4 Result 5 Result 6 Result 7 physician 8 x physician 9 physician 10 physician 11 Result 12 physician 13 Result 14 Result 15 physician 16 Result 17 department 18 Result 19 Apply Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
234	21:22:18	SELECT d.name, p.name FROM department d JOIN physician p ON d.head=p.employeeid ORDER BY d.name LIMIT 0, 50000	3 row(s) returned	0.000 sec / 0.000 sec
235	21:22:18	SELECT * FROM physician WHERE position NOT LIKE "Surgical" LIMIT 0, 50000	9 row(s) returned	0.000 sec / 0.000 sec
236	21:22:18	SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, 50000	0 row(s) returned	0.000 sec / 0.000 sec
237	21:22:18	SELECT * FROM department d WHERE EXISTS (SELECT 1 FROM physician p WHERE p.employeeid=d.head) LIMIT 0, 5	3 row(s) returned	0.000 sec / 0.000 sec
238	21:22:18	SELECT MAX(employeeid) AS Max_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec
239	21:22:18	SELECT MIN(employeeid) AS Min_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec

Query Completed

MySQL Workbench

Local instance MySQL80 x MySQL Model x

File Edit View Query Database Server Tools Scripting Help

AggregateFunctions* TRIGGERS-STO... functions joins PD queries

Limit to 50000 rows

```

120 WHERE p.employeeid=d.head
121 );
122
123 • SELECT MAX(employeeid) AS Max_Employee_ID
124 FROM physician;
125
126 • SELECT MIN(employeeid) AS Min_Employee_ID
127 FROM physician;
128

```

Result Grid | Filter Rows: | Export: | Wrap Cell Contents: |

position	Total_Employees
Rahul	1
Rohan	1
Karthik	1
Nikhil	1
Head Chief of Medicine	1
Arjun	1
Vikram	1
Aditya	1
Sanjay	1

physician 3 Result 4 Result 5 Result 6 x Result 7 physician 8 physician 9 physician 10 physician 11 Result 12 physician 13 Result 14 Result 15 physician 16 Result 17 department 18 Result 19 Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
234	21:22:18	SELECT d.name, p.name FROM department d JOIN physician p ON d.head=p.employeeid ORDER BY d.name LIMIT 0, 50000	3 row(s) returned	0.000 sec / 0.000 sec
235	21:22:18	SELECT * FROM physician WHERE position NOT LIKE "%Surgical%"; LIMIT 0, 50000	9 row(s) returned	0.000 sec / 0.000 sec
236	21:22:18	SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, 50000	0 row(s) returned	0.000 sec / 0.000 sec
237	21:22:18	SELECT * FROM department d WHERE EXISTS (SELECT 1 FROM physician p WHERE p.employeeid=d.head) LIMIT 0, 5	3 row(s) returned	0.000 sec / 0.000 sec
238	21:22:18	SELECT MAX(employeeid) AS Max_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec
239	21:22:18	SELECT MIN(employeeid) AS Min_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec

Query Completed

MySQL Workbench

Local instance MySQL80 x MySQL Model x

File Edit View Query Database Server Tools Scripting Help

AggregateFunctions* TRIGGERS-STO... functions joins PD queries

Limit to 50000 rows

```

120 WHERE p.employeeid=d.head
121 );
122
123 • SELECT MAX(employeeid) AS Max_Employee_ID
124 FROM physician;
125
126 • SELECT MIN(employeeid) AS Min_Employee_ID
127 FROM physician;
128

```

Result Grid | Filter Rows: | Export: | Wrap Cell Contents: |

Total_Physicians
9

physician 3 Result 4 x Result 5 Result 6 Result 7 physician 8 physician 9 physician 10 physician 11 Result 12 physician 13 Result 14 Result 15 physician 16 Result 17 department 18 Result 19 Read Only

Output

Action Output

#	Time	Action	Message	Duration / Fetch
234	21:22:18	SELECT d.name, p.name FROM department d JOIN physician p ON d.head=p.employeeid ORDER BY d.name LIMIT 0, 50000	3 row(s) returned	0.000 sec / 0.000 sec
235	21:22:18	SELECT * FROM physician WHERE position NOT LIKE "%Surgical%"; LIMIT 0, 50000	9 row(s) returned	0.000 sec / 0.000 sec
236	21:22:18	SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, 50000	0 row(s) returned	0.000 sec / 0.000 sec
237	21:22:18	SELECT * FROM department d WHERE EXISTS (SELECT 1 FROM physician p WHERE p.employeeid=d.head) LIMIT 0, 5	3 row(s) returned	0.000 sec / 0.000 sec
238	21:22:18	SELECT MAX(employeeid) AS Max_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec
239	21:22:18	SELECT MIN(employeeid) AS Min_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec

Query Completed

MySQL Workbench

Local instance MySQL80 x MySQL Model x

File Edit View Query Database Server Tools Scripting Help

AggregateFunctions* TRIGGERS-STOREDPROCED... functions joins PD queries x

Limit to 50000 rows

```

120 WHERE p.employeeid=d.head
121 );
122
123 • SELECT MAX(employeeid) AS Max_Employee_ID
124 FROM physician;
125
126 • SELECT MIN(employeeid) AS Min_Employee_ID
127 FROM physician;
128

```

Result Grid

departmentid	name	head
1	Neha	4
2	Vikram	7
3	Aditya	9

physician 3 Result 4 Result 5 Result 6 Result 7 physician 8 physician 9 physician 10 physician 11 Result 12 physician 13 Result 14 Result 15 physician 16 Result 17 department 18 Result 19 Apply Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
234	21:22:18	SELECT d.name, p.name FROM department d JOIN physician p ON d.head=p.employeeid ORDER BY d.name LIMIT 0, 50000	3 row(s) returned	0.000 sec / 0.000 sec
235	21:22:18	SELECT * FROM physician WHERE position NOT LIKE '%Surgical%'; LIMIT 0, 50000	9 row(s) returned	0.000 sec / 0.000 sec
236	21:22:18	SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, 50000	0 row(s) returned	0.000 sec / 0.000 sec
237	21:22:18	SELECT * FROM department d WHERE EXISTS (SELECT 1 FROM physician p WHERE p.employeeid=d.head) LIMIT 0, 5	3 row(s) returned	0.000 sec / 0.000 sec
238	21:22:18	SELECT MAX(employeeid) AS Max_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec
239	21:22:18	SELECT MIN(employeeid) AS Min_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec

Query Completed

MySQL Workbench

Local instance MySQL80 x MySQL Model x

File Edit View Query Database Server Tools Scripting Help

AggregateFunctions* TRIGGERS-STOREDPROCED... functions joins PD queries x

Limit to 50000 rows

```

120 WHERE p.employeeid=d.head
121 );
122
123 • SELECT MAX(employeeid) AS Max_Employee_ID
124 FROM physician;
125
126 • SELECT MIN(employeeid) AS Min_Employee_ID
127 FROM physician;
128

```

Result Grid

employeeid	name	position	ssn
1	Arjun	Rahul	1111111111
2	Vikram	Rohan	2222222222
3	Aditya	Karthik	3333333333
4	Sanjay	Neha	4444444444
5	Varun	Head Chief of Medicine	5555555555
6	Alhi	Arjun	6666666666
7	Rahul	Vikram	7777777777
8	Rohan	Aditya	8888888888
9	Karthik	Sanjay	9999999999

physician 3 Result 4 Result 5 Result 6 Result 7 physician 8 physician 9 physician 10 physician 11 Result 12 physician 13 Result 14 Result 15 physician 16 x Result 17 department 18 Result 19 Apply Revert

Output

Action Output

#	Time	Action	Message	Duration / Fetch
234	21:22:18	SELECT d.name, p.name FROM department d JOIN physician p ON d.head=p.employeeid ORDER BY d.name LIMIT 0, 50000	3 row(s) returned	0.000 sec / 0.000 sec
235	21:22:18	SELECT * FROM physician WHERE position NOT LIKE '%Surgical%'; LIMIT 0, 50000	9 row(s) returned	0.000 sec / 0.000 sec
236	21:22:18	SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, 50000	0 row(s) returned	0.000 sec / 0.000 sec
237	21:22:18	SELECT * FROM department d WHERE EXISTS (SELECT 1 FROM physician p WHERE p.employeeid=d.head) LIMIT 0, 5	3 row(s) returned	0.000 sec / 0.000 sec
238	21:22:18	SELECT MAX(employeeid) AS Max_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec
239	21:22:18	SELECT MIN(employeeid) AS Min_Employee_ID FROM physician LIMIT 0, 50000	1 row(s) returned	0.000 sec / 0.000 sec

Query Completed