

SCENARIO BASED MODELING OF “BAZARHQ”

Complete Hierarchical Use Case Diagram Report

Reference-style Level-0, Level-1 and Decomposed Subsystem Diagrams

54 Use Case Diagrams

Designed By Jakaria Hasan

1 SCENARIO BASED MODELING OF “BAZARHQ”

This report models BazarHQ from the final updated story-based scenario. It follows the supplied reference structure: the complete system is shown first, then major subsystems, and then each important subsystem is decomposed into smaller use case diagrams.

1.1 ACTORS

Primary actors: Merchant, Customer / Guest Visitor, and Super Admin. Secondary actors are included where the scenario explicitly needs them: Google OAuth, Email Service, SMS Service, Payment Gateway, Cloudinary, and Second Super Admin.

1.2 USE CASE DIAGRAMS

Each figure uses a centered system/subsystem boundary, non-overlapping blue use-case ovals, external actors, complete straight association lines, consistent font sizing, a figure caption, and a short scenario-grounded description. Total diagrams: 54.

1.3.1 LEVEL-0 USE CASE DIAGRAM - BAZARHQ




Figure 1: BazarHQ

Description of 1.3.1 use case diagram:

Level-0 presents BazarHQ as one system and identifies the three main actors defined by the scenario: Merchant, Customer, and Super Admin.

Actors: Merchant, Customer, Super Admin

1.3.2 LEVEL-1 USE CASE DIAGRAM - SUB SYSTEMS




Figure 2: BazarHQ

Description of 1.3.2 use case diagram:

Level-1 decomposes BazarHQ into the major functional subsystems supported by the scenario. These subsystems are further decomposed in the following diagrams.

Actors: Merchant, Customer, Super Admin

1.3.3 LEVEL-1.1 USE CASE DIAGRAM - AUTHENTICATION & ACCOUNT

1.1 Authentication & Account
Version 1.0




Figure 3: 1.1 Authentication & Account

Description of 1.3.3 use case diagram:

This subsystem covers account creation, access verification, merchant account security, and privileged Super Admin authentication.

Actors: Merchant, Customer, Super Admin

1.3.4 LEVEL-1.1.1 USE CASE DIAGRAM - MERCHANT REGISTRATION

1.1.1 Merchant Registration
Version 1.0




Figure 4: 1.1.1 Merchant Registration

Description of 1.3.4 use case diagram:

Merchant registration supports email/password and Google OAuth. Email registration validates uniqueness and password rules, then sends a verification email.

Actors: Merchant, Google OAuth, Email Service

1.3.5 LEVEL-1.1.2 USE CASE DIAGRAM - CUSTOMER REGISTRATION

1.1.2 Customer Registration
Version 1.0




Figure 5: 1.1.2 Customer Registration

Description of 1.3.5 use case diagram:

Customers can create an account using email/password or Google OAuth. Email registration requires verification before the verified email is used for account features.

Actors: Customer, Google OAuth, Email Service

1.3.6 LEVEL-1.1.3 USE CASE DIAGRAM - MERCHANT ACCOUNT ACCESS

1.1.3 Merchant Account Access
Version 1.0




Figure 6: 1.1.3 Merchant Account Access

Description of 1.3.6 use case diagram:

Dashboard access is allowed only after the merchant email is verified. The login page provides a resend-verification option when needed.

Actors: Merchant, Email Service

1.3.7 LEVEL-1.1.4 USE CASE DIAGRAM - MERCHANT SECURITY

1.1.4 Merchant Security
Version 1.0




Figure 7: 1.1.4 Merchant Security

Description of 1.3.7 use case diagram:

Merchant security includes authenticator-based 2FA, backup recovery codes, device/session control, and password changes that terminate other active sessions.

Actors: Merchant

1.3.8 LEVEL-1.1.5 USE CASE DIAGRAM - SUPER ADMIN AUTHENTICATION

1.1.5 Super Admin Authentication
Version 1.0




Figure 8: 1.1.5 Super Admin Authentication

Description of 1.3.8 use case diagram:

Super Admin access is restricted to whitelisted IP addresses and requires password plus RFC 6238 TOTP. Failed attempts can trigger logout and email alerts, and inactive sessions expire.

Actors: Super Admin, Email Service

1.3.9 LEVEL-1.2 USE CASE DIAGRAM - MERCHANT SHOP MANAGEMENT

1.2 Merchant Shop Management
Version 1.0




Figure 9: 1.2 Merchant Shop Management

Description of 1.3.9 use case diagram:

Merchant shop management covers creation of the merchant storefront, required onboarding, publishing readiness, and visual branding.

Actors: Merchant

1.3.10 LEVEL-1.2.1 USE CASE DIAGRAM - SHOP CREATION & SUBDOMAIN

1.2.1 Shop Creation & Subdomain
Version 1.0




Figure 10: 1.2.1 Shop Creation & Subdomain

Description of 1.3.10 use case diagram:

BazarHQ generates a shop subdomain, validates uniqueness and reserved names, suggests alternatives when necessary, and creates the accepted shop in Draft status.

Actors: Merchant

1.3.11 LEVEL-1.2.2 USE CASE DIAGRAM - ONBOARDING & PUBLISHING

1.2.2 Onboarding & Publishing
Version 1.0



Figure 11: 1.2.2 Onboarding & Publishing

Description of 1.3.11 use case diagram:

Onboarding progress is saved so the merchant can resume after interruption. Version 1 restricts each merchant to one shop, and publication follows completion of the required setup.

Actors: Merchant

1.3.12 LEVEL-1.2.3 USE CASE DIAGRAM - STORE CUSTOMIZATION & BRANDING

1.2.3 Store Customization & Branding
Version 1.0




Figure 12: 1.2.3 Store Customization & Branding

Description of 1.3.12 use case diagram:

The merchant can select a theme, upload a logo under the size limit, and set brand color and tagline. Changes are reflected on the live storefront.

Actors: Merchant

1.3.13 LEVEL-1.3 USE CASE DIAGRAM - PRODUCT & INVENTORY

1.3 Product & Inventory
Version 1.0




Figure 13: 1.3 Product & Inventory

Description of 1.3.13 use case diagram:

The product subsystem manages catalog creation, images, variants, variant-level inventory, duplication, and CSV bulk import.

Actors: Merchant

1.3.14 LEVEL-1.3.1 USE CASE DIAGRAM - PRODUCT CREATION

1.3.1 Product Creation
Version 1.0




Figure 14: 1.3.1 Product Creation

Description of 1.3.14 use case diagram:

A merchant creates a product by providing all mandatory information. Missing required fields block saving until corrected.

Actors: Merchant

1.3.15 LEVEL-1.3.2 USE CASE DIAGRAM - PRODUCT IMAGE MANAGEMENT

1.3.2 Product Image Management
Version 1.0




Figure 15: 1.3.2 Product Image Management

Description of 1.3.15 use case diagram:

Product images are validated before transmission, compressed and stored through Cloudinary, and one image can be chosen as the primary thumbnail.

Actors: Merchant, Cloudinary

1.3.16 LEVEL-1.3.3 USE CASE DIAGRAM - PRODUCT VARIANT MANAGEMENT

1.3.3 Variant Management
Version 1.0




Figure 16: 1.3.3 Variant Management

Description of 1.3.16 use case diagram:

Size and color variants may maintain independent stock and optional price adjustments. A depleted variant becomes unavailable without disabling other variants.

Actors: Merchant

1.3.17 LEVEL-1.3.4 USE CASE DIAGRAM - STOCK & LOW STOCK

1.3.4 Stock & Low Stock
Version 1.0




Figure 17: 1.3.4 Stock & Low Stock

Description of 1.3.17 use case diagram:

The merchant can maintain stock and thresholds. When inventory crosses the threshold, BazarHQ warns the merchant; selling the final unit makes that variant unavailable.

Actors: Merchant

1.3.18 LEVEL-1.3.5 USE CASE DIAGRAM - DUPLICATE & BULK IMPORT

1.3.5 Duplicate & Bulk Import
Version 1.0




Figure 18: 1.3.5 Duplicate & Bulk Import

Description of 1.3.18 use case diagram:

Merchants can clone a product into a new draft or bulk-import products using CSV. Invalid rows are identified and must be corrected before import.

Actors: Merchant

1.3.19 LEVEL-1.4 USE CASE DIAGRAM - ORDER MANAGEMENT

1.4 Order Management
Version 1.0




Figure 19: 1.4 Order Management

Description of 1.3.19 use case diagram:

Order management covers new-order alerts, merchant confirmation and fulfillment, cancellation rules, COD collection, and invoice generation.

Actors: Merchant, Customer

1.3.20 LEVEL-1.4.1 USE CASE DIAGRAM - NEW ORDER NOTIFICATION

1.4.1 New Order Notification
Version 1.0




Figure 20: 1.4.1 New Order Notification

Description of 1.3.20 use case diagram:

When an authenticated order arrives, BazarHQ alerts the merchant by SMS and email and shows a real-time dashboard badge. Email acts as fallback when the SMS gateway fails.

Actors: Merchant, SMS Service, Email Service

1.3.21 LEVEL-1.4.2 USE CASE DIAGRAM - ORDER PROCESSING & FULFILLMENT

1.4.2 Order Processing & Fulfillment
Version 1.0




Figure 21: 1.4.2 Order Processing & Fulfillment

Description of 1.3.21 use case diagram:

The merchant reviews and confirms the order, then updates it to Shipped and Delivered. Customers receive automatic status notifications, and pending orders can trigger reminders after 48 hours.

Actors: Merchant, Customer

1.3.22 LEVEL-1.4.3 USE CASE DIAGRAM - ORDER CANCELLATION & PROTECTION

1.4.3 Cancellation & Protection
Version 1.0




Figure 22: 1.4.3 Cancellation & Protection

Description of 1.3.22 use case diagram:

Cancellation requires a reason. BazarHQ blocks cancellation of already delivered orders and notifies the customer of valid cancellations and their reason.

Actors: Merchant, Customer

1.3.23 LEVEL-1.4.4 USE CASE DIAGRAM - COD & INVOICE

1.4.4 COD & Invoice
Version 1.0




Figure 23: 1.4.4 COD & Invoice

Description of 1.3.23 use case diagram:

Cash on Delivery remains pending until the merchant marks the money as collected. The merchant can generate and download a PDF invoice for an order.

Actors: Merchant

1.3.24 LEVEL-1.5 USE CASE DIAGRAM - PAYMENT MANAGEMENT

1.5 Payment Management
Version 1.0




Figure 24: 1.5 Payment Management

Description of 1.3.24 use case diagram:

Payment management includes merchant configuration of accepted methods and authenticated customer selection and processing of payments.

Actors: Merchant, Customer, Payment Gateway

1.3.25 LEVEL-1.5.1 USE CASE DIAGRAM - MERCHANT PAYMENT CONFIGURATION

1.5.1 Merchant Payment Configuration
Version 1.0




Figure 25: 1.5.1 Merchant Payment Configuration

Description of 1.3.25 use case diagram:

The merchant enables supported payment methods. Credentials are validated and masked, invalid SSLCommerz configuration disables card payment, and a store cannot publish with all payment methods disabled.

Actors: Merchant, Payment Gateway

1.3.26 LEVEL-1.5.2 USE CASE DIAGRAM - CUSTOMER PAYMENT SELECTION

1.5.2 Customer Payment Selection
Version 1.0




Figure 26: 1.5.2 Customer Payment Selection

Description of 1.3.26 use case diagram:

After authentication, the customer sees only methods enabled by the merchant. Mobile-wallet payments can require a transaction ID and remain pending merchant verification.

Actors: Customer

1.3.27 LEVEL-1.5.3 USE CASE DIAGRAM - SSLCOMMERZ CARD PAYMENT

1.5.3 SSLCommerz Card Payment
Version 1.0




Figure 27: 1.5.3 SSLCommerz Card Payment

Description of 1.3.27 use case diagram:

SSLCommerz processing begins only after customer authentication and order review. Gateway outages are hidden behind a user- friendly error with alternative payment suggestions.

Actors: Customer, Payment Gateway

1.3.28 LEVEL-1.6 USE CASE DIAGRAM - ANALYTICS & REPORTING

1.6 Analytics & Reporting
Version 1.0



Figure 28: 1.6 Analytics & Reporting

Description of 1.3.28 use case diagram:

Analytics and reporting provide merchant business metrics and platform-wide read-only administrative statistics and exports.

Actors: Merchant, Super Admin

1.3.29 LEVEL-1.6.1 USE CASE DIAGRAM - MERCHANT ANALYTICS

1.6.1 Merchant Analytics
Version 1.0




Figure 29: 1.6.1 Merchant Analytics

Description of 1.3.29 use case diagram:

The merchant analytics dashboard shows revenue, orders, average order value, top products, unique-session visitor counts, conversion rates, and popular pages. Cancelled orders are excluded from revenue.

Actors: Merchant

1.3.30 LEVEL-1.6.2 USE CASE DIAGRAM - MERCHANT REPORT EXPORT

1.6.2 Merchant Report Export
Version 1.0




Figure 30: 1.6.2 Merchant Report Export

Description of 1.3.30 use case diagram:

Merchants can select a date range and export analytics as CSV. When no orders exist, the system displays guidance rather than meaningless empty charts.

Actors: Merchant

1.3.31 LEVEL-1.6.3 USE CASE DIAGRAM - SUPER ADMIN ANALYTICS & REPORTS

1.6.3 Super Admin Analytics & Reports
Version 1.0




Figure 31: 1.6.3 Super Admin Analytics & Reports

Description of 1.3.31 use case diagram:

Super Admin analytics are read-only. Small reports are produced immediately, while large reports are processed in the background and delivered as CSV by email.

Actors: Super Admin, Email Service

1.3.32 LEVEL-1.7 USE CASE DIAGRAM - CUSTOMER SHOPPING

1.7 Customer Shopping
Version 1.0




Figure 32: 1.7 Customer Shopping

Description of 1.3.32 use case diagram:

The customer-shopping subsystem preserves the scenario rule: guests may browse, manage a cart, and prepare checkout, but payment and final order placement require authentication.

Actors: Guest Visitor, Customer

1.3.33 LEVEL-1.7.1 USE CASE DIAGRAM - STORE DISCOVERY & BROWSING

1.7.1 Store Discovery & Browsing
Version 1.0




Figure 33: 1.7.1 Store Discovery & Browsing

Description of 1.3.33 use case diagram:

Visitors can immediately browse a published shop. Invalid subdomains show Shop Not Found, while unpublished stores hide content behind a Shop Currently Unavailable page.

Actors: Guest Visitor, Customer

1.3.34 LEVEL-1.7.2 USE CASE DIAGRAM - PRODUCT SEARCH & FILTERING

1.7.2 Search & Filtering
Version 1.0



Figure 34: 1.7.2 Search & Filtering

Description of 1.3.34 use case diagram:

Search and category filtering update the catalog dynamically. When no products match, BazarHQ provides a clear no-results state and suggests category browsing.

Actors: Guest Visitor, Customer

1.3.35 LEVEL-1.7.3 USE CASE DIAGRAM - PRODUCT DETAILS & VARIANT

1.7.3 Product Details & Variant
Version 1.0




Figure 35: 1.7.3 Product Details & Variant

Description of 1.3.35 use case diagram:

The product page presents images, description, price, variants, and availability. Selecting a variant updates price and stock immediately, and low stock can trigger a warning.

Actors: Guest Visitor, Customer

1.3.36 LEVEL-1.7.4 USE CASE DIAGRAM - GUEST CART

1.7.4 Guest Cart
Version 1.0




Figure 36: 1.7.4 Guest Cart

Description of 1.3.36 use case diagram:

Cart operations are available to guests. The system prevents out-of-stock additions, limits requested quantity to available stock, and preserves the cart locally across refreshes or browser reopening.

Actors: Guest Visitor, Customer

1.3.37 LEVEL-1.7.5 USE CASE DIAGRAM - CHECKOUT PREPARATION & AUTHENTICATION

1.7.5 Checkout Preparation & Authentication
Version 1.0




Figure 37: 1.7.5 Checkout Preparation & Authentication

Description of 1.3.37 use case diagram:

Guests may enter delivery information and prepare checkout. Before payment or final order placement, BazarHQ requires login/registration while preserving cart, variant, quantity, and delivery information.

Actors: Guest Visitor, Customer

1.3.38 LEVEL-1.7.6 USE CASE DIAGRAM - ORDER REVIEW & PLACEMENT

1.7.6 Order Review & Placement
Version 1.0




Figure 38: 1.7.6 Order Review & Placement

Description of 1.3.38 use case diagram:

Authenticated customers review the final order and policies. BazarHQ revalidates stock and price before placement; stock conflicts block the order and price changes require customer acceptance.

Actors: Customer

1.3.39 LEVEL-1.8 USE CASE DIAGRAM - TRACKING & CUSTOMER ACCOUNT

1.8 Tracking & Customer Account

Version 1.0




Figure 39: 1.8 Tracking & Customer Account

Description of 1.3.39 use case diagram:

After purchase, the customer can securely track orders, review history, manage up to three delivery addresses, and delete the customer account.

Actors: Customer

1.3.40 LEVEL-1.8.1 USE CASE DIAGRAM - SECURE ORDER TRACKING

1.8.1 Secure Order Tracking
Version 1.0




Figure 40: 1.8.1 Secure Order Tracking

Description of 1.3.40 use case diagram:

Tracking access requires the Order ID and registered phone number to match. Invalid attempts return only the generic message Order not found, protecting order existence and customer privacy.

Actors: Customer

1.3.41 LEVEL-1.8.2 USE CASE DIAGRAM - TRACKING TIMELINE & DETAILS

1.8.2 Tracking Timeline & Details
Version 1.0



Figure 41: 1.8.2 Tracking Timeline & Details

Description of 1.3.41 use case diagram:

The tracking dashboard shows completed stages and timestamps, order and merchant information, cancellation reason when applicable, and archived status for old delivered orders.

Actors: Customer

1.3.42 LEVEL-1.8.3 USE CASE DIAGRAM - ORDER HISTORY & ADDRESS

1.8.3 Order History & Address
Version 1.0




Figure 42: 1.8.3 Order History & Address

Description of 1.3.42 use case diagram:

The customer dashboard stores order history across BazarHQ shops and allows up to three saved addresses, including one default address for future checkout.

Actors: Customer

1.3.43 LEVEL-1.8.4 USE CASE DIAGRAM - CUSTOMER ACCOUNT DELETION

1.8.4 Customer Account Deletion
Version 1.0




Figure 43: 1.8.4 Customer Account Deletion

Description of 1.3.43 use case diagram:

Deleting a customer account removes access to order history and account features, while completed transaction records remain with merchants as required for business records.

Actors: Customer

1.3.44 LEVEL-1.9 USE CASE DIAGRAM - NOTIFICATION

1.9 Notification
Version 1.0




Figure 44: 1.9 Notification

Description of 1.3.44 use case diagram:

The notification subsystem communicates new orders and order-status changes through dashboard, SMS, and email channels with fallback behavior where specified.

Actors: Merchant, Customer, SMS Service, Email Service

1.3.45 LEVEL-1.9.1 USE CASE DIAGRAM - MERCHANT NOTIFICATION & FALLBACK

1.9.1 Merchant Notification & Fallback
Version 1.0




Figure 45: 1.9.1 Merchant Notification & Fallback

Description of 1.3.45 use case diagram:

New orders generate merchant alerts within the specified time. If SMS delivery fails, BazarHQ falls back to email, and pending orders can generate a reminder after 48 hours.

Actors: Merchant, SMS Service, Email Service

1.3.46 LEVEL-1.9.2 USE CASE DIAGRAM - CUSTOMER ORDER NOTIFICATIONS

1.9.2 Customer Order Notifications
Version 1.0




Figure 46: 1.9.2 Customer Order Notifications

Description of 1.3.46 use case diagram:

Customers receive order confirmation, tracking information, status updates, and cancellation information through the configured notification channels.

Actors: Customer, SMS Service, Email Service

1.3.47 LEVEL-1.10 USE CASE DIAGRAM - SUPER ADMIN GOVERNANCE

1.10 Super Admin Governance
Version 1.0




Figure 47: 1.10 Super Admin Governance

Description of 1.3.47 use case diagram:

Super Admin governance covers platform security, operational monitoring, merchant administration, content management, and dual-approval policy publication.

Actors: Super Admin, Second Super Admin

1.3.48 LEVEL-1.10.1 USE CASE DIAGRAM - AUDIT LOGS & SECURITY

1.10.1 Audit Logs & Security
Version 1.0




Figure 48: 1.10.1 Audit Logs & Security

Description of 1.3.48 use case diagram:

Important Super Admin logins and system actions are stored as immutable audit records containing administrator identity, timestamp, and IP address.

Actors: Super Admin

1.3.49 LEVEL-1.10.2 USE CASE DIAGRAM - SYSTEM HEALTH & INCIDENT

1.10.2 System Health & Incident
Version 1.0




Figure 49: 1.10.2 System Health & Incident

Description of 1.3.49 use case diagram:

System Health displays the condition of infrastructure and communication services. Outages update the dashboard and trigger alerts to administrators.

Actors: Super Admin, Email Service, SMS Service

1.3.50 LEVEL-1.10.3 USE CASE DIAGRAM - MERCHANT SEARCH & DATA PROTECTION

1.10.3 Merchant Search & Data Protection
Version 1.0




Figure 50: 1.10.3 Merchant Search & Data Protection

Description of 1.3.50 use case diagram:

Super Admin can search and review merchants and account activity, but cannot access sensitive payment credentials or modify products, prices, or store content.

Actors: Super Admin

1.3.51 LEVEL-1.10.4 USE CASE DIAGRAM - SUSPENSION & REINSTATEMENT

1.10.4 Suspension & Reinstatement
Version 1.0




Figure 51: 1.10.4 Suspension & Reinstatement

Description of 1.3.51 use case diagram:

Suspension requires a reason, terminates merchant sessions, and unpublishes the storefront while preserving customer order tracking. Approved merchants can later be reinstated and notified.

Actors: Super Admin, Merchant, Email Service

1.3.52 LEVEL-1.10.5 USE CASE DIAGRAM - THEME MANAGEMENT

1.10.5 Theme Management
Version 1.0




Figure 52: 1.10.5 Theme Management

Description of 1.3.52 use case diagram:

Super Admin manages storefront themes. Themes currently in use cannot be deleted, and breaking updates require merchant notification at least seven days in advance.

Actors: Super Admin, Merchant

1.3.53 LEVEL-1.10.6 USE CASE DIAGRAM - ANNOUNCEMENTS

1.10.6 Announcements
Version 1.0




Figure 53: 1.10.6 Announcements

Description of 1.3.53 use case diagram:

Platform announcements can be sent immediately or scheduled. The system confirms recipient counts before sending; delivered announcements cannot be recalled.

Actors: Super Admin, Merchant, Email Service

1.3.54 LEVEL-1.10.7 USE CASE DIAGRAM - POLICY DUAL APPROVAL

1.10.7 Policy Dual Approval
Version 1.0




Figure 54: 1.10.7 Policy Dual Approval

Description of 1.3.54 use case diagram:

Terms of Service and Privacy Policy changes follow dual approval: one Super Admin submits the change and a second Super Admin must approve it before publication.

Actors: Super Admin, Second Super Admin