product: Media Nexus

deployment: nexus-studio

deployment_version: 1.0.157

source_product_version: 1.0.157

source_revision: 282cf8585973c6dcaa2bd5c99d113300886656ec

generated_at: 2026-10-12T07:37:01.917085+00:00

platform: macOS / Chrome or Edge

capture_status: not-captured

Diagnose an interrupted transfer

Distinguish preparation failure from an interrupted browser save before choosing recovery.

Deployment: Source review - nexus-studio. macOS / Chrome or Edge.

Deployment configuration

canEdit: True

collections: True

remoteTransfer: True

Prerequisites

Archive remote download and transfer-edit permission must be enabled.

You must be able to open the relevant transfer record in Transfers.

Steps

1. Inspect the transfer

Open Transfers, find the affected record using Search transfer history, and expand its summary. Record its mode, status, progress, artifact readiness and displayed error.

Expected: Transfer details expose the reported error and file status. Preparation and downloaded byte counts are shown separately.

2. Choose the supported recovery

For failed, cancelled, interrupted or expired remote preparation, resolve the displayed cause and use Prepare again. For a partial browser save, use Resume save when offered. If Source version required is displayed, start a new transfer with the producer's full size and SHA-256 as instructed.

Expected: Preparation and save controls match the reported condition. A source-version error is not treated as a resumable completed source.

3. Verify recovery

Wait for the prepared artifact to be ready, choose a save location, and verify that the save finishes. If the error remains, retain the record and seek support with the transfer identifier and sanitized error.

Expected: A ready artifact and completed local save are separate checks. An unresolved error remains a support case.

Expected result

Recovery uses the control for the observed failure stage; a prepared artifact alone does not establish a completed device download.

Recovery

For missing derivatives, generate the missing proxy type only when that action is offered and you have processing permission. Reinspect the transfer before preparing again.

Do not remove a failed record before preserving the identifier and sanitized error for support.

Evidence and review

Screenshot verification: not captured; running product behavior requires review.

Source: vaultline_app.jsx:11752; file SHA-256 9aedcae8979b4c7fa945130a9cd667980f859c9d87a76cc9f79c3728e06c66d9.

Source: vaultline_app.jsx:11781; file SHA-256 9aedcae8979b4c7fa945130a9cd667980f859c9d87a76cc9f79c3728e06c66d9.

Source: vaultline_app.jsx:11679; file SHA-256 9aedcae8979b4c7fa945130a9cd667980f859c9d87a76cc9f79c3728e06c66d9.

Source: vaultline_app.jsx:11679; file SHA-256 9aedcae8979b4c7fa945130a9cd667980f859c9d87a76cc9f79c3728e06c66d9.

Source: vaultline_app.jsx:11772; file SHA-256 9aedcae8979b4c7fa945130a9cd667980f859c9d87a76cc9f79c3728e06c66d9.

Source: vaultline_app.jsx:11770; file SHA-256 9aedcae8979b4c7fa945130a9cd667980f859c9d87a76cc9f79c3728e06c66d9.

Source: vaultline_app.jsx:11766; file SHA-256 9aedcae8979b4c7fa945130a9cd667980f859c9d87a76cc9f79c3728e06c66d9.

Source: vaultline_app.jsx:11778; file SHA-256 9aedcae8979b4c7fa945130a9cd667980f859c9d87a76cc9f79c3728e06c66d9.

Source: vaultline_app.jsx:11785; file SHA-256 9aedcae8979b4c7fa945130a9cd667980f859c9d87a76cc9f79c3728e06c66d9.

Review required: Source-supported draft only. No running synthetic Media Nexus journey has been captured at this exact revision.

Review required: Confirm deployment permissions, feature flags and indexed media before publishing.

Generated by Vaultline Docs. GPL-3.0-or-later. See package NOTICE, LICENSE and COPYING.