

# Beverage Booker

## Testing Manifest

### CUSTOMER APP: Use-Cases

<a href="#">Create User</a>
<a href="#">Log In</a>
<a href="#">Sign Out</a>
<a href="#">Browse Menu</a>
<a href="#">Fill Cart</a>
<a href="#">Empty Cart</a>
<b>View Cart</b>
<b>Place Order</b>
<b>Book Pick Up</b>
<b>Book Delivery</b>
<b>View Order</b>
<b>View Account</b>

**Use-Case: Create User**

Collection	Test Name	Result	Tester
<a href="#">InstrumentedCreateUserTest</a>	<a href="#">a_IsCreateUserFieldsDisplayed</a>	Passed	Benn Curby
	<a href="#">b_IsUserCreatedWithEmptyEmail</a>	Passed	Benn Curby
	<a href="#">c_IsUserCreatedWithEmptyPassword</a>	Passed	Benn Curby
	<a href="#">d_IsUserCreatedWithFirstNameEmpty</a>	Passed	Benn Curby
	<a href="#">e_IsUserCreatedWithLastNameEmpty</a>	Passed	Benn Curby
	<a href="#">f_IsUserCreatedWithPhoneEmpty</a>	Passed	Benn Curby
	<a href="#">g_IsUserCreatedWithEmailIncorrectFormat</a>	Passed	Benn Curby
	<a href="#">h_IsUserCreatedWithPasswordNotRequiredLength</a>	Passed	Benn Curby
	<a href="#">i_IsUserCreatedWithValidData</a>	Passed	Benn Curby

Collection	Test Name	Result	Tester
<a href="#">Create User - Web Server Postman Tests</a>	isUserCreatedWithEmptyEmail	Passed	Benn Curby
	isUserCreatedWithEmptyPassword	Passed	Benn Curby
	isUserCreatedWithEmptyFirstName	Passed	Benn Curby
	isUserCreatedWithEmptyLastName	Passed	Benn Curby
	isUserCreatedWithEmptyPhone	Passed	Benn Curby
	isUserCreatedWithValidData	Passed	Benn Curby
	isDuplicateUserCreatedWithValidData	Passed	Benn Curby

**Use-Case: Log In**

Collection	Test Name	Result	Tester
<a href="#">InstrumentedLoginTest</a>	<a href="#">a_IsLoginFieldsDisplayed</a>	Passed	Benn Curby
	<a href="#">b_IsUserLoggedInWithEmptyEmail</a>	Passed	Benn Curby
	<a href="#">c_IsUserLoggedInWithEmptyPassword</a>	Passed	Benn Curby
	<a href="#">d_IsUserLoggedInWithInvalidEmailFormat</a>	Passed	Benn Curby
	<a href="#">e_IsUserLoggedInWithValidData</a>	Passed	Benn Curby

Collection	Test Name	Result	Tester
<a href="#">Log In - Web Server Postman Tests</a>	isUserLoggedInWithIncorrectEmail	Passed	Benn Curby
	isUserLoggedInWithIncorrectPassword	Passed	Benn Curby
	isUserLoggedInWithEmptyEmail	Passed	Benn Curby
	isUserLoggedInWithEmptyPassword	Passed	Benn Curby
	isUserLoggedInWithEmptyEmailAndPassword	Passed	Benn Curby
	isUserLoggedInWithValidData	Passed	Benn Curby

**Use-Case: Sign Out**

Collection	Test Name	Result	Tester
<a href="#">InstrumentedTestForSignOut</a>	<a href="#">signOutOfMenuBar</a>	Passed	Jake Durnford
	<a href="#">signOutOfProfileActivity</a>	Passed	Jake Durnford

Collection	Test Name	Result	Tester
<a href="#">SignOutIntegrationTest</a>	<a href="#">SignOut</a>	Passed	Jake Durnford

**Use-Case: Browse Menu**

Collection	Test Name	Result	Tester
<a href="#">Browse Menu - Web Server</a> <a href="#">Postman Tests</a>	isFoodMenuItemsReturnedFromServer	Passed	Benn Curby
	isDrinkMenuItemsReturnedFromServer	Passed	Benn Curby

**Use-Case: Fill Cart**

Collection	Test Name	Result	Tester
<a href="#">InstrumentedTestForFillCart</a>	<a href="#">isItemAddedToCart</a>	Passed	Benn Curby

Collection	Test Name	Result	Tester
<a href="#">InstrumentedTestForFillCart (Inventory Update)</a>	<a href="#">isSoldOutTextDisplayed</a>	Passed	Benn Curby
	<a href="#">isItemAddedToCart</a>	Passed	Benn Curby
	<a href="#">isSoldOutItemNotAddedToCart</a>	Passed	Benn Curby



Collection	Test Name	Result	Tester
<a href="#">Fill Cart - Local Server Postman Tests</a>  <a href="#">Fill Cart - Web Server Postman Tests</a>	isItemAddedToCartWithUserIDEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemIDEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemTitleEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemPriceEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemQuantityEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemSizeEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemMilkEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemSugarEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemDecafEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemVanillaEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemCaramelEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemChocolateEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemWhippedCreamEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemFrappeEmpty	Passed	Benn Curby

	isItemAddedToCartWithItemHeatedEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemCommentEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemTypeEmpty	Passed	Benn Curby
	isItemAddedToCartWithAllFieldsEmpty	Passed	Benn Curby
	isItemAddedToCartWithValidData	Passed	Benn Curby
	isItemAddedToCartWithValidDataButItemAlreadyInCart	Passed	Benn Curby
	isItemAddedToCartWithNotEnoughStock	Passed	Benn Curby

**Use-Case: Empty Cart**

Collection	Test Name	Result	Tester
<a href="#">InstrumentedEmptyCartTest</a>	<a href="#">AddItemToCart_EmptyCart</a>	Passed	Jacob Kennedy
	<a href="#">AddItemToCart_EmptyCart_CheckItemStillInCart</a>	Passed	Jacob Kennedy

Collection	Test Name	Result	Tester
<a href="#">InstrumentedEmptyCartTest (Inventory Update)</a>	<a href="#">isCartEmptiedSuccessfully</a>	Passed	Benn Curby

Collection	Test Name	Result	Tester
Empty Cart - Local Server Postman Tests  Empty Cart - Web Server Postman Tests	isSingleCartItemDeletedWithUserIDEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemIDEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemTitleEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemPriceEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemQuantityEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemSizeEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemMilkEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemSugarEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemDecafEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemVanillaEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemCaramelEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemChocolateEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemWhippedCreamEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemFrappeEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemHeatedEmpty	Passed	Benn Curby

	isSingleCartItemDeletedWithItemCommentEmpty	<b>Passed</b>	Benn Curby
	isSingleCartItemDeletedWithAllParametersEmpty	<b>Passed</b>	Benn Curby
	isSingleCartItemDeleted	<b>Passed</b>	Benn Curby
	isFullCartEmptiedWithUserIDEmpty	<b>Passed</b>	Benn Curby
	isFullCartEmptied	<b>Passed</b>	Benn Curby

## Use-Case: Create User

### Test Collection - InstrumentedCreateUserTest

**Tester:** Benn Curby

**Description:**

This Android instrumented test collection tests normal and alternate flows for a user trying to create an account on the Customer App.

**Pre-conditions:**

1. The user cannot already exist in the database.
2. The connection to the server is stable.

**Results:**

**InstrumentedCreateUs...: 9 total, 9 passed**

1 m 11 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.activities.InstrumentedCreateUserTest** 1 m 11 s

<a href="#">a_IsCreateUserFieldsDisplayed</a>	passed	5.71 s
<a href="#">b_IsUserCreatedWithEmailEmpty</a>	passed	8.67 s
<a href="#">c_IsUserCreatedWithPasswordEmpty</a>	passed	8.40 s
<a href="#">d_IsUserCreatedWithFirstNameEmpty</a>	passed	7.94 s
<a href="#">e_IsUserCreatedWithLastNameEmpty</a>	passed	7.83 s
<a href="#">f_IsUserCreatedWithPhoneEmpty</a>	passed	7.75 s
<a href="#">g_IsUserCreatedWithEmailIncorrectFormat</a>	passed	8.36 s
<a href="#">h_IsUserCreatedWithPasswordNotRequiredLength</a>	passed	8.50 s
<a href="#">i_IsUserCreatedWithValidData</a>	passed	8.11 s

### a\_IsCreatUserFieldsDisplayed

**Description:**

This test within the Android instrumented test collection tests whether all the fields are displayed correctly on the Create User page of the Customer App.

**Post-conditions:**

All the fields are displayed correctly.

**Result:** Passed

### b\_IsUserCreatedWithEmailEmpty

**Description:**

This test within the Android instrumented test collection tests whether a user is created when the email field is empty.

**Post-conditions:**

The new user is not created and an error message is displayed over the empty email field.

**Data required:**

**Email:** <empty>

**Password:** 123456

**First Name:** Jane

**Last Name:** Doe

**Phone:** 0402555444

**Result:** Passed

### c\_IsUserCreatedWithPasswordEmpty

**Description:**

This test within the Android instrumented test collection tests whether a user is created when the password field is empty.

**Post-conditions:**

The new user is not created and an error message is displayed over the empty password field.

**Data required:**

Email: janedoe@gmail.com

Password: <empty>

First Name: Jane

Last Name: Doe

Phone: 0402555444

**Result:** Passed

### d\_IsUserCreatedWithFirstNameEmpty

**Description:**

This test within the Android instrumented test collection tests whether a user is created when the first name field is empty.

**Post-conditions:**

The new user is not created and an error message is displayed over the empty first name field.

**Data required:**

Email: janedoe@gmail.com

Password: 123456

First Name: <empty>

Last Name: Doe

Phone: 0402555444

**Result:** Passed



### e\_IsUserCreatedWithLastNameEmpty

**Description:**

This test within the Android instrumented test collection tests whether a user is created when the last name field is empty.

**Post-conditions:**

The new user is not created and an error message is displayed over the empty last name field.

**Data required:**

Email: janedoe@gmail.com

Password: 123456

First Name: Jane

Last Name: <empty>

Phone: 0402555444

**Result:** Passed

### f\_IsUserCreatedWithPhoneEmpty

**Description:**

This test within the Android instrumented test collection tests whether a user is created when the phone field is empty.

**Post-conditions:**

The new user is not created and an error message is displayed over the empty phone field.

**Data required:**

Email: janedoe@gmail.com

Password: 123456

First Name: Jane

Last Name: Doe

Phone: <empty>

**Result:** Passed

### g\_IsUserCreatedWithEmailIncorrectFormat

**Description:**

This test within the Android instrumented test collection tests whether a user is created when the email is the incorrect format.

**Post-conditions:**

The new user is not created and an error message is displayed over the incorrectly formatted email field.

**Data required:**

Email: **janedoe.com**

Password: 123456

First Name: Jane

Last Name: Doe

Phone: 0402555444

**Result:** **Passed**

### h\_IsUserCreatedWithPasswordNotRequiredLength

**Description:**

This test within the Android instrumented test collection tests whether a user is created when the password is not the required length (minimum 6 characters).

**Post-conditions:**

The new user is not created and an error message is displayed over the password field.

**Data required:**

Email: janedoe@gmail.com

Password: **12345**

First Name: Jane

Last Name: Doe

Phone: 0402555444

**Result:** **Passed**

### i\_IsUserCreatedWithValidData

**Description:**

This test within the Android instrumented test collection tests whether a user is created with valid data in all fields.

**Post-conditions:**

The new user is created.

**Data required:**

**Email:** janedoe@gmail.com

**Password:** 123456

**First Name:** Jane

**Last Name:** Doe

**Phone:** 0402555444

**Result:** **Passed**

### Use-Case: Create User

#### Create User - Web Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to create an account on the Beverage Booker web server.

**Pre-conditions:**

1. The user cannot already exist in the database.
2. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

[Beverage Booker Test Results Website - Create User](#)

## Use-Case: Log In

### Test Collection - InstrumentedLoginTest

**Tester:** Benn Curby

**Description:**

This Android instrumented test collection tests normal and alternate flows for a registered user trying to login to an existing account on the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is not already logged in.
3. The connection to the server is stable.

**Results:**

**InstrumentedLoginTest: 5 total, 5 passed** 17.50 s

[Collapse](#) | [Expand](#)

com.beveragebooker.customer_app.activities.InstrumentedLoginTest 17.50 s		
a_IsLoginFieldsDisplayed	passed	2.98 s
b_IsUserLoggedInWithEmptyEmail	passed	3.22 s
c_IsUserLoggedInWithEmptyPassword	passed	3.42 s
d_IsUserLoggedInWithInvalidEmailFormat	passed	3.65 s
e_IsUserLoggedInWithValidData	passed	4.23 s

### **a\_IsLoginFieldsDisplayed**

**Description:**

This test within the Android instrumented test collection tests whether all the fields are displayed correctly on the Login page of the Customer App.

**Post-conditions:**

All the fields are displayed correctly.

**Result:** Passed

### **b\_IsUserLoggedInWithEmptyEmail**

**Description:**

This test within the Android instrumented test collection tests whether a user is logged in when the email field is empty.

**Post-conditions:**

The user is not logged in and an error message is displayed over the empty email field.

**Data required:**

**Email:** <empty>

**Password:** 123456

**Result:** Passed

### c\_IsUserLoggedInWithEmptyPassword

**Description:**

This test within the Android instrumented test collection tests whether a user is logged in when the password field is empty.

**Post-conditions:**

The user is not logged in and an error message is displayed over the empty password field.

**Data required:**

Email: janedoe@gmail.com

Password: <empty>

**Result:** Passed

### d\_IsUserLoggedInWithInvalidEmailFormat

**Description:**

This test within the Android instrumented test collection tests whether a user is logged in when the email entered is incorrectly formatted.

**Post-conditions:**

The user is not logged in and an error message is displayed over the email field.

**Data required:**

Email: janedoe.com

Password: 123456

**Result:** Passed

### e\_IsUserLoggedInWithValidData

**Description:**

This test within the Android instrumented test collection tests whether a user is logged in with valid account data.

**Post-conditions:**

The user is logged into the Customer App.

**Data required:**

**Email:** janedoe@gmail.com

**Password:** 123456

**Result:** Passed



### Use-Case: Login

#### Log In - Web Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to login on the Beverage Booker web server.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is not already logged in.
3. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

[Beverage Booker Test Results Website - Log In](#)

## Use-Case: Sign Out

### Test Collection - InstrumentedTestForSignOut

**Tester:** Jake Durnford

**Description:**

This Android instrumented test collection tests normal and alternate flows for a registered user trying to sign out of an existing account on the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is already logged in.
3. The connection to the server is stable.

**Results:**

InstrumentedTestForS...: **2 total, 2 passed**

13.07 s

[Collapse](#) | [Expand](#)

com.beveragebooker.customer\_app.InstrumentedTestForSignOut

13.07 s

SignOutOfMenuBar

passed 8.53 s

SignOutOfProfileActivity

passed 4.54 s

Generated by Android Studio on 6/08/20 8:38 PM

### signOutOfMenuBar

**Description:**

This test within the Android instrumented test collection tests whether the sign out button is displayed correctly and also signs a user out using the menu bar of the Customer App.

**Post-conditions:**

The Sign Out button is displayed and the user signs out of the Customer App.

**Data required:**

Email: janedoe@gmail.com

Password: 123456

**Result:** Passed

### signOutOfProfileActivity

**Description:**

This test within the Android instrumented test collection tests whether a user can sign out of the profile activity page.

**Post-conditions:**

The user is logged out successfully using the Profile Activity page.

**Data required:**

Email: janedoe@gmail.com

Password: 123456

**Result:** Passed

## Test Collection - SignOutIntegrationTest

**Tester:** Jake Durnford

**Description:**

This Android instrumented test collection tests normal and alternate flows for a registered user trying to sign in then sign out of an existing account on the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is not already logged in.
2. The connection to the server is stable.

**Results:**

**SignOutIntegrationTest: 1 total, 1 passed**

13.79 s

[Collapse](#) | [Expand](#)

com.beveragebooker.customer\_app.SignOutIntegrationTest

13.79 s

[SignOut](#)

**passed** 13.79 s

Generated by Android Studio on 6/08/20 8:53 PM

### signOut

**Description:**

This Android instrumented test collection tests normal and alternate flows for a registered user trying to sign in then sign out of an existing account on the Customer App.

**Post-conditions:**

The user is signed out of the Customer App.

**Data required:**

**Email:** janedoe@gmail.com

**Password:** 123456

**Result:** Passed

### Use-Case: Browse Menu

#### Browse Menu - Web Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal flows for the Customer App trying to retrieve the menu items from the web server.

**Pre-conditions:**

1. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

[Beverage Booker Test Results Website - Browse Menu](#)

## Use-Case: Fill Cart

### Test Collection - InstrumentedTestForFillCart

**Tester:** Benn Curby

**Description:**

This Android instrumented test collection tests normal flows for a user trying to add an item to their cart on the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is logged in.
3. The connection to the server is stable.

**Results:**

**InstrumentedTestForF...: 1 total, 1 passed**

4.38 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.activities.InstrumentedTestForFillCart**

4.38 s

**isItemAddedToCart**

passed

4.38 s

Generated by Android Studio on 01/09/20 11:46

### isItemAddedToCart

**Description:**

This test within the Android instrumented test collection tests whether a registered user can add an item to their cart within the Customer App.

**Post-conditions:**

The user successfully adds an item to their cart.

**Result:** Passed



## Test Collection - InstrumentedTestForFillCart (Inventory Update)

**Tester:** Benn Curby

**Description:**

This Android instrumented test collection tests normal and alternate flows for a user trying to add an item to their cart on the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is logged in.
3. The connection to the server is stable.
4. A menu item is sold out for testing purposes.

**Results:**

**InstrumentedTestForF...: 3 total, 3 passed**

8.76 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.activities.InstrumentedTestForFillCart**

8.76 s

**isSoldOutTextDisplayed**

passed

2.84 s

**isItemAddedToCart**

passed

3.88 s

**isSoldOutItemNotAddedToCart**

passed

2.04 s

Generated by Android Studio on 01/09/20 14:08

### isSoldOutTextDisplayed

**Description:**

This test within the Android instrumented test collection tests whether the Sold Out text is displayed for an item when it has a stock level less than or equal to 5.

**Post-conditions:**

The Sold Out text is displayed for the item that has a stock level less than or equal to 5.

**Result:** Passed

### isItemAddedToCart

**Description:**

This test within the Android instrumented test collection tests whether a registered user can add an item to their cart within the Customer App.

**Post-conditions:**

The user successfully adds an item to their cart.

**Result:** Passed

### isSoldOutItemNotAddedToCart

**Description:**

This test within the Android instrumented test collection tests whether a sold out item cannot be added to the user cart. The 'Add to Cart' button is disabled for sold out items.

**Post-conditions:**

The sold out item is not added to cart and the 'Add to Cart' button is disabled..

**Result:** Passed

### Use-Case: Fill Cart

#### Fill Cart - Local Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to fill cart on the local server.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is logged in.
3. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

#### Beverage Booker Test Results Website - Fill Cart

### Fill Cart - Web Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to fill cart on the Beverage Booker web server.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is logged in.
3. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

### Beverage Booker Test Results Website - Fill Cart

## Use-Case: Empty Cart

### Test Collection - InstrumentedEmptyCartTest

**Tester:** Jacob Kennedy

**Description:**

This Android instrumented test collection tests normal flows for a user trying to empty their cart on the Customer App.

**Pre-conditions:**

1. The user cannot already exist in the database.
2. The connection to the server is stable.

**Results:**

**InstrumentedEmptyCar...: 2 total, 2 passed**

20.36 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.activities.InstrumentedEmptyCartTest**

20.36 s

[AddItemToCart\\_EmptyCart](#)

**passed** 11.04 s

[AddItemToCart\\_EmptyCart\\_CheckIfItemStillInCart](#)

**passed** 9.32 s

### AddItemToCart\_EmptyCart

**Description:**

This test within the Android instrumented test collection tests whether an item can be emptied from the user cart in the Customer App.

**Post-conditions:**

The cart is empty.

**Result:** Passed

### AddItemToCart\_EmptyCart\_CheckIfItemStillInCart

**Description:**

This test within the Android instrumented test collection tests whether an item can be emptied from the user cart in the Customer App.

**Post-conditions:**

The cart is empty.

**Data required:**

**Result:** Passed

## Use-Case: Empty Cart

### Test Collection - InstrumentedEmptyCartTest (Inventory Update)

**Tester:** Benn Curby

**Description:**

This Android instrumented test collection tests normal flows for a user trying to empty their cart on the Customer App.

**Pre-conditions:**

1. The user cannot already exist in the database.
2. The connection to the server is stable.

**Results:**

**InstrumentedEmptyCar...: 1 total, 1 passed**

7.13 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.activities.InstrumentedEmptyCartTest**

7.13 s

**isCartEmptiedSuccessfully**

**passed** 7.13 s

Generated by Android Studio on 01/09/20 14:53

### isCartEmptiedSuccessfully

**Description:**

This test within the Android instrumented test collection tests whether an item can be emptied from the user cart in the Customer App.

**Post-conditions:**

The cart is empty.

**Result:** Passed



### Use-Case: Empty Cart

#### Empty Cart - Local Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to empty their cart on the local server.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is logged in.
3. The connection to the server is stable.
4. There is an item in the user cart.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

#### Beverage Booker Test Results Website - Empty Cart

### Empty Cart - Web Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to empty their cart on the Beverage Booker web server.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is logged in.
3. The connection to the server is stable.
4. There is an item in the user cart.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

### Beverage Booker Test Results Website - Empty Cart