

# **Beverage Booker**

## **Testing Manifest**

### CUSTOMER APP: Use-Cases

<a href="#">Create User</a>
<a href="#">Log In</a>
<a href="#">Sign Out</a>
<a href="#">Browse Menu</a>
<a href="#">Fill Cart</a>
<a href="#">Empty Cart</a>
<a href="#">View Cart</a>
<a href="#">CCRD: Place Order (Book Pick Up &amp; Book Delivery)</a>
<a href="#">View Order</a>
<a href="#">View Account</a>

STAFF APP: Use-Cases

<a href="#">Manage Staff (Add &amp; Delete Staff)</a>
<a href="#">Staff Log In</a>
<a href="#">View Active Order</a>
<a href="#">CCRD: Fill Order</a>
<b>View Deliveries</b>
<b>Deliver Order</b>
<b>Browse Menu (Manager)</b>
<b>Add Menu Item (Manager)</b>
<b>Edit Menu Item (Manager)</b>
<b>Delete Menu Item (Manager)</b>
<b>View Inventory</b>
<b>Update Inventory</b>

**Use-Case: Create User**

Collection	Test Name	Result	Tester
<a href="#">InstrumentedCreateUserTest</a>	<a href="#">a_IsCreateUserFieldsDisplayed</a>	Passed	Benn Curby
	<a href="#">b_IsUserCreatedWithEmptyEmail</a>	Passed	Benn Curby
	<a href="#">c_IsUserCreatedWithEmptyPassword</a>	Passed	Benn Curby
	<a href="#">d_IsUserCreatedWithFirstNameEmpty</a>	Passed	Benn Curby
	<a href="#">e_IsUserCreatedWithLastNameEmpty</a>	Passed	Benn Curby
	<a href="#">f_IsUserCreatedWithPhoneEmpty</a>	Passed	Benn Curby
	<a href="#">g_IsUserCreatedWithEmailIncorrectFormat</a>	Passed	Benn Curby
	<a href="#">h_IsUserCreatedWithPasswordNotRequiredLength</a>	Passed	Benn Curby
	<a href="#">i_IsUserCreatedWithValidData</a>	Passed	Benn Curby

Collection	Test Name	Result	Tester
<a href="#">Create User - Web Server Postman Tests</a>	isUserCreatedWithEmptyEmail	Passed	Benn Curby
	isUserCreatedWithEmptyPassword	Passed	Benn Curby
	isUserCreatedWithEmptyFirstName	Passed	Benn Curby
	isUserCreatedWithEmptyLastName	Passed	Benn Curby
	isUserCreatedWithEmptyPhone	Passed	Benn Curby
	isUserCreatedWithValidData	Passed	Benn Curby
	isDuplicateUserCreatedWithValidData	Passed	Benn Curby

**Use-Case: Log In**

Collection	Test Name	Result	Tester
<a href="#">InstrumentedLoginTest</a>	<a href="#">a_IsLoginFieldsDisplayed</a>	Passed	Benn Curby
	<a href="#">b_IsUserLoggedInWithEmptyEmail</a>	Passed	Benn Curby
	<a href="#">c_IsUserLoggedInWithEmptyPassword</a>	Passed	Benn Curby
	<a href="#">d_IsUserLoggedInWithInvalidEmailFormat</a>	Passed	Benn Curby
	<a href="#">e_IsUserLoggedInWithValidData</a>	Passed	Benn Curby

Collection	Test Name	Result	Tester
<a href="#">Log In - Web Server Postman Tests</a>	isUserLoggedInWithIncorrectEmail	Passed	Benn Curby
	isUserLoggedInWithIncorrectPassword	Passed	Benn Curby
	isUserLoggedInWithEmptyEmail	Passed	Benn Curby
	isUserLoggedInWithEmptyPassword	Passed	Benn Curby
	isUserLoggedInWithEmptyEmailAndPassword	Passed	Benn Curby
	isUserLoggedInWithValidData	Passed	Benn Curby

**Use-Case: Sign Out**

Collection	Test Name	Result	Tester
<a href="#">InstrumentedTestForSignOut</a>	<a href="#">signOutOfMenuBar</a>	Passed	Jake Durnford
	<a href="#">signOutOfProfileActivity</a>	Passed	Jake Durnford

Collection	Test Name	Result	Tester
<a href="#">InstrumentedTestForSignOut (Updated)</a>	<a href="#">a_IsSignOutSuccessful</a>	Passed	Benn Curby
	<a href="#">b_IsMenuBarSignOutSuccessful</a>	Passed	Benn Curby

Collection	Test Name	Result	Tester
<a href="#">SignOutIntegrationTest</a>	<a href="#">SignOut</a>	Passed	Jake Durnford

Collection	Test Name	Result	Tester
<a href="#">SignOutIntegrationTest (Updated)</a>	<a href="#">isSignOutSuccessful</a>	Passed	Benn Curby

**Use-Case: Browse Menu**

Collection	Test Name	Result	Tester
<a href="#">Browse Menu - Web Server</a> <a href="#">Postman Tests</a>	isFoodMenuItemsReturnedFromServer	Passed	Benn Curby
	isDrinkMenuItemsReturnedFromServer	Passed	Benn Curby



**Use-Case: Fill Cart**

Collection	Test Name	Result	Tester
<a href="#">InstrumentedTestForFillCart</a>	<a href="#">isItemAddedToCart</a>	Passed	Jacob Kennedy

Collection	Test Name	Result	Tester
<a href="#">InstrumentedTestForFillCart (Inventory Update)</a>	<a href="#">isSoldOutTextDisplayed</a>	Passed	Benn Curby
	<a href="#">isItemAddedToCart</a>	Passed	Benn Curby
	<a href="#">isSoldOutItemNotAddedToCart</a>	Passed	Benn Curby

Collection	Test Name	Result	Tester
<a href="#">Fill Cart - Local Server Postman Tests</a>  <a href="#">Fill Cart - Web Server Postman Tests</a>	isItemAddedToCartWithUserIDEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemIDEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemTitleEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemPriceEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemQuantityEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemSizeEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemMilkEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemSugarEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemDecafEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemVanillaEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemCaramelEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemChocolateEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemWhippedCreamEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemFrappeEmpty	Passed	Benn Curby

	isItemAddedToCartWithItemHeatedEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemCommentEmpty	Passed	Benn Curby
	isItemAddedToCartWithItemTypeEmpty	Passed	Benn Curby
	isItemAddedToCartWithAllFieldsEmpty	Passed	Benn Curby
	isItemAddedToCartWithValidData	Passed	Benn Curby
	isItemAddedToCartWithValidDataButItemAlreadyInCart	Passed	Benn Curby
	isItemAddedToCartWithNotEnoughStock	Passed	Benn Curby

**Use-Case: Empty Cart**

Collection	Test Name	Result	Tester
<a href="#">InstrumentedEmptyCartTest</a>	<a href="#">AddItemToCart_EmptyCart</a>	Passed	Jacob Kennedy
	<a href="#">AddItemToCart_EmptyCart_CheckItemStillInCart</a>	Passed	Jacob Kennedy

Collection	Test Name	Result	Tester
<a href="#">InstrumentedEmptyCartTest (Inventory Update)</a>	<a href="#">isCartEmptiedSuccessfully</a>	Passed	Benn Curby

Collection	Test Name	Result	Tester
<a href="#">EmptyCartIntegrationTest</a>	<a href="#">EmptyCartIntegrationTest</a>	Passed	Jacob Kennedy

Collection	Test Name	Result	Tester
<a href="#">EmptyCartIntegrationTest (Updated)</a>	<a href="#">isFillCartEmptyCartSuccessful</a>	Passed	Benn Curby

Collection	Test Name	Result	Tester
<a href="#">DeleteSingleCartItemIntegrationTest</a>	<a href="#">isFillCartDeleteSingleCartItemSuccessful</a>	Passed	Jacob Kennedy

Collection	Test Name	Result	Tester
<a href="#">Empty Cart - Local Server Postman Tests</a>  <a href="#">Empty Cart - Web Server Postman Tests</a>	isSingleCartItemDeletedWithUserIDEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemIDEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemTitleEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemPriceEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemQuantityEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemSizeEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemMilkEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemSugarEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemDecafEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemVanillaEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemCaramelEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemChocolateEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemWhippedCreamEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemFrappeEmpty	Passed	Benn Curby
	isSingleCartItemDeletedWithItemHeatedEmpty	Passed	Benn Curby

	isSingleCartItemDeletedWithItemCommentEmpty	<b>Passed</b>	Benn Curby
	isSingleCartItemDeletedWithAllParametersEmpty	<b>Passed</b>	Benn Curby
	isSingleCartItemDeleted	<b>Passed</b>	Benn Curby
	isFullCartEmptiedWithUserIDEmpty	<b>Passed</b>	Benn Curby
	isFullCartEmptied	<b>Passed</b>	Benn Curby

**Use-Case: View Cart**

Collection	Test Name	Result	Tester
<a href="#">View Cart - Web Server Postman Tests</a>	isCartContentsResponseCorrect	Passed	Benn Curby
	isEmptyCartResponseCorrect	Passed	Benn Curby

**Use-Case: CCRD - Place Order (Book Pick Up & Book Delivery)**

Collection	Test Name	Result	Tester
<a href="#">InstrumentedBookDeliveryTest</a>	<a href="#">BookDeliveryA_SelectDelivery</a>	Passed	Jacob Kennedy
	<a href="#">BookDeliveryB_SelectPickUp</a>	Passed	Jacob Kennedy
	<a href="#">BookDeliveryC_FillOutInformation_ErrorAtNumber</a>	Passed	Jacob Kennedy
	<a href="#">BookDeliveryD_FillOutInformation_ErrorAtName</a>	Passed	Jacob Kennedy

Collection	Test Name	Result	Tester
<a href="#">InstrumentedBookDeliveryTest (Updated)</a>	<a href="#">a_IsFieldsForDeliveryInputDisplayed</a>	Passed	Benn Curby
	<a href="#">b_IsEmptyUnitNumberAccepted</a>	Passed	Benn Curby
	<a href="#">c_IsValidUnitNumberAndStreetNameAccepted</a>	Passed	Benn Curby
	<a href="#">d_IsInvalidSymbolsStreetNameAccepted</a>	Passed	Benn Curby
	<a href="#">e_IsEmptyStreetNameAccepted</a>	Passed	Benn Curby



Collection	Test Name	Result	Tester
<a href="#">InstrumentedTestForPlaceOrder</a>	<a href="#">a_IsCheckoutButtonsDisplayed</a>	Passed	Benn Curby
	<a href="#">b_IsPaymentFieldsDisplayed</a>	Passed	Benn Curby

Collection	Test Name	Result	Tester
<a href="#">BookDeliveryIntegrationTest</a>	<a href="#">BookDeliveryIntegrationTest</a>	Passed	Jacob Kennedy

Collection	Test Name	Result	Tester
<a href="#">BookDeliveryIntegrationTest (Updated)</a>	<a href="#">a_IsFillCartForDeliverySuccessful</a>	Passed	Benn Curby
	<a href="#">b_IsBookDeliverySuccessful</a>	Passed	Benn Curby

Collection	Test Name	Result	Tester
<a href="#">FillCartPlaceOrderIntegrationTest</a>	<a href="#">isItemAddedToCartandCheckoutSuccessful</a>	Passed	Benn Curby

Collection	Test Name	Result	Tester
<a href="#">FillCartPlaceOrderIntegrationTest (Updated)</a>	<a href="#">a_IsFillCartSuccessful</a>	Passed	Benn Curby
	<a href="#">b_IsPlaceOrderSuccessful</a>	Passed	Benn Curby

Collection	Test Name	Result	Tester
<a href="#">Book Delivery - Local Server Postman Tests</a> <a href="#">Book Delivery - Web Server Postman Tests</a>	isDeliveryBookedWithValidData	Passed	Benn Curby
	isDeliveryBookedWithValidDataAndStreetUnitEmpty	Passed	Benn Curby
	isDeliveryBookedWithUserIDEmpty	Passed	Benn Curby
	isDeliveryBookedWithFirstNameEmpty	Passed	Benn Curby
	isDeliveryBookedWithPhoneEmpty	Passed	Benn Curby
	isDeliveryBookedWithStreetNameEmpty	Passed	Benn Curby
	isDeliveryBookedWithAllFieldsEmpty	Passed	Benn Curby

Collection	Test Name	Result	Tester
<a href="#">Place Order - Local Server Postman Tests</a> <a href="#">Place Order - Web Server Postman Tests</a>	isPickUpOrderPlacedWithValidData	Passed	Benn Curby
	isPickUpOrderPlacedWithUserIDEmpty	Passed	Benn Curby
	isPickUpOrderPlacedWithOrderTotalEmpty	Passed	Benn Curby
	isOrderPlacedWithDeliveryStatusEmpty	Passed	Benn Curby
	isDeliveryOrderPlacedWithUserIDEmpty	Passed	Benn Curby
	isDeliveryOrderPlacedWithOrderTotalEmpty	Passed	Benn Curby
	isDeliveryOrderPlacedWithValidData	Passed	Benn Curby

**Use-Case: View Order**

Collection	Test Name	Result	Tester
<a href="#">ViewOrderIntegrationTest</a>	<a href="#">viewOrderIntegrationTest</a>	Passed	Benn Curby
	<a href="#">isViewOrderSuccessful</a>	Passed	Benn Curby

Collection	Test Name	Result	Tester
<a href="#">View Order - Local Server Postman Tests</a> <a href="#">View Order - Web Server Postman Tests</a>	isOrderStatusReturnedFromServer	Passed	Benn Curby

**Use-Case: View Account**

Collection	Test Name	Result	Tester
<a href="#">ViewAccountIntegrationTest</a>	<a href="#">a_IsFirstNameChangedWhenEmpty</a>	Passed	Benn Curby
	<a href="#">b_IsFirstNameChangedSuccessfullyWithValidData</a>	Passed	Benn Curby
	<a href="#">c_IsLastNameChangedWhenEmpty</a>	Passed	Benn Curby
	<a href="#">d_IsLastNameChangedSuccessfullyWithValidData</a>	Passed	Benn Curby
	<a href="#">e_IsEmailChangedWhenEmpty</a>	Passed	Benn Curby
	<a href="#">f_IsEmailChangedWhenInvalidFormat</a>	Passed	Benn Curby
	<a href="#">g_IsEmailChangedSuccessfully</a>	Passed	Benn Curby
	<a href="#">h_IsPhoneNumberChangedWhenEmpty</a>	Passed	Benn Curby
	<a href="#">i_IsPhoneNumberChangedWhenNotTenDigits</a>	Passed	Benn Curby
	<a href="#">j_IsPhoneNumberChangedSuccessfully</a>	Passed	Benn Curby
	<a href="#">k_IsPasswordChangedWhenFirstPasswordFieldEmpty</a>	Passed	Benn Curby
	<a href="#">l_IsPasswordChangedWhenSecondPasswordFieldEmpty</a>	Passed	Benn Curby
	<a href="#">m_IsPasswordChangedWhenPasswordFieldsDoNotMatch</a>	Passed	Benn Curby
	<a href="#">n_IsPasswordChangedSuccessfully</a>	Passed	Benn Curby

	<a href="#">o_IsAccountDeletedSuccessfully</a>	Passed	Benn Curby
--	--	--------	------------

Collection	Test Name	Result	Tester
<a href="#">View Account - Local Server Postman Tests</a>  <a href="#">View Account - Web Server Postman Tests</a>	isUserAccountUpdatedWithValidData	Passed	Benn Curby
	isUserAccountUpdatedWithEmptyUserID	Passed	Benn Curby
	isUserAccountUpdatedWithEmptyFirstName	Passed	Benn Curby
	isUserAccountUpdatedWithEmptyLastName	Passed	Benn Curby
	isUserAccountUpdatedWithEmptyEmail	Passed	Benn Curby
	isUserAccountUpdatedWithEmptyPhoneNum	Passed	Benn Curby
	isUserAccountUpdatedWithAllFieldsEmpty	Passed	Benn Curby
	isUserPasswordUpdatedWithValidData	Passed	Benn Curby
	isUserPasswordUpdatedWithUserIDEmpty	Passed	Benn Curby
	isUserPasswordUpdatedWithPasswordEmpty	Passed	Benn Curby
	isUserPasswordUpdatedWithBothFieldsEmpty	Passed	Benn Curby
	isUserDeletedWithUserIDEmpty	Passed	Benn Curby
	isUserDeletedWithValidData	Passed	Benn Curby

**Use-Case: Manage Staff (Add & Delete Staff)**

Collection	Test Name	Result	Tester
<a href="#">IntegrationTestManageStaff</a>	<a href="#">QueueingSystemIntegrationTest (isAddAndDeleteStaffSuccessful)</a>	Passed	Jake Durnford



Collection	Test Name	Result	Tester
<a href="#">Manage Staff - Local Server Postman Tests</a> <a href="#">Manage Staff - Web Server Postman Tests</a>	isStaffMemberCreatedWithValidData	Passed	Benn Curby
	isStaffMemberCreatedWithStaffLevelEmpty	Passed	Benn Curby
	isStaffMemberCreatedWithFirstNameEmpty	Passed	Benn Curby
	isStaffMemberCreatedWithLastNameEmpty	Passed	Benn Curby
	isStaffMemberCreatedWithAllFieldsEmpty	Passed	Benn Curby
	isStaffListRetrievedFromTheServer	Passed	Benn Curby
	isStaffMemberDeletedWithStaffIDEmpty	Passed	Benn Curby
	isStaffMemberDeletedWithValidStaffID	Passed	Benn Curby

**Use-Case: Staff Log In**

Collection	Test Name	Result	Tester
<a href="#">Staff Log In - Web Server Postman Tests</a>	isStaffLoggedInWithValidStaffID	Passed	Benn Curby
	isStaffLoggedInWithInvalidStaffID	Passed	Benn Curby
	isStaffLoggedInWithEmptyStaffID	Passed	Benn Curby

**Use-Case: View Active Order**

Collection	Test Name	Result	Tester
<a href="#">View Active Order - Web Server Postman Tests</a>	isActiveOrdersListRetrievedFromServer	Passed	Benn Curby
	isActiveOrderItemsRetrievedFromServer	Passed	Benn Curby

**Use-Case: CCRD: Fill Order**

Collection	Test Name	Result	Tester
<a href="#">QueueingSystemIntegrationTest</a>	<a href="#">QueueingSystemIntegrationTest</a>	Passed	Jacob Kennedy

Collection	Test Name	Result	Tester
<a href="#">QueueingSystem_CompleteOrder_IntegrationTest</a>	<a href="#">QueueingSystemIntegrationTest</a>	Passed	Jake Durnford

Collection	Test Name	Result	Tester
<a href="#">Fill Order - Local Server Postman Tests</a> <a href="#">Fill Order - Web Server Postman Tests</a>	isOrderItemStatusUpdateSuccessfulWithCartIDEmpty	Passed	Benn Curby
	isOrderItemStatusUpdateSuccessfulWithItemIDEmpty	Passed	Benn Curby
	isOrderItemStatusUpdateSuccessfulWithItemStatusEmpty	Passed	Benn Curby
	isOrderItemStatusUpdateSuccessfulWithValidData	Passed	Benn Curby
	isOrderStatusUpdateSuccessfulWithEmptyCartID	Passed	Benn Curby
	isOrderStatusUpdateSuccessfulWithValidData	Passed	Benn Curby

## Use-Case: Create User

### Test Collection - InstrumentedCreateUserTest

**Tester:** Benn Curby

**Description:**

This Android instrumented test collection tests normal and alternate flows for a user trying to create an account on the Customer App.

**Pre-conditions:**

1. The user cannot already exist in the database.
2. The connection to the server is stable.

**Results:**

**InstrumentedCreateUs...: 9 total, 9 passed**

1 m 11 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.activities.InstrumentedCreateUserTest** 1 m 11 s

<a href="#">a_IsCreateUserFieldsDisplayed</a>	passed	5.71 s
<a href="#">b_IsUserCreatedWithEmailEmpty</a>	passed	8.67 s
<a href="#">c_IsUserCreatedWithPasswordEmpty</a>	passed	8.40 s
<a href="#">d_IsUserCreatedWithFirstNameEmpty</a>	passed	7.94 s
<a href="#">e_IsUserCreatedWithLastNameEmpty</a>	passed	7.83 s
<a href="#">f_IsUserCreatedWithPhoneEmpty</a>	passed	7.75 s
<a href="#">g_IsUserCreatedWithEmailIncorrectFormat</a>	passed	8.36 s
<a href="#">h_IsUserCreatedWithPasswordNotRequiredLength</a>	passed	8.50 s
<a href="#">i_IsUserCreatedWithValidData</a>	passed	8.11 s

### a\_IsCreatUserFieldsDisplayed

**Description:**

This test within the Android instrumented test collection tests whether all the fields are displayed correctly on the Create User page of the Customer App.

**Post-conditions:**

All the fields are displayed correctly.

**Result:** Passed

### b\_IsUserCreatedWithEmailEmpty

**Description:**

This test within the Android instrumented test collection tests whether a user is created when the email field is empty.

**Post-conditions:**

The new user is not created and an error message is displayed over the empty email field.

**Data required:**

**Email:** <empty>

**Password:** 123456

**First Name:** Jane

**Last Name:** Doe

**Phone:** 0402555444

**Result:** Passed

### c\_IsUserCreatedWithPasswordEmpty

**Description:**

This test within the Android instrumented test collection tests whether a user is created when the password field is empty.

**Post-conditions:**

The new user is not created and an error message is displayed over the empty password field.

**Data required:**

Email: janedoe@gmail.com

Password: <empty>

First Name: Jane

Last Name: Doe

Phone: 0402555444

**Result:** Passed

### d\_IsUserCreatedWithFirstNameEmpty

**Description:**

This test within the Android instrumented test collection tests whether a user is created when the first name field is empty.

**Post-conditions:**

The new user is not created and an error message is displayed over the empty first name field.

**Data required:**

Email: janedoe@gmail.com

Password: 123456

First Name: <empty>

Last Name: Doe

Phone: 0402555444

**Result:** Passed



### e\_IsUserCreatedWithLastNameEmpty

**Description:**

This test within the Android instrumented test collection tests whether a user is created when the last name field is empty.

**Post-conditions:**

The new user is not created and an error message is displayed over the empty last name field.

**Data required:**

Email: janedoe@gmail.com

Password: 123456

First Name: Jane

Last Name: <empty>

Phone: 0402555444

**Result:** Passed

### f\_IsUserCreatedWithPhoneEmpty

**Description:**

This test within the Android instrumented test collection tests whether a user is created when the phone field is empty.

**Post-conditions:**

The new user is not created and an error message is displayed over the empty phone field.

**Data required:**

Email: janedoe@gmail.com

Password: 123456

First Name: Jane

Last Name: Doe

Phone: <empty>

**Result:** Passed

### g\_IsUserCreatedWithEmailIncorrectFormat

**Description:**

This test within the Android instrumented test collection tests whether a user is created when the email is the incorrect format.

**Post-conditions:**

The new user is not created and an error message is displayed over the incorrectly formatted email field.

**Data required:**

Email: **janedoe.com**

Password: 123456

First Name: Jane

Last Name: Doe

Phone: 0402555444

**Result:** **Passed**

### h\_IsUserCreatedWithPasswordNotRequiredLength

**Description:**

This test within the Android instrumented test collection tests whether a user is created when the password is not the required length (minimum 6 characters).

**Post-conditions:**

The new user is not created and an error message is displayed over the password field.

**Data required:**

Email: janedoe@gmail.com

Password: **12345**

First Name: Jane

Last Name: Doe

Phone: 0402555444

**Result:** **Passed**

### i\_IsUserCreatedWithValidData

**Description:**

This test within the Android instrumented test collection tests whether a user is created with valid data in all fields.

**Post-conditions:**

The new user is created.

**Data required:**

**Email:** janedoe@gmail.com

**Password:** 123456

**First Name:** Jane

**Last Name:** Doe

**Phone:** 0402555444

**Result:** Passed

### Use-Case: Create User

#### Create User - Web Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to create an account on the Beverage Booker web server.

**Pre-conditions:**

1. The user cannot already exist in the database.
2. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

[Beverage Booker Test Results Website - Create User](#)

## Use-Case: Log In

### Test Collection - InstrumentedLoginTest

**Tester:** Benn Curby

**Description:**

This Android instrumented test collection tests normal and alternate flows for a registered user trying to login to an existing account on the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is not already logged in.
3. The connection to the server is stable.

**Results:**

**InstrumentedLoginTest: 5 total, 5 passed** 17.50 s

[Collapse](#) | [Expand](#)

<b>com.beveragebooker.customer_app.activities.InstrumentedLoginTest</b>	17.50 s
<b>a_IsLoginFieldsDisplayed</b>	passed 2.98 s
<b>b_IsUserLoggedInWithEmptyEmail</b>	passed 3.22 s
<b>c_IsUserLoggedInWithEmptyPassword</b>	passed 3.42 s
<b>d_IsUserLoggedInWithInvalidEmailFormat</b>	passed 3.65 s
<b>e_IsUserLoggedInWithValidData</b>	passed 4.23 s

### **a\_IsLoginFieldsDisplayed**

**Description:**

This test within the Android instrumented test collection tests whether all the fields are displayed correctly on the Login page of the Customer App.

**Post-conditions:**

All the fields are displayed correctly.

**Result:** Passed

### **b\_IsUserLoggedInWithEmptyEmail**

**Description:**

This test within the Android instrumented test collection tests whether a user is logged in when the email field is empty.

**Post-conditions:**

The user is not logged in and an error message is displayed over the empty email field.

**Data required:**

**Email:** <empty>

**Password:** 123456

**Result:** Passed

### c\_IsUserLoggedInWithEmptyPassword

**Description:**

This test within the Android instrumented test collection tests whether a user is logged in when the password field is empty.

**Post-conditions:**

The user is not logged in and an error message is displayed over the empty password field.

**Data required:**

Email: janedoe@gmail.com

Password: <empty>

**Result:** Passed

### d\_IsUserLoggedInWithInvalidEmailFormat

**Description:**

This test within the Android instrumented test collection tests whether a user is logged in when the email entered is incorrectly formatted.

**Post-conditions:**

The user is not logged in and an error message is displayed over the email field.

**Data required:**

Email: janedoe.com

Password: 123456

**Result:** Passed

### e\_IsUserLoggedInWithValidData

**Description:**

This test within the Android instrumented test collection tests whether a user is logged in with valid account data.

**Post-conditions:**

The user is logged into the Customer App.

**Data required:**

**Email:** janedoe@gmail.com

**Password:** 123456

**Result:** Passed



### Use-Case: Login

#### Log In - Web Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to login on the Beverage Booker web server.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is not already logged in.
3. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

[Beverage Booker Test Results Website - Log In](#)

## Use-Case: Sign Out

### Test Collection - InstrumentedTestForSignOut

**Tester:** Jake Durnford

**Description:**

This Android instrumented test collection tests normal and alternate flows for a registered user trying to sign out of an existing account on the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is already logged in.
3. The connection to the server is stable.

**Results:**

InstrumentedTestForS...: **2 total, 2 passed**

13.07 s

[Collapse](#) | [Expand](#)

com.beveragebooker.customer\_app.InstrumentedTestForSignOut

13.07 s

SignOutOfMenuBar

passed 8.53 s

SignOutOfProfileActivity

passed 4.54 s

Generated by Android Studio on 6/08/20 8:38 PM

### signOutOfMenuBar

**Description:**

This test within the Android instrumented test collection tests whether the sign out button is displayed correctly and also signs a user out using the menu bar of the Customer App.

**Post-conditions:**

The Sign Out button is displayed and the user signs out of the Customer App.

**Data required:**

**Email:** janedoe@gmail.com

**Password:** 123456

**Result:** Passed

### signOutOfProfileActivity

**Description:**

This test within the Android instrumented test collection tests whether a user can sign out of the profile activity page.

**Post-conditions:**

The user is logged out successfully using the Profile Activity page.

**Data required:**

**Email:** janedoe@gmail.com

**Password:** 123456

**Result:** Passed

## Test Collection - InstrumentedTestForSignOut (Updated)

**Tester:** Benn Curby

**Description:**

This updated Android instrumented test collection tests normal and alternate flows for a registered user trying to sign out of an existing account on the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is already logged in.
3. The connection to the server is stable.

**Results:** 25/09/20

**InstrumentedTestForS...: 2 total, 2 passed**

13.34 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.InstrumentedTestForSignOut**

13.34 s

**a\_IsSignOutSuccessful**

passed

5.85 s

**b\_IsMenuBarSignOutSuccessful**

passed

7.49 s

Generated by Android Studio on 25/09/20 13:38

### a\_IsSignOutSuccessful

**Description:**

This test within the Android instrumented test collection tests whether the sign out button is displayed correctly and also signs a user out using the menu bar of the Customer App.

**Post-conditions:**

The Sign Out button is displayed and the user signs out of the Customer App.

**Data required:**

**Email:** janedoe@gmail.com

**Password:** 123456

**Result:** Passed

### b\_IsMenuBarSignOutSuccessful

**Description:**

This test within the Android instrumented test collection tests whether a user can sign out using the button within the menu bar.

**Post-conditions:**

The user is logged out successfully using the menu bar sign out button.

**Data required:**

**Email:** janedoe@gmail.com

**Password:** 123456

**Result:** Passed

Test Collection - SignOutIntegrationTest

**Tester:** Jake Durnford

**Description:**

This Android instrumented test collection tests normal and alternate flows for a registered user trying to sign in then sign out of an existing account on the Customer App.

**Pre-conditions:**

- 1. The user already exists in the database.
- 2. The user is not already logged in.
- 2. The connection to the server is stable.

**Results:**

SignOutIntegrationTest: 1 total, 1 passed		13.79 s
		<a href="#">Collapse</a>   <a href="#">Expand</a>
com.beveragebooker.customer_app.SignOutIntegrationTest		13.79 s
<a href="#">SignOut</a>	passed	13.79 s
Generated by Android Studio on 6/08/20 8:53 PM		

### signOut

**Description:**

This Android instrumented test collection tests normal and alternate flows for a registered user trying to sign in then sign out of an existing account on the Customer App.

**Post-conditions:**

The user is signed out of the Customer App.

**Data required:**

**Email:** janedoe@gmail.com

**Password:** 123456

**Result:** Passed

## Test Collection - SignOutIntegrationTest (Updated)

**Tester:** Benn Curby

**Description:**

This updated Android instrumented test collection tests normal and alternate flows for a registered user trying to sign in then sign out of an existing account on the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is not already logged in.
2. The connection to the server is stable.

**Results:** 25/09/20

**SignOutIntegrationTest: 1 total, 1 passed**

19.61 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.SignOutIntegrationTest**

19.61 s

**isSignOutSuccessful**

**passed** 19.61 s

Generated by Android Studio on 25/09/20 17:30



### isSignOutSuccessful

**Description:**

This Android instrumented test collection tests normal and alternate flows for a registered user trying to sign in then sign out of an existing account on the Customer App.

**Post-conditions:**

The user is signed out of the Customer App.

**Data required:**

**Email:** janedoe@gmail.com

**Password:** 123456

**Result:** Passed

### Use-Case: Browse Menu

#### Browse Menu - Web Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal flows for the Customer App trying to retrieve the menu items from the web server.

**Pre-conditions:**

1. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

[Beverage Booker Test Results Website - Browse Menu](#)

## Use-Case: Fill Cart

### Test Collection - InstrumentedTestForFillCart

**Tester:** Jacob Kennedy

**Description:**

This Android instrumented test collection tests normal flows for a user trying to add an item to their cart on the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is logged in.
3. The connection to the server is stable.

**Results:** 27/08/20

**InstrumentedTestForF... (1): 1 total, 1 passed**

4.30 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.activities.InstrumentedTestForFillCart**

4.30 s

**isItemAddedToCart**

**passed** 4.30 s

Generated by Android Studio on 27/08/20 14:58

**Results:** 01/09/20

**InstrumentedTestForF...: 1 total, 1 passed**

4.38 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.activities.InstrumentedTestForFillCart**

4.38 s

**isItemAddedToCart**

**passed**

4.38 s

Generated by Android Studio on 01/09/20 11:46

## isItemAddedToCart

**Description:**

This test within the Android instrumented test collection tests whether a registered user can add an item to their cart within the Customer App.

**Post-conditions:**

The user successfully adds an item to their cart.

**Result:** **Passed**

## Test Collection - InstrumentedTestForFillCart (Inventory Update)

**Tester:** Benn Curby

**Description:**

This Android instrumented test collection tests normal and alternate flows for a user trying to add an item to their cart on the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is logged in.
3. The connection to the server is stable.
4. A menu item is sold out for testing purposes.

**Results:** 01/09/20

**InstrumentedTestForF...: 3 total, 3 passed**

8.76 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.activities.InstrumentedTestForFillCart**

8.76 s

**isSoldOutTextDisplayed**

passed

2.84 s

**isItemAddedToCart**

passed

3.88 s

**isSoldOutItemNotAddedToCart**

passed

2.04 s

Generated by Android Studio on 01/09/20 14:08

Results: 25/09/20

**InstrumentedTestForF...: 3 total, 3 passed**

25.73 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.activities.InstrumentedTestForFillCart**

25.73 s

**a\_IsItemAddedToCart**

passed 14.29 s

**b\_IsSoldOutItemAddedToCart**

passed 5.40 s

**c\_IsSoldOutTextDisplayed**

passed 6.05 s

Generated by Android Studio on 25/09/20 14:17

### isSoldOutTextDisplayed

**Description:**

This test within the Android instrumented test collection tests whether the Sold Out text is displayed for an item when it has a stock level less than or equal to 5.

**Post-conditions:**

The Sold Out text is displayed for the item that has a stock level less than or equal to 5.

**Result:** Passed

### isItemAddedToCart

**Description:**

This test within the Android instrumented test collection tests whether a registered user can add an item to their cart within the Customer App.

**Post-conditions:**

The user successfully adds an item to their cart.

**Result:** Passed

### isSoldOutItemNotAddedToCart

**Description:**

This test within the Android instrumented test collection tests whether a sold out item cannot be added to the user cart. The 'Add to Cart' button is disabled for sold out items.

**Post-conditions:**

The sold out item is not added to cart and the 'Add to Cart' button is disabled..

**Result:** Passed

### Use-Case: Fill Cart

#### Fill Cart - Local Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to fill cart on the local server.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is logged in.
3. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

#### Beverage Booker Test Results Website - Fill Cart

#### Fill Cart - Web Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to fill cart on the Beverage Booker web server.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is logged in.
3. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

#### Beverage Booker Test Results Website - Fill Cart



## Use-Case: Empty Cart

### Test Collection - InstrumentedEmptyCartTest

**Tester:** Jacob Kennedy

**Description:**

This Android instrumented test collection tests normal flows for a user trying to empty their cart on the Customer App.

**Pre-conditions:**

1. The user cannot already exist in the database.
2. The connection to the server is stable.

**Results:** 28/07/20

**InstrumentedEmptyCar...: 2 total, 2 passed**

20.36 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.activities.InstrumentedEmptyCartTest**

20.36 s

[AddItemToCart\\_EmptyCart](#)

**passed** 11.04 s

[AddItemToCart\\_EmptyCart\\_CheckIfItemStillInCart](#)

**passed** 9.32 s

Generated by Android Studio on 28/07/20 1:28 PM

### AddItemToCart\_EmptyCart

**Description:**

This test within the Android instrumented test collection tests whether an item can be emptied from the user cart in the Customer App.

**Post-conditions:**

The cart is empty.

**Result:** Passed

### AddItemToCart\_EmptyCart\_CheckIfItemStillInCart

**Description:**

This test within the Android instrumented test collection tests whether an item can be emptied from the user cart in the Customer App.

**Post-conditions:**

The cart is empty.

**Data required:**

**Result:** Passed

## Use-Case: Empty Cart

### Test Collection - InstrumentedEmptyCartTest (Inventory Update)

**Tester:** Benn Curby

**Description:**

This Android instrumented test collection tests normal flows for a user trying to empty their cart on the Customer App.

**Pre-conditions:**

1. The user cannot already exist in the database.
2. The connection to the server is stable.

**Results:** 01/09/20

**InstrumentedEmptyCar...: 1 total, 1 passed**

7.13 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.activities.InstrumentedEmptyCartTest**

7.13 s

**isCartEmptiedSuccessfully**

**passed** 7.13 s

Generated by Android Studio on 01/09/20 14:53

**Results:** 25/09/20

**InstrumentedEmptyCar...: 1 total, 1 passed**

17.36 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.activities.InstrumentedEmptyCartTest**

17.36 s

**isCartEmptiedSuccessfully**

**passed** 17.36 s

Generated by Android Studio on 25/09/20 15:13

## isCartEmptiedSuccessfully

**Description:**

This test within the Android instrumented test collection tests whether an item can be emptied from the user cart in the Customer App.

**Post-conditions:**

The cart is empty.

**Result:** **Passed**

## Test Collection - EmptyCartIntegrationTest

**Tester:** Jacob Kennedy

**Description:**

This Android integration test collection tests normal and alternate flows for a user trying to fill their cart and then empty their cart on the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:** 28/07/20

**EmptyCartIntegration...: 1 total, 1 passed**

16.59 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.EmptyCartIntegrationTest**

16.59 s

**EmptyCartIntegrationTest**

**passed** 16.59 s

Generated by Android Studio on 28/07/20 1:18 PM

## EmptyCartIntegrationTest

**Description:**

This Android integration test collection tests normal and alternate flows for a user trying to fill their cart and then empty their cart on the Customer App.

**Post-conditions:**

The users cart is empty.

**Result:** **Passed**

## Test Collection - EmptyCartIntegrationTest (Updated)

**Tester:** Benn Curby

**Description:**

This Android integration test collection tests normal and alternate flows for a user trying to fill their cart and then empty their cart on the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:** 25/09/20

**EmptyCartIntegration...: 1 total, 1 passed**

16.94 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.EmptyCartIntegrationTest**

16.94 s

**isFillCartEmptyCartSuccessful**

passed 16.94 s

Generated by Android Studio on 25/09/20 18:03

### isFillCartEmptyCartSuccessful

**Description:**

This Android integration test collection tests normal and alternate flows for a user trying to fill their cart and then empty their cart on the Customer App.

**Post-conditions:**

The users cart is empty.

**Result:** Passed

## Test Collection - DeleteSingleCartItemIntegrationTest

**Tester:** Jacob Kennedy

**Description:**

This Android integration test collection tests normal and alternate flows for a user trying to add an item to cart and then delete the item from their cart on the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:** 25/09/20

**DeleteSingleCartItem...: 1 total, 1 passed**

9.75 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.DeleteSingleCartItemIntegrationTest**

9.75 s

**isFillCartDeleteSingleCartItemSuccessful**

passed

9.75 s

Generated by Android Studio on 25/09/20 19:02



### isFillCartDeleteSingleCartItemSuccessful

**Description:**

This Android integration test collection tests normal and alternate flows for a user trying to add an item to cart and then delete the item from their cart on the Customer App.

**Post-conditions:**

The item is no longer in the user cart.

**Result:** Passed

### Use-Case: Empty Cart

#### Empty Cart - Local Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to empty their cart on the local server.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is logged in.
3. The connection to the server is stable.
4. There is an item in the user cart.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

#### Beverage Booker Test Results Website - Empty Cart

### Empty Cart - Web Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to empty their cart on the Beverage Booker web server.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is logged in.
3. The connection to the server is stable.
4. There is an item in the user cart.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

### Beverage Booker Test Results Website - Empty Cart

### Use-Case: View Cart

#### View Cart - Web Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to view their cart on the Beverage Booker web server.

**Pre-conditions:**

1. The user already exists in the database.
2. The user is logged in.
3. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

#### Beverage Booker Test Results Website - View Cart

**Use-Case: CCRD - Place Order (Book Pick Up & Book Delivery)****Test Collection - InstrumentedBookDeliveryTest**

**Tester:** Jacob Kennedy

**Description:**

This Android instrumented test collection tests normal and alternate flows for a user trying to place an order in the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:** 28/07/20

**InstrumentedBookDeli...: 4 total, 4 passed**

39.35 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.InstrumentedBookDeliveryTest**

39.35 s

[BookDeliveryA\\_SelectDelivery](#)

passed 11.80 s

[BookDeliveryB\\_SelectPickUp](#)

passed 9.10 s

[BookDeliveryC\\_FillOutInformation\\_ErrorAtNumber](#)

passed 10.62 s

[BookDeliveryD\\_FillOutInformation\\_ErrorAtName](#)

passed 7.84 s

### BookDeliveryA\_SelectDelivery

**Description:**

This test within the Android instrumented test collection tests whether a registered user can select delivery for an order in the Customer App.

**Post-conditions:**

User successfully selects 'delivery' and is taken to the address input page

**Result:** Passed

### BookDeliveryB\_SelectPickUp

**Description:**

This test within the Android instrumented test collection tests whether a registered user can select pick up for an order in the Customer App.

**Post-conditions:**

User successfully selects 'Pick Up' and is taken to the payment input page

**Result:** Passed

### BookDeliveryC\_FillOutInformation\_ErrorAtNumber

**Description:**

This test within the Android instrumented test collection tests whether a registered user can book a delivery if there is an error at the street number input field on the address input page of the Customer App.

**Post-conditions:**

Error message is displayed over the number input field.

**Result:** Passed

### BookDeliveryD\_FillOutInformation\_ErrorAtName

**Description:**

This test within the Android instrumented test collection tests whether a registered user can book a delivery if there is an error at the street name input field on the address input page of the Customer App.

**Post-conditions:**

Error message is displayed over the street name input field.

**Result:** Passed

## Test Collection - InstrumentedBookDeliveryTest (Updated)

**Tester:** Benn Curby

**Description:**

This Android instrumented test collection tests normal and alternate flows for a user trying to place a delivery order in the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:** 13/09/20

**InstrumentedBookDeli...: 5 total, 5 passed**

40.77 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.InstrumentedBookDelivery Test**

40.77 s

**isEmptyStreetNameAccepted**

passed

8.83 s

**isEmptyUnitNumberAccepted**

passed

7.39 s

**isFieldsForDeliverInputDisplayed**

passed

8.15 s

**isInvalidSymbolsStreetNameAccepted**

passed

8.56 s

**isValidUnitNumberAndStreetNameAccepted**

passed

7.83 s

Generated by Android Studio on 13/09/20 17:09



Results: 25/09/20

**InstrumentedBookDeli...: 5 total, 5 passed**

38.20 s

[Collapse](#) | [Expand](#)**com.beveragebooker.customer\_app.InstrumentedBookDelivery Test**

38.20 s

<a href="#">a_IsFieldsForDeliverInputDisplayed</a>	passed	8.83 s
<a href="#">b_IsEmptyUnitNumberAccepted</a>	passed	6.84 s
<a href="#">c_IsValidUnitNumberAndStreetNameAccepted</a>	passed	7.34 s
<a href="#">d_IsInvalidSymbolsStreetNameAccepted</a>	passed	7.98 s
<a href="#">e_IsEmptyStreetNameAccepted</a>	passed	7.20 s

Generated by Android Studio on 25/09/20 17:05

### a\_IsFieldsForDeliveryInputDisplayed

**Description:**

This test within the Android instrumented test collection tests whether the delivery fields are displaying correctly on the address input page of the Customer App.

**Post-conditions:**

All address fields are displayed.

**Result:** Passed

### b\_IsEmptyUnitNumberAccepted

**Description:**

This test within the Android instrumented test collection tests whether an empty unit number field input is accepted when entering an address.

**Post-conditions:**

Delivery address without unit number is accepted.

**Data required:**

**Unit Number:** <empty>

**Street Address:** 17 Smith St

**Result:** Passed

## c\_IsValidUnitNumberAndStreetNameAccepted

**Description:**

This test within the Android instrumented test collection tests whether an address with a valid unit number and street address is accepted when entering an address on the address input page.

**Post-conditions:**

Delivery address with unit number is accepted.

**Data required:**

Unit Number: 1

Street Address: 17 Smith St

**Result:** Passed

## d\_IsInvalidSymbolsStreetNameAccepted

**Description:**

This test within the Android instrumented test collection tests whether symbols are accepted in the street address input field on the address input page.

**Post-conditions:**

Error message is displayed over the street address input field.

**Data required:**

Unit Number: 1

Street Address: ?!#\$

**Result:** Passed

### e\_IsEmptyStreetNameAccepted

**Description:**

This test within the Android instrumented test collection tests whether an empty street name field input is accepted when entering an address.

**Post-conditions:**

Error message is displayed over the street address input field.

**Data required:**

Unit Number: 1

Street Address: <empty>

**Result:** Passed

## Test Collection - InstrumentedTestForPlaceOrder

**Tester:** Benn Curby

**Description:**

This Android instrumented test collection for buttons and fields being displayed correctly within the checkout page of the Customer App.

**Pre-conditions:**

1. The connection to the server is stable.

**Results:** 25/09/20

**InstrumentedTestForP...: 2 total, 2 passed**

13.89 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.InstrumentedTestForPlaceOrder**

13.89 s

**a\_IsCheckoutButtonsDisplayed**

passed

7.86 s

**b\_IsPaymentFieldsDisplayed**

passed

6.03 s

Generated by Android Studio on 25/09/20 16:24

### **a\_IsCheckoutButtonsDisplayed**

**Description:**

This test within the Android instrumented test collection tests whether all the buttons are displayed correctly on the checkout page of the Customer App.

**Post-conditions:**

All the buttons are displayed correctly.

**Result:** Passed

### **b\_IsPaymentFieldsDisplayed**

**Description:**

This test within the Android instrumented test collection tests whether all the payment fields are displayed correctly on the checkout page of the Customer App.

**Post-conditions:**

All the fields are displayed correctly.

**Result:** Passed

**Use-Case: CCRD - Place Order (Book Pick Up & Book Delivery)****Test Collection - BookDeliveryIntegrationTest**

**Tester:** Jacob Kennedy

**Description:**

This Android instrumented test collection tests normal and alternate flows for a user trying to fill their cart and then place a delivery order in the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:** 28/07/20

**BookDeliveryIntegrat...: 1 total, 1 passed**

27.95 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.BookDeliveryIntegrationTest**

27.95 s

**BookDeliveryIntegrationTest**

**passed** 27.95 s

Generated by Android Studio on 28/07/20 1:34 PM

### BookDeliveryIntegrationTest

**Description:**

This test within the Android instrumented test collection tests whether a registered user can fill their cart and then place a delivery order in the Customer App.

**Post-conditions:**

Delivery order has been placed and the app is on the order confirmation screen.

**Result:** Passed



## Test Collection - BookDeliveryIntegrationTest (Updated)

**Tester:** Benn Curby

**Description:**

This Android instrumented test collection tests normal and alternate flows for a user trying to fill their cart and then place a delivery order in the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:** 25/09/20

**BookDeliveryIntegrat...: 2 total, 2 passed**

30.62 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.BookDeliveryIntegrationTest**

30.62 s

**a\_IsFillCartForDeliverySuccessful**

passed 13.90 s

**b\_IsBookDeliverySuccessful**

passed 16.72 s

Generated by Android Studio on 25/09/20 20:04

### **a\_isFillCartForDeliverySuccessful**

**Description:**

This test within the Android instrumented test collection tests whether a registered user can fill their cart in the Customer App.

**Post-conditions:**

Cart has been filled ready for a delivery to be placed.

**Result:** Passed

### **b\_isBookDeliverySuccessful**

**Description:**

This test within the Android instrumented test collection tests whether a registered user can place a delivery order in the Customer App.

**Post-conditions:**

Delivery has been placed and the app is on the order confirmation screen.

**Result:** Passed

## Test Collection - FillCartPlaceOrderIntegrationTest

**Tester:** Benn Curby

**Description:**

This Android instrumented test collection tests normal and alternate flows for a user trying to fill their cart and then place an order on the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:** 27/08/20

**FillCartPlaceOrderIn...: 1 total, 1 passed**

7.83 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.activities.FillCartPlaceOrderIntegrationTest**

7.83 s

**isItemAddedToCartandCheckoutSuccessful**

**passed** 7.83 s

Generated by Android Studio on 27/08/20 15:51

### isItemAddedToCartAndCheckoutSuccessful

**Description:**

This test within the Android instrumented test collection tests whether a registered user can fill their cart and place a pick up order on the Customer App.

**Post-conditions:**

A pick up order has been placed and the app is on the order confirmation screen.

**Result:** Passed

## Test Collection - FillCartPlaceOrderIntegrationTest (Updated)

**Tester:** Benn Curby

**Description:**

This Android instrumented test collection tests normal and alternate flows for a user trying to fill their cart and then place an order on the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:** 25/09/20

**FillCartPlaceOrderIn...: 2 total, 2 passed** 29.46 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.activities.FillCartPlaceOrderIntegrationTest** 29.46 s

<b>a_IsFillCartSuccessful</b>	passed	13.86 s
<b>b_IsPlaceOrderSuccessful</b>	passed	15.60 s

Generated by Android Studio on 25/09/20 19:31

### a\_IsFillCartSuccessful

**Description:**

This test within the Android instrumented test collection tests whether a registered user can fill their cart in the Customer App.

**Post-conditions:**

An item has been added to cart.

**Result:** Passed

### b\_IsPlaceOrderSuccessful

**Description:**

This test within the Android instrumented test collection tests whether a registered user can place an order in the Customer App.

**Post-conditions:**

An order has been placed..

**Result:** Passed

### Use-Case: **CCRD - Place Order (Book Pick Up & Book Delivery)**

#### Book Delivery - Local Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to book a delivery on the local server.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

#### Beverage Booker Test Results Website - Book Delivery

#### Book Delivery - Web Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to book a delivery on the Beverage Booker web server.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

#### Beverage Booker Test Results Website - Book Delivery

### Use-Case: **CCRD - Place Order (Book Pick Up & Book Delivery)**

#### Place Order - Local Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to place an order on the local server.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

#### Beverage Booker Test Results Website - Place Order

#### Place Order - Web Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to place an order on the Beverage Booker web server.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

#### Beverage Booker Test Results Website - Place Order



## Use-Case: View Order

### Test Collection - viewOrderIntegrationTest

**Tester:** Benn Curby

**Description:**

This Android instrumented test collection tests normal and alternate flows for a user trying to view the order confirmation page on the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:** 11/09/20

**ViewOrderIntegration...: 1 total, 1 passed**

6.43 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.activities.ViewOrderIntegrationTest**

6.43 s

**viewOrderIntegrationTest**

**passed** 6.43 s

Generated by Android Studio on 11/09/20 17:10

Results: 25/09/20

**ViewOrderIntegration...: 1 total, 1 passed**

12.75 s

[Collapse](#) | [Expand](#)

**com.beveragebooker.customer\_app.activities.ViewOrderIntegrationTest**

12.75 s

**isViewOrderSuccessful**

passed

12.75 s

Generated by Android Studio on 25/09/20 20:19

### viewOrderIntegrationTest

**Description:**

This Android instrumented test collection tests normal and alternate flows for a user trying to view the order confirmation page on the Customer App.

**Post-conditions:**

The user views the order confirmation page and an estimated order completion time is displayed.

**Result:** Passed

### isViewOrderSuccessful

**Description:**

This Android instrumented test collection tests normal and alternate flows for a user trying to view the order confirmation page on the Customer App.

**Post-conditions:**

The user views the order confirmation page and an estimated order completion time is displayed.

**Result:** Passed

### Use-Case: View Order

#### View Order - Local Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal flow for a user trying to view an estimated order time on the local server.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

#### Beverage Booker Test Results Website - View Order

#### View Order - Web Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal flow for a user trying to view an estimated order time on the Beverage Booker web server.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

#### Beverage Booker Test Results Website - View Order

### Use-Case: View Account

### Test Collection - ViewAccountIntegrationTest

**Tester:** Benn Curby

**Description:**

This Android integration test collection tests normal and alternate flows for a user trying to update and then delete their account on the Customer App.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results next page:**

Results: 23/09/20

**ViewAccountIntegrati...: 15 total, 15 passed**

3 m 17 s

[Collapse](#) | [Expand](#)**com.beveragebooker.customer\_app.activities.ViewAccountIntegrationTest**

3 m 17 s

<a href="#">a_IsFirstNameChangedWhenEmpty</a>	passed	11.94 s
<a href="#">b_IsFirstNameChangedSuccessfullyWithValidData</a>	passed	11.28 s
<a href="#">c_IsLastNameChangedWhenEmpty</a>	passed	11.01 s
<a href="#">d_IsLastNameChangedSuccessfullyWithValidData</a>	passed	11.16 s
<a href="#">e_IsEmailChangedWhenEmpty</a>	passed	10.61 s
<a href="#">f_IsEmailChangedWhenInvalidFormat</a>	passed	10.65 s
<a href="#">g_IsEmailChangedSuccessfully</a>	passed	11.16 s
<a href="#">h_IsPhoneNumberChangedWhenEmpty</a>	passed	10.94 s
<a href="#">i_IsPhoneNumberChangedWhenNotTenDigits</a>	passed	10.70 s
<a href="#">j_IsPhoneNumberChangedSuccessfully</a>	passed	11.24 s
<a href="#">k_IsPasswordChangedWhenFirstPasswordFieldEmpty</a>	passed	17.55 s
<a href="#">l_IsPasswordChangedWhenSecondPasswordFieldEmpty</a>	passed	17.23 s
<a href="#">m_IsPasswordChangedWhenPasswordFieldsDoNotMatch</a>	passed	19.42 s
<a href="#">n_IsPasswordChangedSuccessfully</a>	passed	18.35 s
<a href="#">o_IsAccountDeletedSuccessfully</a>	passed	13.34 s

Generated by Android Studio on 23/09/20 14:39

Results: 25/09/20

**ViewAccountIntegrati...: 15 total, 15 passed**

3 m 11 s

[Collapse](#) | [Expand](#)**com.beveragebooker.customer\_app.activities.ViewAccountIntegrationTest**

3 m 11 s

<a href="#">a_IsFirstNameChangedWhenEmpty</a>	passed	11.58 s
<a href="#">b_IsFirstNameChangedSuccessfullyWithValidData</a>	passed	10.88 s
<a href="#">c_IsLastNameChangedWhenEmpty</a>	passed	10.97 s
<a href="#">d_IsLastNameChangedSuccessfullyWithValidData</a>	passed	10.71 s
<a href="#">e_IsEmailChangedWhenEmpty</a>	passed	10.46 s
<a href="#">f_IsEmailChangedWhenInvalidFormat</a>	passed	10.42 s
<a href="#">g_IsEmailChangedSuccessfully</a>	passed	10.73 s
<a href="#">h_IsPhoneNumberChangedWhenEmpty</a>	passed	10.61 s
<a href="#">i_IsPhoneNumberChangedWhenNotTenDigits</a>	passed	10.20 s
<a href="#">j_IsPhoneNumberChangedSuccessfully</a>	passed	10.84 s
<a href="#">k_IsPasswordChangedWhenFirstPasswordFieldEmpty</a>	passed	17.46 s
<a href="#">l_IsPasswordChangedWhenSecondPasswordFieldEmpty</a>	passed	17.21 s
<a href="#">m_IsPasswordChangedWhenPasswordFieldsDoNotMatch</a>	passed	18.62 s
<a href="#">n_IsPasswordChangedSuccessfully</a>	passed	17.34 s
<a href="#">o_IsAccountDeletedSuccessfully</a>	passed	12.60 s

Generated by Android Studio on 25/09/20 20:32

### a\_IsFirstNameChangedWhenEmpty

**Description:**

This test within the Android instrumented test collection tests whether the first name of a user can be changed if the field is left empty on the Account page of the Customer App.

**Post-conditions:**

An error message is shown over the first name field.

**Data required:**

Email: janedoe@gmail.com

Password: 123456

First Name: <empty>

Last Name: Doe

Phone: 0402555444

**Result:** Passed

### b\_IsFirstNameChangedSuccessfullyWithValidData

**Description:**

This test within the Android instrumented test collection tests whether the first name of a user can be changed if the field has valid data on the Account page of the Customer App.

**Post-conditions:**

The user's first name is successfully updated.

**Data required:**

Email: janedoe@gmail.com

Password: 123456

First Name: Sergio

Last Name: Doe

Phone: 0402555444

**Result:** Passed



### c\_IsLastNameChangedWhenEmpty

**Description:**

This test within the Android instrumented test collection tests whether the last name of a user can be changed if the field is left empty on the Account page of the Customer App.

**Post-conditions:**

An error message is shown over the last name field.

**Data required:**

**Email:** janedoe@gmail.com

**Password:** 123456

**First Name:** Sergio

**Last Name:** <empty>

**Phone:** 0402555444

**Result:** Passed

### d\_IsLastNameChangedSuccessfullyWithValidData

**Description:**

This test within the Android instrumented test collection tests whether the last name of a user can be changed if the field has valid data on the Account page of the Customer App.

**Post-conditions:**

The user's last name is successfully updated.

**Data required:**

**Email:** janedoe@gmail.com

**Password:** 123456

**First Name:** Sergio

**Last Name:** Reguilon

**Phone:** 0402555444

**Result:** Passed

### e\_IsEmailChangedWhenEmpty

**Description:**

This test within the Android instrumented test collection tests whether the email address of a user can be changed if the field is left empty on the Account page of the Customer App.

**Post-conditions:**

An error message is shown over the email address field.

**Data required:**

Email: <empty>

Password: 123456

First Name: Sergio

Last Name: Reguilon

Phone: 0402555444

**Result:** Passed

### f\_IsEmailChangedWhenInvalidFormat

**Description:**

This test within the Android instrumented test collection tests whether the email address of a user can be changed if the field has invalid data on the Account page of the Customer App.

**Post-conditions:**

An error message is shown over the email address field.

**Data required:**

Email: janedoe@gmail.com

Password: 123456

First Name: Sergio

Last Name: Reguilon

Phone: 0402555444

**Result:** Passed

### g\_IsEmailChangedSuccessfully

**Description:**

This test within the Android instrumented test collection tests whether the email address of a user can be changed if the field has valid data on the Account page of the Customer App.

**Post-conditions:**

The email address is changed successfully.

**Data required:**

**Email:** sergio@gmail.com

**Password:** 123456

**First Name:** Sergio

**Last Name:** Reguilon

**Phone:** 0402555444

**Result:** Passed

### h\_IsPhoneNumberChangedWhenEmpty

**Description:**

This test within the Android instrumented test collection tests whether the phone number of a user can be changed if the field is empty on the Account page of the Customer App.

**Post-conditions:**

An error message is shown over the phone number field.

**Data required:**

**Email:** sergio@gmail.com

**Password:** 123456

**First Name:** Sergio

**Last Name:** Reguilon

**Phone:** <empty>

**Result:** Passed

### i\_IsPhoneNumberChangedWhenNotTenDigits

**Description:**

This test within the Android instrumented test collection tests whether the phone number of a user can be changed if the field has invalid data on the Account page of the Customer App.

**Post-conditions:**

An error message is shown over the phone number field.

**Data required:**

**Email:** sergio@gmail.com

**Password:** 123456

**First Name:** Sergio

**Last Name:** Reguilon

**Phone:** 123456789

**Result:** Passed

### j\_IsPhoneNumberChangedSuccessfully

**Description:**

This test within the Android instrumented test collection tests whether the phone number of a user can be changed if the field has valid data on the Account page of the Customer App.

**Post-conditions:**

The phone number is changed successfully.

**Data required:**

**Email:** sergio@gmail.com

**Password:** 123456

**First Name:** Sergio

**Last Name:** Reguilon

**Phone:** 0400230230

**Result:** Passed

### k\_IsPasswordChangedWhenFirstPasswordFieldEmpty

**Description:**

This test within the Android instrumented test collection tests whether the password of a user can be changed if the first password field is empty on the Account page of the Customer App.

**Post-conditions:**

An error message is shown over the first password field.

**Data required:**

First Password: <empty>

First Password: 123456789

**Result:** Passed

### l\_IsPhoneNumberChangedSuccessfully

**Description:**

This test within the Android instrumented test collection tests whether the password of a user can be changed if the second password field is empty on the Account page of the Customer App.

**Post-conditions:**

An error message is shown over the second password field.

**Data required:**

First Password: 123456789

First Password: <empty>

**Result:** Passed

### m\_IsPasswordChangedWhenPasswordFieldsDoNotMatch

**Description:**

This test within the Android instrumented test collection tests whether the password of a user can be changed if the first password field and second password field on the Account page of the Customer App.

**Post-conditions:**

An error message is shown over the first password field.

**Data required:**

First Password: 123456789

First Password: 987654321

**Result:** Passed

### n\_IsPasswordChangedSuccessfully

**Description:**

This test within the Android instrumented test collection tests whether the password of a user can be changed if the first and second password fields match on the Account page of the Customer App.

**Post-conditions:**

Password is changed successfully.

**Data required:**

First Password: 123456789

First Password: 123456789

**Result:** Passed

### o\_IsAccountDeletedSuccessfully

**Description:**

This test within the Android instrumented test collection tests whether the account of a user can be deleted on the Account page of the Customer App.

**Post-conditions:**

Account is deleted successfully.

**Result:** Passed

### Use-Case: View Account

#### View Account - Local Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to update and delete an account on the local server.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

#### Beverage Booker Test Results Website - View Account

#### View Account - Web Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to update and delete an account on the Beverage Booker web server.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

#### Beverage Booker Test Results Website - View Account



## Use-Case: Manage Staff (Add & Delete Staff)

### Test Collection - IntegrationTestManageStaff

**Tester:** Jake Durnford

**Description:**

This Android instrumented test collection tests normal and alternate flows for a manager trying to add staff and delete staff on the Staff App.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:** 21/09/20

**IntegrationTestManag...: 1 total, 1 passed**

8.72 s

[Collapse](#) | [Expand](#)

**com.example.beverage\_booker\_staff.Staff\_App.Activities.IntegrationTestManageStaff**

8.72 s

**QueuingSystemIntegrationTest**

**passed** 8.72 s

Generated by Android Studio on 21/09/20 7:55 PM

### **QueueingSystemIntegrationTest (isAddAndDeleteStaffSuccessful)\*\***

\*\*Test has been misnamed in the Android test and references the queueing system. Should be called something like isAddAndDeleteStaffSuccessful.

**Description:**

This test within the Android instrumented test collection tests whether a manager can add and delete staff on the Staff App.

**Post-conditions:**

A new staff member is created and then deleted.

**Data required:**

**Staff Level:** 2

**First Name:** Derek

**Last Name:** Organ

**Result:** **Passed**

### Use-Case: Manage Staff (Add & Delete Staff)

#### Manage Staff - Local Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a manager trying to add and delete staff on the local server.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

#### Beverage Booker Test Results Website - Manage Staff

#### Manage Staff - Web Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a manager trying to add and delete staff on the Beverage Booker web server.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

#### Beverage Booker Test Results Website - Manage Staff

### Use-Case: Staff Log In

#### Staff Log In - Web Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a staff member trying to log in on the Beverage Booker web server.

**Pre-conditions:**

1. The connection to the server is stable.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

#### Beverage Booker Test Results Website - Staff Log In

### Use-Case: View Active Order

#### View Active Order - Web Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal flows for a staff member trying to view the active orders list and view an active order's items on the Beverage Booker web server.

**Pre-conditions:**

1. The connection to the server is stable.
2. The user already exists in the database.
3. An active order exists in the database.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

#### Beverage Booker Test Results Website - View Active Order

**Use-Case: CCRD - Fill Order****Test Collection - QueueingSystemIntegrationTest**

**Tester:** Jacob Kennedy

**Description:**

This Android instrumented test collection tests normal and alternate flows for a staff member trying to view an order on the Staff App.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.
3. An active order exists in the database.

**Results:** 10/09/20

**QueueingSystemInteg...(): 1 total, 1 passed**

5.49 s

[Collapse](#) | [Expand](#)

**com.example.beverage\_booker\_staff.Staff\_App.Activities.QueueingSystemIntegrationTest**

5.49 s

**QueueingSystemIntegrationTest**

**passed** 5.49 s

Generated by Android Studio on 10/09/20 5:02 PM

### QueueingSystemIntegrationTest

**Description:**

This test within the Android instrumented test collection tests whether a staff member can view an active order in the Staff App

**Post-conditions:**

The staff member can view the order.

**Data required:**

**StaffID:** 1001

**Result:** Passed

## Test Collection - QueueingSystem\_CompleteOrder\_IntegrationTest

**Tester:** Jake Durnford

**Description:**

This Android instrumented test collection tests normal and alternate flows for a staff member trying to fill an order and confirm completion on the Staff App.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.
3. An active order exists in the database.

**Results:** 10/09/20

**QueueingSystem\_Comple...: 1 total, 1 passed**

7.74 s

[Collapse](#) | [Expand](#)

**com.example.beverage\_booker\_staff.Staff\_App.Activities.QueueingSystem\_CompleteOrder\_IntegrationTest**

7.74 s

**QueueingSystemIntegrationTest**

passed 7.74 s

Generated by Android Studio on 10/09/20 7:26 PM



### QueueingSystemIntegrationTest

**Description:**

This test within the Android instrumented test collection tests whether a staff member can fill an order and confirm it completed in the Staff App.

**Post-conditions:**

The staff member has filled the order and confirmed it complete.

**Data required:**

**StaffID:** 1001

**Result:** **Passed**

### Use-Case: **CCRD - Fill Order**

#### Fill Order - Local Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to fill an order and confirm completion on the local server.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.
3. An active order exists in the database.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

#### Beverage Booker Test Results Website - **Fill Order**

### Use-Case: **CCRD - Fill Order**

#### Fill Order - Web Server Postman Tests

**Tester:** Benn Curby

**Description:**

This Postman test collection tests normal and alternate flows for a user trying to fill an order and confirm completion on the Beverage Booker web server.

**Pre-conditions:**

1. The user already exists in the database.
2. The connection to the server is stable.
3. An active order exists in the database.

**Results:**

Results and test data are exported from these tests in HTML and can be found at our dedicated test results website.

**Beverage Booker Test Results Website - **Fill Order****