

FRONT + BACK

Visual reference only - written specification controls.

PRODUCT PROFILE

FIT

Unisex boxy oversized fit with dropped shoulders

BODY FABRIC

100% combed compact cotton jersey, 240 gsm after wash

FINISH

Pigment dyed, enzyme washed and pre-shrunk

SIZE RANGE

S, M, L, XL and XXL

COLOUR AND BRANDING

WASHED WARM RED

Pantone 18-1664 TCX start point

WARM IVORY

Visual target #E6D9C4

FRONT: 90 x 27.5 mm flat embroidery


BACK: completely blank

FACTORY PRIORITY

Submit fabric and wash swatches, collar-rib swatch, embroidery sew-out and one complete size-L fit sample. The approved pre-production sample becomes the bulk standard.

ALL DIMENSIONS IN CENTIMETRES - MEASURE GARMENT FLAT AFTER WASH

Oversized grade is intentional. Do not substitute a standard regular-fit block.



SIZE SPECIFICATION - FINISHED GARMENT

ID	FINISHED MEASUREMENT (CM)	S	M	L	XL	XXL	TOL.
A	1/2 chest, 2.5 cm below armhole	58	61	**64**	67	70	+/-1.0
B	Body length from high-point shoulder	70	72	**74**	76	78	+/-1.0
C	Shoulder width, seam to seam	56	58	**60**	62	64	+/-1.0
D	Sleeve length from shoulder seam	23	24	**25**	26	27	+/-0.7
E	Sleeve opening, laid flat	20.5	21.2	**22**	22.8	23.6	+/-0.5
F	1/2 bottom hem opening	58	61	**64**	67	70	+/-1.0
G	Neck width, seam to seam	18	18.5	**19**	19.5	20	+/-0.5
H	Front neck drop	8.5	8.7	**9**	9.3	9.6	+/-0.5
I	Armhole depth, straight	25	26	**27**	28	29	+/-0.7
J	Finished rib height	2.5	2.5	**2.5**	2.5	2.5	+/-0.2
K	Logo width	9.0	9.0	**9.0**	9.0	9.0	+/-0.1
L	Logo height	2.75	2.75	**2.75**	2.75	2.75	+/-0.1
M	Logo top edge below neck seam	9.0	9.0	**9.0**	9.0	9.0	+/-0.3

Measure chest and hem edge-to-edge without stretching. Body length is high-point shoulder beside the collar to the bottom hem. Sleeve length starts at the dropped shoulder seam. Supplier must submit size L first; approve fit before grading other sizes.

FABRIC AND FINISH

- Body: 100% combed ring-spun compact cotton single jersey, 240 gsm after wash, tolerance +/-10 gsm.
- Collar: 95% cotton / 5% elastane 1x1 rib, 320 gsm target, 2.5 cm finished height.
- Pigment dye plus enzyme garment wash for a soft, even vintage finish. No acid-wash spotting.
- Pre-shrunk. Maximum dimensional shrinkage 3% length and width after care test.
- Body target red: visual starting point Pantone 18-1664 TCX; approved physical swatch controls bulk.

CONSTRUCTION

- Boxy oversized unisex block with dropped shoulders, straight side seams and sleeves approaching elbow.
- Use side-seam construction, not tubular body. Four-thread safety overlock on internal seams.
- Shoulder-to-shoulder self-fabric neck tape. Reinforce shoulder seams without adding stiffness.
- Double-needle coverstitch on collar, sleeve hem and 2.5 cm bottom hem. Tonal red sewing thread.
- Clean internal finishing: no loose threads, twisting, roping or uneven hem tension.

FRONT EMBROIDERY

LGCY

FINISHED SIZE 90 mm W x 27.5 mm H

EMBROIDERY PRODUCTION NOTES

- Use supplied outlined SVG only. Do not retype, stretch, condense or substitute the logo.
- Flat warm-ivory embroidery only; no 3D foam. Centre on front chest; top edge 90 mm below neck seam.
- Use 40 wt polyester thread, appropriate underlay, soft cut-away backing and water-soluble topper.
- No visible puckering, stiffness or backing edge from the outside. Submit sew-out on actual washed fabric.
- Back of tee remains completely blank. No sleeve, hem or rear-neck exterior branding.

PERFORMANCE AND QC

- Colourfastness grade 4 minimum; pilling grade 4 minimum after test.
- Garment spirality/skew after wash 3% maximum. No side-seam twisting.
- Logo size tolerance +/-1 mm; placement tolerance +/-3 mm.
- Inspect 10% of shipment against approved pre-production sample and measurement table.

LABELS, PACKAGING AND APPROVAL

INSIDE LABELS

Woven LGCY main label at centre-back neck, separate size pip, and care/country-of-origin label in left side seam.

CARE

Cold gentle wash inside out. Do not bleach. Line dry. Low iron on reverse. Do not iron embroidery. No tumble dry.

PACKAGING

Fold with recycled tissue, one tee per recyclable polybag with size sticker. Pack without hard creases. Carton max 15 kg.

APPROVAL ORDER

1 fabric/wash swatch; 2 rib swatch; 3 embroidery sew-out; 4 size-L fit sample; 5 corrected PPS; 6 written approval; 7 bulk.