

FRONT REFERENCE

Visual reference only - written specification controls.

PRODUCT PROFILE

SILHOUETTE
Adult low-profile, unstructured six-panel dad cap

SIZE
One size adjustable: 55-61 cm head circumference

SHELL
100% cotton twill, 280 gsm target

FINISH
Pigment dyed, enzyme washed, medium vintage fade

CLOSURE
Self-fabric strap, antique-brass slider and tuck-in slot

BRANDING
Small warm-ivory flat embroidery: LGCY

COLOUR AND VISUAL DIRECTION

SHELL - WASHED WARM RED

Visual start point: Pantone 18-1664 TCX

Bulk standard: approved physical fabric swatc

THREAD - WARM IVORY

Visual target: #E6D9C4


Submit thread card match


FACTORY PRIORITY

Do not begin bulk production from this image alone. First submit shell fabric, wash swatch, thread card, embroidery sew-out and one finished fit sample. The approved pre-production sample becomes the bulk standard.

ALL DIMENSIONS ARE FINISHED MEASUREMENTS

Supplier develops the production pattern to achieve these targets after wash.





FINISHED MEASUREMENT SCHEDULE

ID	FINISHED MEASUREMENT	TARGET	TOL.
A	Head circumference, middle setting	**58.0 cm**	+/- 0.5 cm
A1	Functional adjustment range	**55.0-61.0 cm**	Must fit range
B	Crown height, vertical front	**11.5 cm**	+/- 0.5 cm
C	Front crown surface length	**16.0 cm**	+/- 0.5 cm
D	Front panels, total width at brim	**18.5 cm**	+/- 0.3 cm
E	Visor width at crown attachment	**18.5 cm**	+/- 0.3 cm
F	Visor depth at centre	**7.2 cm**	+/- 0.2 cm
G	Pre-curve drop, centre to outer tip	**3.0 cm**	+/- 0.3 cm
H	Rear opening width	**8.5 cm**	+/- 0.3 cm
I	Rear opening height	**6.0 cm**	+/- 0.3 cm
J	Closure strap finished width	**2.0 cm**	+/- 0.1 cm
K	Sweatband finished width	**3.0 cm**	+/- 0.2 cm
L	Embroidered eyelet diameter	**0.5 cm**	+/- 0.1 cm
M	Covered top-button diameter	**1.4 cm**	+/- 0.1 cm
N	LGCY embroidery finished width	**7.2 cm**	+/- 0.1 cm
O	LGCY embroidery finished height	**2.2 cm**	+/- 0.1 cm
P	Logo bottom edge above brim seam	**4.2 cm**	+/- 0.2 cm

Logo centre line must align with the cap centre seam. Place the seam in the clear gap between G and C. Placement tolerance is +/- 2 mm; logo-size tolerance is +/- 1 mm. No visible puckering after embroidery.


BILL OF MATERIALS

- Shell: 100% cotton twill, 280 gsm target, compact weave, soft hand feel.
- Visor insert: 2.0 mm recycled PE, pre-curved; shell fabric on top and underside.
- External sewing thread: warm-ivory core-spun polyester, Tex 30 equivalent.
- Internal sewing thread: colour-matched red polyester.
- Sweatband: 30 mm black cotton with light moisture-wicking backing.
- Closure: red self-fabric 20 mm strap, antique-brass slider, rear tuck-in slot.
- Internal seam tape: 10 mm red cotton herringbone tape.

CONSTRUCTION

- Six-panel low-profile crown. Fully unstructured: no foam and no front buckram.
- Two rows of contrast topstitching along panel seams, approximately 3 mm either side.
- Four parallel contrast rows on visor, 6 mm spacing; first row 8 mm from edge.
- Six self-colour embroidered eyelets and one self-fabric covered top button.
- Seam allowance target 7 mm unless factory pattern requires equivalent strength.

EMBROIDERY SPECIFICATION



EMBROIDERY PRODUCTION NOTES

- Use supplied outlined SVG only. Do not retype, stretch, condense or substitute a font.
- Flat embroidery only; no 3D foam. Warm-ivory 40 wt polyester embroidery thread.
- Use satin stitch on narrow elements and tatami fill only where required. Target density 0.40-0.45 mm.
- Maintain minimum visible stroke of 1.2 mm. Add suitable underlay to prevent sinking into washed twill.
- Submit one sew-out on the actual washed shell fabric before the finished sample.

WASH AND DISTRESSING

- Pigment dye plus enzyme garment wash to achieve an even medium vintage fade and soft handle.
- No printed texture, acid-wash pattern, bleach spotting or severe colour mottling.
- Create four controlled abrasions on the front visor edge, approximately 5-12 mm each. Fray only; no opening larger than 4 mm.
- No distressing on crown panels, rear opening or closure strap.

LABELS, PACKAGING AND BULK APPROVAL

INSIDE LABELS

Small woven LGCY label at centre-back inside. Separate ONE SIZE / 55-61 CM tab. Care label: 100% COTTON, SPOT CLEAN ONLY, country of origin and supplier details.

PACKAGING

Shape crown with recyclable tissue, protect metal buckle, one cap per recyclable polybag. Pack flat without crushing the crown or changing visor curve. Maximum carton weight 12 kg.

APPROVAL ORDER

1 fabric/wash swatch; 2 thread card; 3 embroidery sew-out; 4 fit sample; 5 corrected pre-production sample; 6 written approval; 7 bulk production.

BULK QC

Measure 10% of shipment. Finished dimensions within listed tolerance; logo within +/-1 mm; placement within +/-2 mm; colourfastness grade 4 minimum; no skipped stitches, puckering or loose threads.