Comparison of GLMM Parameter Estimation Methods

Jacob Rich

April 10th, 2018

Outline

Background

Generalized Linear Mixed Models

- In ecological and evolutionary biology, ordinary linear models are not always well suited for data analysis.
 - Presence/absence and count data are two common situations where a linear model is not well suited (non-normal responses).
 - Dependence between observations occur through repeated measures, clustered observations, or within spatial elements violate independence assumptions (correlated observations).

Generalized Linear Mixed Models

- In ecological and evolutionary biology, ordinary linear models are not always well suited for data analysis.
 - Presence/absence and count data are two common situations where a linear model is not well suited (non-normal responses).
 - Dependence between observations occur through repeated measures, clustered observations, or within spatial elements violate independence assumptions (correlated observations).
- If both non-normal responses and correlated observations occur in a dataset, we can use generalized linear mixed models (GLMMs) for estimation and inference.

A Motivating Example

- Owlet begging data from Roulin and Bersier (2007) is an example of a dataset suitable for analysis with GLMMs.
 - Data consist of 599 observations from 27 barn owl nests in western Switzerland.
 - Response: number of calls in a 30 sec. interval before the parent arrived.
 - Covariates used: brood size, food treatment, and arrival time of parent (between 2130 and 0530 hours).
- Observations are correlated at the nest level due to repeated measurements and the count data should follow a Poisson distribution.



Issues with Estimation

Problem:

The likelihood functions of GLMMs involve high-dimensional integrals that lack closed form solutions, making evaluation of the exact likelihood function essentially impossible.

Issues with Estimation

Problem:

The likelihood functions of GLMMs involve high-dimensional integrals that lack closed form solutions, making evaluation of the exact likelihood function essentially impossible.

0

