Dementia Friendly Music Player: How to prepare the micro-SD card image

22 January 2019

1 Introduction

This document describes how to create a Dementia Friendly Music Player (DQMusicBox) system image – a .img file. I (Ross) am probably the only person that needs this document. Mostly people making a Dementia Friendly Music Player will use the fruit (the .img file) of the process described here -- you don't need to create your own custom .img file unless you really want to. At the time of this writing, there are two versions of the software. This version uses a USB DAC and a newer method for USB drive automounting.

2 No warranty

USE THESE DEMENTIA FRIENDLY MUSIC PLAYER (DQMUSICBOX) PLANS AND SYSTEM AT YOUR OWN RISK. THE DEMENTIA FRIENDLY MUSIC PLAYER PLANS ARE PROVIDED AS IS WITHOUT WARRANTY OF ANY KIND EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PLANS AND SYSTEM IS WITH YOU. SHOULD THE PLANS OR SYSTEM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION. IN NO EVENT WILL ANY PARTY BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PLANS OR SYSTEM.

3 Prepare the disk image

This is a record of how I created the disk image. You only need to read this information if you wish to do your own OS configuration.

3.1 Flash DietPi onto the micro-SD card

Install DietPi i.e. follow these instructions: http://dietpi.com/phpbb/viewtopic.php?f=8&t=9#p9. I used balanaEtcher (free) to write the disk image to the micro-SD card. This may take a while as the system updates itself.

3.2 Boot & configure DietPi

Put the Pi on Ethernet. Move the micro-SD card to the Pi, boot DietPi. After a build process, you will be prompted to make some choices.

DietPi-Config

Audio Options: Soundcard: usb-dac

Software Optimized

Hardware Projects : RPi.GPIO [Install]

Software Additional

System : ALSA

Development : Git Client

Install

Install

Software will be installed. Then your Pi will then reboot

3.3 Install VLC (music player)

sudo apt-get install vlc-nox

3.4 adduser pi

sudo adduser pi

3.5 Install/clone dqmusicbox, enable

cd /home/pi
git clone https://github.com/rosswesleyporter/dqmusicbox/
sudo chmod 755 dqmusicbox/bin/dqmusicbox usb.py

3.6 Install Python bindings for VLC

cd /home/pi sudo git clone https://github.com/oaubert/python-vlc cp python-vlc/generated/2.2/vlc.py dqmusicbox/bin chmod 755 dqmusicbox/bin/vlc.py

3.7 Add shell script to automatically start the musicbox

cd /home/pi
sudo cp dqmusicbox/bin/dqmusicbox_usb.sh /etc/init.d
sudo chmod 755 /etc/init.d/dqmusicbox_usb.sh
sudo update-rc.d dqmusicbox usb.sh defaults

For more information, see Stephen Christopher Phillips' terrific page.

3.8 Configure such that USB drives mount automatically

The instructions below are from <u>pauliucxz</u> in <u>StackExchange 66169</u>, preserved below for clarity. I am quite thankful for that answer. The first USB drive will automatically mount as /media/usb1.

Install pmount

sudo apt-get install pmount

Specify a udev rule by creating file /etc/udev/rules.d/usbstick.rules

```
ACTION=="add", KERNEL=="sd[a-z][0-9]", TAG+="systemd", ENV{SYSTEMD WANTS}="usbstick-handler@%k"
```

Configure a system service by creating file /lib/systemd/system/usbstick-handler@.service

```
[Unit]
Description=Mount USB sticks
BindsTo=dev-%i.device
After=dev-%i.device

[Service]
Type=oneshot
RemainAfterExit=yes
ExecStart=/usr/local/bin/cpmount /dev/%I
ExecStop=/usr/bin/pumount /dev/%I
```

Create the mount script file /usr/local/bin/cpmount

```
#!/bin/bash
if mountpoint -q /media/usb1
then
  if mountpoint -q /media/usb2
      if mountpoint -q /media/usb3
      then
         if mountpoint -1 /media/usb4
         then
             echo "No mountpoints available!"
             #You can add more if you need
         else
             /usr/bin/pmount --umask 000 --noatime -w --sync $1 usb4
         fi
      else
         /usr/bin/pmount --umask 000 --noatime -w --sync $1 usb3
      fi
      /usr/bin/pmount --umask 000 --noatime -w --sync $1 usb2
   fi
else
   /usr/bin/pmount --umask 000 --noatime -w --sync $1 usb1
```

Make the script executable

sudo chmod 755 /usr/local/bin/cpmount

3.9 Shutdown, unplug

sudo shutdown -h now

Then unplug the Pi

3.10 Insert USB drive

Once Pi is off, insert USB drive. Then plug the Pi back in.

3.11 Test

Make sure the music plays...

3.12 Shutdown

Provided that the reboot went well, shutdown:

sudo shutdown -h now

Then remove the micro-SD card.

3.13 Use Win32DiskImager to create the master image

Remove the micro-SD card from your Pi and place in the card reader of your computer. Use Win32DiskImager to create an image of Dementia Friendly Music Player that you just nicely configured.