

OpenSCAD User Manual/Print version

Table of Contents

1. Introduction
2. First Steps
3. The OpenSCAD User Interface
4. The OpenSCAD Language
 1. General
 2. Mathematical Operators
 3. Mathematical Functions
 4. String Functions
 5. Primitive Solids
 6. Transformations
 7. Conditional and Iterator Functions
 8. CSG Modelling
 9. Modifier Characters
10. Modules
11. Include Statement
12. Other Language Feature
5. Using the 2D Subsystem
 1. 2D Primitives
 2. 3D to 2D Projection
 3. 2D to 2D Extrusion
 4. DXF Extrusion
 5. Other 2D formats
6. STL Import and Export
 1. STL Import
 2. STL Export
7. Commented Example Projects
8. Using OpenSCAD in a command line environment
9. Building OpenSCAD from Sources
 1. Building on Linux/UNIX
 2. Cross-compiling for Windows on Linux or Mac OS X
 3. Building on Windows
 4. Building on Mac OS X

Introduction

OpenSCAD is a software for creating solid 3D CAD objects. It is free software (<http://www.gnu.org/philosophy/free-sw.html>) and available for GNU/Linux (<http://www.gnu.org/>), MS Windows and Apple OS X.

Unlike most free software for creating 3D models (such as the well-known application Blender (<http://www.blender.org/>)), OpenSCAD does not focus on the artistic aspects of 3D modelling, but instead focuses on the CAD aspects. So it might be the application you are looking for when you are planning to create 3D models of machine parts, but probably is not what you are looking for when you are more interested in creating computer-animated movies.

OpenSCAD is not an interactive modeller. Instead it is something like a 3D interpreter that reads in a script file that describes the object and renders the 3D model from the script file. This gives you (the designer) full control over the modelling process and enables you to easily change any step in the modelling process, or even to produce designs that are defined by configurable parameters.

OpenSCAD provides two main modelling techniques: First, constructive solid geometry (CSG) and second, extrusion of 2D outlines. Autocad DXF files are used as the data exchange format for the 2D outlines. In addition to 2D paths for extrusion, it is also possible to read design parameters from DXF files. In addition to reading DXF files, OpenSCAD can also read and create 3D models in the STL and OFF file formats.

OpenSCAD can be downloaded from <http://opencad.org/>. You may find extra information in the mailing list (<http://rocklinux.net/mailman/listinfo/opencad>).

People who don't want to (or can't) install new software on their computer may be able to use OpenJSCAD (<http://OpenJSCAD.org/>), a port of OpenSCAD that runs in a web browser.

A pt_BR translation of this document is available on GitHub repository (not completed/on development) [1] (http://www.github.com/ubb3rsith/OpenSCAD_doc_ptBR)


First Steps

First Steps

For our first model we will create a simple 2 x 3 x 4 cuboid. In the openSCAD editor, type the following one line command:

Usage example 1 - simple cuboid:

```
cube([2,3,4]);
```



OpenSCAD Simple Cuboid


Compiling and rendering our first model

The cuboid can now be compiled and rendered by pressing F6 while the openSCAD editor has focus. `cube([230,420,310]);`

See also

Positioning an object

Open one of the many examples that come with OpenSCAD (*File, Examples*, e.g. *example004.scad*). Or you can copy and paste this simple example into the OpenSCAD window:




OpenSCAD after starting

Usage example 1 - example004.scad:

```

difference() {
  cube(30, center=true);
  sphere(20);
}
translate([0, 0, 30]) {
  cylinder(h=40, r=10);
}

```



OpenSCAD after pasting the example code and pressing F5

Then **press F5** to get a graphical preview of what you typed.


You get three types of movement in the preview frame:

1. Drag with left mouse button to rotate the view. The bottom line will change the rotate values.
2. Drag with an other mouse button to translate (move) the view. The bottom line will change translate values.
3. Use the mouse scroll to zoom in and out. Alternatively you can use the + and - keys, or right-drag with the mouse while pressing a shift key. The Viewport line at the bottom of the window will show a change in the distance value.

We have already seen how to create a simple cuboid. Our next task is to attempt to use the translate positioning command to place an identical cuboid next to the existing cuboid:

Usage example 1 - positioning an object:

```
cube([2,3,4]);  
translate([3,0,0]) {  
  cube([2,3,4]);  
}
```




OpenSCAD positioning an object

There is no semicolon following the translate command

Notice that there is no semicolon following the translate command. This is because the translate command relates to the following object. If the semicolon was not omitted, then the effect of the position translation would end, and the second cuboid would be placed at the same position as the first cuboid. We can change the color of an object by giving it RGB values. Instead of the traditional RGB values from 0 to 255 floating point values are used from 0.0 to 1.0.

Usage example 1 - changing the color of an object:

```
color([1,0,0]) cube([2,3,4]);
translate([3,0,0])
color([0,1,0]) cube([2,3,4]);
translate([6,0,0])
color([0,0,1]) cube([2,3,4]);
```



OpenSCAD changing the color of an object

Color names can be used in the 2011.12 version (and newer). The names are the same used for Web colors (http://en.wikipedia.org/wiki/Web_colors). For example: `color("red") cube();`

If you think of the entire command as a sentence, then `color()` is an "adjective" that describes the "object" of the sentence (which is a "noun"). In this case, the object is the `cube()` to be created. The adjective is placed before the noun in the sentence, like so: `color() cube();`. In the same way, `translate()` can be thought of as a "verb" that acts upon the object, and is placed like this: `translate() color() cube();`. The following code will produce the same result:

```
translate([6,0,0])
{
  color([0,0,1])    // notice that there is NO semicolon
  cube([2,3,4]);    // notice the semicolon is at the end of all related commands
}
```

Changing the colors only works in Preview mode (F5). Render mode (F6) does not currently support color.

The openscad model view window provides a variety of view options.

CGAL Surfaces

The surface view is the initial model view that appears when the model code is first rendered.

CGAL Grid Only

The Grid Only view presents only the "scaffolding" beneath the surface, also known as a wireframe. Think of the Eiffel Tower.

A wire frame is a visual presentation of a three dimensional or physical object. Using a wire frame model allows visualization of the underlying design structure of a 3D model. Since wireframe renderings are relatively simple and fast to calculate, they are often used in cases where a high screen frame rate is needed (for instance, when working with a particularly complex 3D model, or in real-time systems that model exterior phenomena). When greater graphical detail is desired, surface textures can be added automatically after completion of the initial rendering of the wireframe. This allows the designer to quickly review changes or rotate the object to new desired views without long delays associated with more realistic rendering. The wire frame format is also well suited and widely used in programming tool paths for DNC (Direct Numerical Control) machine tools. Wireframe models are also used as the input for CAM(computer-aided manufacturing). Wireframe is the most abstract and least realistic of the three main CAD models. This method of modelling consists only of lines, points and curves defining the edges of an object. (From Wikipedia: http://en.wikipedia.org/wiki/Wire-frame_model)

The OpenCSG View

This view mode utilizes the open constructive solid geometry library to generate the model view utilizing OpenGL. If the OpenCSG library is not available or the video card or drivers do not support OpenGL, then this view will produce no visible output.

The thrown together view

The thrown together view provides all the previous views, in the same screen.

The OpenSCAD User Interface

View navigation

The viewing area is navigated primarily using the mouse:

- Dragging with the left mouse button rotates the view along the axes of the viewing area. It preserves the vertical axis' direction.
- Dragging with the left mouse button when the shift key is pressed rotates the view along the vertical axis and the axis pointing towards the user.
- Dragging with the right mouse button moves the viewing area.
- For zooming, there are three ways:

- using the scroll wheel
- dragging with the middle mouse button
- dragging with the right or middle mouse button and the shift key pressed
- the keys + and -

Rotation can be reset using the shortcut Ctrl+0. Movement can be reset using the shortcut Ctrl+P.

View setup

The viewing area can be configured to use different rendering methods and other options using the View menu. Most of the options described here are available using shortcuts as well.

Render modes

OpenCSG (F9)

This method produces instantaneous results, but has low frame rates when working with highly nonconvex objects.

Note that selecting the OpenCSG mode using F9 will switch to the last generated OpenCSG view, but will not re-evaluate the source code. You may want to use the *Compile* function (F5, found in the *Design* menu) to re-evaluate the source code, build the OpenCSG objects and *then* switch to OpenCSG view.

Implementation Details

In OpenCSG mode, the OpenCSG library (<http://opencsg.org/>) is used for generating the visible model. This library uses advanced OpenGL features (2.0) like the Z buffer and does not require an explicit description of the resulting mesh – instead, it tracks how objects are to be combined. For example, when rendering a spherical dent in a cube, it will first render the cube on the graphics card and then render the sphere, but instead of using the Z buffer to **hide** the parts of the sphere that are covered by the cube, it will render **only** those parts of the sphere, visually resulting in a cube with a spherical dent.

CGAL (Surfaces and Grid, F10 and F11)

This method might need some time when first used with a new program, but will then have higher framerates.

As before with OpenCSG, F10 and F11 only enable CGAL display mode and don't update the underlying objects; for that, use the *Compile and Render* function (F6, found in the *Design* menu).

To combine the benefits of those two display methods, you can selectively wrap parts of your program in a render function and force them to be baked into a mesh even with OpenCSG mode enabled.

Implementation Details

The acronym CGAL refers to The Open Source Computational Geometry Algorithms Library.

In CGAL mode, the CGAL library is used to compute the mesh of the root object, which is then displayed using simple OpenGL.

View options

Show Edges (Ctrl+1)

If *Show Edges* is enabled, both OpenCSG and CGAL mode will render edges as well as faces, CGAL will even show vertices. In CGAL grid mode, this option has no effect.

Enabling this option shows the difference between OpenCSG and CGAL quite clearly: While in CGAL mode you see an edge drawn everywhere it "belongs", OpenCSG will not show edges resulting from boolean operations – this is because they were never explicitly calculated but are just where one object's Z clipping begins or ends.

Show Axes (Ctrl+2)

If *Show Axes* is enabled, the origin of the global coordinate system will be indicated by an orthogonal axes indicator. Additionally, a smaller axes indicator with axes names will be shown in the lower left corner of the viewing area. The smaller axes indicator is marked x, y, z and coloured red, green, blue respectively.

Show Crosshairs (Ctrl+3)


If *Show Crosshairs* is enabled, the center of the viewport will be indicated by four lines pointing in the four diagonal directions of the global coordinate system. This is useful when aligning the viewing area to a particular point in the model to keep it centered on screen during rotation.

Animation

The *Animate* option adds an animation bar to the lower edge of the screen. As soon as *FPS* and *Steps* are set (reasonable values to begin with are 10 and 100, respectively), the current *Time* is incremented by $1/Steps$, *FPS* times per second, until it reaches 1, when it wraps back to 0.

Every time *Time* is changed, the program is re-evaluated with the variable $\$t$ set to the current time. Read more about how $\$t$ is used in section [Other_Language_Features](#)

View alignment



The menu items *Top*, *Bottom*, ..., *Diagonal* and *Center* (Ctrl+4, Ctrl+5, ..., Ctrl+0, Ctrl+P) align the view to the global coordinate system.

Top, *Bottom*, *Left*, *Right*, *Front* and *Back* align it in parallel to the axes, the *Diagonal* option aligns it diagonally as it is aligned when OpenSCAD starts.

The *Center* option will put the coordinate center in the middle of the screen (but not rotate the view).

By default, the view is in *Perspective* mode, meaning that distances far away from the viewer will look shorter, as it is common with eyes or cameras. When the view mode is changed to *Orthogonal*, visible distances will not depend on the camera distance (the view will simulate a camera in infinite distance with infinite focal length). This is especially useful in combination with the *Top* etc. options described above, as this will result in a 2D image similar to what one would see in an engineering drawing.

The OpenSCAD Language

Comments

OpenSCAD uses a programming language to create the models that are later displayed on the screen. Comments are a way of leaving notes within the code (either to yourself or to future programmers) describing how the code works, or what it does. Comments are not evaluated by the compiler, and should not be used to describe self-evident code.

OpenSCAD uses C++-style comments:

```
// This is a comment

myvar = 10; // The rest of the line is a comment

/*
    Multi-line comments
    can span multiple lines.
*/
```

Variables

Variables in OpenSCAD are simply a name followed by an assignment via an expression (but see below for an important note about variables!)

Example:

```
myvar = 5 + 4;
```

Undefined variable

A non assigned variable has a special value **undef**. It could be tested in conditional expression, and returned by a function. **Example**

```
echo("Variable a is ", a); // output 'Variable a is undef'
if (a==undef) {
    echo("Variable a is tested undefined");
}
function not_useful() = undef; // not really useful...
echo("Function returns ", not_useful()); // output 'Function returns undef'
```

Output Variable a is undef Variable a is tested undefined Function returns undef

Numeric

A variable could be a numerical value: integer, float...

Vectors

Variables can be grouped together into Vectors by using brackets. Vectors are useful when dealing with X, Y, and Z coordinates or sizes.

Example

```
deck = [ 64, 89, 18 ];
cube(deck);
```

Output A cube with the sizes: X = 64, Y = 89, Z = 18.

Vectors selection

You can also refer to individual values in a vector with vector[number]. number starts from 0.

Example

```
deck = [ 64, 89, 18];  
translate([0,0,deck[2]]) cube(deck);
```

Output The same cube as the previous example would be raised by 18 on the Z axis, since vector indices are numbered [0,1,2] for [X,Y,Z] respectively.

Matrix

A matrix is a vector of vector.

Example

```
mr = [  
    [cos(angle), -sin(angle)],  
    [sin(angle),  cos(angle)]  
];
```

Output Define a 2D rotation matrix.

Strings

Explicit double quotes or backslashes need to be escaped (\ and \\ respectively). Other escaped special characters are newlines (\n), tabs (\t) and carriage returns (\r).

NB! This behavior is new since OpenSCAD-2011.04. You can upgrade old files using the following sed command: `sed 's/\\/\\\\/' non-escaped.scad > escaped.scad`

Example:

```
echo("The quick brown fox \tjumps \"over\" the lazy dog.\rThe quick brown fox.\nThe \\lazy\\ dog.");
```

Output:

ECHO: "The quick brown fox jumps "over" the lazy dog.

The quick brown fox.

The \lazy\ dog."

Output: in OpenSCAD version 2013.02.28

```
ECHO: "The quick brown fox \tjumps \"over\" the lazy dog.  
The quick brown fox.\nThe \\lazy\\ dog."
```

Variables are set at compile-time, not run-time

Because OpenSCAD calculates its variable values at compile-time, not run-time, the last variable assignment will apply everywhere the variable is used (with some exceptions, mentioned below). It may be helpful to think of them as override-able constants rather than as variables.

Example:

```
// The value of 'a' reflects only the last set value  
a = 0;  
echo(a);  
  
a = 5;  
echo(a);
```

Output

```
ECHO: 5  
ECHO: 5
```

This also means that you can not reassign a variable inside an "if" block:

Example:

```
a=0;  
if (a==0)  
{  
  a=1; // <- this line will generate an error.  
}
```

Output Compile Error

Exception #1

the behavior is scoped to either the result of a specific call to a module, meaning you can re-define a variable within a module without affecting its value outside of it. However, all instances within that call will behave as described above with the last-set value being used throughout.

Example:

```
p = 4;
test(5);
echo(p);
/*
 * we start with p = 4. We step to the next command 'test(5)', which calls the 'test' module.
 * The 'test' module calculates two values for 'p', but the program will ONLY display the final value.
 * There will be two executions of echo(p) inside 'test' module, but BOTH will display '9' because it is the FINAL
 * calculated value inside the module. ECHO: 9    ECHO: 9
 *
 * Even though the 'test' module calculated value changes for 'p', those values remained inside the module.
 * Those values did not continue outside the 'test' module. The program has now finished 'test(5)' and moves to the next command 'echo(p)'.
 * The call 'echo(p)' would normally display the original value of 'p'=4.
 * Remember that the program will only show the FINAL values. It is the next set of commands that produce the final values....which is 6
 */
p = 6;
test(8);
echo(p);
/*
 * We now see 'p=6', which is a change from earlier. We step to the next command 'test(8)', which calls the 'test' module.
 * Again, the 'test' module calculates two values for 'p', but the program will ONLY display the final value.
 * There will be two executions of echo(p) inside 'test' module, but BOTH will display '12' because it is the FINAL
 * compiled value that was calculated inside the module.
 * Therefore, both echo(p) statements will show the final value of '12' ;
 * Remember that the 'test' module final values for 'p' will remain inside the module. They do not continue outside the 'test' module.
 * ECHO:12    ECHO: 12
 *
 * The program has now finished 'test(8)' and moves to the next command 'echo(p)'.
 * Remember at compile that the pgm will show the FINAL values. The first value of 'echo(p)' would have showed a value of '4'...
 * However, at compile time the final value of 'echo(p)' was actually '6'. Therefore, '6' will be shown on both echo(p) statements.
 * ECHO 6
 */

module test(q)
{
    p = 2 + q;
    echo(p);

    p = 4 + q;
    echo(p);
}
```

Output

```
ECHO: 9
ECHO: 9
ECHO: 6
```

```
ECHO: 12
ECHO: 12
ECHO: 6
```

While this appears to be counter-intuitive, it allows you to do some interesting things: For instance, if you set up your shared library files to have default values defined as variables at their root level, when you include that file in your own code, you can 're-define' or override those constants by simply assigning a new value to them.

Exception #2

See the assign, which provides for a more tightly scoped changing of values.

Getting input

Now we have variables, it would be nice to be able to get input into them instead of setting the values from code. There are a few functions to read data from DXF files, or you can set a variable with the -D switch on the command line.

Getting a point from a drawing

Getting a point is useful for reading an origin point in a 2D view in a technical drawing. The function `dxg_cross` will read the intersection of two lines on a layer you specify and return the intersection point. This means that the point must be given with two lines in the DXF file, and not a point entity.

```
OriginPoint = dxg_cross(file="drawing.dxf", layer="SCAD.Origin",
                        origin=[0, 0], scale=1);
```

Getting a dimension value

You can read dimensions from a technical drawing. This can be useful to read a rotation angle, an extrusion height, or spacing between parts. In the drawing, create a dimension that does not show the dimension value, but an identifier. To read the value, you specify this identifier from your script:

```
TotalWidth = dxg_dim(file="drawing.dxf", name="TotalWidth",
                      layer="SCAD.Origin", origin=[0, 0], scale=1);
```

For a nice example of both functions, see Example009 and the image on the homepage of OpenSCAD (<http://www.openscad.org/>).

For Loop

Iterate over the values in a vector or range.

Vector version: for (variable=<vector>) <do_something> - <variable> is assigned to each successive value in the vector

Range version: for (variable=<range>) <do_something>

Range: [<start>:<end>] - iterate from start to end inclusive. Also works if if <end> is smaller than <start>


Range: [<start>:<increment>:<end>] - iterate from start to end with the given increment. The increment can be a fraction. Note: The increment is given as an absolute value and cannot be negative. If <end> is smaller than <start> the increment should remain unchanged. Warning: If the increment is not an even divider of <end>-<start>, the iterator value for the last iteration will be <end>-(<end>-<start> mod <increment>).

Nested loops : for (variable1 = <range or vector>, variable2 = <range or vector>) <do something, using both variables>

for loops can be nested, just as in normal programs. A shorthand is that both iterations can be given in the same for statement

Usage example 1 - iteration over a vector:

```
for (z = [-1, 1]) // two iterations, z = -1, z = 1
{
    translate([0, 0, z])
    cube(size = 1, center = false);
}
```




OpenSCAD iteration over a vector

Usage example 2a - iteration over a range:


```

for ( i = [ 0 : 5 ] )
{
    rotate( i * 360 / 6, [ 1, 0, 0 ])
    translate([ 0, 10, 0 ])
    sphere(r = 1);
}

```



OpenSCAD iteration over a range)

Usage example 2b - iteration over a range specifying an increment:

```

// Note: The middle parameter in the range designation
// ('0.2' in this case) is the 'increment-by' value
// Warning: Depending on the 'increment-by' value, the
// real end value may be smaller than the given one.
for ( i = [ 0 : 0.2 : 5 ] )
{
    rotate( i * 360 / 6, [ 1, 0, 0 ])
    translate([ 0, 10, 0 ])
    sphere(r = 1);
}


```

Usage example 3 - iteration over a vector of vectors (rotation):

```

for(i = [ [ 0, 0, 0],
          [ 10, 20, 300],
          [200, 40, 57],
          [ 20, 88, 57] ])
{
    rotate(i)
    cube([100, 20, 20], center = true);
}

```




OpenSCAD for loop (rotation)

Usage example 4 - iteration over a vector of vectors (translation):

```

for(i = [ [ 0, 0, 0],
          [10, 12, 10],
          [20, 24, 20],
          [30, 36, 30],
          [20, 48, 40],
          [10, 60, 50] ])
{
    translate(i)
    cube([50, 15, 10], center = true);
}

```



OpenSCAD for loop (translation)

Nested loop example

```

for (xpos=[0:3], ypos = [2,4,6]) // do twelve iterations, using each xpos with each ypos
    translate([xpos*ypos, ypos, 0]) cube([0.5, 0.5, 0.5]);

```

Intersection For Loop

Iterate over the values in a vector or range and take an intersection of the contents.

Note: `intersection_for()` is a work around because of an issue that you cannot get the expected results using a combination of the standard `for()` and `intersection()` statements. The reason is that `for()` do a implicit `union()` of the contents.


Parameters

<loop variable name>

Name of the variable to use within the **for** loop.

Usage example 1 - loop over a range:

```
intersection_for(n = [1 : 6])
{
    rotate([0, 0, n * 60])
    {
        translate([5,0,0])
        sphere(r=12);
    }
}
```




Usage example 2 - rotation :

```
intersection_for(i = [ [ 0, 0, 0],
```

```
[ 10, 20, 300],  
[200, 40, 57],  
[ 20, 88, 57] ])
```

```
{  
    rotate(i)  
    cube([100, 20, 20], center = true);  
}
```



OpenSCAD Intersection for (rotation)

If Statement

Conditionally evaluate a sub-tree.

Parameters

- The boolean expression that should be used as condition

NOTE:

Do not confuse the assignment operator '=' with the equal operator '=='

```
if (a=b) dosomething(); // WRONG - this will FAIL to be processed without any error message  
if (a==b) dosomething(); // CORRECT - this will do something if a equals b
```

Usage example:

```
if (x > y)  
{  
    cube(size = 1, center = false);  
} else {  
    cube(size = 2, center = true);  
}
```

Assign Statement

Set variables to a new value for a sub-tree.

Parameters

- The variables that should be (re-)assigned

Usage example:

```
for (i = [10:50])
{
    assign (angle = i*360/20, distance = i*10, r = i*2)
    {
        rotate(angle, [1, 0, 0])
        translate([0, distance, 0])
        sphere(r = r);
    }
}
```

Scalar Arithmetical Operators

The scalar arithmetical operators take numbers as operands and produce a new number.

+	add
-	subtract
*	multiply
/	divide
%	modulo

The "-" can also be used as prefix operator to negate a number.

Relational Operators

All relational operator take numbers as operands and produce a Boolean value. The equal and not-equal operators can also compare Boolean values.

<	less than
<=	less equal
==	equal
!=	not equal
>=	greater equal
>	greater than

Logical Operators

All logical operators take Boolean values as operands and produce a Boolean value.

&&	Logical AND
	Logical OR
!	Logical NOT

Conditional Operator

The `? :` operator can be used to conditionally evaluate one or another expression. It works like the `? :` operator from the family of C-like programming languages.

<code>? :</code>	Conditional operator
------------------	----------------------

Usage Example:

```
a=1;  
b=2;  
c= a==b ? 4 : 5;
```

If a equals b, then c is set to 4, else c is set to 5.
The part "a==b" must be something that evaluates to a boolean value.

Vector-Number Operators

The vector-number operators take a vector and a number as operands and produce a new vector.

*	multiply all vector elements by number
/	divide all vector elements by number

Vector Operators

The vector operators take vectors as operands and produce a new vector.

+	add element-wise
-	subtract element-wise

The "-" can also be used as prefix operator to element-wise negate a vector.

Vector Dot-Product Operator

The vector dot-product operator takes two vectors as operands and produces a scalar.

*	sum of vector element products
---	--------------------------------

Matrix Multiplication

Multiplying a matrix by a vector, vector by matrix and matrix by matrix

*	matrix/vector multiplication
---	------------------------------

Trigonometric Functions

cos


Mathematical **cosine** function of degrees. See Cosine

Parameters

<degrees>
Decimal. Angle in degrees.

Usage Example:

```
for(i=[0:36])
  translate([i*10,0,0])
    cylinder(r=5,h=cos(i*10)*50+60);
```



OpenSCAD Cos Function

sin

Mathematical **sine** function. See Sine

Parameters

<degrees>


Decimal. Angle in degrees.

Usage example 1:

```
for (i = [0:5]) {
  echo(360*i/6, sin(360*i/6)*80, cos(360*i/6)*80);
  translate([sin(360*i/6)*80, cos(360*i/6)*80, 0 ])
    cylinder(h = 200, r=10);
}
```

Usage example 2:


```
for(i=[0:36])
  translate([i*10,0,0])
    cylinder(r=5,h=sin(i*10)*50+60);
```



OpenSCAD Sin Function

tan

Mathematical **tangent** function. See Tangent

Parameters

<degrees>

Decimal. Angle in degrees.

Usage example:

```
for (i = [0:5]) {
  echo(360*i/6, tan(360*i/6)*80);
  translate([tan(360*i/6)*80, 0, 0 ])
    cylinder(h = 200, r=10);
}
```

acos

Mathematical **arccosine**, or **inverse cosine**, expressed in degrees. See: Inverse trigonometric functions

asin

Mathematical **arcsine**, or **inverse sine**, expressed in degrees. See: Inverse trigonometric functions

atan

Mathematical **arctangent**, or **inverse tangent**, function. Returns the principal value of the arc tangent of x, expressed in degrees. See: Inverse trigonometric functions

atan2

Mathematical **two-argument atan** function, taking y as its first argument. Returns the principal value of the arc tangent of y/x, expressed in degrees. See: atan2

Other Mathematical Functions

abs

Mathematical **absolute value** function. Returns the positive value of a signed decimal number.

Usage examples:

```
abs(-5.0);
abs(0);
abs(8.0);
```

Results:

```
5.0
0.0
8.0
```

ceil

Mathematical **ceiling** function. ceil(x) is the smallest integer not less than x.

See: Ceil Function

```
echo(ceil(4.4),ceil(-4.4));      // produces ECHO: 5, -4
```

exp

Mathematical **exp** function. Returns the base-e exponential function of x, which is the number e raised to the power x. See: Exponent

floor

Mathematical **floor** function. floor(x) = is the largest integer not greater than x

See: Floor Function

```
echo(floor(4.4),floor(-4.4));      // produces ECHO: 4, -5
```

ln

Mathematical **natural logarithm**. See: Natural logarithm

len

Mathematical **length** function. Returns the length of an array, a vector or a string parameter.

Usage examples:

```
str1="abcdef"; len_str1=len(str1);
echo(str1,len_str1);

a=6; len_a=len(a);
echo(a,len_a);

array1=[1,2,3,4,5,6,7,8]; len_array1=len(array1);
echo(array1,len_array1);

array2=[[0,0],[0,1],[1,0],[1,1]]; len_array2=len(array2);
echo(array2,len_array2);

len_array2_2=len(array2[2]);
echo(array2[2],len_array2_2);
```

Results:

```
ECHO: "abcdef", 6
ECHO: 6, undef
ECHO: [1, 2, 3, 4, 5, 6, 7, 8], 8
ECHO: [[0, 0], [0, 1], [1, 0], [1, 1]], 4
ECHO: [1, 0], 2
```

This function allows (e.g.) the parsing of an array, a vector or a string.

Usage examples:

```
str2="4711";
for (i=[0:len(str2)-1])
    echo(str("digit ",i+1," : ",str2[i]));
```

Results:

```
ECHO: "digit 1 : 4"
ECHO: "digit 2 : 7"
ECHO: "digit 3 : 1"
ECHO: "digit 4 : 1"
```

Note that the len() function is not defined when a simple variable is passed as the parameter.

This is useful when handling parameters to a module, similar to how shapes can be defined as a single number, or as an [x,y,z] vector; i.e. cube(5) or cube([5,5,5])

For example

```
module doIt(size) {
    if (len(size) == undef) {
        // size is a number, use it for x,y & z. (or could be undef)
        do([size,size,size]);
    } else {
        // size is a vector, (could be a string but that would be stupid)
        do(size);
    }
}

doIt(5);           // equivalent to [5,5,5]
doIt([5,5,5]);    // similar to cube(5) v's cube([5,5,5])
```

log

Mathematical **logarithm**. See: Logarithm

lookup

Look up value in table, and linearly interpolate if there's no exact match. The first argument is the value to look up. The second is the lookup table -- a vector of key-value pairs.

Parameters

- key
 - A lookup key
- <key,value> array
 - keys and values

Notes


There is a bug where out-of-range keys will return the first value in the list. Newer versions of Openscad should use the top or bottom end of the table as appropriate instead.

Usage example:

- Will create a sort of 3D chart made out of cylinders of different height.

```
function get_cylinder_h(p) = lookup(p, [
    [ -200, 5 ],
    [ -50, 20 ],
    [ -20, 18 ],
    [ +80, 25 ],
    [ +150, 2 ]
]);

for (i = [-100:5:+100]) {
    // echo(i, get_cylinder_h(i));
    translate([ i, 0, -30 ]) cylinder(r1 = 6, r2 = 2, h = get_cylinder_h(i)*3);
}
```



max

Returns the maximum of the two parameters.

Parameters

- <a>
 - Decimal.
-
 - Decimal.

Usage Example:

```
max(3.0,5.0);
max(8.0,3.0);
```

Results:

```
5.0
8.0
```

min

Returns the minimum of the two parameters.

Parameters

- <a> Decimal.
- Decimal.

Usage Example:

```
min(3.0,5.0);
min(8.0,3.0);
```

Results:

```
3.0
3.0
```

Looking for **mod** - it's not a function, see modulo operator (%)

norm

!!Note this function is not in 2013.01 and is pending pull request <https://github.com/openscad/openscad/pull/333>.

Returns the euclidean norm of a vector. Note this returns is the actual numeric length while **len** returns the number of elements in the vector or array.

Usage examples:

```
a=[1,2,3,4];
b="abcd";
c=[];
d=" ";
e=[[1,2,3,4],[1,2,3],[1,2],[1]];
echo(norm(a)); //5.47723
echo(norm(b)); //undef
echo(norm(c)); //0
echo(norm(d)); //undef
echo(norm(e[0])); //5.47723
echo(norm(e[1])); //3.74166
echo(norm(e[2])); //2.23607
echo(norm(e[3])); //1
```

Results:

```
ECHO: 5.47723
ECHO: undef
ECHO: 0
ECHO: undef
ECHO: 5.47723
ECHO: 3.74166
ECHO: 2.23607
ECHO: 1
```

pow

Mathematical **power** function.

Parameters

- <base>
Decimal. Base.
- <exponent>
Decimal. Exponent.

Usage examples:

```
for (i = [0:5]) {
  translate([i*25,0,0]) {
    cylinder(h = pow(2,i)*5, r=10);
  }
}
```

```
    echo (i, pow(2,i));  
  }  
}
```

rands

Random number generator. Generates a constant vector of pseudo random numbers, much like an array. When generating only one number, you still call it with variable[0]

Parameters

min_value
 Minimum value of random number range
max_value
 Maximum value of random number range
value_count
 Number of random numbers to return as a vector
seed_value (optional)
 Seed value for random number generator for repeatable results.

Usage Examples:

```
// get a single number  
single_rand = rands(0,10,1)[0];  
echo(single_rand);
```

```
// get a vector of 4 numbers  
seed=42;  
random_vect=rands(5,15,4,seed);  
echo( "Random Vector: ",random_vect);  
sphere(r=5);  
for(i=[0:3]) {  
  rotate(360*i/4) {  
    translate([10+random_vect[i],0,0])  
    sphere(r=random_vect[i]/2);  
  }  
}
```

round

The "round" operator returns the greatest or least integer part, respectively, if the numeric input is positive or negative.

Some examples:


```
round(x.5) = x+1.
round(x.49) = x.
round(-(x.5)) = -(x+1).
round(-(x.49)) = -x.

round(5.4); //-> 5
round(5.5); //-> 6
round(5.6); //-> 6
```

sign

Mathematical **signum** function. Returns a unit value that extracts the sign of a value see: Signum function

Parameters

<X>
Decimal. Value to find the sign of.

Usage examples:

```
sign(-5.0);
sign(0);
sign(8.0);
```

Results:

```
-1.0
0.0
1.0
```

sqrt

Mathematical **square root** function.

Usage Examples:

```
translate([sqrt(100),0,0])sphere(100);
```

str

Convert all arguments to strings and concatenate.

Usage examples:

```
number=2;
echo ("This is ",number,3," and that's it.");
echo (str("This is ",number,3," and that's it.));
```

Results:

```
ECHO: "This is ", 2, 3, " and that's it."
ECHO: "This is 23 and that's it."
```

Also See search()

search() for text searching.

cube

Creates a cube at the origin of the coordinate system. When center is true the cube will be centered on the origin, otherwise it is created in the first octant. The argument names are optional if the arguments are given in the same order as specified in the parameters


Parameters

- size
Decimal or 3 value array. If a single number is given, the result will be a cube with sides of that length. If a 3 value array is given, then the values will correspond to the lengths of the X, Y, and Z sides. Default value is 1.
- center
Boolean. This determines the positioning of the object. If true, object is centered at (0,0,0). Otherwise, the cube is placed in the positive quadrant with one corner at (0,0,0). Defaults to false

Usage examples:

```
cube(size = 1, center = false);
cube(size = [1,2,3], center = true);
```

```
cube(size = 1,  
center = false);
```



```
cube(size = [1,2,3],  
center = true);
```



sphere

Creates a sphere at the origin of the coordinate system. The argument name is optional.

Parameters

r

Decimal. This is the radius of the sphere. The resolution of the sphere will be based on the size of the sphere and the \$fa, \$fs and \$fn variables. For more information on these special variables look at: [OpenSCAD_User_Manual/Other_Language_Features](#)

\$fa

Angle in degrees

\$fs

Angle in mm

\$fn

Resolution


Usage Examples

```
sphere(r = 1);  
sphere(r = 5);
```

```
sphere(r = 10);
```

```
// this will create a high resolution sphere with a 2mm radius  
sphere(2, $fn=100);
```

```
// will also create a 2mm high resolution sphere but this one  
// does not have as many small triangles on the poles of the sphere  
sphere(2, $fa=5, $fs=0.1);
```



cylinder

Creates a cylinder or cone at the origin of the coordinate system. A single radius (r) makes a cylinder, two different radi ($r1$, $r2$) make a cone.

Parameters

h

Decimal. This is the height of the cylinder. Default value is 1.

$r1$

Decimal. This is the radius of the cone on bottom end. Default value is 1.

$r2$

Decimal. This is the radius of the cone on top end. Default value is 1.

r

Decimal. The radius of both top and bottom ends of the cylinder. Use this parameter if you want plain cylinder. Default value is 1.

center


boolean. If true will center the height of the cone/cylinder around the origin. Default is false, placing the base of the cylinder or $r1$ radius of cone at

the origin.

`$fa` Angle in degrees
`$fs` Angle in mm
`$fn` Resolution

Usage Examples

```
cylinder(h = 10, r1 = 10, r2 = 20, center = false);  
cylinder(h = 10, r1 = 20, r2 = 10, center = true);  
cylinder(h = 10, r=20);  
cylinder(h = 10, r=20, $fs=6);
```



polyhedron

Create a polyhedron with a list of points and a list of triangles. The point list is all the vertexes of the shape, the triangle list is how the points relates to the surfaces of the polyhedron.

Parameters

`points`

vector of points or vertexes (each a 3 vector).

triangles

vector of point triplets (each a 3 number vector). Each number is the 0-indexed point number from the point vector.

convexity

Integer. The convexity parameter specifies the maximum number of front sides (back sides) a ray intersecting the object might penetrate. This parameter is only needed for correctly displaying the object in OpenCSG preview mode and has no effect on the polyhedron rendering.


Syntax example

```
polyhedron(points = [ [x, y, z], ... ], triangles = [ [p1, p2, p3..], ... ], convexity = N);
```

Triangle points ordering When looking at the face from the outside inwards, the points must be clockwise. You can rearrange the order of the points or the order they are referenced in each triangle triple. The order of triangles is immaterial. Note that if your polygons are not all oriented the same way OpenSCAD will either print an error or crash completely, so pay attention to the vertex ordering. Again, remember that the 'pN' components of the triangles vector are 0-indexed references to the elements of the points vector.

Example, a square base pyramid:

```
polyhedron(  
  points=[ [10,10,0],[10,-10,0],[-10,-10,0],[-10,10,0], // the four points at base  
           [0,0,10] ], // the apex point  
  triangles=[ [0,1,4],[1,2,4],[2,3,4],[3,0,4], // each triangle side  
              [1,0,3],[2,1,3] ] // two triangles for square base  
);
```




A simple polyhedron, square based pyramid

Ordering of triangle points An example of a more complex polyhedron, and showing how to fix polyhedrons with badly oriented polygons.

When you select 'Thrown together' from the view menu and **compile** the design (**not** compile and render!) you will see a preview with the mis-oriented polygons highlighted. Unfortunately this highlighting is not possible in the OpenCSG preview mode because it would interfere with the way the OpenCSG preview mode is implemented.)

Below you can see the code and the picture of such a problematic polyhedron, the bad polygons (triangles or compositions of triangles) are in pink.

```
// Bad polyhedron
polyhedron
(
  points = [
    [0, -10, 60], [0, 10, 60], [0, 10, 0], [0, -10, 0], [60, -10, 60], [60, 10, 60],
    [10, -10, 50], [10, 10, 50], [10, 10, 30], [10, -10, 30], [30, -10, 50], [30, 10, 50]
  ],
  triangles = [
    [0,2,3], [0,1,2], [0,4,5], [0,5,1], [5,4,2], [2,4,3],
    [6,8,9], [6,7,8], [6,10,11], [6,11,7], [10,8,11],
    [10,9,8], [0,3,9], [9,0,6], [10,6,0], [0,4,10],
    [3,9,10], [3,10,4], [1,7,11], [1,11,5], [1,7,8],
    [1,8,2], [2,8,11], [2,11,5]
  ]
);
```



Polyhedron with badly oriented polygons

A correct polyhedron would be the following:

```
polyhedron
(points = [
  [0, -10, 60], [0, 10, 60], [0, 10, 0], [0, -10, 0], [60, -10, 60], [60, 10, 60],
  [10, -10, 50], [10, 10, 50], [10, 10, 30], [10, -10, 30], [30, -10, 50], [30, 10, 50]
],
triangles = [
  [0, 3, 2], [0, 2, 1], [4, 0, 5], [5, 0, 1], [5, 2, 4], [4, 2, 3],
  [6, 8, 9], [6, 7, 8], [6, 10, 11], [6, 11, 7], [10, 8, 11],
  [10, 9, 8], [3, 0, 9], [9, 0, 6], [10, 6, 0], [0, 4, 10],
  [3, 9, 10], [3, 10, 4], [1, 7, 11], [1, 11, 5], [1, 8, 7],
  [2, 8, 1], [8, 2, 11], [5, 11, 2]
]
);
```

Beginner's tip:


If you don't really understand "orientation", try to identify the mis-oriented pink triangles and then permute the references to the points vectors until you get it right. E.g. in the above example, the third triangle ($[0,4,5]$) was wrong and we fixed it as $[4,0,5]$. In addition, you may select "Show Edges" from the "View Menu", print a screen capture and number both the points and the triangles. In our example, the points are annotated in black and the triangles in blue. Turn the object around and make a second copy from the back if needed. This way you can keep track.

Clockwise Technique:

Orientation is determined by clockwise indexing. This means that if you're looking at the triangle (in this case $[4,0,5]$) from the outside you'll see that the path is clockwise around the center of the face. The winding order $[4,0,5]$ is clockwise and therefore good. The winding order $[0,4,5]$ is counter-clockwise and therefore bad. Likewise, any other clockwise order of $[4,0,5]$ works: $[5,4,0]$ & $[0,5,4]$ are good too. If you use the clockwise technique, you'll always have your faces outside (outside of OpenSCAD, other programs do use counter-clockwise as the outside though).

Think of it as a Left Hand Rule:

If you hold the triangle and the fingers of your hand curls is the same order as the points, then your thumb points outwards.



Succinct description of a 'Polyhedron'

;

```
* Points define all of the points/vertices in the shape.  
* Triangles is a list of triangles that connect up the points/vertices.
```

Each point, in the point list, is defined with a 3-tuple x,y,z position specification. Points in the point list are automatically given an identifier starting at zero for use in the triangle list (0,1,2,3,... etc).

Each triangle, in the triangle list, is defined by selecting 3 of the points (using the point identifier) out of the point list.

e.g. triangles=[[0,1,2]] defines a triangle from the first point (points are zero referenced) to the second point and then to the third point.

When looking at any triangle from the outside, the triangle must list their 3 points in a clockwise order.

Transformation affect the child nodes and as the name implies transforms them in various ways such as moving/rotating or scaling the child. Cascading transformations are used to apply a variety of transforms to a final child. Cascading is achieved by nesting statements i.e.

```
transform()          e.g.  rotate([45,45,45])  
  transform()        translate([10,20,30])  
    child()          cube(10);
```

Transformations can be applied to a group of child nodes by using '{' & '}' to enclose the subtree e.g.

```
translate(0,0,-5)    or the more compact    translate(0,0,-5) {  
{                  cube(10);  
  cube(10);          cylinder(r=5,h=10);  
  cylinder(r=5,h=10);  
}
```

Advanced concept


As OpenSCAD uses different libraries to implement capabilities this can introduce some inconsistencies to the F5 preview behaviour of transformations. Traditional transforms (translate, rotate, scale, mirror & multimatrix) are performed using OpenGL in preview, while other more advanced transforms, such as resize, perform a CGAL operation, behaving like a CSG operation affecting the underlying object, not just transforming it. In particular this can affect the display of modifier characters, specifically "#" and "%", where the highlight may not display intuitively, such as highlighting the pre-resized object, but highlighting the post-scaled object.

scale

Scales its child elements using the specified vector. The argument name is optional.

```
Usage Example:  
scale(v = [x, y, z]) { ... }
```

```
cube(10);  
translate([15,0,0]) scale([0.5,1,2]) cube(10);
```



resize

resize() is available since OpenSCAD 2013.06. It modifies the size of the child object to match the given x,y, and z.


There is a bug with shrinking in the 2013.06 release, that will be fixed in the next release.

Usage Example:

```
// resize the sphere to extend 30 in x, 60 in y, and 10 in the z directions.
```

```
resize(newsize=[30,60,10]) sphere(r=10);
```

```
resize(newsize=[30,60,10])  
sphere(r=10);
```



If x,y, or z is 0 then that dimension is left as-is.

```
// resize the 1x1x1 cube to 2x2x1  
resize([2,2,0]) cube();
```

If the 'auto' parameter is set to true, it will auto-scale any 0-dimensions to match. For example.

```
// resize the 1x2x0.5 cube to 7x14x3.5  
resize([7,0,0], auto=true) cube([1,2,0.5]);
```

The 'auto' parameter can also be used if you only wish to auto-scale a single dimension, and leave the other as-is.

```
// resize to 10x8x1. Note that the z dimension is left alone.  
resize([10,0,0], auto=[true,true,false]) cube([5,4,1]);
```

rotate

Rotates its child a degrees about the origin of the coordinate system or around an arbitrary axis. The argument names are optional if the arguments are given in the same order as specified above.

When a rotation is specified for multiple axes then the rotation is applied in the following order: x, y, z.

Usage:
rotate(a = deg, v = [x, y, z]) { ... }

For example, to flip an object upside-down, you might do this:

rotate(a=[0,180,0]) { ... }


The above example will rotate your object 180 degrees around the 'y' axis.

The optional argument 'v' allows you to set an arbitrary axis about which the object will be rotated.

Example with arbitrary origin.

rotate(a=45, v=[1,1,0]) { ... }

This example will rotate your object 45 degrees around the axis defined by the vector [1,1,0] i.e. 45 around X and 45 around Y.



If this is all a bit confusing, this might, or might not, help.
For the case of:

```
rotate([a, b, c]) { ... };
```

"a" is a rotation about the X axis, from the +Z axis, toward the -Y axis. NOTE: NEGATIVE Y.
"b" is a rotation about the Y axis, from the +Z axis, toward the +X axis.
"c" is a rotation about the Z axis, from the +X axis, toward the +Y axis.

Thus if "a" is fixed to zero, and "b" and "c" are manipulated appropriately, this is the spherical coordinate system.
So, to construct a cylinder from the origin to some other point (x,y,z):

```
length=sqrt(pow(x, 2) + pow(y, 2) + pow(z, 2));  
b=acos(z/length);  
c= x!=0 ? atan(y/x): 90;  
rotate([0, b, c]) cylinder(h=length, r=0.5);
```

translate


Translates (moves) its child elements along the specified vector. The argument name is optional.

Example

```
translate(v = [x, y, z]) { ... }
```

```
cube(2,center = true);  
translate([5,0,0])  
  sphere(1,center = true);
```


```
cube(2,center = true);
translate([5,0,0])
sphere(1,center = true);
```



mirror

Mirrors the child element on a plane through the origin. The argument to `mirror()` is the normal vector of a plane intersecting the origin through which to mirror the object.

Usage example:
`mirror([0, 1, 0]) { ... }`




`mirror([1,0,0]);`

`mirror([1,1,0]);`

`mirror([1,1,1]);`

```
rotate([0,0,10]) cube([3,2,1]);
mirror([1,0,0]) translate([1,0,0]) rotate([0,0,10]) cube([3,2,1]);
```



multmatrix

Multiplies the geometry of all child elements with the given 4x4 transformation matrix.

Usage: multmatrix(m = [...]) { ... }

Example (translates by [10, 20, 30]):

```
multmatrix(m = [ [1, 0, 0, 10],
                  [0, 1, 0, 20],
                  [0, 0, 1, 30],
                  [0, 0, 0, 1]
                ]) cylinder();
```

Example (rotates by 45 degrees in XY plane and translates by [10,20,30]):

```
angle=45;
multmatrix(m = [ [cos(angle), -sin(angle), 0, 10],
                  [sin(angle), cos(angle), 0, 20],
                  [0, 0, 1, 30],
                  [0, 0, 0, 1]
                ]) union() {
  cylinder(r=10.0,h=10,center=false);
  cube(size=[10,10,10],center=false);
}
```



```
}
}
```

color

Displays the child elements using the specified RGB color + alpha value. This is only used for the F5 preview as CGAL and STL (F6) do not currently support color. The alpha value will default to 1.0 (opaque) if not specified.

```
Usage example:
color([r, g, b, a]) { ... }
```

Note that the r, g, b, a values are limited to floating point values in the range { 0.0 ... 1.0 } rather than the more traditional integers { 0 ... 255 }. However you can specify the values as fractions, e.g. for R,G,B integers in {0 ... 255} you can use:

```
color([ R/255, G/255, B/255 ]) { ... }
```

As of the 2011.12 version, colors can also be chosen by name; *name is not case sensitive*. For example, to create a red sphere, you can use this code:

```
color("red") sphere(5);
```

Alpha is also available with named colors:

```
color("Blue",0.5) cube(5);
```

The available color names are taken from the World Wide Web consortium's SVG color list (<http://www.w3.org/TR/css3-color/>). A chart of the color names is as follows, (*note that both spelling of grey/gray including slategrey/slategray etc are valid*):

Purples	Blues	Greens	Yellows	Whites
Lavender	Aqua	GreenYellow	Gold	White
Thistle	Cyan	Chartreuse	Yellow	Snow
Plum	LightCyan	LawnGreen	LightYellow	Honeydew
Violet	PaleTurquoise	Lime	LemonChiffon	MintCream
Orchid	Aquamarine	LimeGreen	LightGoldenrodYellow	Azure
Fuchsia	Turquoise	PaleGreen	PapayaWhip	AliceBlue
Magenta	MediumTurquoise	LightGreen	Moccasin	GhostWhite
MediumOrchid	DarkTurquoise	MediumSpringGreen	PeachPuff	WhiteSmoke

MediumPurple	CadetBlue	SpringGreen	PaleGoldenrod	Seashell
BlueViolet	SteelBlue	MediumSeaGreen	Khaki	Beige
DarkViolet	LightSteelBlue	SeaGreen	DarkKhaki	OldLace
DarkOrchid	PowderBlue	ForestGreen	Browns	FloralWhite
DarkMagenta	LightBlue	Green	Cornsilk	Ivory
Purple	SkyBlue	DarkGreen	BlanchedAlmond	AntiqueWhite
Indigo	LightSkyBlue	YellowGreen	Bisque	Linen
DarkSlateBlue	DeepSkyBlue	OliveDrab	NavajoWhite	LavenderBlush
SlateBlue	DodgerBlue	Olive	Wheat	MistyRose
MediumSlateBlue	CornflowerBlue	DarkOliveGreen	BurlyWood	Grays
Pinks	RoyalBlue	MediumAquamarine	Tan	Gainsboro
Pink	Blue	DarkSeaGreen	RosyBrown	LightGrey
LightPink	MediumBlue	LightSeaGreen	SandyBrown	Silver
HotPink	DarkBlue	DarkCyan	Goldenrod	DarkGray
DeepPink	Navy	Teal	DarkGoldenrod	Gray
MediumVioletRed	MidnightBlue	Oranges	Peru	DimGray
PaleVioletRed	Reds	LightSalmon	Chocolate	LightSlateGray
	IndianRed	Coral	SaddleBrown	SlateGray
	LightCoral	Tomato	Sienna	DarkSlateGray
	Salmon	OrangeRed	Brown	Black
	DarkSalmon	DarkOrange	Maroon	
	LightSalmon	Orange		
	Red			
	Crimson			
	FireBrick			
	DarkRed			

Here's a code fragment that draws a wavy multicolor object

```

for(i=[0:36])
{
  for(j=[0:36])
  {
    color([0.5+sin(10*i)/2,0.5+sin(10*j)/2,0.5+sin(10*(i+j))/2])
    translate([i,j,0])
    cube(size=[1,1,11+10*cos(10*i)*sin(10*j)]);
  }
}

```

Being that $-1 \leq \sin(x) \leq 1$ then $0 \leq (1/2 + \sin(x)/2) \leq 1$, allowing for the RGB components assigned to color to remain within the $\{0,1\}$ interval.

Chart based on "Web Colors" from Wikipedia (http://en.wikipedia.org/wiki/Web_colors)

minkowski

Displays the minkowski sum (http://www.cgal.org/Manual/latest/doc_html/cgal_manual/Minkowski_sum_3/Chapter_main.html) of child nodes.

Usage example:

Say you have a flat box, and you want a rounded edge. There are many ways to do this, but minkowski is very elegant. Take your box, and a cylinder:

```
$fn=50;  
cube([10,10,1]);  
cylinder(r=2,h=1);
```

Then, do a minkowski sum of them:

```
$fn=50;  
minkowski()  
{  
  cube([10,10,1]);  
  cylinder(r=2,h=1);  
}
```

hull


Displays the convex hull

(http://www.cgal.org/Manual/latest/doc_html/cgal_manual/Convex_hull_2/Chapter_main.html) of child nodes.


Usage example:

```
hull() {  
  translate([15,10,0]) circle(10);  
  circle(10);  
}
```

union



A 3-D multicolor sine wave




A box and a cylinder


Creates a union of all its child nodes. This is the **sum** of all children.

```
Usage example:  
union() {  
  cylinder (h = 4, r=1, center = true, $fn=100);  
  rotate ([90,0,0]) cylinder (h = 4, r=0.9, center = true, $fn=100);  
}
```


Remark: union is implicit when not used. But it is mandatory, for example, in difference to group first child nodes into one.




Minkowski sum of the box and cylinder



Two cylinders




Convex hull of two cylinders



difference

Subtracts the 2nd (and all further) child nodes from the first one.


```
Usage example:
difference() {
  cylinder (h = 4, r=1, center = true, $fn=100);
  rotate ([90,0,0]) cylinder (h = 4, r=0.9, center = true, $fn=100);
}
```



intersection

Creates the intersection of all child nodes. This keeps the **overlapping** portion

```
Usage example:  
intersection() {  
  cylinder (h = 4, r=1, center = true, $fn=100);  
  rotate ([90,0,0]) cylinder (h = 4, r=0.9, center = true, $fn=100);  
}
```



render

Always calculate the CSG model for this tree (even in OpenCSG preview mode). The convexity parameter specifies the maximum number of front sides (back sides) a ray intersecting the object might penetrate. This parameter is only needed for correctly displaying the object in OpenCSG preview mode and has no effect on the polyhedron rendering.

```
Usage example:  
render(convexity = 1) { ... }
```

Modifier characters are used to change the appearance or behaviours of child nodes. They are particularly useful in debugging where they can be used to highlight specific objects, or include or exclude them from rendering.

Advanced concept

As OpenSCAD uses different libraries to implement capabilities this can introduce some inconsistencies to the F5 preview behaviour of transformations. Traditional transforms (translate, rotate, scale, mirror & multimatrix) are performed using OpenGL in preview, while other more advanced transforms, such as resize, perform a CGAL operation, behaving like a CSG operation affecting the underlying object, not just transforming it. In particular this can affect

the display of modifier characters, specifically "#" and "%", where the highlight may not display intuitively, such as highlighting the pre-resized object, but highlighting the post-scaled object.

Note: The color changes triggered by character modifiers will only be shown in "Compile" mode not "Compile and Render (CGAL)" mode. (As per the color section.)


Background Modifier

Ignore this subtree for the normal rendering process and draw it in transparent gray (all transformations are still applied to the nodes in this tree).

```
Usage example:  
% { ... }
```

Example code:

```
difference() {  
  // start objects  
  cylinder (h = 4, r=1, center = true, $fn=100);  
  // first object that will subtracted  
  % rotate ([90,0,0]) cylinder (h = 4, r=0.3, center = true, $fn=100);  
  // second object that will be subtracted  
  % rotate ([0,90,0]) cylinder (h = 4, r=0.9, center = true, $fn=100);  
}
```

Background modifier example


Debug Modifier

Use this subtree as usual in the rendering process but also draw it unmodified in transparent pink.

Usage example:
{ ... }

Example:

```
difference() {  
  // start objects  
  cylinder (h = 4, r=1, center = true, $fn=100);  
  // first object that will be subtracted  
  # rotate ([90,0,0]) cylinder (h = 4, r=0.3, center = true, $fn=100);  
  // second object that will be subtracted  
  # rotate ([0,90,0]) cylinder (h = 4, r=0.9, center = true, $fn=100);  
}
```



OpenScad Debug Modifier example

Root Modifier

Ignore the rest of the design and use this subtree as design root.

```
Usage example:  
! { ... }
```

Disable Modifier

Simply ignore this entire subtree.

```
Usage example:  
* { ... }
```

usage

Defining your own module (roughly comparable to a macro or a function in other languages) is a powerful way to reuse procedures.

```

module hole(distance, rot, size) {
    rotate(a = rot, v = [1, 0, 0]) {
        translate([0, distance, 0]) {
            cylinder(r = size, h = 100, center = true);
        }
    }
}

```

In this example, passing in the parameters distance, rot, and size allow you to reuse this functionality multiple times, saving many lines of code and rendering your program much easier to read.

You can instantiate the module by passing values (or formulas) for the parameters just like a C function call:

```

hole(0, 90, 10);

```

children

The child nodes of the module instantiation can be accessed using the children() statement within the module:

Remark: child() is deprecated and should be replaced by children(), with same parameters (except child() without parameters that should be replaced by children(0)).

Parameters

empty

select all the children

index

integer. select one child, at index value. index start at 0 and should be less than \$children-1.

vector

vector of integer. select children with index in vector. Index should be between 0 and \$children-1.

range

[<start>:<end>] or [<start>:<increment>:<end>]. select children between <start> to <end>, incremented by <increment> (default 1).

Number of module children is accessed by \$children variable.

Examples

Transfert all children to an other module:

```
// rotate to other center point:
module rz(angle, center=undef) {
  translate(center)
  rotate(angle)
  translate(-center)
  children()
}

rz(15, [10,0]) sphere(30);
```

Use the first child, multiple time:

```
module lineup(num, space) {
  for (i = [0 : num-1])
    translate([space*i, 0, 0]) children(0);
}

lineup(5, 65) sphere(30);
```

If you need to make your module iterate over all children you will need to make use of the \$children variable, e.g.:

```
module elongate() {
  for (i = [0 : $children-1])
    scale([10, 1, 1]) children(i);
}

elongate() { sphere(30); cube([10,10,10]); cylinder(r=10,h=50); }
```

arguments

One can specify default values for the arguments:

```
module house(roof="flat", paint=[1,0,0]){
  color(paint)
  if(roof=="flat"){
    translate([0,-1,0])
    cube();
  } else if(roof=="pitched"){
    rotate([90,0,0])
  }
}
```

```

linear_extrude(height=1)
polygon(points=[[0,0],[0,1],[0.5,1.5],[1,1],[1,0]],paths=[ [0,1,2,3,4] ]);
} else if(roof=="domical"){
  translate([0,-1,0])
  union(){
    translate([0.5,0.5,1]) sphere(r=0.5,$fn=20);
    cube();
  }
}
}

```

And then use one of the following ways to supply the arguments

```

union(){
  house();
  translate([2,0,0]) house("pitched");
  translate([4,0,0]) house("domical",[0,1,0]);
  translate([6,0,0]) house(roof="pitched",paint=[0,0,1]);
  translate([8,0,0]) house(paint=[0,0,0],roof="pitched");
  translate([10,0,0]) house(roof="domical");
  translate([12,0,0]) house(paint=[0,0.5,0.5]);
}

```

For including code from external files in OpenSCAD, there are two commands available:

- **include** <filename> acts as if the contents of the included file were written in the including file, and
- **use** <filename> imports modules and functions, but does not execute any commands other than those definitions.

Library files are searched for in the same folder as the design was open from, or in the library folder of the OpenSCAD installation. You can use a relative path specification to either. If they lie elsewhere you must give the complete path. Newer versions have predefined user libraries, see the [OpenSCAD_User_Manual/Libraries](#) page, which also documents a number of library files included in OpenSCAD.

Windows and Linux/Mac use different separators for directories. Windows uses \, e.g. directory\file.ext, while the others use /, e.g. directory/file.ext. This could lead to cross platform issues. However OpenSCAD on Windows correctly handles the use of /, so using / in all **include** or **use** statements will work on all platforms.

Using **include** <filename> allows default variables to be specified in the library. These defaults can be overridden in the main code. An openscad variable only has one value during the life of the program. When there are multiple assignments it takes the last value, but assigns when the variable is first created. This has an effect when assigning in a library, as any *variables* which you later use to change the default, must be assigned before the include statement. See the second example below.

A library file for generating rings might look like this (defining a function and providing an example):

ring.scad:

```
module ring(r1, r2, h) {
    difference() {
        cylinder(r = r1, h = h);
        translate([ 0, 0, -1 ]) cylinder(r = r2, h = h+2);
    }
}

ring(5, 4, 10);
```

Including the library using

```
include <ring.scad>;
rotate([90, 0, 0]) ring(10, 1, 1);
```

would result in the example ring being shown in addition to the rotated ring, but

```
use <ring.scad>;
rotate([90, 0, 0]) ring(10, 1, 1);
```

only shows the rotated ring.

Default variables in an **include** can be overridden, for example

lib.scad

```
i=1;
k=3;
module x() {
    echo("hello world");
    echo("i=", i, "j=", j, "k=", k);
}
```

hello.scad

```
j=4;
include <lib.scad>;
x();
i=5;
```

```
x();  
k=j;  
x();
```

Produces the following

```
ECHO: "hello world"  
ECHO: "i=", 5, "j=", 4, "k=", 4  
ECHO: "hello world"  
ECHO: "i=", 5, "j=", 4, "k=", 4  
ECHO: "hello world"  
ECHO: "i=", 5, "j=", 4, "k=", 4
```

However, placing **j=4;** after the **include** fails, producing

```
ECHO: "hello world"  
ECHO: "i=", 5, "j=", 4, "k=", undef  
ECHO: "hello world"  
ECHO: "i=", 5, "j=", 4, "k=", undef  
ECHO: "hello world"  
ECHO: "i=", 5, "j=", 4, "k=", undef
```

Special variables

All variables starting with a '\$' are special variables The semantic is similar to the special variables in lisp: they have dynamic instead of lexical scoping.

What that means is that they're effectively automatically passed onward as arguments. Comparing a normal with a special variable:

```
normal=2;  
module doesnt_pass_it()  
{ echo(normal); }  
module normal_mod()  
{ doesnt_pass_it(); }  
normal_mod(normal=1); //Should echo 2  
  
$special=3; $another=5;  
module passes_it()  
{ echo($special, $another); }  
module special_mod()  
{ $another=6;  
  passes_it();  
}  
special_mod($special=4); //Should echo 4,6
```

So basically it is useful when you do not want to pass many parameters all the time.

\$fa, \$fs and \$fn

The \$fa, \$fs and \$fn special variables control the number of facets used to generate an arc:

\$fa is the minimum angle for a fragment. Even a huge circle does not have more fragments than 360 divided by this number. The default value is 12 (i.e. 30 fragments for a full circle). The minimum allowed value is 0.01. Any attempt to set a lower value will cause a warning.

\$fs is the minimum size of a fragment. Because of this variable very small circles have a smaller number of fragments than specified using \$fa. The default value is 2. The minimum allowed value is 0.01. Any attempt to set a lower value will cause a warning.

\$fn is usually 0. When this variable has a value greater than zero, the other two variables are ignored and full circle is rendered using this number of fragments. The default value is 0.

When \$fa and \$fs are used to determine the number of fragments for a circle, then OpenSCAD will never use less than 5 fragments.

This is the C code that calculates the number of fragments in a circle:

```
int get_fragments_from_r(double r, double fn, double fs, double fa)
{
    if (fn > 0.0)
        return (int)fn;
    return (int)ceil(fmax(fmin(360.0 / fa, r*2*M_PI / fs), 5));
}
```

Spheres are first sliced into as many slices as the number of fragments being used to render a circle of the sphere's radius, and then every slice is rendered into as many fragments as are needed for the slice radius. You might have recognized already that the pole of a sphere is usually a pentagon. This is why.

The number of fragments for a cylinder is determined using the greater of the two radii.

The method is also used when rendering circles and arcs from DXF files.

You can generate high resolution spheres by resetting the \$fX values in the instantiating module:

```
$fs = 0.01;
sphere(2);
```

or simply by passing the special variable as parameter:


```
sphere(2, $fs = 0.01);
```

You can even scale the special variable instead of resetting it:

```
sphere(2, $fs = $fs * 0.01);
```

\$t

The \$t variable is used for animation. If you enable the animation frame with view->animate and give a value for "FPS" and "Steps", the "Time" field shows the current value of \$t. With this information in mind, you can animate your design. The design is recompiled every 1/"FPS" seconds with \$t incremented by 1/"Steps" for "Steps" times, ending at either \$t=1 or \$t=1-1/steps.

If "Dump Pictures" is checked, then images will be created in the same directory as the .scad file, using the following \$t values, and saved in the following files:

- \$t=0/Steps filename="frame00001.png"
- \$t=1/Steps filename="frame00002.png"
- \$t=2/Steps filename="frame00003.png"
- ...
- \$t=1-3/Steps filename="frame<Steps-2>.png"
- \$t=1-2/Steps filename="frame<Steps-1>.png"
- \$t=1-1/Steps filename="frame00000.png"

Or, for other values of Steps, it follows this pattern:

- \$t=0/Steps filename="frame00001.png"
- \$t=1/Steps filename="frame00002.png"
- \$t=2/Steps filename="frame00003.png"
- ...
- \$t=1-3/Steps filename="frame<Steps-2>.png"
- \$t=1-2/Steps filename="frame<Steps-1>.png"
- \$t=1-1/Steps filename="frame<Steps-0>.png"
- \$t=1-0/Steps filename="frame00000.png"

Which pattern it chooses appears to be an unpredictable, but consistent, function of Steps. For example, when Steps=4, it follows the first pattern, and outputs a total of 4 files. When Steps=3, it follows the second pattern, and also outputs 4 files. It will always output either Steps or Steps+1 files, though it may not be predictable which. When finished, it will wrap around and recreate each of the files, looping through and recreating them forever.

\$vpr and \$vpt

These contain the current viewport rotation and translation - at the time of doing the rendering. Moving the viewport does not update them. During an animation they are updated for each frame.

- \$vpr shows rotation
- \$vpt shows translation (i.e. won't be affected by rotate and zoom)

It's not possible to write to them and thus change the viewport parameters (although that could be a decent enough idea).

Example

```
cube([10,10,$vpr[0]/10]);
```

which makes the cube change size based on the view angle, if an animation loop is active (which does not need to use the \$t variable)

You can also make bits of a complex model vanish as you change the view.

The menu command *Edit - Paste Viewport Rotation/Translation* copies the current value of the viewport, but not the current \$vpd or \$vpt.

User-Defined Functions

Define a **function** for code readability and re-use.

Recursive function calls are supported, necessitating the use of the Conditional Operator "... ? ... : ... "

Usage examples:

```
my_d=20;
function r_from_dia(my_d) = my_d / 2;
echo("Diameter ", my_d, " is radius ", r_from_dia(my_d));
```

```
//recursion - find the sum of the values in a vector (array)
// from the start (or s'th element) to the i'th element - remember elements are zero based

function sumv(v,i,s=0) = (i==s ? v[i] : v[i] + sumv(v,i-1,s));

vec=[ 10, 20, 30, 40 ];
echo("sum vec=", sumv(vec,2,1)); // is 20+30=50
```

Echo Statements

This function prints the contents to the compilation window (aka Console). Useful for debugging code. Also see the String function str().

The OpenSCAD console supports a subset of HTML markup language. See here (<http://qt-project.org/doc/qt-4.7/richtext-html-subset.html>) for details.

Usage examples:

```
my_h=50;
my_r=100;
echo("This is a cylinder with h=", my_h, " and r=", my_r);
cylinder(h=my_h, r=my_r);
```

```
echo("<b>Hello</b> <i>Qt!</i>");
```

Shows in the Console as

```
ECHO:Hello Qt!
```

Render

Forces the generation of a mesh even in preview mode. Useful when the boolean operations become too slow to track.

Needs description.

Usage examples:

```
render(convexity = 2) difference() {
  cube([20, 20, 150], center = true);
  translate([-10, -10, 0])
    cylinder(h = 80, r = 10, center = true);
  translate([-10, -10, +40])
    sphere(r = 10);
  translate([-10, -10, -40])
    sphere(r = 10);
}
```


Surface

Example 1:

```
//surface.scad
surface(file = "surface.dat", center = true, convexity = 5);
%translate([0,0,5])cube([10,10,10], center =true);
```


```
#surface.dat
10 9 8 7 6 5 5 5 5 5
9 8 7 6 6 4 3 2 1 0
8 7 6 6 4 3 2 1 0 0
7 6 6 4 3 2 1 0 0 0
6 6 4 3 2 1 1 0 0 0
6 6 3 2 1 1 1 0 0 0
6 6 2 1 1 1 1 0 0 0
6 6 1 0 0 0 0 0 0 0
3 1 0 0 0 0 0 0 0 0
3 0 0 0 0 0 0 0 0 0
```

Result:



Example 2

```
// example010.dat generated using octave:
// d = (sin(1:0.2:10)' * cos(1:0.2:10)) * 10;
// save("example010.dat", "d");
intersection() {
    surface(file = "example010.dat", center = true, convexity = 5);
    rotate(45, [0, 0, 1]) surface(file = "example010.dat", center = true, convexity = 5);
}
```



Search

Usage Pattern:

```
"search" "("
    (
        ( match_value          "," value_string      )
        | ( match_value          "," vector_of_vectors )
        | ( list_of_match_values "," vector_of_vectors )
    )
    ( "," num_returns_per_match ( "," index_col_num )? )?
    ")";
value_string : Value::STRING;
match_value : ( Value::NUMBER | Value::STRING );
list_of_match_values : "[" match_value ("," match_value)* "]";
vector_of_vectors : "[" ( "[" value ("," value)* "]" )+ "]";
```

```
value : ( Value::NUMBER | Value::STRING );
num_returns_per_match : int;
index_col_num : int;
```

The following are some usage examples.

Index values return as list

Example	Code	Result
1	<code>search("a","abcdabcd",0);</code>	<code>[[0,4]]</code>
2	<code>search("a","abcdabcd",1);</code>	<code>[0]</code>
3	<code>search("e","abcdabcd",1);</code>	<code>[]</code>
4	<code>search("a",[["a",1],["b",2],["c",3],["d",4],["a",5],["b",6],["c",7],["d",8],["e",9]], 0);</code>	<code>[[0,4]]</code>

Search on different column; return Index values

Example 5:

```
search(3,[ ["a",1],["b",2],["c",3],["d",4],["a",5],["b",6],["c",7],["d",8],["e",3] ], 0, 1);
```

Returns:

```
[2,8]
```

Search on list of values

Example 6: Return all matches per search vector element.

```
search("abc",[ ["a",1],["b",2],["c",3],["d",4],["a",5],["b",6],["c",7],["d",8],["e",9] ], 0);
```

Returns:

```
[[0,4],[1,5],[2,6]]
```

Example 7: Return first match per search vector element; special case return vector.

```
search("abc",[ ["a",1],["b",2],["c",3],["d",4],["a",5],["b",6],["c",7],["d",8],["e",9] ], 1);
```

Returns:

```
[0,1,2]
```

Example 8: Return first two matches per search vector element; vector of vectors.

```
search("abce",[ ["a",1],["b",2],["c",3],["d",4],["a",5],["b",6],["c",7],["d",8],["e",9] ], 2);
```

Returns:

```
[[0,4],[1,5],[2,6],[8]]
```

Search on list of strings

Example 9:

```
lTable2=[ ["cat",1],["b",2],["c",3],["dog",4],["a",5],["b",6],["c",7],["d",8],["e",9],["apple",10],["a",11] ];  
lSearch2=["b","zzz","a","c","apple","dog"];  
l2=search(lSearch2,lTable2);  
echo(str("Default list string search (",lSearch2,"): ",l2));
```

Returns

```
ECHO: "Default list string search ([\b\", \"zzz\", \"a\", \"c\", \"apple\", \"dog\"]): [1, [], 4, 2, 9, 3]"
```

Getting the right results

```
// workout which vectors get the results
v=[ ["O",2],["p",3],["e",9],["n",4],["S",5],["C",6],["A",7],["D",8] ];
//
echo(v[0]);           // -> ["O",2]
echo(v[1]);           // -> ["p",3]
echo(v[1][0],v[1][1]); // -> "p",3
echo(search("p",v));  // find "p" -> [1]
echo(search("p",v)[0]); // -> 1
echo(search(9,v,0,1)); // find 9 -> [2]
echo(v[search(9,v,0,1)[0]]); // -> ["e",9]
echo(v[search(9,v,0,1)[0]][0]); // -> "e"
echo(v[search(9,v,0,1)[0]][1]); // -> 9
echo(v[search("p",v,1,0)[0]][1]); // -> 3
echo(v[search("p",v,1,0)[0]][0]); // -> "p"
echo(v[search("d",v,1,0)[0]][0]); // "d" not found -> undef
echo(v[search("D",v,1,0)[0]][1]); // -> 8
```

OpenSCAD Version

version() and version_num() will return OpenSCAD version number.

- The version() function will return the OpenSCAD version as a vector, e.g. [2011, 09, 23]
- The version_num() function will return the OpenSCAD version as a number, e.g. 20110923

Using the 2D Subsystem

All 2D primitives can be transformed with 3D transformations. Usually used as part of a 3D extrusion. Although infinitely thin, they are rendered with a 1 thickness.

square

Creates a square at the origin of the coordinate system. When center is true the square will be centered on the origin, otherwise it is created in the first quadrant. The argument names are optional if the arguments are given in the same order as specified in the parameters

Parameters

size

Decimal or 2 value array. If a single number is given, the result will be a square with sides of that length. If a 2 value array is given, then the values will correspond to the lengths of the X and Y sides. Default value is 1.

center

Boolean. This determines the positioning of the object. If true, object is centered at (0,0). Otherwise, the square is placed in the positive quadrant with one corner at (0,0). Defaults to false.

Example

```
square ([2,2],center = true);
```

circle

Creates a circle at the origin of the coordinate system. The argument name is optional.

Parameters

r
Decimal. This is the radius of the circle. The resolution of the circle will be based on the size of the circle. If you need a small, high resolution circle you can get around this by making a large circle, then scaling it down by an appropriate factor, or you could set \$fn or other special variables. Default value is 1.

Examples

```
circle(); // uses default radius, r=1
```

```
circle(r = 10);
```

```
scale([1/100, 1/100, 1/100]) circle(200); // this will create a high resolution circle with a 2mm radius  
circle(2, $fn=50); // Another way to create a high-resolution circle with a radius of 2.
```

polygon

Create a polygon with the specified points and paths.

Parameters

points
vector of 2 element vectors, ie. the list of points of the polygon

paths
Either a single vector, enumerating the point list, ie. the order to traverse the points, or, a vector of vectors, ie a list of point lists for each seperate curve of the polygon. The latter is required if the polygon has holes. The parameter is optional and if omitted the points are assumed in order. (The 'pN' components of the *paths* vector are 0-indexed references to the elements of the *points* vector.)

convexity


Integer. Number of "inward" curves, ie. expected path crossings of an arbitrary line through the polygon.

Usage

```
polygon(points = [ [x, y], ... ], paths = [ [p1, p2, p3..], ...], convexity = N);
```

Example

```
polygon(points=[ [0,0],[100,0],[0,100],[10,10],[80,10],[10,80]], paths=[[0,1,2],[3,4,5]]);
```



In this example, we have 6 points (three for the "outer" triangle, and three for the "inner" one). We connect each one with two 2 path. In plain English, each element of a path must correspond to the position of a point defined in the points vector, e.g. "1" refers to [100,0].

Notice: In order to get a 3D object, you either extrude a 2D polygon (linear or (rotation) or directly use the polyhedron primitive solid. When using extrusion to form solids, its important to realize that the winding direction of the polygon is significant. If a polygon is wound in the wrong direction with respect to the axis of rotation, the final solid (after extrusion) may end up invisible. This problem can be checked for by flipping the polygon using scale([-1,1]) (assuming that extrusion is being done about the Z axis as it is by default).

Notice: Although the 2D drawing commands operate in axes labeled as X and Y, the extrusion commands implicitly translate these objects in X-Z coordinates and rotate about the Z axis.

Example:

```
polygon([[0,0],[10,90],[11,-10]], convexity = N);
```

import_dxf

DEPRECATED: The `import_dxf()` module will be removed in future releases. Use `import()` instead.


Read a DXF file and create a 2D shape.

Example

```
linear_extrude(height = 5, center = true, convexity = 10)  
  import_dxf(file = "example009.dxf", layer = "plate");
```


Using the `projection()` function, you can create 2d drawings from 3d models, and export them to the dxf format. It works by projecting a 3D model to the (x,y) plane, with z at 0. If `cut=true`, only points with `z=0` will be considered (effectively cutting the object), with `cut=false`, points above and below the plane will be considered as well (creating a proper projection).

Example: Consider `example002.scad`, that comes with OpenSCAD.




Then you can do a 'cut' projection, which gives you the 'slice' of the x-y plane with `z=0`.

```
projection(cut = true) example002();
```



You can also do an 'ordinary' projection, which gives a sort of 'shadow' of the object onto the xy plane.


```
projection(cut = false) example002();
```



Another Example


You can also use projection to get a 'side view' of an object. Let's take example002, and move it up, out of the X-Y plane, and rotate it:

```
translate([0,0,25]) rotate([90,0,0]) example002();
```



Now we can get a side view with projection()

```
projection() translate([0,0,25]) rotate([90,0,0]) example002();
```



Links:

- `example021.scad` from Clifford Wolf's site (<http://svn.clifford.at/openscad/trunk/examples/example021.scad>).
- More complicated example (<http://www.gilesbathgate.com/2010/06/extracting-2d-mendel-outlines-using-openscad/>) from Giles Bathgate's blog

It is possible to use extrusion commands to convert 2D objects to 3D objects. This can be done with the built-in 2D primitives, like squares and circles, but also with arbitrary polygons.

Linear Extrude

Linear Extrusion is a modeling operation that takes a 2D polygon as input and extends it in the third dimension. This way a 3D shape is created.

Usage


```
linear_extrude(height = fanwidth, center = true, convexity = 10, twist = -fanrot, slices = 20, scale = 1.0) {...}
```

You must use parameter names due to a backward compatibility issue.

If the extrusion fails for a non-trivial 2D shape, try setting the `convexity` parameter (the default is not 10, but 10 is a "good" value to try). See explanation further down.


Twist

Twist is the number of degrees of through which the shape is extruded. Setting the parameter `twist = 360` will extrude through one revolution. The twist direction follows the left hand rule.




0° of Twist

```
linear_extrude(height = 10, center = true, convexity = 10, twist = 0)
translate([2, 0, 0])
circle(r = 1);
```




-100° of Twist

```
linear_extrude(height = 10, center = true, convexity = 10, twist = -100)  
translate([2, 0, 0])  
circle(r = 1);
```



100° of Twist

```
linear_extrude(height = 10, center = true, convexity = 10, twist = 100)
translate([2, 0, 0])
circle(r = 1);
```




-500° of Twist

```
linear_extrude(height = 10, center = true, convexity = 10, twist = -500)
translate([2, 0, 0])
circle(r = 1);
```


Center

Center determines if the object is centered after extrusion, so it does not extrude up and down from the center as you might expect.



center = true


```
linear_extrude(height = 10, center = true, convexity = 10, twist = -500)
translate([2, 0, 0])
circle(r = 1);
```



center = false


```
linear_extrude(height = 10, center = false, convexity = 10, twist = -500)
translate([2, 0, 0])
circle(r = 1);
```

Mesh Refinement



The slices parameter can be used to improve the output.

```
linear_extrude(height = 10, center = false, convexity = 10, twist = 360, slices = 100)
translate([2, 0, 0])
circle(r = 1);
```




The special variables \$fn, \$fs and \$fa can also be used to improve the output.

```
linear_extrude(height = 10, center = false, convexity = 10, twist = 360, $fn = 100)
translate([2, 0, 0])
circle(r = 1);
```

Rotate Extrude

A rotational extrusion is a Linear Extrusion with a twist, literally. Unfortunately, it can not be used to produce a helix for screw threads as the 2D outline must be normal to the axis of rotation.


Examples



A simple torus can be constructed using a rotational extrude.


```
rotate_extrude(convexity = 10)
translate([2, 0, 0])
circle(r = 1);
```

Mesh Refinement



Increasing the number of fragments that the 2D shape is composed of will improve the quality of the mesh, but take longer to render.

```
rotate_extrude(convexity = 10)  
translate([2, 0, 0])  
circle(r = 1, $fn = 100);
```




The number of fragments used by the extrusion can also be increased.

```
rotate_extrude(convexity = 10, $fn = 100)
translate([2, 0, 0])
circle(r = 1, $fn = 100);
```

Extruding a Polygon


Extrusion can also be performed on polygons with points chosen by the user.

Here is a simple polygon.



```
rotate([90,0,0]) polygon( points=[[0,0],[2,1],[1,2],[1,3],[3,4],[0,5]] );
```

Here is the same polygon, rotationally extruded, and with the mesh refinement set to 200. The polygon must touch the rotational axis for the extrusion to work, i.e. you can't build a polygon rotation with a hole.




```
rotate_extrude($fn=200) polygon( points=[[0,0],[2,1],[1,2],[1,3],[3,4],[0,5]] );
```

For more information on polygons, please see: 2D Primitives: Polygon.

Description of extrude parameters

Extrude parameters for all extrusion modes

convexity	Integer. The convexity parameter specifies the maximum number of front sides (back sides) a ray intersecting the object might penetrate. This parameter is only needed for correctly displaying the object in OpenCSG preview mode and has no effect on the polyhedron rendering.
-----------	--



This image shows a 2D shape with a convexity of 4, as the ray indicated in red crosses the 2D shape a maximum of 4 times. The convexity of a 3D shape would be determined in a similar way. Setting it to 10 should work fine for most cases.

Extrude parameters for linear extrusion only

height	The extrusion height
center	If true the solid will be centered after extrusion
twist	The extrusion twist in degrees
slices	Similar to special variable \$fn without being passed down to the child 2D shape.
scale	Scales the 2D shape by this value over the height of the extrusion.

With the import() and extrusion statements it is possible to convert 2D objects read from DXF files to 3D objects.

Linear Extrude

Example of linear extrusion of a 2D object imported from a DXF file.

```
linear_extrude(height = fanwidth, center = true, convexity = 10)
```

```
import (file = "example009.dxf", layer = "fan_top");
```

Rotate Extrude

Example of rotational extrusion of a 2D object imported from a DXF file.

```
rotate_extrude(convexity = 10, twist = -fanrot)
  import (file = "example009.dxf", layer = "fan_side", origin = fan_side_center);
```

Getting Inkscape to work

Inkscape is an open source drawing program. Tutorials for transferring 2d DXF drawings from Inkscape to OpenSCAD are available here:

- <http://repraprip.blogspot.com/2011/05/inkscape-to-openscad-dxf-tutorial.html> (Very simple)
- <http://tonybuser.com/?tag=inkscape> (More complicated, involves conversion to Postscript)
- <http://www.damonkohler.com/2010/11/inkscape-dxf-openscad-makerbot.html> (Better Better DXF Plugin for Inkscape)

Description of extrude parameters

Extrude parameters for all extrusion modes

scale	FIXME
convexity	See 2D to 3D Extrusion
file	The name of the DXF file to extrude [DEPRECATED]
layer	The name of the DXF layer to extrude [DEPRECATED]
origin	[x,y] coordinates to use as the drawing's center, in the units specified in the DXF file [DEPRECATED]

Extrude parameters for linear extrusion only

height	The extrusion height
center	If true, extrusion is half up and half down. If false, the section is extruded up.
twist	The extrusion twist in degrees
slices	FIXME

Currently, OpenSCAD only supports DXF as a graphics format for 2D graphics. Other common formats are PS/EPS and SVG.

PS/EPS

The pstoeedit (<http://www.pstoedit.net/>) program can convert between various vector graphics formats. OpenSCAD needs the `-polyaslines` option passed to the dxf output plugin to understand the file. The `-dt` options instructs pstoeedit to render texts, which is usually what you want if you include text. (If the rendered text's resolution in terms of polygon count is too low, the easiest solution is to scape up the eps before converting; if you know a more elegant solution, please add it to the example.)

```
pstoedit -dt -f dxf:-polyaslines infile.eps outfile.dxf
```

SVG

pstoedit does not understand SVG, but EPS can be converted from an SVG. inkscape (<http://inkscape.org>), an SVG editor, can be used for conversion.

```
inkscape -E intermediate.eps infile.svg
pstoedit -dt -f dxf:-polyaslines intermediate.eps outfile.dxf
```

Makefile automation

The conversion can be automated using the make system; put the following lines in your Makefile:

```
all: my_first_file.dxf my_second_file.dxf another_file.dxf

%.eps: %.svg
    inkscape -E $@ $<

%.dxf: %.eps
    pstoedit -dt -f dxf:-polyaslines $< $@
```

The first line specifies which dxf files are to be generated when make is called in the current directory. The second paragraph specifies how to convert a file ending in .svg to a file ending in .eps, and the third from .eps to .dxf.

STL Import and Export

Import and Export

A prime ingredient of any 3D design flow is the ability to import from and export to other tools. The STL file format ([http://en.wikipedia.org/wiki/STL_\(file_format\)](http://en.wikipedia.org/wiki/STL_(file_format))) is currently the most common format used.

Import

import

Imports a file for use in the current OpenSCAD model

Parameters

<file>

A string containing the path to the STL or DXF file.

Usage examples:

```
import("example012.stl");
```

Notes: In the latest version of OpenSCAD, import() is now used for importing both 2D (DXF for extrusion) and 3D (STL) files.

import_stl

<DEPRECATED.. Use the command **import** instead..>

Imports an STL file for use in the current OpenSCAD model

Parameters

<file>

A string containing the path to the STL file to include.

<convexity>

Integer. The convexity parameter specifies the maximum number of front sides (back sides) a ray intersecting the object might penetrate. This parameter is only needed for correctly displaying the object in OpenCSG preview mode and has no effect on the polyhedron rendering.

Usage examples:

```
import_stl("example012.stl", convexity = 5);
```

STL Export

STL Export

To export your design, select "Export as STL..." from the "Design" menu, then enter a filename in the ensuing dialog box. Don't forget to add the ".stl" extension.

Trouble shooting:

After *compile and render GCAL* (F6), you may see that your design is *simple: no*. That's bad news.

See line 8 in the following output from *OpenSCAD 2010.02*:


```
Parsing design (AST generation)...
Compiling design (CSG Tree generation)...
Compilation finished.
Rendering Polygon Mesh using CGAL...
Number of vertices currently in CGAL cache: 732
Number of objects currently in CGAL cache: 12
  Top level object is a 3D object:
    Simple:      no          <*****
    Valid:       yes
    Vertices:    22
    Halfedges:   70
    Edges:       35
    Halffacets:  32
    Facets:      16
    Volumes:     2
Total rendering time: 0 hours, 0 minutes, 0 seconds
Rendering finished.
```

When you try to export this to .STL you will get a message like:

```
Object isn't a valid 2-manifold! Modify your design..
```

"Manifold" means that it is "water tight" and that there are no holes in the geometry. In a valid 2-manifold each edge must connect exactly two facets. That means that the program must be able to connect a face with an object. E.g. if you use a cube of height 10 to carve out something from a wider cube of height 10, it is not clear to which cube the top or the bottom belongs. So make the small extracting cube a bit "longer" (or "shorter"):

```
difference() {  
  // original  
  cube (size = [2,2,2]);  
  // object that carves out  
  # translate ([0.5,0.5,-0.5]) {  
    cube (size = [1,1,3]);  
  }  
}
```



Correct use of difference

Here is a more tricky little example taken from the OpenSCAD (<http://rocklinux.net/pipermail/openscad/2009-December/000018.html>) Forum (retrieved 15:13, 22 March 2010 (UTC)):


```
module example1() {  
  cube([20, 20, 20]);  
  translate([-20, -20, 0]) cube([20, 20, 20]);  
}
```

```

    cube([50, 50, 5], center = true);
}
module example2() {
    cube([20.1, 20.1, 20]);
    translate([-20, -20, 0]) cube([20.1, 20.1, 20]);
    cube([50, 50, 5], center = true);
}

```

Example1 would render like this:



A not valid 2-manifold cube (simple = no)

The **example1** module is not a valid 2-manifold because both cubes are sharing one edge. They touch each other but do not intersect.

Example2 is a valid 2-manifold because there is an intersection. Now the construct meets the 2-manifold constraint stipulating that *each edge* must connect exactly two facets.

Pieces you are subtracting must extend past the original part. (OpenSCAD Tip: Manifold Space and Time (<http://www.iheartrobotics.com/2010/01/openscad-tip-manifold-space-and-time.html>), retrieved 18:40, 22 March 2010 (UTC)).

For reference, another situation that causes the design to be non-exportable is when two faces that are each the result of a subtraction touch. Then the error message comes up.

```
difference () {
    cube ([20,10,10]);
    translate ([10,0,0]) cube (10);
}
difference () {
    cube ([20,10,10]);
    cube (10);
}
```

simply touching surfaces is correctly handled.

```
translate ([10,0,0]) cube (10);
cube (10);
```

import

Imports a file for use in the current OpenSCAD model

Parameters

<file>

A string containing the path to the STL or DXF file.

Usage examples:

```
import("example012.stl");
```

Notes: In the latest version of OpenSCAD, import() is now used for importing both 2D (DXF for extrusion) and 3D (STL) files.

import_stl

<DEPRECATED.. Use the command **import** instead..>

Imports an STL file for use in the current OpenSCAD model

Parameters

<file>

A string containing the path to the STL file to include.

<convexity>

Integer. The convexity parameter specifies the maximum number of front sides (back sides) a ray intersecting the object might penetrate. This parameter is only needed for correctly displaying the object in OpenCSG preview mode and has no effect on the polyhedron rendering.

Usage examples:

```
import_stl("example012.stl", convexity = 5);
```

STL Export

To export your design, select "Export as STL..." from the "Design" menu, then enter a filename in the ensuing dialog box. Don't forget to add the ".stl" extension.

Trouble shooting:

After *compile and render GCAL* (F6), you may see that your design is *simple: no*. That's bad news.

See line 8 in the following output from *OpenSCAD 2010.02*:


```
Parsing design (AST generation)...
Compiling design (CSG Tree generation)...
Compilation finished.
Rendering Polygon Mesh using CGAL...
Number of vertices currently in CGAL cache: 732
Number of objects currently in CGAL cache: 12
  Top level object is a 3D object:
    Simple:      no          <*****
    Valid:      yes
    Vertices:    22
    Halfedges:   70
    Edges:       35
    Halffacets:  32
    Facets:      16
    Volumes:     2
Total rendering time: 0 hours, 0 minutes, 0 seconds
Rendering finished.
```

When you try to export this to .STL you will get a message like:

Object isn't a valid 2-manifold! Modify your design..

"Manifold" means that it is "water tight" and that there are no holes in the geometry. In a valid 2-manifold each edge must connect exactly two facets. That means that the program must be able to connect a face with an object. E.g. if you use a cube of height 10 to carve out something from a wider cube of height 10, it is not clear to which cube the top or the bottom belongs. So make the small extracting cube a bit "longer" (or "shorter"):

```
difference() {  
  // original  
  cube (size = [2,2,2]);  
  // object that carves out  
  # translate ([0.5,0.5,-0.5]) {  
    cube (size = [1,1,3]);  
  }  
}
```



Correct use of difference

Here is a more tricky little example taken from the OpenSCAD (<http://rocklinux.net/pipermail/openscad/2009-December/000018.html>) Forum (retrieved 15:13, 22 March 2010 (UTC)):


```

module example1() {
    cube([20, 20, 20]);
    translate([-20, -20, 0]) cube([20, 20, 20]);
    cube([50, 50, 5], center = true);
}

module example2() {
    cube([20.1, 20.1, 20]);
    translate([-20, -20, 0]) cube([20.1, 20.1, 20]);
    cube([50, 50, 5], center = true);
}

```

Example1 would render like this:



A not valid 2-manifold cube (simple = no)

The **example1** module is not a valid 2-manifold because both cubes are sharing one edge. They touch each other but do not intersect.

Example2 is a valid 2-manifold because there is an intersection. Now the construct meets the 2-manifold constraint stipulating that *each edge* must connect exactly two facets.

Pieces you are subtracting must extend past the original part. (OpenSCAD Tip: Manifold Space and Time (<http://www.iheartrobotics.com/2010/01/openscad-tip-manifold-space-and-time.html>), retrieved 18:40, 22 March 2010 (UTC)).

For reference, another situation that causes the design to be non-exportable is when two faces that are each the result of a subtraction touch. Then the error message comes up.

```
difference () {
  cube ([20,10,10]);
  translate ([10,0,0]) cube (10);
}
difference () {
  cube ([20,10,10]);
  cube (10);
}
```

simply touching surfaces is correctly handled.

```
translate ([10,0,0]) cube (10);
cube (10);
```


Dodecahedron

```
//create a dodecahedron by intersecting 6 boxes
module dodecahedron(height)
{
    scale([height,height,height]) //scale by height parameter
```

```

{
    intersection(){
        //make a cube
        cube([2,2,1], center = true);
        intersection_for(i=[0:4]) //loop i from 0 to 4, and intersect results
        {
            //make a cube, rotate it 116.565 degrees around the X axis,
            //then 72*i around the Z axis
            rotate([0,0,72*i])
            rotate([116.565,0,0])
            cube([2,2,1], center = true);
        }
    }
}
//create 3 stacked dodecahedra
//call the module with a height of 1 and move up 2
translate([0,0,2])dodecahedron(1);
//call the module with a height of 2
dodecahedron(2);
//call the module with a height of 4 and move down 4
translate([0,0,-4])dodecahedron(4);

```



The Dodecahedron as rendered from the example.

Bounding Box

```

// Rather kludgy module for determining bounding box from intersecting projections
module BoundingBox()
{
    intersection()
    {
        translate([0,0,0])
        linear_extrude(height = 1000, center = true, convexity = 10, twist = 0)
        projection(cut=false) intersection()
        {

```


```

        rotate([0,90,0])
        linear_extrude(height = 1000, center = true, convexity = 10, twist = 0)
        projection(cut=false)
        rotate([0,-90,0])
        children(0);

        rotate([90,0,0])
        linear_extrude(height = 1000, center = true, convexity = 10, twist = 0)
        projection(cut=false)
        rotate([-90,0,0])
        children(0);
    }
    rotate([90,0,0])
    linear_extrude(height = 1000, center = true, convexity = 10, twist = 0)
    projection(cut=false)
    rotate([-90,0,0])
    intersection()
    {
        rotate([0,90,0])
        linear_extrude(height = 1000, center = true, convexity = 10, twist = 0)
        projection(cut=false)
        rotate([0,-90,0])
        children(0);

        rotate([0,0,0])
        linear_extrude(height = 1000, center = true, convexity = 10, twist = 0)
        projection(cut=false)
        rotate([0,0,0])
        children(0);
    }
}

```



```

// Test module on ellipsoid
translate([0,0,40]) scale([1,2,3]) sphere(r=5);
BoundingBox() scale([1,2,3]) sphere(r=5);

```

OpenSCAD can not only be used as a GUI, but also handles command line arguments. Its usage line says:

OpenSCAD 2013.05+ has these options:

```

openscad [ -o output_file [ -d deps_file ] ] \
[ -m make_command ] [ -D var=val [...] ] [ --render ] \
[ --camera=translatex,y,z,rotx,y,z,dist | \
  --camera=eyex,y,z,centerx,y,z ] \
[ --imgsize=width,height ] [ --projection=(o)rtho|(p)ersp ] \
filename

```

Earlier releases had only these:

```
openscad [ -o output_file [ -d deps_file ] ] \  
[ -m make_command ] [ -D var=val [...] ] filename
```

The usage on OpenSCAD version 2011.09.30 (now deprecated) was:

```
openscad [ { -s stl_file | -o off_file | -x dxf_file } [ -d deps_file ] ]\  
[ -m make_command ] [ -D var=val [...] ] filename
```

Export options

When called with the `-o` option, OpenSCAD will not start the GUI, but execute the given file and export the to the *output_file* in a format depending on the extension (`.stl` / `.off` / `.dxf`, `.csg`).

Some versions use `-s/-d/-o` to determine the output file format instead check with "openscad --help".

If the option `-d` is given in addition to an export command, all files accessed while building the mesh are written in the argument of `-d` in the syntax of a Makefile.

Camera and image output

For 2013.05+, the option to output a `.png` image was added. There are two types of cameras available for the generation of images.

The first camera type is a 'gimbal' camera that uses Euler angles, translation, and a camera distance, like OpenSCAD's GUI viewport display at the bottom of the OpenSCAD window.

!!! There is a bug in the implementation of cmdline camera, where the rotations do not match the numbers in the GUI. This will be fixed in an upcoming release so that the GUI and cmdline camera variables will work identically.

The second camera type is a 'vector' camera, with an 'eye' camera location vector and a 'lookat' center vector.

`--imgsize` chooses the `.png` dimensions and `--projection` chooses orthogonal or perspective, as in the GUI.

By default, cmdline `.png` output uses Preview mode (f5) with OpenCSG. For some situations it will be desirable instead to use the full render, with CGAL. This is done by adding '`--render`' as an option.

Constants

In order to pre-define variables, use the `-D` option. It can be given repeatedly. Each occurrence of `-D` must be followed by an assignment. Unlike normal OpenSCAD assignments, these assignments don't define variables, but constants, which can not be changed inside the program, and can thus be used to overwrite values defined in the program at export time.

The right hand sides can be arbitrary OpenSCAD expressions, including mathematical operations and strings. Be aware that strings have to be enclosed in quotes, which have to be escaped from the shell. To render a model that takes a quality parameter with the value "production", one has to run

```
openscad -o my_model_production.stl -D 'quality="production"' my_model.scad
```

Command to build required files

In a complex build process, some files required by an OpenSCAD file might be currently missing, but can be generated, for example if they are defined in a Makefile. If OpenSCAD is given the option `-m make`, it will start `make file` the first time it tries to access a missing *file*.

Makefile example

The `-d` and `-m` options only make sense together. (`-m` without `-d` would not consider modified dependencies when building exports, `-d` without `-m` would require the files to be already built for the first run that generates the dependencies.)

Here is an example of a basic Makefile that creates an `.stl` file from an `.scad` file of the same name:

```
# explicit wildcard expansion suppresses errors when no files are found
include $(wildcard *.deps)

%.stl: %.scad
    openscad -m make -o $@ -d $@.deps $<
```

When `make my_example.stl` is run for the first time, it finds no `.deps` files, and will just depend on `my_example.scad`; since `my_example.stl` is not yet preset, it will be created unconditionally. If OpenSCAD finds missing files, it will call `make` to build them, and it will list all used files in `my_example.stl.deps`.

When `make my_example.stl` is called subsequently, it will find and include `my_example.stl.deps` and check if any of the files listed there, including `my_example.scad`, changed since `my_example.stl` was built, based on their time stamps. Only if that is the case, it will build `my_example.stl` again.

Automatic targets

When building similar `.stl` files from a single `.scad` file, there is a way to automate that too:

```
# match "module foobar()" { // `make` me"
```



```
TARGETS=$(shell sed '/^module [a-z0-9_-]*()*.*make..\?me.*$$/!d;s/module //;s/()*.*\/.stl/' base.scad)
```

```
all: ${TARGETS}

# auto-generated .scad files with .deps make make re-build always. keeping the
# scad files solves this problem. (explanations are welcome.)
.SECONDARY: $(shell echo "${TARGETS}" | sed 's/\.stl/.scad/g')

# explicit wildcard expansion suppresses errors when no files are found
include $(wildcard *.deps)

%.scad:
    echo -n 'use <base.scad>\n$*();' > $@

%.stl: %.scad
    openscad -m make -o $@ -d $@.deps $<
```

All objects that are supposed to be exported automatically have to be defined in `base.scad` in an own module with their future file name (without the ".stl"), and have a comment like `/// make me" in the line of the module definition. The TARGETS= line picks these out of the base file and creates the file names. These will be built when make all (or make, for short) is called.`

As the convention from the last example is to create the .stl files from .scad files of the same base name, for each of these files, an .scad file has to be generated. This is done in the `"%.scad:"` paragraph; `my_example.scad` will be a very simple OpenSCAD file:

```
use <base.scad>
my_example();
```

The `".SECONDARY"` line is there to keep `make` from deleting the generated .scad files. If it deleted it, it would not be able to automatically determine which files need no rebuild any more; please post ideas about what exactly goes wrong there (or how to fix it better) on the talk page!

Windows notes

On Windows, `openscad.com` should be called from the command line as a wrapper for `openscad.exe`. This is because Openscad uses the 'devenv' solution to the Command-Line/GUI output issue. Typing 'openscad' at the `cmd.exe` prompt will, by default, call the .com program wrapper.

Building OpenSCAD from Sources

Prebuilt binary packages

As of 2013, prebuilt OpenSCAD packages are available on many recent Linux and BSD distributions, including Debian, Ubuntu, Fedora, Arch, and NetBSD. Check your system's package manager for details.

For Ubuntu systems you can also try chrysn's Ubuntu packages at his launchpad PPA (<https://launchpad.net/~chrysn/+archive/openscad>), or you can just copy/paste the following onto the command line:

```
sudo add-apt-repository ppa:chrysn/openscad
sudo apt-get update
sudo apt-get install openscad
```

His repositories for OpenSCAD and OpenCSG are here (<http://archive.amsuess.com/pool/contrib/o/openscad/>) and here (<http://archive.amsuess.com/pool/main/o/opencsg/>).

There is also a generic linux binary package at <http://www.openscad.org> that can be unpacked and run from within most linux systems. It is self contained and includes the required libraries.

Building OpenSCAD yourself

If you wish to build OpenSCAD for yourself, start by installing git on your system using your package manager. Git is often packaged under the name 'scmgit' or 'git-core'. Then, get the OpenSCAD source code

```
cd ~/
git clone https://github.com/openscad/openscad.git
cd openscad
```

Then get the MCAD library, which is now included with OpenSCAD binary distributions

```
git submodule init
git submodule update
```

Installing dependencies

Now download and install the dependency libraries and tools using your package manager. This includes Qt4, CGAL, GMP, cmake, MPFR, boost, OpenCSG, GLEW, Eigen2, GCC C++ Compiler, Bison, and Flex. OpenSCAD comes with a helper script that will try to fetch and install these automatically for you (note: you must have 'sudo' working for this script to work).

```
./scripts/uni-get-dependencies.sh
```

Now check the version numbers against the openscad/README.md file to see if the version numbers are high enough and that no packages were accidentally missed. OpenSCAD comes with another helper script to assist in this process.

```
./scripts/check-dependencies.sh
```

(Note that this detects a 'lower bound' on GLEW, not the actual version you have)

If your system passes all checks, continue to the 'Building OpenSCAD' section below. If you are missing libraries, try to search your package manager to see if it might have them under different names. If your package manager has the package but it is just too old, then read the next section on building your own dependencies.

Building the dependencies yourself

On systems that lack updated dependency libraries or tools, you can download and build your own. As of 2013, OpenSCAD comes with scripts that can do this automatically, without interfering with any system libraries, and without requiring root access, by putting everything under \$HOME/openscad_deps. (It however will not build X11, Qt4, gcc, bash or other basics).

First, set up the environment variables (if you don't use bash, replace "source" with a single ".")

```
source scripts/setenv-unibuild.sh
```

Then, download and build.

```
./scripts/uni-build-dependencies.sh
```

If you only need CGAL or OpenCSG, you can just run ' `./scripts/uni-build-dependencies.sh cgal`' or `opencsg` and it will only build a single library. The complete download and build process can take anywhere from half an hour to several hours, depending on your network connection speed and system speed. It is recommended to have at least 1.5 Gigabyte of free disk space to do the full dependency build. Each time you log into a new shell and wish to re-compile OpenSCAD you need to re-run the 'source `scripts/setenv-unibuild.sh`' script

After completion, re-check (while running under the same shell, with the same environment variables set) to see if it worked.

```
./scripts/check-dependencies.sh
```

Build the OpenSCAD binary

Once you have either downloaded or built the dependencies, you can build OpenSCAD.

```
qmake          # or qmake-qt4, depending on your distribution
make
```

You can also install OpenSCAD to `/usr/local/` if you wish. The 'opencscad' binary will be put under `/usr/local/bin`, the binary and libraries will be under and the examples will be under something like `/usr/local/share/opencscad` possibly depending on your system. Note that if you have previously installed a binary linux package of opencscad, you should take care to delete `/usr/local/lib/opencscad` and `/usr/local/share/opencscad` because they are not the same paths as what the standard qmake-built 'install' target uses.

```
sudo make install
```

Note: on Debian-based systems create a package and install OpenSCAD using:

```
sudo checkinstall -D make install
```

If you prefer not to install you can run "`./openscad`" directly whilst still in the `~/openscad` directory.

Compiling the test suite

OpenSCAD comes with over 740 regression tests. To build and run them, it is recommended to first build the GUI version of OpenSCAD by following the steps above, including the downloading of MCAD. Then, from the same login, run these commands:

```
cd tests
mkdir build && cd build
cmake ..
make
ctest -C All
```

The file '`openscad/doc/testing.txt`' has more information. Full test logs are under `tests/build/Testing/Temporary`. A pretty-printed `index.html` web view of the tests can be found under a machine-specific subdirectory thereof and opened with a browser.

Troubleshooting

If you encounter any errors when building, please file an issue report at <https://github.com/openscad/openscad/issues/> .

Errors about incompatible library versions

This may be caused by old libraries living in `/usr/local/lib` like boost, CGAL, OpenCSG, etc, (often left over from previous experiments with OpenSCAD). You are advised to remove them. To remove, for example, CGAL, run `rm -rf /usr/local/include/CGAL && rm -rf /usr/local/lib/*CGAL*`. Then erase `$HOME/openscad_deps`, remove your openscad source tree, and restart fresh. As of 2013 OpenSCAD's build process does not advise nor require anything to be installed in `/usr/local/lib` nor `/usr/local/include`.

Note that CGAL depends on Boost and OpenCSG depends on GLEW - interdependencies like this can really cause issues if there are stray libraries in unusual places.

Another source of confusion can come from running from within an 'unclean shell'. Make sure that you don't have `LD_LIBRARY_PATH` set to point to any old libraries in any strange places. Also don't mix a Mingw windows cross build with your linux build process - they use different environment variables and may conflict.

OpenCSG didn't automatically build

If for some reason the recommended build process above fails to work with OpenCSG, please file an issue on the OpenSCAD github. In the meantime, you can try building it yourself.

```
wget http://www.opencsg.org/OpenCSG-1.3.2.tar.gz
sudo apt-get purge libopencsg-dev libopencsg1 # or your system's equivalent
tar -xvf OpenCSG-1.3.2.tar.gz
cd OpenCSG-1.3.2
# edit the Makefile and remove 'example'
make
sudo cp -d lib/lib* $HOME/openscad_deps/lib/
sudo cp include/opencsg.h $HOME/openscad_deps/include/
```

Note: on Debian-based systems (such as Ubuntu), you can add the 'install' target to the OpenCSG Makefile, and then use checkinstall to create a clean .deb package for install/removal/upgrade. Add this target to Makefile:

```
install:
    # !! THESE LINES PREFIXED WITH ONE TAB, NOT SPACES !!
    cp -d lib/lib* /usr/local/lib/
    cp include/opencsg.h /usr/local/include/
    ldconfig
```

Then:

```
sudo checkinstall -D make install
```

.. to create and install a clean package.

CGAL didn't automatically build

If this happens, you can try to compile CGAL yourself. It is recommended to install to \$HOME/openscad_deps and otherwise follow the build process as outlined above.

Compiling is horribly slow and/or grinds the disk

It is recommended to have at least 1.2 Gbyte of RAM to compile OpenSCAD. There are a few workarounds in case you don't. The first is to use the experimental support for the Clang Compiler (described below) as Clang uses much less RAM than GCC. Another workaround is to edit the Makefile generated by qmake and search/replace the optimization flags (-O2) with -O1 or blank, and to remove any '-g' debug flags from the compiler line, as well as '-pipe'.

If you have plenty of RAM and just want to speed up the build, you can try a paralell multicore build with

```
make -jx
```

Where 'x' is the number of cores you want to use. Remember you need x times the amount of RAM to avoid possible disk thrashing.

The reason the build is slow is because OpenSCAD uses template libraries like CGAL, Boost, and Eigen, which use large amounts of RAM to compile - especially CGAL. GCC may take up 1.5 Gigabytes of RAM on some systems during the build of certain CGAL modules. There is more information at StackOverflow.com (<http://stackoverflow.com/questions/3634203/why-are-templates-so-slow-to-compile>).

BSD issues

The build instructions above are designed to work unchanged on FreeBSD and NetBSD. However the BSDs typically require special environment variables set up to build any QT project - you can set them up automatically by running

```
source ./scripts/setenv-unibuild.sh
```

NetBSD 5.x, requires a patched version of CGAL. It is recommended to upgrade to NetBSD 6 instead as it has all dependencies available from pkgin. NetBSD also requires the X Sets to be installed when the system was created (or added later (<http://ghantoos.org/2009/05/12/my-first-shot-of-netbsd/>)).

On OpenBSD it may fail to build after running out of RAM. OpenSCAD requires at least 1 Gigabyte to build with GCC. You may have need to be a user with 'staff' level access or otherwise alter required system parameters. The 'dependency build' sequence has also not been ported to OpenBSD so you will have to rely on the standard OpenBSD system package tools (in other words you have to have root).

Test suite problems

Headless server

The test suite will try to automatically detect if you have an X11 DISPLAY environment variable set. If not, it will try to automatically start Xvfb or Xvnc (virtual X framebuffers) if they are available.

If you want to run these servers manually, you can attempt the following:

```
$ Xvfb :5 -screen 0 800x600x24 &  
$ DISPLAY=:5 ctest
```

Alternatively:

```
$ xvfb-run --server-args='-screen 0 800x600x24' ctest
```

There are some cases where Xvfb/Xvnc won't work. Some older versions of Xvfb may fail and crash without warning. Sometimes Xvfb/Xvnc have been built without GLX (OpenGL) support and OpenSCAD won't be able to generate any images.

Image-based tests takes a long time, they fail, and the log says 'return -11'

Imagemagick may have crashed while comparing the expected images to the test-run generated (actual) images. You can try using the alternate ImageMagick comparison method by erasing CMakeCache, and re-running cmake with `-DCOMPARATOR=ncc`. This will enable the Normalized Cross Comparison method which is more stable, but possibly less accurate and may give false positives or negatives.

Testing images fails with 'morphology not found' for ImageMagick in the log

Your version of imagemagick is old. Upgrade imagemagick, or pass `-DCOMPARATOR=old` to cmake. The comparison will be of lowered reliability.

I moved the dependencies I built and now openscad won't run

It isn't advised to move them because the build is using RPATH hard coded into the openscad binary. You may try to workaround by setting the `LD_LIBRARY_PATH` environment variable to place yourpath/lib first in the list of paths it searches. If all else fails, you can re-run the entire dependency build process but export the `BASEDIR` environment variable to your desired location, before you run the script to set environment variables.

Tricks and tips

Reduce space of dependency build

After you have built the dependencies you can free up space by removing the `$BASEDIR/src` directory - where `$BASEDIR` defaults to `$HOME/openscad_deps`.

Preferences

OpenSCAD's config file is kept in `~/.config/OpenSCAD/OpenSCAD.conf`.

Setup environment to start developing OpenSCAD in Ubuntu 11.04

The following paragraph describes an easy way to setup a development environment for OpenSCAD in Ubuntu 11.04. After executing the following steps QT Creator can be used to graphically start developing/debugging OpenSCAD.

- Add required PPA repositories:

```
# sudo add-apt-repository ppa:chrysn/openscad
```

- Update and install required packages:

```
# sudo apt-get update  
# sudo apt-get install git build-essential qtcreator libglew1.5-dev libopencsg-dev libcgald-dev libeigen2-dev bison flex
```

- Get the OpenSCAD sources:

```
# mkdir ~/src  
# cd ~/src  
# git clone https://github.com/openscad/openscad.git
```

- Build OpenSCAD using the command line:

```
# cd ~/src/openscad  
# qmake  
# make
```

- Build OpenSCAD using QT Creator:

Just open the project file openscad.pro (CTRL+O) in QT Creator and hit the build all (CTRL+SHIFT+B) and run button (CTRL+R).

The Clang Compiler

There is experimental support for building with the Clang compiler under linux. Clang is faster, uses less RAM, and has different error messages than GCC. To use it, first of all you will need CGAL of at least version 4.0.2, as prior versions have a bug that makes clang unusable. Then, run this script before you build OpenSCAD.

```
source scripts/setenv-unibuild.sh clang
```

Clang support depends on your system's QT installation having a clang enabled qmake.conf file. For example, on Ubuntu, this is under /usr/share/qt4/mkspecs/unsupported/linux-clang/qmake.conf. BSD clang-building may require a good deal of fiddling and is untested, although eventually it is planned to move in this direction as the BSDs (not to mention OSX) are moving towards favoring clang as their main compiler. OpenSCAD includes convenience scripts to cross-build Windows installer binaries using the MXE system (<http://mxe.cc>). If you wish to use them, you can first install the MXE Requirements such as cmake, perl, scons, using your system's package manager (click to view a complete list of requirements) (<http://mxe.cc/#requirements>). Then you can perform the following commands to download OpenSCAD source and build a windows installer:

```
git clone https://github.com/openscad/openscad.git
cd openscad
source ./scripts/setenv-mingw-xbuild.sh
./scripts/mingw-x-build-dependencies.sh
./scripts/release-common.sh mingw32
```

The x-build-dependencies process takes several hours, mostly to cross-build QT. It also requires several gigabytes of disk space. If you have multiple CPUs you can speed up things by running **export NUMCPU=x** before running the dependency build script. By default it builds the dependencies in \$HOME/openscad_deps/mxe. You can override the mxe installation path by setting the BASEDIR environment variable before running the scripts. The OpenSCAD binaries are built into a separate build path, openscad/mingw32.

Note that if you want to then build linux binaries, you should log out of your shell, and log back in. The 'setenv' scripts, as of early 2013, required a 'clean' shell environment to work.

If you wish to cross-build manually, please follow the steps below and/or consult the release-common.sh source code.

Setup

The easiest way to cross-compile OpenSCAD for Windows on Linux or Mac is to use mxe (M cross environment). You will need to install git to get it. Once you have git, navigate to where you want to keep the mxe files in a terminal window and run:

```
git clone git://github.com/mxe/mxe.git
```

Add the following line to your ~/.bashrc file:

```
export PATH=/<where mxe is installed>/usr/bin:$PATH
```

replacing <where mxe is installed> with the appropriate path.

Requirements

The requirements to cross-compile for Windows are just the requirements of mxe. They are listed, along with a command for installing them here (<http://mxe.cc/#requirements>). You don't need to type 'make'; this will make everything and take up >10 GB of disk space. You can instead follow the next step to compile only what's needed for openscad.

Now that you have the requirements for mxe installed, you can build OpenSCAD's dependencies (CGAL, Opencsg, MPFR, and Eigen2). Just open a terminal window, navigate to your mxe installation and run:

```
make mpfr eigen opencsg cgal qt
```

This will take a few hours, because it has to build things like gcc, qt, and boost. Just go calibrate your printer or something while you wait. To speed things up, you might want to do something like "make -j 4 JOBS=2" for parallel building. See the mxe tutorial (<http://mxe.cc/#tutorial>) for more details.

Optional: If you want to build an installer, you need to install the nullsoft installer system. It should be in your package manager, called "nsis".

Build OpenSCAD

Now that all the requirements have been met, all that remains is to build OpenSCAD itself. Open a terminal window and enter:

```
git clone git://github.com/openscad/openscad.git
cd openscad
```

Then get MCAD:

```
git submodule init
git submodule update
```

You need to create a symbolic link here for the build system to find the libraries:

```
ln -s /<where mxe is installed>/usr/i686-pc-mingw32/ mingw-cross-env
```

again replacing <where mxe is installed> with the appropriate path

Now to build OpenSCAD run:

```
i686-pc-mingw32-qmake CONFIG+=mingw-cross-env openscad.pro  
make
```

When that is finished, you will have openscad.exe in ./release and you can build an installer with it as described in the instructions for building with Microsoft Visual C++, described here (http://en.wikibooks.org/wiki/OpenSCAD_User_Manual/Building_on_Windows#Building_an_installer).

The difference is that instead of right-clicking on the *.nsi file you will run:

```
makensis installer.nsis
```

Note that as of early 2013, OpenSCAD's 'scripts/release-common.sh' automatically uses the version of nsis that comes with the MXE cross build system, so you may wish to investigate the release-common.sh source code to see how it works, if you have troubles. This is a set of instructions for building OpenSCAD with the Microsoft Visual C++ compilers.

The build is as static as reasonable, with no external DLL dependencies that are not shipped with Windows

Note: It was last tested on the Dec 2011 build. Newer checkouts of OpenSCAD may not build correctly or require extensive modification to compile under MSVC. OpenSCAD releases of 2012 were typically cross-compiled from linux using the Mingw & MXE system. See Cross-compiling for Windows on Linux or Mac OS X.

Downloads

start by downloading:

- Visual Studio Express <http://download.microsoft.com/download/E/8/E/E8EEB394-7F42-4963-A2D8-29559B738298/VS2008ExpressWithSP1ENUX1504728.iso>
- QT (for vs2008) <http://get.qt.nokia.com/qt/source/qt-win-opensource-4.7.2-vs2008.exe>
- git <http://msysgit.googlecode.com/files/Git-1.7.4-preview20110204.exe>
- glew <https://sourceforge.net/projects/glew/files/glew/1.5.8/glew-1.5.8-win32.zip/download>
- cmake <http://www.cmake.org/files/v2.8/cmake-2.8.4-win32-x86.exe>
- boost http://www.boostpro.com/download/boost_1_46_1_setup.exe
- cgal <https://gforge.inria.fr/frs/download.php/27647/CGAL-3.7-Setup.exe>

- OpenCSG <http://www.opencsg.org/OpenCSG-1.3.2.tar.gz>
- eigen2 <http://bitbucket.org/eigen/get/2.0.15.zip>
- gmp/mpfr http://holoborodko.com/pavel/downloads/win32_gmp_mpfr.zip
- MinGW <http://netcologne.dl.sourceforge.net/project/mingw/Automated%20MinGW%20Installer/mingw-get-inst/mingw-get-inst-20110316/mingw-get-inst-20110316.exe>

Installing

- Install Visual Studio
 - No need for siverlight or mssql express
 - You can use a virtual-CD program like MagicDisc to mount the ISO file and install without using a CD
- Install QT
 - Install to default location `c:\Qt\4.7.2\`
- Install Git
 - Click Run Git and included Unix tools from the Windows Command Prompt despite the big red letters warning you not to.
- Install Cmake
 - Check the 'Add cmake to the system path for the current user' checkbox
 - Install to default location `c:\Program Files\CMake 2.8`
- Install Boost
 - Select the VC++ 9.0 vs2008 radio
 - Check the 'multithreaded static runtime' checkbox only
 - Install into `c:\boost_1_46_1\`
- Install GCAL
 - Note - CGAL 3.9 fixes several bugs in earlier versions of CGAL, but CGAL 3.9 will not compile under MSVC without extensive patching. Please keep that in mind when compiling OpenSCAD with MSVC - there may be bugs due to the outdated version of CGAL required to use MSVC.
 - Note its not a binary distribution, just an installer that installs the source.
 - No need for CGAL Examples and Demos
 - Make sure mpfr and gmp precompiled libs is checked
 - The installer wants you to put this in `c:\Program Files\CGAL-3.7\` I used `c:\CGAL-3.7\`
 - Make sure CGAL_DIR environment checked.
- Install MinGW
 - Make sure you select the MSYS Basic System under components
- Extract downloaded win32_gmp_mpfr.zip file to `c:\win32_gmp_mpfr\`
- Replace the mpfr and gmp .h files in CGAL with the ones from win32_gmp_mpfr
 - Delete, or move to a temp folder, all files in `CGAL-3.7\auxiliary\gmp\include` folder
 - Copy all the .h files in `c:\win32_gmp_mpfr\gmp\Win32\Release` to `CGAL-3.7\auxiliary\gmp\include`
 - Copy all the .h files in `c:\win32_gmp_mpfr\mpfr\Win32\Release` to `CGAL-3.7\auxiliary\gmp\include`
- Replace the mpfr and gmp libs in CGAL with the ones from win32_gmp_mpfr
 - Delete, or move to a temp folder, all (06/20/2011 libmpfr-4.lib is needed 7/19/11 - i didnt need it) files in `CGAL-3.7\auxiliary\gmp\lib` folder.

- Copy `c:\win32_gmp_mpfr\gmp\Win32\Release\gmp.lib` to `CGAL-3.7\auxiliary\gmp\lib`
- Copy `c:\win32_gmp_mpfr\mpfr\Win32\Release\mpfr.lib` to `CGAL-3.7\auxiliary\gmp\lib`
- Go into `CGAL-3.7\auxiliary\gmp\lib` and copy `gmp.lib` to `gmp-vc90-mt-s.lib`, and `mpfr.lib` to `mpfr-vc90-mt-s.lib` (so the linker can find them in the final link of `openscad.exe`)

To get OpenSCAD source code:

- Open "Git Bash" (or MingW Shell) (the installer may have put a shortcut on your desktop). This launches a command line window.
- Type **cd c:** to change the current directory.
- Type **git clone git://github.com/openscad/openscad.git** This will put OpenSCAD source into `C:\openscad\`

Where to put other files:

I put all the dependencies in `C:\` so for example,

- `C:\eigen2\`
- `C:\glew-1.5.8\`
- `C:\OpenCSG-1.3.2\`

.tgz can be extracted with `tar -zxvf` from the MingW shell, or Windows tools like 7-zip. Rename and move sub-directories if needed. I.e `eigen-eigen-0938af7840b0` should become `c:\eigen2`, with the files like `COPYING` and `CMakeLists.txt` directly under it. `c:\glew-1.5.8` should have 'include' and 'lib' directly under it.

Compiling Dependencies

For compilation I use the QT Development Command Prompt

Start->Program Files->Qt by Nokia v4.7.2 (VS2008 OpenSource)->QT 4.7.2 Command Prompt

Qt

Qt needs to be recompiled to get a static C runtime build. To do so, open the command prompt and do:

```
configure -static -platform win32-msvc2008 -no-webkit
```

Configure will take several minutes to finish processing. After it is done, open up the file `Qt\4.7.2\mkspecs\win32-msvc2008\qmake.conf` and replace every instance of `-MD` with `-MT`. Then:

```
nmake
```

This takes a very, very long time. Have a nap. Get something to eat. On a Pentium 4, 2.8GHZ CPU with 1 Gigabyte RAM, Windows XP, it took more than 7 hours, (that was with -O2 turned off)

CGAL

```
cd C:\CGAL-3.7\  
set BOOST_ROOT=C:\boost_1_46_1\  
cmake .
```

Now edit the `CMakeCache.txt` file. Replace every instance of `/MD` with `/MT`. Now, look for a line like this:

```
CMAKE_BUILD_TYPE:STRING=Debug
```

Change Debug to Release. Now *re-run* `cmake`

```
cmake .
```

It should scroll by, watch for lines saying "`--Building static libraries`" and "`--Build type: Release`" to confirm the proper settings. Also look for `/MT` in the `CXXFLAGS` line. When it's done, you can do the build:

```
nmake
```

You should now have a `CGAL-vc90-mt-s.lib` file under `C:\CGAL-3.7\lib`. If not, see [Troubleshooting](#), below.

OpenCSG

Launch Visual Express.

```
cd C:\OpenCSG-1.3.2  
vcexpress OpenCSG.sln  
Substitute devenv for vcexpress if you are not using the express version
```

- Manually step through project upgrade wizard
- Make sure the runtime library settings for all projects is for Release (not Debug)
 - Click Build/Configuration Manager
 - Select "Release" from "Configuration:" drop down menu
 - Hit Close
- Make sure the runtime library setting for OpenCSG project is set to multi-threaded static

- Open the OpenCSG project properties by clicking menu item "Project->OpenCSG Properties" (might be just "Properties")
- Make sure it says "Active(Release)" in the "Configuration:" drop down menu
- Click 'Configuration Properties -> C/C++ -> Code Generation'
- Make sure "Runtime Library" is set to "Multi-threaded (/MT)"
- Click hit OK
- Make sure the runtime library setting for glew_static project is set to multi-threaded static
 - In "Solution Explorer - OpenCSG" pane click "glew_static" project
 - Open the OpenCSG project properties by clicking menu item "Project->OpenCSG Properties" (might be just "Properties")
 - Make sure it says "Active(Release)" in the "Configuration:" drop down menu
 - Click C/C++ -> Code Generation
 - Make sure "Runtime Library" is set to "Multi-threaded (/MT)"
 - Click hit OK
- Close Visual Express saving changes

Build OpenCSG library. You can use the GUI Build/Build menu (the Examples project might fail, but glew and OpenCSG should succeed). Alternatively you can use the command line:

```
cmd /c vcexpress OpenCSG.sln /build
Again, substitute devenv if you have the full visual studio
```

The `cmd /c` bit is needed otherwise you will be returned to the shell immediately and have to Wait for build process to complete (there will be no indication that this is happening appart from in task manager)

OpenSCAD

- Bison/Flex: Open the mingw shell and type `mingw-get install msys-bison`. Then do the same for flex: `mingw-get install msys-flex`
- Open the QT Shell, and copy/paste the following commands

```
cd C:\openscad
set INCLUDE=%INCLUDE%C:\CGAL-3.7\include;C:\CGAL-3.7\auxiliary\gmp\include;
set INCLUDE=%INCLUDE%C:\boost_1_46_1;C:\glew-1.5.8\include;C:\OpenCSG-1.3.2\include;C:\eigen2
set LIB=%LIB%C:\CGAL-3.7\lib;C:\CGAL-3.7\auxiliary\gmp\lib;
set LIB=%LIB%C:\boost_1_46_1\lib;C:\glew-1.5.8\lib;C:\OpenCSG-1.3.2\lib
qmake
nmake -f Makefile.Release
```

Wait for the nmake to end. There are usually a lot of non-fatal warnings about the linker. On success, there will be an openscad.exe file in the release folder. Enjoy.

Building an installer

- Download and install NSIS from <http://nsis.sourceforge.net/Download>
- Put the FileAssociation.nsh macro from http://nsis.sourceforge.net/File_Association in the NSIS Include directory, C:\Program Files\NSIS\Include
- Run 'git submodule init' and 'git submodule update' to download the MCAD system (<https://github.com/elmom/MCAD>) into the openscad/libraries folder.
- Copy the OpenSCAD "libraries" and "examples" directory into the "release" directory
- Copy OpenSCAD's "scripts/installer.nsi" to the "release" directory.
- Right-click on the file and compile it with NSIS. It will spit out a nice, easy installer. Enjoy.

Compiling the regression tests

- Follow all the above steps, build openscad, run it, and test that it basically works.
- Install Python 2.x (not 3.x) from <http://www.python.org>
- Install Imagemagick from <http://www.imagemagick.org>
- read openscad/docs/testing.txt
- Go into your QT shell

```
set PATH=%PATH%;C:\Python27 (or your version of python)
cd c:\openscad\tests\
cmake . -DCMAKE_BUILD_TYPE=Release
Edit the CMakeCache.txt file, search/replace /MD to /MT
cmake .
nmake -f Makefile
```

- This should produce a number of test .exe files in your directory. Now run

```
ctest
```

If you have link problems, see Troubleshooting, below.

Troubleshooting

Linker errors

If you have errors during linking, the first step is to improve debug logging, and redirect to a file. Open Openscad.pro and uncomment this line:

```
QMAKE_LFLAGS += -VERBOSE
```

Now rerun

```
nmake -f Makefile.Release > log.txt
```

You can use a program like 'less' (search with '/') or wordpad to review the log.

To debug these errors, you must understand basics about Windows linking. Windows links to its standard C library with basic C functions like malloc(). But there are four different ways to do this, as follows:

```
compiler switch - type - linked runtime C library
/MT - Multithreaded static Release - link to LIBCMT.lib
/MTd - Multithreaded static Debug - link to LIBCMTD.lib
/MD - Multithreaded DLL Release - link to MSVCRT.lib (which itself helps link to the DLL)
/MDd - Multithreaded DLL Debug - link to MSVCRTD.lib (which itself helps link to the DLL)
```

All of the libraries that are link together in a final executable must be compiled with the same type of linking to the standard C library. Otherwise, you get link errors like, "LNK2005 - XXX is already defined in YYY". But how can you track down which library wasn't linked properly? 1. Look at the log, and 2. dumpbin.exe

dumpbin.exe

dumpbin.exe can help you determine what type of linking your .lib or .obj files were created with. For example, `dumpbin.exe /all CGAL.lib | find /i "DEFAULTLIB"` will give you a list of DEFAULTLIB symbols inside of CGAL.lib. Look for LIBCMT, LIBCMTD, MSVCRT, or MSVCRTD. That will tell you, according to the above table, whether it was built Static Release, Static Debug, DLL Release, or DLL Debug. (DLL, of course means Dynamic Link Library in this conversation.) This can help you track down, for example, linker errors about conflicting symbols in LIBCMT and LIBCMTD.

dumpbin.exe can also help you understand errors involving unresolved external symbols. For example, if you get an error about unresolved external symbol `__GLEW_NV_occlusion_query`, but your VERBOSE error log says the program linked in `glew32.lib`, then you can `dumpbin.exe /all glew32.lib | find /i "occlusion"` to see if the symbol is actually there. You may see a mangled symbol, with `__impl`, which gives you another clue with which you can google. In this particular example, `glew32s.lib` (s=static) should have been linked instead of `glew32.lib`.

CGAL

CGAL-vc90-mt-s.lib

After compilation, it is possible that you might get a file named `CGAL-vc90-mt.lib` or `CGAL-vc90-mt-gd.lib` instead of `CGAL-vc90-mt-s.lib`. There are many possibilities: you accidentally built the wrong version, or you may have built the right version and VCExpress named it wrong. To double check, and fix the problem, you can do the following:

```
cd C:\CGAL-3.7\lib
dumpbin /all CGAL-vc90-mt.lib | find /i "DEFAULTLIB"
(if you have mt-gd, use that name instead)
```

If this shows lines referencing `LIBCMTD`, `MSVCRT`, or `MSVCRTD` then you accidentally built the debug and/or dynamic version, and you need to clean the build, and try to build again with proper settings to get the *multi-threaded static release* version. However, if it just says `LIBCMT`, then you are probably OK. Look for another line saying `DEFAULTLIB:CGAL-vc90-mt-s`. If it is there, then you can probably just rename the file and have it work.

```
move CGAL-vc90-mt.lib CGAL-vc90-mt-s.lib
```

Visual Studio build

You can build CGAL using the GUI of visual studio, as an alternative to `nmake`. You have to use an alternate `cmake` syntax. Type 'cmake' by itself and it will give you a list of 'generators' that are valid for your machine; for example Visual Studio Express is `cmake -G"Visual Studio 9 2008" ..` That should get you a working `.sln` (solution) file.

Then run this:

```
vcexpress CGAL.sln
```

Modify the build configure target to Release (not Debug) and change the properties of the projects to be '/MT' multithreaded static builds. This is the similar procedure used to build OpenCSG, so refer to those instructions above for more detail.

Note for Unix users

The 'MingW Shell' (Start/Programs) provide tools like `bash`, `sed`, `grep`, `vi`, `tar`, &c. The C:\ drive is under '/c/'. MingW has packages, for example: `mingw-get install msys-unzip` downloads and installs the 'unzip' program. Git contains some programs by default, like `perl`. The windows command shell has cut/paste - hit `alt-space`. You can also change the scrollbar buffer settings.

References

- Windows Building, OpenSCAD mailing list, 2011 May (<http://rocklinux.net/pipermail/openscad/2011-May/thread.html>).
- C Run-Time Libraries linking ([http://msdn.microsoft.com/en-us/library/abx4dbyh\(v=vs.80\).aspx](http://msdn.microsoft.com/en-us/library/abx4dbyh(v=vs.80).aspx)), Microsoft.com for Visual Studio 8 (The older manual is good too, here ([http://msdn.microsoft.com/en-us/library/aa278396\(VS.60\).aspx](http://msdn.microsoft.com/en-us/library/aa278396(VS.60).aspx)))
- old nabble ([http://old.nabble.com/flex-2.5.35-1:-isatty\(\)-problem-\(and-solution\)-td17659695.html](http://old.nabble.com/flex-2.5.35-1:-isatty()-problem-(and-solution)-td17659695.html)) on `_isatty`, `flex`
- Windows vs. Unix: Linking dynamic load modules (<http://xenophilia.org/winunix.html>) by Chris Phoenix
- Static linking in CMAKE under MS Visual C (http://www.cmake.org/Wiki/CMake_FAQ#How_can_I_build_my_MSVC_application_with_a_static_runtime.3F) (cmake.org)

- `__imp` , `declspec(dllimport)`, and unresolved references (<http://stackoverflow.com/questions/3704374/linking-error-lnk2019-in-msvc-unresolved-symbols-with-imp-prefix-but-should>) (stackoverflow.com)

For building OpenSCAD, see <https://github.com/openscad/openscad/blob/master/README.md>

For making release binaries, see <http://svn.clifford.at/openscad/trunk/doc/checklist-macosx.txt>

Libraries

Library Locations

OpenSCAD places built-in libraries in a system-wide or bundled location. For user-supplied libraries, there are two options:

1. Use the built-in user library path:
 - Windows: `My Documents\OpenSCAD\libraries`
 - Linux: `$HOME/.local/share/OpenSCAD/libraries`
 - Mac OS X: `$HOME/Documents/OpenSCAD/libraries`
2. Put your libraries anywhere and define the `OPENS CADPATH` environment variable to point to the library folder. `OPENS CADPATH` can contain multiple paths in case you have library collections in more than one place.
 1. MORE INFO ON HOW TO LOCATE THIS FUNCTION PLEASE.
 2. DO SUB DIRECTORIES WITHIN THE LIBRARY PATH WORK?

Built-in Libraries

OpenSCAD bundles the MCAD library (<https://github.com/SolidCode/MCAD>).

Old content: Library Links

Here is a collection of shape/part libraries that you can use in your OpenSCAD design. (see the `include` and `use` command)

Shapes by Catarina Mota (<http://svn.clifford.at/openscad/trunk/libraries/shapes.scad>)

Contains the following modules:

(Included in the MCAD distro, see below)

(All these modules are 3D shapes despite some of them having 2D names)

- box(width, height, depth);
- roundedBox(width, height, depth, radius);
- cone(height, radius);
- oval(width, height, depth);
- tube(height, radius, wall);
- ovalTube(width, height, depth, wall);
- hexagon(height, depth);
- octagon(height, depth);
- dodecagon(height, depth);
- hexagram(height, depth);
- rightTriangle(adjacent, opposite, depth);
- equiTriangle(side, depth);
- 12ptStar(height, depth);

Shapes by Giles Bathgate (https://github.com/elmom/MCAD/blob/master/regular_shapes.scad)

2D

- triangle(radius)
- reg_polygon(sides,radius)
- pentagon(radius)
- hexagon(radius)
- heptagon(radius)
- octagon(radius)
- nonagon(radius)
- decagon(radius)
- hendecagon(radius)
- dodecagon(radius)

3D

- cone(height, radius, center = false)
- oval_prism(height, rx, ry, center = false)
- oval_tube(height, rx, ry, wall, center = false)
- cylinder_tube(height, radius, wall, center = false)
- tubify(radius,wall) *Tubifies any regular prism*
- triangle_prism(height,radius)
- triangle_tube(height,radius,wall)

- `pentagon_prism(height,radius)`
- `pentagon_tube(height,radius,wall)`
- `hexagon_prism(height,radius)`
- `heptagon_prism(height,radius)`
- `octagon_prism(height,radius)`
- `nonagon_prism(height,radius)`
- `decagon_prism(height,radius)`
- `hendecagon_prism(height,radius)`
- `dodecagon_prism(height,radius)`
- `torus(outerRadius, innerRadius)`
- `triangle_pyramid(radius)`
- `square_pyramid(width,height,depth)`

Metric Fasteners by Giles Bathgate (https://github.com/elmom/MCAD/blob/master/metric_fastners.scad)

All dimensions are proportional to the dia, so for example `cap_bolt(3,15)` will produce a M3 cap bolt with a 15mm threaded section.

- `cap_bolt(dia,len)`
- `csk_bolt(dia,len)`
- `washer(dia)`
- `flat_nut(dia)`
- `bolt(dia,len)`
- `cylinder_chamfer(r1,r2)`
- `chamfer(len,r)`

MCAD library (<http://github.com/elmom/MCAD>)

(Originally from github.com/D1plo1d/MCAD (<http://github.com/D1plo1d/MCAD>))

(The following is taken from the README, follow the link (<http://github.com/elmom/MCAD>) for the latest version)

Currently Provided Tools:

- `involute_gears.scad` (<http://www.thingiverse.com/thing:3575>):
 - `gear()`
 - `bevel_gear()`
 - `bevel_gear_pair()`
- `gears.scad` (Old version):

- gear(number_of_teeth, circular_pitch OR diametrical_pitch, pressure_angle OPTIONAL, clearance OPTIONAL)
- motors.scad:
 - stepper_motor_mount(nema_standard, slide_distance OPTIONAL, mochup OPTIONAL)

Other tools (alpha quality):

- nuts_and_bolts.scad: for creating metric and imperial bolt/nut holes
- bearing.scad: standard/custom bearings
- screw.cad: screws and augers
- materials.scad: color definitions for different materials

Utils:

- math.scad: general math functions
- constants.scad: mathematical constants
- curves.scad: mathematical functions defining curves
- units.scad: easy metric units
- utilities: geometric functions and misc. useful stuff

ISO-standard screw threads (<http://dkprojects.net/openscad-threads>)

Metric and inch dimensions - ISO-standard thread profiles, for both external threads (bolt) and internal threads (nut) -- the clearances are slightly different between the two.

OpenSCAD Pinball Parts library (<http://code.google.com/p/how-to-build-a-pinball/source/browse/trunk/scad/pinball>)

A set of pinball parts models for pinball design work. Includes models for 3d printing of the parts, 3d descriptions of mount holes for CNC drilling and 2d descriptions of parts footprint.

- popbumpers
- standup targets
- flippers
- lane guides
- plunger & launch lane
- drop targets
- posts
- studs
- vertical up kicker

Command Glossary

This is a Quick Reference; a short summary of all the commands without examples, just the basic syntax. The headings are links to the full chapters.

Mathematical Operators

```

+
- // also as unary negative

```

$$\begin{array}{l} \wedge \\ \wedge = \\ = = \\ ! = \\ \triangleright = \\ \triangleright \end{array}$$

```
&&    // logical and
||    // logical or
!     // logical not
```

```
<boolean> ? <valIfTrue> : <valIfFalse>
```

Mathematical Functions

```
abs ( <value> )
```

```
cos ( <degrees> )
sin ( <degrees> )
tan ( <degrees> )
asin ( <value> )
acos ( <value> )
atan ( <value> )
atan2 ( <y value>, <x value> )
```

```
pow( <base>, <exponent> )
```



```
len ( <string> )    len ( <vector> )    len ( <vector_of_vectors> )
min ( <value1>, <value2> )
max ( <value1>, <value2> )
sqrt ( <value> )
round ( <value> )
ceil ( <value> )
floor ( <value> )
lookup( <in_value>, <vector_of_vectors> )
```

String Functions

```
str(string, value, ...)
```

Primitive Solids

```
cube(size = <value or vector>, center = <boolean>);
```

```
sphere(r = <radius>);
```

```
cylinder(h = <height>, r1 = <bottomRadius>, r2 = <topRadius>, center = <boolean>);
cylinder(h = <height>, r = <radius>);
```

```
polyhedron(points = [[x, y, z], ... ], triangles = [[p1, p2, p3..], ... ], convexity = N);
```

Transformations

```
scale(v = [x, y, z]) { ... }
```

```
(In versions > 2013.03)
resize(newsize=[x,y,z], auto=(true|false) { ... }
resize(newsize=[x,y,z], auto=[xaxis,yaxis,zaxis]) { ... }  // #axis is true|false
resize([x,y,z],[xaxis,yaxis,zaxis]) { ... }
resize([x,y,z]) { ... }
```

```
rotate(a = deg, v = [x, y, z]) { ... }
rotate(a=[x_deg,y_deg,z_deg]) { ... }
```

```
translate(v = [x, y, z]) { ... }
```

```
mirror([ 0, 1, 0 ]) { ... }
```

```
multmatrix(m = [tranformationMatrix]) { ... }
```

```
color([r, g, b, a]) { ... }  
color([ R/255, G/255, B/255, a]) { ... }  
color("blue",a) { ... }
```

Conditional and Iterator Functions

```
for (<loop_variable_name> = <vector> ) {...}
```

```
intersection_for (<loop_variable_name> = <vector_of_vectors>) {...}
```

```
if (<boolean condition>) {...} else {...}
```

```
assign (<var1>= <val1>, <var2>= <val2>, ...) {...}
```

CSG Modelling

```
union() {...}
```

```
difference() {...}
```

```
intersection() {...}
```

```
render(convexity = <value>) { ... }
```

Modifier Characters

```
! { ... } // Ignore the rest of the design and use this subtree as design root
* { ... } // Ignore this subtree
% { ... } // Ignore CSG of this subtree and draw it in transparent gray
# { ... } // Use this subtree as usual but draw it in transparent pink
```

Modules

```
module name(<var1>, <var2>, ...) { ...<module code>...}
```

Variables can be default initialized `<var1>=<defaultvalue>`

In module you can use `children()` to refer to all child nodes, or `children(i)` where `i` is between 0 and `$children`.

Include Statement

After 2010.02

```
include <filename.scad> (appends whole file)
```

```
use <filename.scad> (appends ONLY modules and functions)
```

filename could use directory (with / char separator).

Prior to 2010.02

```
<filename.scad>
```

Other Language Features

```
$fa is the minimum angle for a fragment. The default value is 12 (degrees)
```

```
$fs is the minimum size of a fragment. The default value is 1.
```

```
$fn is the number of fragments. The default value is 0.
```

When \$fa and \$fs are used to determine the number of fragments for a circle, then OpenSCAD will never use less than 5 fragments.

```
$t
```

The \$t variable is used for animation. If you enable the animation frame with view->animate and give a value for "FPS" and "Steps", the "Time" field shows the current value of \$t.

```
function name(<var>) = f(<var>);
```

```
echo(<string>, <var>, ...);
```

```
render(convexity = <val>) {...}
```

```
surface(file = "filename.dat", center = <boolean>, convexity = <val>);
```

2D Primitives

```
square(size = <val>, center=<boolean>);
square(size = [x,y], center=<boolean>);
```

```
circle(r = <val>);
```

```
polygon(points = [[x, y], ... ], paths = [[p1, p2, p3..], ... ], convexity = N);
```

3D to 2D Projection

```
projection(cut = <boolean>)
```

2D to 3D Extrusion

```
linear_extrude(height = <val>, center = <boolean>, convexity = <val>, twist = <degrees>[, slices = <val>, $fn=..., $fs=..., $fa=...]){...}
```

```
rotate_extrude(convexity = <val>[, $fn = ...]){...}
```

DXF Extrusion

```
linear_extrude(file = "filename.dxf", layer = "layername", height = <val>, center = <boolean>, convexity = <val>, twist = <degrees>[...]){...}
```

```
rotate_extrude(file = "filename.dxf", layer = "layername", origin = [x,y], convexity = <val>[, $fn = ...]){...}
```

STL Import

```
import_stl("filename.stl", convexity = <val>);
```

Index

OpenSCAD User Manual/Index

Retrieved from "http://en.wikibooks.org/w/index.php?title=OpenSCAD_User_Manual/Print_version&oldid=2443171"

- This page was last modified on 17 November 2012, at 21:37.
- Text is available under the Creative Commons Attribution/Share-Alike License; additional terms may apply. By using this site, you agree to the Terms of Use and Privacy Policy.