

The logo features the word "IMAGO" in a bold, black, sans-serif font. Above the letters is a thin, curved line that arches over the text. The background of the entire page is a low-angle photograph of a modern architectural structure with large, light-colored wooden beams forming a triangular frame against a clear blue sky with some light clouds. A white fabric sunshade is attached to the structure with a metal arm and pulley system. The image is framed by geometric shapes: a green triangle in the top right, a red triangle in the bottom left, and a white dotted pattern in the top left and bottom right corners.

IMAGO

SUNSHADES AND STRUCTURES



With 3 different types of sunshades to choose from, you will undoubtedly find the perfect one to include in your project. The openwork sunshade allows you to see through the sunshade while creating enough shade to be comfortable. The semi-openwork sunshade is halfway between the openwork and opaque sunshades; it is perfect for those who wish to obtain a good source of shade without using a totally opaque material. Lastly, you will experience complete shade with the opaque sunshade. Plus it's 100% waterproof. Bad weather will no longer keep you from enjoying your yard.




RESIDENTIAL SUNSHADES

Current trends encourage people to spend as much time as they can outside, all while staying in their yards. Sunshades are a practical and economical way to take advantage of fresh air while staying protected from the sun and rain. Whether for eating outside or simply for relaxing, this setup will surely enable you to get outdoors more often. What's more, its design easily integrates into all kinds of layouts.

--->





COMMERCIAL

COMMERCIAL SUNSHADES


Commercial sunshade setups can have multiple uses depending on the location and target clientele. We have the product that meets your needs, whether you want to protect children from the sun at the park or near water displays, create shade in a yard or simply diffuse light and keep a terrace cool.

--->



HIGH-QUALITY MATERIALS

Imago's line of high-quality sunshades boasts the best warranty on the market. For us, attention to detail and the sturdiness of our setups are of utmost importance. Upon client request, we also offer structural design or alternative hanging styles, as needed. Consequently, our sunshades have a long service life with minimal maintenance.




Unique advantages

- Perfect compromise between heat protection and visual comfort
- Excellent outward visibility
- Weather and UV resistant
- Light, durable, 100% recyclable


Applications

- Privacy walls
- Awnings over verandas and blinds for sunrooms
- Sunshades



Exclusive technology

Its globally-patented technology consists of keeping the composite pulled taut throughout the entire manufacturing process.



Heat protection and light management

- Perfect compromise between heat protection and visual comfort
- Excellent outward visibility
- Weather and UV resistant
- Light, durable, 100% recyclable

Pepper 86-2012

Bronze 86-2043

White 86-2044

Beaten-metal 86-2045

Alu/Oat 86-2046 A

Alu/Oat 86-2046 B

Anthracite 86-2047

Alu/Alu 86-2048

Alu/White 86-2051 A

Alu/White 86-2051 B

Black 86-2053

Alu/Anthracite 86-2068 A

Alu/Anthracite 86-2068 B

Sandy beige 86-2135

Cocoa 86-2148

Moss green 86-2158

Midnight blue 86-2161

Buttercup 86-2166

Concrete 86-2167

Boulder 86-2171

Champagne 86-2175


Orange 86-8204

Red 86-8255

Muscat 86-50260

Caramel 86-50261

Bamboo 86-50333



References	Laize (cm) 177 267	TS	RS	AS	TV	TV	g _{tot} ^e	g _{tot} ⁱ
86-2012	● ●	18	27	55	17	16	0.15	0.48
86-2043	● ●	12	10	78	11	13	0.12	0.53
86-2044	● ●	32	59	9	30	14	0.21	0.38
86-2045	● ●	14	29	57	14	13	0.12	0.47
86-2046 A	● ●	21	43	36	20	14	0.16	0.43
86-2046 B	● ●	19	58	23	19	14	0.14	0.38
86-2047	● ●	16	7	77	16	15	0.14	0.54
86-2048	● ●	22	42	36	22	16	0.17	0.43
86-2051 A	● ●	20	40	40	20	15	0.15	0.44
86-2051 B	● ●	20	60	20	20	15	0.14	0.37
86-2053	● ●	15	5	80	15	13	0.14	0.54
86-2068 A	●	16	35	49	15	15	0.13	0.45
86-2068 B	●	16	7	77	15	15	0.14	0.54
86-2135	● ●	20	41	39	20	16	0.15	0.43
86-2148	●	14	13	73	14	13	0.13	0.52
86-2158	●	15	25	60	14	12	0.13	0.48
86-2161	●	16	17	67	14	14	0.14	0.51
86-2166	●	30	45	25	26	15	0.21	0.42
86-2167	● ●	15	17	68	14	13	0.13	0.51
86-2171	● ●	19	39	42	17	14	0.15	0.44
86-2175	● ●	28	57	15	26	14	0.19	0.39
86-8204	●	27	41	32	19	14	0.19	0.44
86-8255	●	23	24	53	17	16	0.18	0.49
86-50260	●	15	13	72	14	13	0.14	0.52
86-50261	●	21	35	44	15	14	0.16	0.45
86-50333	●	22	32	46	19	15	0.17	0.46


Sunshades guaranteed for 10 years.
Contact us for more information on the warranty.

Unique advantages

- Reinforced heat protection
- Optimal light and visual comfort
- Weatherproof
- Light, durable, 100% recyclable

Applications

- Privacy walls
- Awnings over verandas and blinds for sunrooms
- Sunshades




A true heat shield

Thanks to its micro-aerated design, it :

- regulates the sun’s heating effect
- limits the greenhouse effect


Its unviraled performance reduces

- air-conditioner use
- energy costs of the building



Exclusive technology

Its globally-patented technology consists of keeping the composite pulled taut throughout the entire manufacturing process.



References	Laize (cm)	TS	RS	AS	TV	TV	g _{tot} ^e	g _{tot} ⁱ	
		177 267							
92-2012		● ●	7	30	63	6	5	0.08	0.46
92-2013		●	18	57	25	16	4	0.14	0.38
92-2039		●	3	8	89	3	3	0.07	0.53
92-2043		● ●	2	12	86	2	3	0.06	0.52
92-2044		● ●	20	70	10	19	5	0.14	0.34
92-2045		● ●	3	35	62	3	3	0.05	0.45
92-2046	A	● ●	9	48	43	8	3	0.08	0.41
92-2046	B	● ●	9	63	28	8	3	0.07	0.36
92-2047		● ●	5	8	87	5	4	0.08	0.53
92-2048		● ●	8	46	46	8	3	0.08	0.41
92-2051	A	● ●	10	50	40	10	3	0.09	0.40
92-2051	B	● ●	9	70	21	9	3	0.07	0.34
92-2053		● ●	3	6	91	3	3	0.07	0.54
92-2065		●	10	46	44	7	4	0.09	0.41
92-2068	A	●	5	40	55	5	5	0.06	0.43
92-2068	B	●	5	8	87	5	5	0.08	0.53
92-2074	A	● ●	4	38	58	4	3	0.06	0.44
92-2074	B	● ●	4	25	71	4	3	0.07	0.48
92-2135		● ●	9	46	45	6	4	0.08	0.41
92-2137		●	3	8	89	3	3	0.07	0.53
92-2148		●	3	14	83	3	3	0.06	0.51
92-2149		●	5	16	79	4	4	0.07	0.51
92-2152		●	15	37	48	5	4	0.12	0.45
92-2157		●	15	51	34	10	3	0.12	0.40
92-2158		●	4	28	68	3	2	0.06	0.47
92-2160		●	8	36	56	4	3	0.08	0.44
92-2161		●	5	19	76	3	3	0.07	0.49
92-2163		●	9	44	47	4	3	0.08	0.42
92-2164		●	10	45	45	4	3	0.09	0.42
92-2166		●	21	54	25	17	4	0.15	0.39
92-2167		● ●	3	19	78	3	3	0.06	0.50
92-2171		● ●	8	43	49	6	4	0.08	0.42
92-2172		●	19	43	38	8	4	0.15	0.43
92-2175		● ●	19	64	17	16	3	0.13	0.36
92-8204		●	17	47	36	8	2	0.13	0.41
92-8255		●	12	28	60	4	3	0.11	0.47
92-50260		●	5	14	81	4	4	0.07	0.51
92-50261		●	15	40	45	6	5	0.12	0.43
92-50264		●	5	13	82	4	3	0.07	0.51
92-50265		● ●	9	49	42	6	3	0.08	0.40
92-50266		●	4	19	77	4	3	0.07	0.50
92-50267		●	6	27	67	3	3	0.08	0.47
92-50268		●	16	37	47	5	4	0.13	0.44
92-50269		●	9	35	56	5	3	0.09	0.45
92-50270		●	4	18	78	3	3	0.07	0.50
92-50271		●	8	38	54	2	2	0.08	0.44
92-50272		● ●	12	56	32	9	3	0.10	0.38
92-50273		●	8	42	50	6	4	0.08	0.43
92-50274		●	8	35	57	4	3	0.08	0.45
92-50333		●	11	37	52	7	3	0.10	0.44
92-50336		●	7	18	75	3	3	0.08	0.50
92-50342		●	6	10	84	4	4	0.08	0.52

Sunshades guaranteed for 10 years.
Contact us for more information on the warranty.

Unique advantages

- Satin-soft finish
- Enhanced dirt resistance and easy cleaning
- Wide range of 40 colors
- 10-year warranty*
- Durability


Applications

































- Privacy walls
- Canopies
- Awnings and pergolas
- Sunshades
- Small structures and fixed shade



Exclusive technology

Its globally-patented technology consists of keeping the composite pulled taut throughout the entire manufacturing process.



 Marine 502V2-1125C	 Pepper 502V2-2012C	 Sandy beige 502V2-2135C	 Walnut stain 502V2-2137C	 Autumn 502V2-2138C
 Camel 502V2-2141C	 Cocoa 502V2-2148C	 Raspberry 502V2-2150C	 Velvet red 502V2-2152C	 Spruce 502V2-2156C
 Aniseed 502V2-2157C	 Moss green 502V2-2158C	 Lagoon 502V2-2160C	 Midnight blue 502V2-2161C	 Buttercup 502V2-2166C
 Concrete 502V2-2167C	 Alu 502V2-2168C	 Boulder 502V2-2171C	 Carrot 502V2-2172C	 Tennis green 502V2-8056C
 White 502V2-8102C	 Orange 502V2-8204C	 Poppy 502V2-8255C	 Burgundy 502V2-8284C	 Champagne 502V2-8341C
 Black 502V2-8450C	 Vanilla 502V2-8861C	 Terracotta 502V2-20185C	 Hemp 502V2-50265C	 Thistle blue 502V2-50270C
 Olive 502V2-50668C	 Teak 502V2-50669C	 Porcelain green 502V2-50670C	 Dijon 502V2-50671C	 Celestial blue 502V2-50672C
 Dark blue 502V2-50673C	 Lemon 502V2-50674	 Celadon 502V2-50675C	 Steel blue 502V2-50676	 Victoria blue 502V2-50677

References	TS	RS	AS
502V2-1125C	77	30	63
502V2-2012C	7	30	63
502V2-2135C	7	30	63
502V2-2137C	7	30	63
502V2-2138C	7	30	63
502V2-2141C	7	30	63
502V2-2148C	7	30	63
502V2-2150C	7	30	63
502V2-2152C	7	30	63
502V2-2156C	7	30	63
502V2-2157C	7	30	63
502V2-2158C	7	30	63
502V2-2160C	7	30	63
502V2-2161C	7	30	63
502V2-2166C	7	30	63
502V2-2167C	7	30	63
502V2-2168C	7	30	63
502V2-2171C	7	30	63
502V2-2172	7	30	63
502V2-8056C	7	30	63
502V2-8102C	7	30	63
502V2-8204C	7	30	63
502V2-8255C	7	30	63
502V2-8284C	7	30	63
502V2-8341C	7	30	63
502V2-8450C	7	30	63
502V2-8861C	7	30	63
502V2-20185C	7	30	63
502V2-50265C	7	30	63
502V2-50270C	7	30	63
502V2-50668C	7	30	63
502V2-50669C	7	30	63
502V2-50670C	7	30	63
502V2-50671C	7	30	63
502V2-50672C	7	30	63
502V2-50673C	7	30	63
502V2-50674C	7	30	63
502V2-50675C	7	30	63
502V2-50676C	7	30	63
502V2-50677C	7	30	63

Imago will build your sunshade's supporting structure for you. To do so, we use high-quality materials, which stand out for their durability. Our structures are highly modern, esthetically pleasing and can blend in with all kinds of different environments.



WOODEN STRUCTURES

The types of wood used in our structures are Douglas Fir (BC Fir) and Red Cedar. These trees can be found in Canada. They are very popular in construction due to their many interesting characteristics.

Characteristics of Douglas Fir :

- Light
- Durable
- Straight
- Solid
- Stable

Weight : 510 à 660 kg/m³

Density : 0,51 à 0,66

Characteristics of Red Cedar :

- Light
- Durable
- High moisture resistance
- Solid
- Stable

Weight : 330 à 460 kg/m³

Density : 0,33 à 0,46

METAL STRUCTURES

The metal structure we suggest for our sunshade structures is made of structural steel, which is resistant to all types of bad weather.

Characteristics :

- The posts are 4" diameter, seamless, schedule 40, carbon steel pipes. The thickness of this structural steel is 7/32".
- All plates are 44W steel.
- Welds meet W47.1 standards and are CWB certified.
- The structures are free of sharp edges or corners.

Coating :

- The posts are coated in a Super Spec HP™ polyamide epoxy preparation for metal.
- the polyamide epoxy layer is 2 to 4 mm thick.
- The client can choose the colors.
- It does not contain any class I or II substances, which thin the ozone layer.



Our attention to detail extends to the very precise selection of hardware used for assembling our sunshades. As with the rest of our sunshades' components, the hardware is high-quality, so it withstands the test of time while remaining effective.



CHARACTERISTICS

The hardware is made of 316 stainless steel or galvanized steel. Cables, at least 1/4" in diameter around the sunshades, are made of aircraft-quality galvanized steel.



Imago Structures
55, de l'Énergie street,
St-David-de-Falardeau
Qc, G0V 1C0
Tel : 1844-424-6246
martine@imagostructures.com

www.imagostructures.com





WWW.IMAGOSTRUCTURES.COM