



Green University of Bangladesh

Department of Computer Science and Engineering

Mid Assignment


Course Title: Algorithms

Course code: CSE-205


Date of Submission: 23.03.2021

Submitted to:	Submitted by :
Name : Jargis Ahmed	Name : Jakirul Islam
Designation : Lecturer	ID : 193002101
Department : CSE	Section : 193-DC
Green university of Bangladesh	Department : CSE
	Green university of Bangladesh


Ans to the Q.no:1



Dfs algorithm with discovery time and finishing time
 Time edge: Tree edge encounters new vertex.




Back edge: From descendant to ancestor




Forward edge: From ancestor to descendant.
 N.B: no forward edge found.

Cross edge: from ancestor to descendant Gray node to black node.



Ans to the Q.no: 2

Here, is the dependency Graph



we use Topological Sort to solve this problem.

Let every table element ~~a~~ to a to r.

Course code	Prerequisite	Course code	Prerequisite
CSE 201 = a	CSE 103 = f	CSE 309 = k	CSE 205 = o
CSE 203 = b	CSE 103 = g	CSE 311 = I	CSE 307 = P
CSE 203 = c	CSE 105 = h	CSE 313 = m	CSE 103 = q
CSE 207 = d	CSE 203 = i	CSE 313 = n	CSE 303 = r
CSE 303 = e	CSE 205 = j		

now Linear order on the table blew that,

f, g, h, a, I, b, c, j, o, d, r, e, P, k, I, m, n

CSE 103 → CSE 103 → CSE 103 → CSE 105 → CSE 201 →
 → CSE 203 → CSE 203 → CSE 203 → CSE 205 → CSE 205 → CSE 207 →
 CSE 303 → CSE 303 → CSE 307 → CSE 309 → CSE 311 → CSE 313
 → CSE 313

Topological sort Algorithm I use to Solve the Problem.

The topological ordering can also be used to quickly compute shortest paths through a weighted directed acyclic graph.