```
CREATE TABLE classroom(
building int,
  room_number int,
  capacity int,
  PRIMARY KEY(building, room_number)
  );
CREATE TABLE department(
  dept_name varchar(20),
  building varchar(20),
  budget int,
  PRIMARY KEY(dept_name)
  );
Insert
INSERT INTO department(dept_name,building, budget)
VALUES ('CSE', 1, 1000000);
CREATE TABLE course(
  couse_id int PRIMARY KEY,
  title varchar(50),
```

```
dept_name varchar(20),
  credits int
 );
Insert
INSERT INTO course(course_id,title, dept_name, credits)
VALUES(210, 'database', 'cse', 15);
CREATE TABLE instructor(
  ID int PRIMARY KEY,
  Name varchar(20),
  dept_name varchar(20),
  salary int
  );
Insert
INSERT INTO instructor (ID, Name, dept_name,salary)
VALUES(125, 'salma', 'cse', 40000);
CREATE TABLE teacher(
  Id int,
```

```
course_id int ,
  sec_id int ,
  semester int,
 year int,
  PRIMARY KEY(Id , course_id ,sec_id , semester , year,)
 );
CREATE TABLE stu(
  Id int,
  name varchar(20),
  dept_name varchar(23),
  tot_cred int ,
  PRIMARY KEY(id , name(20), dept_name(23),tot_cred)
 );
```