

Green University of Bangladesh

Department of Computer Science and Engineering(CSE)

Semester: (Summer, Year:2021), B.Sc. in CSE (Day)

Lab Report-03

Course Title: Web programming Lab

Course Code: CSE-302 Section:193DE

Student Details

Name		ID
1	Jakirul Islam	193002101

Submitted Date :08.12.2021 Course Teacher's Name : Feroza Naznin

	<u>Status</u>	
Marks:		Signature:
Comments:		Date:

Tittle: Design and develop a basic Form where the user input will be showed by a table using basic java script DOM

Objectives:

- 1. to gain basic understanding of HTML
- 2. to know the designing a basic form using javascript

Procedure:

- 1. First of all I installed vs code.
- 2. Secondly, I created HTML and CSS file.
- 3. Finally, I have input the javascript code into HTML body.

code:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
    <title>Form</title>
    <!-- css style start -->
    <style>
        .continer{
            width: 100%;
            height: 750px;
            background-color: gray;
       .form-field{
           display: flex;
```

```
justify-content:left;
}
.input-field{
       width: 500px;
       height: 70px;
       margin: 10px;
.input-field input{
    width: 450px;
    height: 40px;
}
.btn-field{
       width: 180px;
       height: 50px;
       margin: 10px;
       background-color: black;
       border-radius: 5px;
       color: white;
}
.btn-field:hover{
    background-color: #f7a5a5;
    transition: .5s;
.div-table{
       display: flex;
       justify-content:left;
       margin: 10px;
       padding: 0px;
}
.table{
         width: 450px;
         height: 100px;
         margin: 10px;
         border: 1px solid black;
         border-collapse: collapse;
```


```
text-align: center;
       .table td{
                 border: 1px solid black;
                 padding: 10px;
       }
    </style>
    <!-- css style end -->
</head>
<body>
    <div class="continer">
      <div class="form-field">
        <form id="form-data">
             <div class="input-field">
                 <label for="name">Student Name:</label>
                 <hr>>
                <input id="name" type="text" name="name"</pre>
placeholder="name">
            </div>
            <div class="input-field">
                 <label for="id">Student ID:</label>
                 <input id="id" type="text" name="id"</pre>
placeholder="Student id">
            </div>
            <div class="input-field">
                 <label for="dept">Department Name:</label>
                <input id="dept" type="text" name="dept"</pre>
placeholder="Department name">
            </div>
            <div class="input-field">
                 <label for="uni">University Name:</label>
                <input id="uni" type="text" name="uni"</pre>
placeholder="university name">
            </div>
```

```
<input type="submit" value="submit" class="btn-</pre>
field">
     </form>
    </div>
     <br>
     <div class="div-table">
     <thead>
           >
               Student Name
               Student ID
               Department Name
               University Name
           </thead>
         </div>
  </div>
<!-- js start -->
   <script>
     var form = document.getElementById('form-data');
     form.addEventListener('submit', function(e){
         e.preventDefault();
        var name = document.getElementById('name').value;
         console.log(name);
        var id = document.getElementById('id').value;
        var dept = document.getElementById('dept').value;
        var uni = document.getElementById('uni').value;
```

```
var td1 = document.getElementById('td1').innerHTML
= name;

var td1 = document.getElementById('td2');
 var td1 = document.getElementById('td3');
 var td1 = document.getElementById('td4');
 td2.innerHTML = id;
 td3.innerHTML = dept;
 td4.innerHTML = uni;
 });
 </script>
 <!-- js end -->
</body>
</html>
```

Output:



Discussion:

- 1. I have faced difficulty creating HTML form.
- 2. I have taken a function addEventListener.
- 3. In the function I haved called the HTML's id by getElementById carefully.
- 4. I have organised the form using css.
- 5. I have used displayflex for the alignment of the form.