

wolower

Social Payment

Workflows & Design Document

Prepared by: Taner Eşme

Date written: Mar 11, 2018

Version: V0.3

Table of Content


Change-Log	3
New-user-sequence	4
Masterpass-pairing-sequence	5
Twitter-sales-fetch-sequence	6
Selling-Sequence	7
DB-Design	8
Data-flow-diagram	9
State-diagram	10


Revisions


V0.1 – 11.03.2018 – Taner Eşme – Document Created


V0.2 – 19.03.2018 – Taner Eşme – DB-Design page and Change-Log are added

V0.3 – 04.04.2018 – Taner Eşme – Data-flow-diagram, State-diagram, and
Structure diagram are added









tUsers
ID (PK)
displayName
socialMedia
socialUserId
profileUrl
backgroundImageUrl
profileBannerUrl
imageUrl
accessToken
accessSecret
refreshToken
timestamp
enabled

tProducts
ID (PK)
userId
socialMedia
socialUserId
socialUserName
price
currency
sold
postId
postDate
postText
timestamp

tOrders
ID (PK)
userId
productId
socialMedia
socialUserId
socialUserName
price
currency
postId
postDate
postText
timestamp

tTransactions
ID (PK)
userId
orderId
masterpassId
pairingId
authorizationCode
socialMedia
socialUserId
socialUserName
amount
currency
postId
postDate
timestamp


tMasterpass
ID (PK)
userId
oauthToken
pairingVerifier
pairingToken
mpStatus
defaultCardId
defaultCard
defaultShippingAddressId
defaultShippingAddress
paired
timestamp
enabled

tMasterpassPrecheckouts
ID (PK)
userId
masterpassId
precheckoutTransactionId
consumerWalletId
walletName
timestamp


tMasterpassPairingIds
ID (PK)
userId
masterpassId
source (precheckout ...)
pairingId
wasted
timestamp

tMasterpassExpressCheckouts
ID (PK)
userId
masterpassId
walletId
timestamp

tParameters
ID (PK)
key
value



When integrating with a user



Normal State

