

Praktik QA Internal & Functional Testing di Industri – Studi Kasus PT. Badr Interactive

Joko Yuwono

QA Lead at PT. Badr Interactive

JOKO YUWONO



Bumitama Agri Ltd.



BADR
interactive



Work Experiences

- Now : QA Lead at **PT. Badr Interactive**
- 2017 : Project Manager at **PT. Badr Interactive**
- 2013 : IT System Implementor at **PT. Mahanusa Hijau Selaras**
- 2009 : IT Helpdesk & Support at **PT. Bumitama Gunajaya Agro**

Educational Background



2013 – 2017
Bachelor Degree
Informatics Engineering



2019 - 2021
Master's Degree
Informatics Engineering



Anggota Dalam Product Team



UI-UX Designer

Membuat dan merancang UI & UX design.



Product Manager

(yang kita bahas tadi)



Software Engineer


Mengimplementasi ke dalam bentuk website atau aplikasi yang bekerja.



Quality Assurance

Menguji produk agar berkualitas tinggi.

Umumnya di suatu perusahaan, setiap peranan di atas berada dalam divisi yang terpisah dan Product Manager bukanlah “manager” mereka secara langsung. Namun, seorang PM berdiri sejajar dan bertemu di tengah dengan tim Developer, QA dan UI-UX designer untuk mengembangkan sebuah produk bersama-sama.



What Is Testing

Apa itu Testing ?



Tujuan Testing Produk


Agar produk yang digunakan oleh masyarakat **tidak ada kerusakan** dan sesuai dengan **kebutuhan bisnis dan pengguna**.

Semua produk memiliki peluang untuk rusak/cacat, termasuk perangkat lunak (error).

Penyebab Kerusakan



Material



Method



Machine



Man



Environment

Definisi Software Testing

Software Testing adalah aktivitas-aktivitas yang dilakukan dengan tujuan **mengevaluasi, validasi, dan verifikasi** komponen-komponen serta fungsi dari sebuah *software* berdasarkan **hasil yang diinginkan**.

Software Testing

Misal *software* kalkulator dapat menghitung 2×3 dan hasilnya sama dengan 6.



Kenapa Software Testing Penting?

Kecelakaan terburuk disebabkan oleh kegagalan *software*.



4 Juni 1996

Roket *Ariane 5* yang diluncurkan oleh *European Space Agency* kurang dari empat puluh detik setelah lepas landas.

Kenapa Software Testing Penting?



Jatuhnya Lion Air
JT 610 karena
MCAS (Mast Cell
Activation
Syndrome)
Boeing.

Alasan Software Testing Diperlukan

- ⦿ Kepuasan pelanggan dari produk berkualitas sehingga user menjadi loyal
- ⦿ Safety/security
- ⦿ *Save money*
- ⦿ *Save times*
- ⦿ *Save lives*



Quality Assurance Vs Quality Control

Quality Assurance VS Quality Control

- QA berfokus pada **process-oriented techniques**, tentang bagaimana software dibuat atau disampaikan.
- QC adalah **product-oriented technique**, sehingga QC berfokus pada *final product* dan memastikan bahwa standar terpenuhi ketika pengujian produk.




Quality system, Quality Control, Quality Assurance Relationships

Perbedaan Utama


Aspek	QA (Quality Assurance)	QC (Quality Control)
Tujuan Utama	Memastikan bahwa kita melakukan hal yang benar, dengan cara yang benar	Memastikan bahwa hasil dari apa yang telah kita lakukan sesuai dengan ekspektasi
Fokus	Membangun kualitas dan mencegah terjadinya cacat	Menguji kualitas dan mendeteksi cacat
Ruang Lingkup	Berurusan dengan proses	Berurusan dengan produk
Tahapan Penerapan	Dilakukan pada siklus pengembangan <i>software</i>	Dilakukan pada siklus pengujian <i>software</i>
Jenis Proses	QA adalah <i>preventive process</i>	QC adalah <i>corrective process</i>

Perbedaan Utama



Penerapan QA di PT. Badr Interactive

SDLC Pengembangan Aplikasi BADR



Requirement Clarification

- QA terlibat sejak awal dengan membaca **Product Requirement Document (PRD)** dan Functional Requirement.
- Mengidentifikasi kebutuhan yang tidak lengkap atau ambigu.
- Menentukan “apa saja yang harus diuji”.
- Tools yang digunakan Ms Office, API Dog

Software Architecture Document (SAD)

The screenshot shows a web-based editor for a Software Architecture Document (SAD) titled "HRIS BADR System". The interface includes a sidebar with navigation options like APIs, Tests, Publish Docs, History, Settings, and Upgrade. A red box highlights the "APIs" section, which contains a list of endpoints and modules, including "Software Architecture Doc...". The main content area displays the document title, a "Revision History" table, and the start of the "1. Introduction" section. The right sidebar shows a table of contents for the document.

Software Architecture Document

Shared Add Tag Sidebar Title

HRIS BADR System

Revision History

Version	Date	Description	Author
1.0	2025-11-20	Initial version	Eka Prasasti

1. Introduction

This document outlines the software architecture of HRIS BADR (Human Resources Information System), a comprehensive web-based application developed to supplement the existing Talenta HRIS system. The system is designed to handle specific HR functions including authentication & user management, employee data management, vehicle borrowing, and room booking facilities.

1.1 Purpose

The purpose of this document is to:

- Define the overall system architecture
- Document key architectural decisions
- Provide technical guidance for development team
- Serve as reference for system maintenance and future enhancements

1.2 Scope

This architecture document covers:

HRIS BADR System

Revision History

1. Introduction
 - 1.1 Purpose
 - 1.2 Scope
2. System Overview
 - 2.1 System Context
 - 2.2 Users
3. Key Architectural Decisions
 - 3.1 Frontend Framework
 - 3.2 Backend Framework
 - 3.3 Database
 - 3.4 ORM
 - 3.5 API Architecture
 - 3.6 Authentication
 - 3.7 Message Queue
 - 3.8 Email Service
4. System Architecture
 - 4.1 High-Level Architecture Diagram
 - 4.2 Component Architecture
 - 4.2.1 Frontend Architecture

Online Request Proxy Cookies Trash Help & support

Product Requirements Documents (PRD)

Requirements

User Stories:

Features	As	I Want	Notes Web
Peminjaman Mobil	Admin dan User	Mengajukan permohonan peminjaman mobil kantor	So That: Saya dapat meminjam mobil kantor Field: - Email (otomatis terisi) - Nama Lengkap (otomatis terisi) - Keperluan (pribadi atau pekerjaan) - Tanggal Peminjaman (date dan jam) - Estimasi Pengembalian (date dan jam) - Deskripsi Penggunaan (text) - Setuju Ketentuan Kendaraan (checkbox) Additional Information: - Terdapat informasi ketentuan (syarat) kendaraan sesuai diakhir bagian form. Bagian ini dapat di CRUD oleh Admin - email dan nama otomatis terisi dari login - Semua field sifatnya wajib diisi - Setelah User mengisi, maka statusnya akan Approved (tidak ada status pending) - Status rejected terjadi apabila status approved dan digeser ke rejected dengan alasan negosiasi - Apabila ada user yang mengajukan peminjaman di saat sudah ada yang approved, maka akan tertolak Notifikasi Setelah pengajuan peminjaman mobil berhasil akan mendapatkan notif email sebagai berikut Title : Kode Brangkas Badr Body Email : Kode brangkas [ambil dari field kode brangkas]


Test Planning (Quality Gate)

- QA menyusun:
 - Acceptance Test Criteria

STD Peminjaman Mobil									
Search for tools, help, and more (Option + Q)									
File Home Insert Share Page Layout Formulas Data Review View Automate Help Draw									
Undo Paste Copy Cut Format Painter Clipboard Font Alignment Number Styles Cells Editing Add-ins Copilot									
A124									
TEST CASES / FITUR YANG DIUJI :									
	Kode US	TCID	Test Cases	Test Data	Test Steps	Expected Result	Actual Result	Status	Catatan
	HRBADR-0014	As User I Want Mengajukan permohonan peminjaman mobil kantor							
		TC-PMB-01	Form tampil dengan isian otomatis	User sudah login	1. Login ke aplikasi dengan akun user. 2. Akses menu 'Peminjaman Mobil'. 3. Periksa form peminjaman mobile yang tampil.	- Field 'Email' dan 'Nama Lengkap' otomatis terisi sesuai data akun; - semua field lain kosong.			
		TC-PMB-02	Validasi wajib isi seluruh field	User sudah login, form terbuka	1. Buka form peminjaman mobil. 2. Kosongkan satu field wajib (misal 'Keperluan'). 3. Centang/atau tidak checkbox sesuai kondisi. 4. Klik tombol 'Submit'.	- Sistem menolak submit dan menampilkan pesan error: 'Field Keperluan wajib diisi'. - Data tidak tersimpan.			
		TC-PMB-03	Submit data lengkap (happy path)	User sudah login, tidak ada booking konflik	1. Login ke aplikasi. 2. Buka menu 'Peminjaman Mobil'. 3. Isi 'Keperluan' dengan teks valid. 4. Isi 'Estimasi Pengembalian' dengan tanggal valid. 5. Isi 'Deskripsi Penggunaan'. 6. Centang 'Setuju Ketentuan Kendaraan'. 7. Klik 'Submit'. 8. Cek notifikasi sukses di UI. 9. Cek inbox email user untuk notifikasi.	- Pengajuan tersimpan dengan status 'Accepted'. Muncul konfirmasi sukses di UI. - User menerima email notifikasi berisi 'Title: Kode Brangkas Badr' dan body dengan kode brangkas & lokasi.			
		TC-PMB-04	Pengajuan ditolak karena mobil sudah Approved oleh user lain	Sudah ada pengajuan lain yang berstatus Approved untuk waktu yang sama	1. Pastikan ada entry pengajuan existing dengan status 'Accepted' pada tanggal/waktu yang sama. 2. Login sebagai user lain. 3. Buka form peminjaman mobil. 4. Isi data peminjaman untuk waktu yang sama. 5. Centang ketentuan dan klik 'Submit'. 6. Perhatikan respons sistem/UI.	- Sistem menolak pengajuan baru dengan pesan: 'Mobil sedang dipinjam pada waktu tersebut' atau 'Pengajuan ditolak karena konflik jadwal'. - Entry baru tidak dibuat.			
		TC-PMB-05	Admin mengubah status Accepted menjadi Rejected	Terdapat pengajuan berstatus Accepted; admin memiliki akses	1. Login sebagai Admin. 2. Buka menu 'Daftar Peminjaman Mobil'. 3. Pilih pengajuan yang berstatus 'Accepted'. 4. Klik 'Edit' atau 'Ubah Status'. 5. Pilih status 'Rejected' dan masukkan alasan negosiasi. 6. Simpan perubahan. 7. Cek tampilan status di daftar.	Status berubah menjadi 'Rejected' dan alasan tersimpan. <i>Jika ada mekanisme notifikasi, user menerima email perubahan status.</i>			

Design Review

- QA ikut mengkaji:
 - Wireframe/Prototype (Figma)
 - User Journey
 - Kesesuaian desain dengan kebutuhan fitur
- Tujuan: meminimalkan miskomunikasi antara BA – UI/UX – Developer.



Development Process & Internal Testing

- QA menjadi partner developer dalam menjaga kualitas
- QA mengecek:
 - Endpoint API (via Postman)
 - Integrasi fitur frontend
 - Keamanan dasar (role-based access, form validation)
 - Akurasi data
 - Performa Sistem
- Tahapan testing:
 - Smoke Test
 - Functional Test
 - Regression Test
 - Exploratory Test

Testing endpoint API

The screenshot displays the Apidog web interface for testing an API endpoint. The browser address bar shows `app.apidog.com/project/1125706`. The interface is divided into several sections:

- Left Sidebar:** Contains navigation icons for APIs, Tests, Publish Docs, History, Settings, and Upgrade. A list of API endpoints is shown, including 'Auth (3)' with 'POST Login', 'POST Logout', and 'POST Refresh Token', and 'User Management (11)' with various GET, POST, PUT, and DEL endpoints.
- Main Panel:** Displays the details of the selected 'POST Login' endpoint. The URL is `http://dev.badr.co.id:4610 /auth/login`. The request body is set to JSON and contains the following data:

```
{  "email": "Emily53@yahoo.com",  "password": "H1tMtKbAdDjmje2"}
```
- Response Panel:** Shows the response body in HTML format, indicating an error:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <title>Error</title>
</head>
<body>
  <pre>Cannot POST /auth/login</pre>
</body>
</html>
```
- Validation Panel:** Displays 'Validated Response Results' with two errors:
 - HTTP Status Code should be 200
 - Content Type of returned data should be JSON

A blue banner at the bottom of the interface reads: 'Switch to "Design-first Mode" for easier API design and documentation.'

Testing integrasi fitur front end

The image shows a web browser window displaying the login page of 'BIMBINGAN ALUMNI'. The page has a blue background with a starry pattern. The main heading is 'Assess Your Readiness for Excellence'. Below it, a subheading reads 'Experience the most realistic exam simulation designed to sharpen your skills, boost your confidence, and prepare you for outstanding results'. The login form is centered and contains the following elements:

- A logo for 'BIMBINGAN ALUMNI' at the top.
- A red error message: 'Invalid email or password'.
- A 'Login' button with a yellow 'Administrator' role selector.
- A prompt: 'Masukkan username dan password'.
- A username input field containing 'joko@badr-interactive.com'.
- A password input field with masked characters '.....'.
- A checkbox labeled 'Ingat Saya' (Remember Me) which is checked.
- A link labeled 'Lupa Password?' (Forgot Password?).
- A 'Login Admin' button with a right arrow.

On the right side of the browser window, the 'Network' tab of the developer tools is open. It shows a list of requests, with the 'login' request selected. The response for this request is a JSON object:

```
{  "timestamp": "2025-12-04T01:56:11.318Z",  "status": 400,  "error": "Bad Request",  "message": "Invalid email or password",  "type": "A001",  "path": "/api/v1/auth/admin/login",  "version": "1.0.0"}
```

The status bar at the bottom of the developer tools indicates '4 / 9 requests | 24.6 kB / 24'.

Performance Testing

ppgos.jmx (/Users/jokoyuwono/Documents/Installer/apache-jmeter-5.6.3/bin/ppgos/ppgos.jmx) - Apache JMeter (5.6.3)

00:00:28 0 1/1

Summary Report

Name: Summary Report

Comments:

Write results to file / Read from file

Filename: Browse... Log/Display Only: ☐ Errors ☐ Successes Configure

Label	# Samples	Average	Min	Max	Std. Dev.	Error %	Through...	Received ...	Sent KB/...	Avg. Bytes
MOBILEPPGOS 3.0:Post : login	1	2160	2160	2160	0,00	0,00%	27,8/min	0,93	0,22	2052,0
MOBILEPPGOS 3.0:Get : coins/balance	2	622	49	1196	573,50	0,00%	1,1/sec	1,02	0,63	968,0
MOBILEPPGOS 3.0:Get : dashboard/communit...	1	74	74	74	0,00	0,00%	13,5/sec	49,66	8,37	3763,0
MOBILEPPGOS 3.0:Get : coins/reedem-voucher	1	79	79	79	0,00	0,00%	12,7/sec	25,16	8,22	2035,0
MOBILEPPGOS 3.0:Get : my-rewards	1	55	55	55	0,00	0,00%	18,2/sec	16,89	11,19	951,0
MOBILEPPGOS 3.0:Get : combined/list	1	89	89	89	0,00	0,00%	11,2/sec	149,89	7,67	13660,0
MOBILEPPGOS 3.0:Get : programs	1	117	117	117	0,00	0,00%	8,5/sec	41,12	6,79	4927,0
MOBILEPPGOS 3.0:Get : brand-channels	1	49	49	49	0,00	0,00%	20,4/sec	83,71	13,35	4200,0
MOBILEPPGOS 3.0:Get : educations	2	107	70	144	37,00	0,00%	7,6/sec	178,46	5,57	24122,0
MOBILEPPGOS 3.0:Get : my-educations	1	156	156	156	0,00	0,00%	6,4/sec	120,74	3,85	19287,0
MOBILEPPGOS 3.0:Get : dashborad/eduction	1	71	71	71	0,00	0,00%	14,1/sec	47,48	8,65	3452,0
MOBILEPPGOS 3.0:Get : education-categories	1	41	41	41	0,00	0,00%	24,4/sec	59,28	14,39	2489,0
MOBILEPPGOS 3.0:Get : education-types	1	51	51	51	0,00	0,00%	19,6/sec	37,26	11,47	1946,0
MOBILEPPGOS 3.0:Get : educations tipe artikel	1	113	113	113	0,00	0,00%	8,8/sec	364,81	6,93	42213,0
MOBILEPPGOS 3.0:Get : educations tipe kursu...	1	87	87	87	0,00	0,00%	11,5/sec	203,12	9,00	18096,0
MOBILEPPGOS 3.0:Get : educations tipe webi...	1	83	83	83	0,00	0,00%	12,0/sec	378,75	6,99	32191,0
MOBILEPPGOS 3.0:Get : educations tipe semi...	1	89	89	89	0,00	0,00%	11,2/sec	111,61	8,80	10172,0
MOBILEPPGOS 3.0:Post : education register	2	725	53	1397	672,00	50,00%	9,8/min	0,19	0,11	1162,5
MOBILEPPGOS 3.0:Post : education complete	1	589	589	589	0,00	0,00%	1,7/sec	1,98	1,09	1196,0
MOBILEPPGOS 3.0:Post : education review	1	63	63	63	0,00	100,00%	15,9/sec	17,21	10,96	1110,0
MOBILEPPGOS 3.0:Get : my-education/id	96	97	70	496	43,08	0,00%	4,2/sec	15,64	2,57	3852,0
MOBILEPPGOS 3.0:Get : education detail	95	92	60	440	47,09	0,00%	4,2/sec	15,54	2,56	3825,0
MOBILEPPGOS 3.0:Post : quiz	1	528	528	528	0,00	0,00%	1,9/sec	2,08	1,92	1124,0
MOBILEPPGOS 3.0:Get : quiz	45	63	45	200	23,07	0,00%	4,2/sec	13,38	2,56	3273,0
TOTAL	260	109	41	2160	175,75	0,77%	9,1/sec	37,46	5,64	4222,4

☒ Include group name in label? Save Table Data ☒ Save Table Header

Automation Testing API

The screenshot displays the SMILE Platform interface for API testing. The left sidebar contains navigation options: Home, APIs, Tests, Publish Docs, History, Settings, and Invite. The main area is titled 'Tests' and shows a search bar, a filter icon, and a '+ Test Scenario' button. Below this, a tree view lists various test scenarios, including 'Root', 'Pet Store (1)', 'Dummy JSON (1)', 'Waste Hierarchy (2)', 'All Services (4)', 'Login (3)', 'User Management (3)', 'Global Settings (22)', 'Transactions (24)', 'Program Settings (39)', 'Inventory (6)', 'Order (36)', 'Notification (9)', 'Stock Taking (9)', 'Reconciliation (1)', 'Asset V1 (39)', 'Ticketing System (1)', 'Transfer Stock (1)', 'Disposal (1)', 'Roles (1)', 'Test Notif (2)', 'Dashboard (15)', 'Notification Asset (9)', and 'Material Volume (7)'. The 'Roles' scenario is selected, showing a 'Dev Joko' role. The test results are displayed in a table with columns for status, description, method, URL, status code, and response time. A summary card at the top right shows a donut chart indicating 6 tests finished, with 3 passed (50.00%) and 3 failed (50.00%). The summary also includes metrics for Duration (2.06 s), Request Time (1.93 s), Average Request Time (322 ms), Iterations (Executed: 1, Failed: 1), and Assertions (Executed: 6, Failed: 2). Buttons for 'Run Again', 'Export Report', and 'Share' are available.

Status	Description	Method	URL	Status Code	Response Time
Passed	Login as Superadmin Smile	POST	https://smile5.badr.co.id/auth/login	200	882 ms
Passed	Get Roles (200 : Success)	GET	/master/roles?page=1&paginate=10	200	170 ms
Failed	Create User (200 : Success with Role WMS)	POST	localhost:4002/users	400	88 ms
Failed	Login as Superadmin WMS	POST	https://smile5.badr.co.id/auth/login	401	519 ms
Passed	Get Roles (200 : Success)	GET	/master/roles?page=1&paginate=10	200	192 ms
Failed	Create User (200 : Success with Role WMS)	POST	localhost:4002/users	400	83 ms

QA Sign-Off

- Sebelum diserahkan ke PM atau klien, QA memberikan:
 - QA Sign-Off Document
 - Checklist hasil pengujian
 - Bug list
- Jika gagal sign-off, build dikembalikan ke Developer.

Retrospective – Culture di Badr

- QA menyampaikan:
 - Apa temuan proses?
 - Apakah SOP tidak diikuti?
 - Apa perbaikan proses sprint selanjutnya?
- Budaya Badr menekankan prinsip continuous improvement untuk keberkahan proses.

Bug Reporting – Style Badr Interactive

- Bug report harus jelas dan mudah direproduksi, dengan format:
 - Title
 - Environment
 - Severity (Critical, Major, Minor)
 - Steps to Reproduce
 - Actual Result
 - Expected Result
 - Evidence (screenshot atau rekaman layar)

Contoh Bug Report

Sandbox ▾



○ [Critical] Button “Login” tidak berfungsi di halaman login (Chrome v120)

+ Add

Checklist

Attachment

Members

Labels

Due date

 +

Feedback UAT

+

Dec 5, 9:09 AM

Due soon ▾

≡ Description

Edit

Environment: Staging

Steps:

1. Buka halaman login

2. Masukkan username dan password valid

3. Klik tombol “Login”

Actual: Tidak ada respon, user tetap di halaman login

Expected: User diarahkan ke dashboard

Evidence: Screenshot_2025-12-04.png

Severity: Critical

Attachments

Add

Comments and activity

Show details

Write a comment...

 **Joko Yuwono** added this card to Sandbox
[2 minutes ago](#)

Bug Lifecycle di Badr


1. New – ditemukan oleh QA
2. Assigned – ditugaskan ke Developer
3. In Progress – sedang diperbaiki
4. Fixed – sudah diperbaiki
5. Retest – diuji ulang oleh QA
6. Closed – bug dinyatakan selesai
7. Reopen – jika bug muncul kembali



Quality Assurance Career Preparation


QA Job Scope

- Mengecek apakah produk sudah memenuhi kebutuhan
- Menilai risiko
- Merencanakan ide untuk meningkatkan kualitas produk
- Tes perencanaan
- Menganalisis hasil tes
- Melaporkan hasil ke manajemen (produk, developer, bisnis)



The screenshot displays the Glints job portal interface. At the top, there's a navigation bar with links for 'LOWONGAN KERJA', 'PERUSAHAAN', 'BLOG', and 'EXPERTCLASS'. A search bar contains the text 'qa' and a location filter is set to 'All Cities/Provinces'. Below the search bar, the title 'Lowongan Kerja Qa di Indonesia' is visible. On the left side, there's a sidebar with filters for 'Prioritaskan' (Paling Relevan, Baru Ditambahkan), 'Tipe Pekerjaan' (Penuh Waktu, Kontrak, Magang, Freelance, Paruh Waktu, Harian), 'Kebijakan Kerja' (Kerja di kantor, Kerja di kantor / rumah, Kerja Remote/dari rumah), and 'Kecamatan' (Cengkareng, Cilandak, Cipondoh, Gambir, Grogol Petamburan, Kebayoran Baru, Kebayoran Lama, Kebon Jeruk, Kelapa Dua, Kemhangan). The main content area shows a grid of job listings. Each listing includes the job title (e.g., 'QA Engineer', 'QA Sample', 'QA Engineer', 'QA (Junior)', 'Pelaksana QA'), company name (e.g., 'Pt Boer Technology', 'PT Ameya Livingstyle Indonesia', 'PT STAR Software Indonesia', 'PT Sigma Global Teknologi'), location, and a 'Gaji Tidak Ditampilkan' (Salary Not Displayed) status. Some listings also show a salary range (e.g., 'Rp 10 jt-15 jt', 'Rp 5 jt-6,5 jt').

QA Salary in Indonesia



- https://lookerstudio.google.com/u/0/reporting/41b4cab0-023c-4df3-8cfc-4473ee676d9a/page/p_6c087nrl2c

Sektor Industri



Penutup

- **Kesimpulan:**

- QA di Badr Interactive berperan strategis dalam menjaga kualitas dari awal hingga akhir proses pengembangan.
- Functional testing menjadi tulang punggung dalam memastikan fitur berjalan sesuai kebutuhan bisnis.
- Budaya QA di Badr menekankan kolaborasi, ketelitian, dan keberkahan dalam setiap proses.

- **Pesan Akhir:**

Menjadi QA bukan hanya tentang menemukan bug, tetapi tentang menjaga kualitas, kepercayaan, dan nilai dari setiap produk digital yang dihasilkan.

THANK YOU

