Beob.	Maschine	Wartung/Ausfall	Datum	Zeitstempel	Behoben	difference
1	4	Ausfall	06/05/2022	1:43:55.000	2:34:54.000	0:50:59
2	10	Wartung	06/05/2022	18:33:54.000	20:47:37.000	2:13:43
3	11	Ausfall	06/05/2022	11:27:43.000	13:17:29.000	1:49:46
4	11	Ausfall	06/06/2022	21:29:06.000	23:15:01.000	1:45:55
5	13	Ausfall	06/06/2022	17:14:35.000	19:44:26.000	2:29:51
6	10	Ausfall	06/07/2022	14:46:25,000	16:13:22,000	1:26:57
7	3	Wartung	06/10/2022	6:29:31,000	9:14:13.000	2:44:42
8	6	Ausfall	06/12/2022	17:22:29.000	19:53:26.000	2:30:57
9	11	Ausfall	06/13/2022	5:50:11.000	6:04:39.000	0:14:28
10	2	Ausfall	06/16/2022	1:57:44.000	4:45:32.000	2:47:48
11	3	Ausfall	06/17/2022	7:44:46.000	10:16:38.000	2:31:52
12	6	Wartung	06/18/2022	0:38:58.000	1:02:53.000	0:23:55
13	9	Ausfall	06/27/2022	0:06:14.000	1:52:52.000	1:46:38
14	8	Wartung	06/29/2022	14:32:14.000	16:48:06.000	2:15:52
15	13	Wartung	07/01/2022	6:19:12.000	7:13:27.000	0:54:15
16	3	Wartung	07/01/2022	0:06:00,000	2:06:01.000	2:00:01
17	9	Ausfall	07/01/2022	9:27:47.000	10:01:02.000	0:33:15
18	1	Ausfall	07/05/2022	10:56:22.000	12:49:55.000	1:53:33
19	4	Ausfall	07/06/2022	15:17:33.000	18:21:39.000	3:04:06
20	14	Ausfall	07/12/2022	19:31:00.000	20:12:28.000	0:41:28
21	5	Ausfall	07/13/2022	16:05:22.000	20:05:51.000	4:00:29
22	5	Wartung	07/17/2022	5:05:41.000	6:58:22.000	1:52:41
23	1	Ausfall	07/19/2022	0:59:21.000	3:32:35.000	2:33:14
24	14	Wartung	07/23/2022	17:00:05.000	19:37:31.000	2:37:26
25	4	Ausfall	07/25/2022	4:08:47.000	4:32:27.000	0:23:40
26	5	Wartung	07/26/2022	2:40:10.000	2:45:11.000	0:05:01
27	15	Ausfall	07/31/2022	1:54:21.000	4:19:40.000	2:25:19
28	1	Ausfall	08/01/2022	18:00:26.000	19:50:25.000	1:49:59
29	2	Ausfall	08/03/2022	3:52:00.000	5:19:07.000	1:27:07
30	6	Wartung	08/03/2022	0:31:32,000	1:24:58.000	0:53:26
31	10	Ausfall	08/09/2022	9:33:42.000	9:39:49.000	0:06:07
32	1	Ausfall	08/09/2022	15:11:20.000	17:45:21.000	2:34:01
33	15	Ausfall	08/15/2022	16:47:41.000	20:47:33.000	3:59:52
34	12	Ausfall	08/19/2022	20:49:32.000	20:51:30.000	0:01:58
35	6	Ausfall	09/02/2022	15:17:00.000	15:59:12.000	0:42:12
36	13	Ausfall	09/04/2022	3:29:11.000	6:16:45.000	2:47:34
37	9	Ausfall	09/07/2022	17:25:20.000	21:00:55.000	3:35:35
38	1	Wartung	09/08/2022	2:38:34.000	3:44:57.000	1:06:23
39	11	Ausfall	09/10/2022	15:34:18.000	16:04:21,000	0:30:03
40	11	Wartung	09/13/2022	4:45:55 . 000	6:19:18.000	1:33:23
41	13	Ausfall	09/14/2022	22:54:53.000	23:45:12.000	0:50:19
42	4	Ausfall	09/14/2022	11:15:31.000	14:08:34.000	2:53:03
43	4	Wartung	09/17/2022	17:11:11.000	18:31:22.000	1:20:11
44	6	Ausfall	09/25/2022	21:46:16.000	0:41:09.000	2:54:53
45	15	Ausfall	09/25/2022	10:28:39.000	10:58:08.000	0:29:29
46	8	Wartung	09/25/2022	1:35:11.000	3:34:13.000	1:59:02
47	7	Wartung	09/27/2022	2:19:38.000	3:07:22.000	0:47:44
48	6	Wartung	09/29/2022	10:30:31,000	14:29:24,000	3:58:53
49	6	Ausfall	10/01/2022	16:44:53.000	18:51:20,000	2:06:27
50	10	Wartung	10/01/2022	23:47:32.000	1:55:00.000	2:07:28
51	4	Ausfall	10/06/2022	2:06:27.000	5:06:35.000	3:00:08
52	5	Ausfall	10/06/2022	22:27:00.000	0:57:50.000	2:30:50

	Ergeonisse: IO.MASCHINENINFO					
Beob.	Maschine	Wartung/Ausfall	Datum	Zeitstempel	Behoben	difference
53	3	Wartung	10/09/2022	22:16:14.000	22:20:16.000	0:04:02
54	9	Ausfall	10/18/2022	15:58:31.000	18:05:51.000	2:07:20
55	7	Ausfall	10/19/2022	3:23:56.000	4:02:24.000	0:38:28
56	3	Ausfall	10/22/2022	4:15:38.000	5:46:06.000	1:30:28
57	13	Ausfall	10/22/2022	15:38:20.000	16:58:18.000	1:19:58
58	14	Ausfall	10/27/2022	8:52:19,000	9:45:01.000	0:52:42
59	13	Wartung	11/03/2022	19:05:29,000	22:41:32,000	3:36:03
60	6	Ausfall	11/12/2022	23:23:09.000	0:29:16.000	1:06:07
61	14	Ausfall	11/16/2022	10:18:34.000	13:47:50.000	3:29:16
62	15	Ausfall	11/18/2022	6:58:56.000	10:49:34.000	3:50:38
63	6	Ausfall	11/18/2022	6:03:06.000	9:21:55.000	3:18:49
64	3	Ausfall	11/21/2022	8:45:42.000	11:35:39.000	2:49:57
65	15	Ausfall	11/22/2022	4:04:36.000	5:36:14.000	1:31:38
66	9	Ausfall	11/27/2022	10:12:33.000	11:08:09.000	0:55:36
67	3	Wartung	11/28/2022	1:42:02.000	3:59:08.000	2:17:06
68	1	Ausfall	11/30/2022	14:57:23.000	16:50:41.000	1:53:18
69	11	Ausfall	12/05/2022	8:11:17.000	8:46:29.000	0:35:12
70	4	Ausfall	12/09/2022	0:18:40.000	4:03:31.000	3:44:51
71	8	Ausfall	12/10/2022	2:47:02.000	6:21:02.000	3:34:00
72	8	Ausfall	12/13/2022	2:13:00.000	6:01:22.000	3:48:22
73	6	Ausfall	12/17/2022	7:52:53.000	9:44:30.000	1:51:37
74	11	Ausfall	12/18/2022	1:37:02.000	3:02:46.000	1:25:44
75	1	Ausfall	12/21/2022	4:56:41.000	6:46:52.000	1:50:11
76	3	Ausfall	12/22/2022	6:51:07.000	9:49:08.000	2:58:01
77	2	Wartung	12/26/2022	4:53:05.000	7:23:07.000	2:30:02
78	2	Ausfall	01/02/2023	10:52:39.000	13:24:15.000	2:31:36
79	3	Wartung	01/05/2023	12:46:10.000	15:45:27.000	2:59:17
80	6	Wartung	01/07/2023	3:53:41.000	5:20:10.000	1:26:29
81	15	Wartung	01/12/2023	4:04:55.000	6:26:12.000	2:21:17
82	5	Wartung	01/13/2023	21:00:46.000	0:27:40,000	3:26:54
83	13	Wartung	01/13/2023	19:43:29,000	19:49:28.000	0:05:59
84	12	Ausfall	01/18/2023	23:25:37.000	23:47:12.000	0:21:35
85	10	Ausfall	01/19/2023	6:45:20.000	10:07:41.000	3:22:21
86	6	Ausfall	01/23/2023	3:00:28.000	4:43:55.000	1:43:27
87	10	Wartung	01/27/2023	23:42:45.000	0:02:02.000	0:19:17
88	13	Ausfall	01/27/2023	0:23:14.000	4:19:48.000	3:56:34
89	3	Ausfall	02/01/2023	4:45:56.000	6:07:48.000	1:21:52
90	11	Ausfall	02/02/2023	0:49:55.000	3:00:09.000	2:10:14
91	12	Ausfall	02/04/2023	18:22:08.000	21:00:08.000	2:38:00
92	11	Wartung	02/04/2023	11:34:53,000	14:01:35,000	2:26:42
93	8	Ausfall	02/07/2023	6:19:15.000	7:08:11.000	0:48:56
94	15	Ausfall	02/11/2023	20:56:07.000	0:00:52.000	3:04:45
95	6	Ausfall	02/14/2023	8:07:28.000	8:29:47.000	0:22:19
96	5	Wartung	02/16/2023	21:38:13.000	1:18:41.000	3:40:28
97	4	Ausfall	02/20/2023	20:14:39.000	23:47:01.000	3:32:22
98	15	Wartung	02/23/2023	20:20:34.000	23:08:19.000	2:47:45
99	14	Ausfall	02/25/2023	17:23:56.000	18:44:02.000	1:20:06
100	1	Ausfall	02/25/2023	9:26:32.000	12:36:13.000	3:09:41
101	13	Ausfall	02/27/2023	17:27:45.000	18:31:06,000	1:03:21
102	6	Ausfall	02/28/2023	6:47:00.000	8:47:33.000	2:00:33
103	14	Wartung	03/02/2023	22:49:33.000	0:03:16.000	1:13:43
104	7	Ausfall	03/03/2023	7:27:35.000	8:15:42.000	0:48:07
105	1	Ausfall	03/07/2023	23:22:10.000	2:40:20.000	3:18:10
100	'	, worall	00/01/2023	20.22.10,000	2.70.20,000	5.10.10

Beob.	Maschine	Wartung/Ausfall	Datum	Zeitstempel	Behoben	difference
106	5	Ausfall	03/13/2023	4:31:19.000	6:50:07,000	2:18:48
107	8	Ausfall	03/13/2023	11:06:08.000	13:54:49.000	2:48:41
108	4	Ausfall	03/15/2023	10:52:10.000	11:01:52.000	0:09:42
109	8	Ausfall	03/18/2023	6:36:52.000	6:49:19.000	0:12:27
110	15	Ausfall	03/19/2023	14:28:33.000	18:10:46.000	3:42:13
111	14	Ausfall	03/19/2023	10:20:59.000	12:22:36.000	2:01:37
112	12	Ausfall	03/21/2023	16:27:43.000	19:24:51,000	2:57:08
113	9	Ausfall	03/22/2023	5:29:47.000	6:19:06.000	0:49:19
114	13	Ausfall	03/24/2023	15:14:00.000	19:14:08.000	4:00:08
115	14	Ausfall	03/26/2023	22:39:08.000	23:19:05.000	0:39:57
116	12	Ausfall	03/27/2023	8:12:51.000	8:53:21.000	0:40:30
117	11	Wartung	03/27/2023	15:10:16.000	16:11:53.000	1:01:37
118	2	Wartung	03/27/2023	16:48:07.000	19:03:11.000	2:15:04
119	11	Ausfall	03/29/2023	0:11:49.000	3:41:57.000	3:30:08
120	9	Ausfall	04/02/2023	3:00:13.000	6:11:19.000	3:11:06
121	14	Ausfall	04/03/2023	17:08:30.000	18:27:45.000	1:19:15
122	12	Ausfall	04/12/2023	22:36:16.000	2:15:49.000	3:39:33
123	9	Wartung	04/13/2023	3:13:10,000	4:37:00,000	1:23:50
124	9	Wartung	04/15/2023	17:03:42.000	17:51:27.000	0:47:45
125	1	Ausfall	04/16/2023	8:42:48.000	12:24:30.000	3:41:42
126	5	Ausfall	04/16/2023	14:36:36.000	16:06:25.000	1:29:49
127	5	Wartung	04/16/2023	21:24:32.000	0:39:03.000	3:14:31
128	7	Ausfall	04/17/2023	1:43:51.000	4:26:58.000	2:43:07
129	12	Ausfall	04/20/2023	5:58:15.000	6:12:14.000	0:13:59
130	13	Ausfall	04/23/2023	21:04:33.000	23:23:50.000	2:19:17
131	8	Wartung	04/24/2023	11:57:27.000	13:33:57.000	1:36:30
132	14	Ausfall	04/24/2023	5:41:44.000	8:37:57.000	2:56:13
133	1	Ausfall	04/24/2023	6:20:51.000	8:00:31.000	1:39:40
134	1	Wartung	04/26/2023	11:34:28.000	12:19:48.000	0:45:20
135	5	Ausfall	04/27/2023	8:58:58.000	10:31:43,000	1:32:45
136	14	Ausfall	04/27/2023	5:58:29.000	9:46:23.000	3:47:54
137	10	Ausfall	05/02/2023	21:00:38.000	22:20:38.000	1:20:00
138	3	Ausfall	05/03/2023	0:45:08.000	3:44:08.000	2:59:00
139	7	Ausfall	05/03/2023	0:43:08.000	0:51:19.000	0:08:11
140	6	Wartung	05/07/2023	20:03:49.000	21:40:19.000	1:36:30
141	6	Ausfall	05/08/2023	0:50:49.000	2:05:57.000	1:15:08
142	13	Wartung	05/09/2023	19:41:08.000	21:31:44.000	1:50:36
143	7	Ausfall	05/17/2023	13:31:02.000	16:43:52.000	3:12:50
144	3	Ausfall	05/18/2023	13:49:36.000	15:39:52.000	1:50:16
145	12	Wartung	05/19/2023	17:51:30.000	21:04:27.000	3:12:57
146	10	Ausfall	05/20/2023	5:59:09.000	6:34:51.000	0:35:42
147	4	Wartung	05/23/2023	14:11:44.000	15:07:21.000	0:55:37
148	4	Wartung	05/25/2023	11:33:14.000	13:15:00.000	1:41:46
149	12	Wartung	05/30/2023	11:32:23.000	12:37:14.000	1:04:51