



Game Manual
Version 1.0

robo4you

powered by F-WuTS

Table of Contents

Table of Contents.....	2
Prefix	4
Revision History.....	4
Contributors.....	4
Director’s Note	4
Introduction	5
This Year’s Game	6
Field Overview	6
Zones & Structures	6
Game Pieces	9
Scoring Sheet	11
Scoring Rules.....	12
General Rules.....	12
Special Rules	13
Tie Breakers & DQ Conditions	13
Competition	14
What AIRCER is about	14
Documentation	15
Competition Procedure	16
Prior to Game Start – Before Hands-Off	16
Prior to Game Start – After Hands-Off	17
After Game Start – Lights On	18
End of Game.....	18
Final Scoring and Rulings	18
Challenges	19
Acknowledgements	20
Competition Modes	20
Double Seeding Rounds	20
Double Elimination (DE) Rounds	20

General Rules	21
Robot Logistics	21
Safety	22
External Communication.....	23
Overall Winner Calculations	24
Double Seeding Scoring Formula	24
Double Elimination Scoring Formula	24
Documentation Scoring Formula	24

Prefix

Revision History

Version 1.0

- Initial Release

Contributors

Game Design & Review

Timon Koch, Sebastian Lampl

Director

Michael Stifter

Director's Note

Dear members of robo4you,

We are thrilled to kick off the 2026 AIRCER tournament! On behalf of the entire robo4you robotics club, I want to extend my deepest gratitude to our dedicated staff and the incredible team of volunteers who have invested countless hours into designing this year's electrifying challenge.

This year's theme, Laboratory Lockdown: Containment Breach: tackles a scenario that feels both cinematic and urgent - stabilizing a compromised synthetic biology experiment and securing hazardous chemical agents before the lab's automated purge protocols activate. It is an ambitious mission for our teams, and a powerful opportunity for them to innovate, strategize, and explore real-world engineering concepts around safety and automation.

We cannot wait to see how each of you rises to the challenge.

— **Lord M.**, Director of robo4you

Introduction

Laboratory Lockdown: Containment Breach

Deep beneath the surface, the world's most advanced bio-chemical research facility develops life-saving cures—until a catastrophic system failure unleashes a volatile, experimental pathogen. In this year's **AIRCER** competition, your robots become the ultimate hazmat responders: smart, tireless, and ready to secure the compromised zones.

This season, teams face a thrilling engineering mission: race against time to neutralize toxic reactions, seal breached sectors and extract critical research data before the facility's automated purge protocols activate and lock it down forever.

Every match is a test of strategy, teamwork, and precision — where a single second could mean the difference between a global outbreak and triumph.

Here, winning means more than a trophy: it means saving humanity itself.




Figure 1 – Game Field

This Year's Game

Field Overview

All official game board specifications are published on Discord. Tournament fields and game pieces will meet these specifications within $\pm 0.25''$ per 4' or up to 1% of the defined measurements.

The AIRCER game board is built from four $\sim 4' \times 4'$ modular panels with a durable, pebble-grain white fiberglass reinforced plastic (FRP) surface. Fully assembled, the field measures approximately $8' \times 8'$. Seam channels or black/white duct tape close the gaps where panels connect.

Each team operates on a mirrored side of the field, facing shared central challenges.




Figure 2 – Zones

Zones & Structures

Robot Control

- Located in the lower left corner of each team's field side.
- Delineated by the inside edge of PVC pipes and marked with black tape lines.
- Defines the robot's starting footprint and maximum starting height (16").

Waste Management

- Defined by black tape and the inside of the surrounding PVC borders.
- Debris (rocks) must be relocated to this area.

Lower Storage Deck

- Lower Part of the Storage Deck
- The scoring zone is defined as the inside of the black containers.

Upper Storage Deck

- Upper Part of the Storage Deck
- Defined by the edges of the top plate

Research Table

- Located at the centre right side of each team's field side
- Defined by the edges of the top plate

Centrifuge

- Located at the centre left side of each team's field side
- Teams must bring Liquid Bromine (red drums), Aged Nitric Acid (yellow drums) and Iron(II) Chloride Solution (green drums) and stack them on the rods
- One of the rods is broken and can't be used to stack rods. The position of the broken rod will differ every run

Incineration Plant

- Located in the centre of the table
- Constructed from corrugated plastic

Research Stations

- Located at multiple positions throughout the table
- Robots bring Researcher to their designated Stations

Maintenance Ramp

- Located at the outer side of the centre of the table
- Will be blocked by barriers controlled by the safety lever

Safety Lever

- Located in the bottom centre of each side
- Unlocks the barrier on the Maintenance Ramp

Laboratory Ground

- The area is delineated by the inside edge of the PVC pipes and black tape lines that does not include Robot Control (Starting Box), Waste Management, Lower & Upper Storage Deck, Research Table, Centrifuge, Incineration Plant and the Research Stations.

Restricted Zone

- Located in the centre of the table
- Includes the Maintenance Ramp, Incineration Plant and parts of the Laboratory Ground
- Defined by black tape and the inside of the outer PVC borders.




Figure 3 – Top View

Game Pieces

Quantity	Item	Game Piece on Field
16	Red Phosphorus	Red Poms
16	Sulfur Powder	Yellow Poms
16	Nickel(II) Chloride	Green Poms
4	Synthetic Ruby Boules	Big Red Cubes
4	Elemental Sulfur Blocks	Big Yellow Cubes
2	Serpentine	Big Green Cubes
6	Cinnabar	Small Red Cubes
6	Carnotite	Small Yellow Cubes
6	Malachite	Small Green Cubes
8	Liquid Bromine	Red Drums
8	Aged Nitric Acid	Yellow Drums
8	Iron(II) Chloride Solution	Green Drums
6	Chemical containers	Trays
6	Transport pallet	Wooden Pallets
10	Resercher	Wooden Figure
10	Debri	Rocks
4	Safty Cones	Safty Cones
1	Lead Researcher	Botguy

Initial Positions

Game Piece	Initial Position
Red Phosphorus	Placed on a Platform located to the bottem right of the staring box
Sulfur Powder	Placed in pairs on black tape accross the table
Nickel(II) Chloride	Placed in pairs on black tape accross the table
Synthetic Ruby Boules	Placed on the transport pallets in random order
Elemental Sulfur Blocks	Placed on the transport pallets in random order
Serpentinite	Placed on the transport pallets in random order
Cinnabar	Placed in the top & bottem left Corner of the starting Box
Carnotite	Placed in the top & bottem right Corner of the starting Box
Malachite	Located on the outside edges of the upper platform between the Incineration Plants.
Liquid Bromine	Placed randomly at either the platform next to the starting box or on the Incineration Plants
Aged Nitric Acid	Placed randomly at either the platform next to the starting box or on the Incineration Plants
Iron(II) Chloride Solution	Placed randomly at either the platform next to the starting box or on the Incineration Plants
Chemical containers	Located in the Lower Storage Deck.
Transport pallet	Located on the lower platform between the Incineration Plants.
Resercher	Can be freely placed in the starting box by each team. Robots can't make contact until the start of the game.
Debri	Placed in a T formation on black tape in the center of each side
Safety Cones	Placed centerd on the Maintenance Ramp with the barrier between them
Lead Researcher	Centerd on the upper platform between the Incineration Plants.

Scoring Sheet

Areas	Itemized Points			Multipliers	Totals
Lower Storage Deck					
Sorted Poms	#_____	X 20	= _____	# of equally filled Trays X_____	
Unsorted Poms	#_____	X 5	= _____		
All Other Game Pieces	#_____	X 1	= _____		
		Subtotal	= _____		
Upper Storage Deck					
Sorted Cubes	#_____	X 20	= _____	Max Stack Height X_____ + # of Stacks X_____	
Unsorted Cubes	#_____	X 10	= _____		
All Other Game Pieces	#_____	X 1	= _____		
		Subtotal	= _____		
Centrifuge					
Sorted Drums	#_____	X 50	= _____	# filled Posts X____	
Unsorted Drums	#_____	X 20	= _____		
All Other Game Pieces	#_____	X 1	= _____		
		Subtotal	= _____		
Research Table					
Sorted Cubes	#_____	X 15	= _____	Max Stack Height X_____ + # of Stacks X_____	
Unsorted Cubes	#_____	X 5	= _____		
All Other Game Pieces	#_____	X 1	= _____		
		Subtotal	= _____		
Incineration plant					
Poms	#_____	X 10	= _____	Game Piece Variety X_____	
Drums	#_____	X 15	= _____		
Small Cube	#_____	X 20	= _____		
Big Cube	#_____	X 50	= _____		
		Subtotal	= _____		
Research Stations					
Researchers in station	#_____	X 100	= _____	Botguy on L.G. X2	
		Subtotal	= _____		
Robot Control					
Robots Back in Start Box	#_____	X 50	= _____		
		Subtotal	= _____		
Waste Management					
Only Rocks	#_____	X 20	= _____	Safety Lever X2	
All Other Game Pieces	#_____	X 1	= _____		
		Subtotal	= _____		
Laboratory Ground					
Game Pieces	#_____	X 1	= _____		
		Subtotal	= _____		

Scoring Rules

General Rules

General Scoring Rule

- A game piece must be **touching the surface** of a valid scoring area to score, unless otherwise covered by a special rule (e.g., Volume Rule).

Black Tape Rule

- Any game piece touching any black tape does **not** score.

Volume Rule

- To score inside volumetric scoring areas (like containers or towers), a part of the game piece must break the vertical volume of that area. If two volumes overlap, the piece will score in the area of the higher volume.

Highest Scoring Rule

- A game piece may only score in one scoring area and will be scored in the area with the highest base point value (ignoring multipliers).

Final Scoring Rule

- The score is determined by final object location, not by how it got there. Judges will wait until any scoring objects still in motion have come to rest before scoring a game.

Sorting Rule

- A sorted group is defined as at least two identical game pieces (e.g. poms, cubes) of the same colour placed within a single zone.
- Each sorting zone may contain only one colour to qualify as a valid sort.

Robot Definition*

- A robot is defined as a KIPR Controller with at least two motors connected. Two controllers used together count as one robot.

Interference Rules

- Should a robot or any part of a robot intentionally cross into an opponent's game area (not neutral area) and interfere with an opponent's robot, resulting in damage, that team will be disqualified (DSQ)

Special Rules

Upper Deck & Research Table Scoring Rule

- To score in the Upper Deck or Research Table Area, a game piece must either touch a transport pallet or be stacked on top of a game piece that does so.

Incineration Plant Scoring Rule

- To score inside the Incineration Plant all game pieces must be of the same colour.
- The two towers count as separate entities. It is possible to score with two colours.

Restricted Area Rule

- If **any** robot is inside a team's restricted area at the end of the round, the score for the affected team's Incineration Plant will be halved.

Safety Cone Rule

- Safety Cones are not intended for scoring and give no score in any zone
- They may be use interfere with the opponent (e.g. breaking a sorted container)

Safety Lever Rule

- The Safety Lever deactivates the barrier blocking the maintenance ramp
- The barrier will only open in the last minute of a run after **any** Lever was activated

Tie Breakers & DQ Conditions

In the event of a **tie score**, the winner is determined by the **following tie-breaking criteria**, in this order. If none apply, the match is ruled a tie.

Disqualification Clause:

If a robot **breaks the boundaries** of the Starting Box at the beginning (footprint or 16" height), that team automatically loses.

If a robot **fails to stop motion** at the end of the match (i.e., motors or servos still active), they also **forfeit the match**.

Tie-Breaking Order:

1. Most Completed Centrifuge

- The team with the highest number of valid drums wins the tie.

2. Debris Removed

- The team with the most rocks in Waste Management wins the tie.

3. Safety Lever Activation

- If only one team successfully activated the Safety Lever, they win the tie.

4. Shortest Distance to Lead Researcher

- The robot (measured by controller power switch) closest to Botguy at game end wins.

Competition

What AIRCER is about

AIRCER is not just about scoring points or building the fastest robot. It is about solving problems under pressure, building with purpose, and operating in the spirit of autonomous innovation. Your robot is your creation - it reflects your code, your design, and your team's effort. Own it.

Student-Built. Student-Driven.

From the first bolt to the final upload, everything must be done by students.

Mentors, teachers, and parents are vital supporters — but they do not:

- Write code
- Build or modify hardware
- Debug problems during the event
- Make game-day decisions

They may:

- Provide technical advice before the event
- Help carry equipment into the venue
- Support emotional wellbeing and hydration

During the tournament, your team's performance is **yours alone**.

Fair Competition

AIRCER values creativity, not loopholes. Teams exploiting grey areas, misusing game pieces, or attempting to interfere with opponent hardware or software **may be disqualified**.

Feel free to push rules to their limits, or even beyond them, but remember that the final decision always lies with the Head Judge.

Robots & Equipment

- Each team may operate **up to two robots on the field** at a time.
- Swapping attachments or modifying software between rounds is allowed - **within your pit time.**

Game Time

- Teams must be ready to compete at the **scheduled match time.**
- If a team is not field-ready when called, the match may proceed without them.
- Robots must stop all movements at the end of the match — no drifting, spinning, or extra actions after time is called.

Team T-Shirts

Teams are encouraged to design and wear their own competition t-shirts. If teams want to wear their shirts to the table, it is recommended that the shirts contain mostly neutral colours so as not to potentially confuse any cameras on robots at the table.

Documentation

Robot Inspection

Tournaments may include a robot inspection before teams enter the on-deck area. Once a robot has passed inspection, the Judge Team deems it legal.

Teams can still modify their robots afterwards. Any illegal modifications made after the inspection may be challenged by a judge or other teams.

Code Review

In preparation for the tournament, teams will be given designated time slots in which to submit their code for feedback. Teams must submit their code at least once before the AIRCER Challenge.

The final submission, which will influence the overall score, will be made during the AIRCER Challenge.

Paper Pitch

Teams must prepare and present a short pitch for a potential paper topic. The presentations will be held at the AIRCER Tournament and will influence the final score.

Competition Procedure

Prior to Game Start – Before Hands-Off

Up to two students from each team may bring their robot(s) to the game table for setup. Team members may be swapped at the table only with approval from the Head Judge.

If a team is observed reprogramming or uploading code at the tournament table using a laptop during or after setup, the Head Judge may disqualify the team for that round.

Setup Rules

- Teams have 90 seconds to complete setup and calibration.
- Robots must be placed entirely within the designated Starting Box.
- Light sensors must be positioned to detect the official starting lights and must remain stationary during the match.

Starting Lights

- Starting lights will be mounted on the outer edge of the table next to each Starting Box.
- Light positions are fixed and will not change between calibration and start.
- Teams must adjust their sensors to the fixed light setup during practice and setup time.
- Lights must not break the vertical projection of the PVC field boundary.
- Each team will have two synchronized starting lights to accommodate multiple robot controllers. Both lights activate simultaneously.

Pre-Match Interaction

Before calibration, teams must:

- Greet their opponent and conduct a mutual robot inspection (maximum 1 minute). If a parts challenge is issued, refer to the "Challenges" section for procedure.
- Use the official parts list to ensure that all components comply with the regulations and to support defence against construction challenges.
- Notify the table judges before Hands-Off if the field setup appears incorrect.

Once both teams have finished setup and calibration and have positioned or activated their robot **Hands-Off** begins. No further contact with robots, the table, or field elements is allowed. If any team member is observed to be breaking the **Hands-Off** phase the team will be **disqualified** for that round.

Calibration Time Enforcement

- If judges determine that a team is delaying calibration, a 60-second countdown will be issued as a warning.
- If the team is still unready after this period, disqualification from the round may follow.
- The 90-second total setup period may be extended only at the judges' discretion.

Robot Swapping Violation

If a team is observed removing a robot from the table and replacing it with a robot that was not in the on-deck area, the Head Judge will disqualify that team from the round.

Prior to Game Start – After Hands-Off

Once “Hands-Off” has been declared, the team members will position themselves so as not to block the view of the table by the audience. No part of a team's robot(s) may leave the Starting Box(s) until the round has begun. Movement is okay so long as the Starting Box(s) boundary is not violated. If a moving violation happens, then the judges will call a fault on the team. Team members may not move the starting lights at any time after hands-off. A judge may move the light to avoid potential damage to a light. Team members may not signal to their robots after “Hands-Off” to start their robots. Team members will be asked to stand on the side of the game table furthest from the audience. If a team member at the table is wearing a shirt with large solid colours that are similar to game pieces on the table, they will be asked to crouch during the round if the robots are using cameras.

Depending on the light coming from outside sources at the tournament, a judge may have team members stand in front of their robot to block incoming light before the round starts to prevent accidental triggering of the light sensors.

Timeout Card

At the start of the tournament, each team will be given a single timeout card. The card can only be used at an on-deck robot inspection if it is being used at the tournament or while that team is at the table before "Hands-Off". While a team is at the table, any time before “Hands-Off,” a team may turn in their timeout card and get a 3-minute timeout. The team may spend that time in the pits or at the table, but not to practice at the table. However, the team may practice the starting light sequence. Only a single timeout per team is allowed for the entire tournament.

Should your robot be found to contain an illegal part during the inspection, you may use your time out card to take your robot to the pit to remove the part. Teams are strongly advised to meticulously review the parts on their robot prior to the tournament. It is in

the spirit of AIRCER for teams to notify other teams and/or judges of any observed violations by other teams. During a time out, teams are not permitted to trade out robots or bring additional independent structures to the game table.

After Game Start – Lights On

Once the starting lights have turned on, the round counts unless a judge rules otherwise. At the start of the game, the starting lights turn on and robots are then allowed to leave the Starting Box.

The round lasts **three minutes** (180 seconds). The lighting sequence is:

- 0 seconds: lights turn on; robots can leave starting boxes
- 5 seconds: lights turn off
- 175 seconds: Lights turn back on and blink for five seconds
- 180 seconds: lights turn off; game over; robots must turn off motors and freeze/power down servos

End of Game

Robots must stop driving their motors and stop servo motion by the end of the round or that team will lose the round in all situations except against a team that does not break the boundary of a Starting Box (in Double Seeding, this condition will give a score of 0). **Incidental** motion from a servo holding a position under load is OK.

Scoring is based on the location of pieces at the end, not how the pieces got there. Scoring takes place when the round has **ended**, and items have **come to rest**.

If all motion has stopped before 180 seconds, the judges may ask the teams if their robots are done and if so, then they may end the round at that time. Both teams must agree in order for this to end the round.

Final Scoring and Rulings

If your team does not agree with the score as calculated, then they must immediately notify the table judge before leaving the table and before any items have been moved on the table. If they do not agree with the table judge's ruling, then they may ask to speak with the Head Judge. The Head Judge will spend no more than 5 minutes on the decision. Teams must initial the score sheet before leaving the table, signifying acceptance of the ruling. If they do not agree with the ruling, the Head Judge can sign for the team to progress the event forward.

There are no instant replays. No external videos will be used for scoring. If a team disagrees with a judge's decision, then only the two team members at the table may

politely discuss the issue with the table judge and/or head judge. Issues with scoring after the teams have signed the score sheet will not be considered.

The head judge reserves the right to make rulings on specific rules or wording in the game manual that will be in effect for the remainder of the tournament.

Challenges

Challenges may only be issued by judges and only the four (two per team) members at the table.

The judges may raise concerns regarding the height of the robot, adherence to regulations regarding the starting box, or obvious part violations. Should either team wish to challenge the validity of the robots they are facing, they are required to do so by informing the judges during the inspection period. The Head Judge will be responsible for overseeing the challenge process.

Teams should bring the list of parts to the table to aid in the inspection. Challenges must be specific. Teams are encouraged to have a parts list for each robot they bring to the table to minimize the likelihood of a robot's construction being challenged.

The Head Judge is the final arbiter of a challenge and can dismiss what they believe to be spurious or irrelevant challenges. This includes challenges to robots and parts that they deem to not provide any competitive advantage. If the team knows prior to arriving at the table, they will let the other team, or an official know so that the team has the opportunity to correct the issue.

Teams found by the Head Judges to be in violation of safety or performance rules will have 60 seconds at the table to make the required correction or remove offending pieces. If they fail to do so, the robot must be removed for the round, or the team can forfeit. A robot that has committed a safety or performance-changing violation of the construction rules before the start of a round will not be allowed to play while in that state. A robot deemed unsafe for humans will not be allowed to run until modified. Teams can use their Time-Out card to correct violations.

If a team wants to execute a challenge, then they must wager their round. Should the team that makes the challenge be found to be incorrect or deemed spurious by the Head Judge, they will be disqualified from that round. In a given round, there may be multiple challenges.

Acknowledgements

The KIPR Robot Controller is **NOT** a powerful device. The use of threading can lead to outcomes that are not always predictable. For instance, the robot may not stop when using the shutdown function. Teams are encouraged to limit their use of threading and to make sure they take precautionary steps to stop their robot within the time limit of the game. If the robot fails to stop moving after the time limit, then it will result in a score of 0 for a Seeding round or a disqualification for a Double Elimination round.

Competition Modes

Double Seeding Rounds

Double Seeding consists of five head-to-head rounds where teams get as many points as they can while still playing against another team on the table. No scores will be dropped in Double Seeding, so consistency across all five rounds matters most. The table side used by a team for a Double Seeding round (the side from which the robots will start) is determined when teams arrive at the table and at the judges' discretion for their turn. Scores of less than 0 will be counted as zero. A coach or team member must bring any concerns about the posted Double Seeding round scores to the attention of the Head Judge before the bracketing for the double elimination rounds, and only math errors or incorrect placement of scores will be accounted for. Bracketing occurs within approximately ten minutes of the completion of the last Double Seeding round.

Double Elimination (DE) Rounds

A team is out of the Double Elimination tournament when it has lost two games. Initial matches are decided by tournament software using Double Seeding round scores. As the tournament progresses, the order of matches and table sides for the competing teams are determined using tournament software. The two teams play each other and the highest score at the end of the game wins, subject to tie breakers and special scoring conditions. During match play, the table judge, through observation, may decide that a robot is guilty of illegal interference, and then disqualify the team for that round.

General Rules

The official construction rules for the 2026 AIRCER Robotics Game consist of the latest revision of the 2026 AIRCER Kit document and any updated rulings or clarifications posted in the official tournament communication channels. Any rulings made by head judges or officials during competition are considered final and binding.

Robot Logistics

1. Robot Name

- Each robot, if named, can only have a name (G-rated) approved by an adult team leader before the tournament.

2. Multiple Processors

- Multiple processors (such as two KIPR robot controllers) may exist on a single robot. You may only use the Wombat controllers*.

3. It is not necessary to use all the parts in a kit.

4. Starting Box

- The Starting Box is 16” tall. A starting box is defined by the interior edge of the PVC and the inner edge of the black tape around the perimeter of the starting box.
- All elements of a team’s entry must be within the volume of a Starting Box at game start. A robot may not cross the boundary between two Starting Boxes at the start.

5. Expansion

- After the game starts, robots are allowed to expand in size.

6. Shielding

- While not always necessary, starting light sensors may be shielded as demonstrated in the workshop slides and in the construction rules and neither sensor nor shielding may extend outside the Starting Box.

7. Independent Structures

- All independent structures not under computer control should be clearly marked with the team’s number.
- Maximum label size is 1” diameter (Avery #5410), or you may use permanent marker directly on the structure. Teams may only run robots with their team number on them.

8. Robot teams can have a maximum of 4 independent structures on the game table at a time.

- A team's entry, including any game pieces supplied, must fit in the Starting Box without any external restraint at game start (the Starting Box floor and border PVC is not an external restraint).
 - Each structure must be large enough so that it does not, in the judge's opinion, constitute a jamming or entanglement hazard.
 - Examples of structures include robots, barricades, detachable baskets, etc.
 - Items intentionally ejected from a robot count as structures (judges judge intention); there are special rules regarding projectiles, discussed later.
9. No electrical modifications may be made to any KIPR robot controller, any sensors, or any motors, except for substitution of batteries with one approved by the Head Judge.
10. No wire extensions may be used except those provided in the kit.
11. Offensive entanglement strategies that involve a robot and/or independent structure are not in line with the Spirit of AIRCER and may be subject to disqualification as determined by the Head Judge.

Safety

If the Head Judge decides that a robot is not considered safe, then the robot will not be allowed to run until it has been modified, or it will be removed from the table.

Human & Robot Safety:

1. No untethered robot-launched projectiles, other than game pieces, are allowed.
2. No tethered projectiles containing metal pieces are allowed.
3. No metal pieces or wires are to be used in effectors that move or rotate at high speed.
4. No metal protrusions are to be used that are likely to cause electrical or safety risks for other robots (including arms and projectiles).
5. Judges will determine how safe a robot is. Teams may alert judges to a potential safety or entanglement hazard, but judges will interpret whether a robot is safe or not, needs to be modified, or is not allowed to run. s

Electrical Tape

Electrical tape, either black or white, may be used to cover metal pieces that are deemed to otherwise be a safety risk to robots or humans. Judges might require this to be done at the game table. Note that tape is not allowed to be used for structural purposes.

External Communication

1. No external communications (e.g., IR, Bluetooth, wireless, or semaphores) may be used during tournament play with the exception of robot to robot.
2. Teams found to be programming a robot while at the table or in the on-deck or area during rounds, excluding during the use of a timeout, will receive a DQ for the round.
3. The USB cables & chargers may not be used during game table tournament play.
4. Communication between robots for your team's entry is allowed.
5. Your robot controller may have Wi-Fi turned on or off at the tournament.
6. Any teams found in violation of any communication hacking or tampering with another team's robots or equipment may be disqualified from the rest of the tournament.

Teams found in violation of any communication rule may be disqualified from the tournament at the discretion of the Head Judge.

Overall Winner Calculations

A team's overall score is calculated as the sum of their Double Seeding, Double Elimination and Documentation scores. The overall score is between 0 and 3.

Double Seeding Scoring Formula

$$DSScore = \frac{2}{3} \left(\frac{n - DSRank + 1}{n} \right) + \frac{1}{3} \left(\frac{TeamAverageDSScore}{MaxTournamentDSScore} \right)$$

Double Elimination Scoring Formula

$$DEScore = \left(\frac{n - DERank + 1}{n} \right)$$

Documentation Scoring Formula

$$DocScore = \frac{1}{3} InspectionScore + \frac{1}{3} CodeReview + \frac{1}{3} PaperPitch$$