

Connections that work

Linked Open Data demystified


Jakob Voß

October 22th, 2014 (#kivepa2014)

connections


everything is connected

everything is connected
with everything



dw 2010

six degrees of separation



Linked Open Data cloud

What is a connection?

What is a **useful** connection?

connections that work

connection that can be processed

connection that can be processed
automatically

connection expressed as
Linked Open Data

Overview

1. History
2. Present
3. Future

History





Henriette Avram (1919-2006)

Description Tag
Main Entry 100
Filing Title 150

Statements
Title 200
Edition 250
Imprint 300
Collation 400

Notes
Series-Add 500
Series-No 510
Notes 600

Tracings
Subject 700
Pers Auth 710
Corp Auth:
Govt Body 72B
Soc or Inst 72C
Relig Body 72D
Miscell 72E

Uniform 730
Title 740
Series 750
Copy Stmt 800
Nat Bib No 830
NBN (over 15) 831
LC Call No 900
DDC No 920
LC Card No 940

OC168 rush 5+7-12 MARC

.C28 Cambel, Ali Bulent, 1923-
1968 Gas dynamics [by] Ali Bulent Cambel
[and] Burgess H. Jennings. New York,
Dover Publications [1967], c1958,
xii, 451 p. illus., facsim. *u* ✓
22 cm.
/ "An unabridged republication with minor
corrections of the work originally published in
1958."

ad 19fe68 mkd j DO NOT SET unb 67-26482

3 Includes bibliographies.
2 "Solutions, prepared by T. C. ~~Peng~~ Peng":
p. 405-440.

Stamp { 1. Gas dynamics.

Stamp { I. ✓ Jennings, Burgess Hill, 1903- joint
author.

533.2	67-26482 ✓
-------	------------

Library of Congress 3 ✓

The MARC pilot project (1968)

Machine Readable Cataloging (MARC)

good...

- ▶ encoding of bibliographic information as data
- ▶ controlled collaboration


...but...

- ▶ primary use case: printed cards





Tim Berners-Lee (1955-)



Information Management: A Proposal (1980)

World Wide Web (WWW)


good...

- ▶ worldwide connections
- ▶ uncontrolled collaboration

...but...

- ▶ only for browsing interfaces

Present



Linked Open Data cloud

Semantic Web

good...

- ▶ data integration and analysis
- ▶ semi-controlled collaboration

...but...

- ▶ promises of artificial intelligence

Linked Open Data (LOD)

good...

- ▶ data integration and analysis
- ▶ semi-controlled collaboration

...but...

- ▶ ~~promises of artificial intelligence~~

Linked Open Data (LOD)

sounds nice...

- ▶ encoding of information as data
- ▶ worldwide connections
- ▶ data integration and analysis

...but how does it actually work?

a little theory of data

Data

- ▶ all data refers to something

Data

- ▶ all data refers to something
- ▶ some data refer to the same thing

Data

- ▶ all data refers to something
- ▶ some data refer to the same thing
- ▶ for instance the same person
 - ▶ as author in a library catalog
 - ▶ in a university research management system
 - ▶ Wikipedia article about the person
 - ▶ ...

“Old School” Library Linked Data

authority files registry, classification, thesaurus...
controlled vocabularies no homonyms/synonyms
identifier notations, codes, numbers...

“Old School” Library Linked Data


authority files registry, classification, thesaurus...
controlled vocabularies no homonyms/synonyms
identifier notations, codes, numbers...


same identifier \Rightarrow data refers to the same thing

unique identification


unique identification
with **URIs**

an example





Karl Marx



Karl Marx (German artist, 1929-2008)

unique identification of things

- ▶ “author:”

<http://d-nb.info/gnd/118578545>

unique identification of things

► **object:**

<http://d-nb.info/gnd/118578545>
("Karl Marx, the artists")

unique identification of things and connections

- ▶ **object:**

<http://d-nb.info/gnd/118578545>
("Karl Marx, the artists")

- ▶ **property:**

<http://purl.org/dc/terms/creator>
("authorship, as defined by Dublin Core")

Ei kaksi kolmannetta

- ▶ **subject:**

`http://d-nb.info/940697734`
("a specific book with paintings")

- ▶ **property:**

`http://purl.org/dc/terms/creator`
("authorship, as defined by Dublin Core")

- ▶ **object:**

`http://d-nb.info/gnd/118578545`
("Karl Marx, the artists")

Ei kaksi kolmannetta

- ▶ **subject:**

`http://d-nb.info/940697734`
("a specific book with paintings")

- ▶ **property:**

`http://purl.org/dc/terms/creator`
("authorship, as defined by Dublin Core")

- ▶ **object:**

`http://d-nb.info/gnd/118578545`
("Karl Marx, the artists")

hey, that's an RDF triple!

technical break

An RDF triple (N-Triples syntax)

```
<http://d-nb.info/940697734>  
<http://purl.org/dc/terms/creator>  
<http://d-nb.info/gnd/118578545> .
```

An RDF triple (Turtle syntax)

```
@prefix dct: <http://purl.org/dc/terms/> .
```

```
<http://d-nb.info/940697734>
```

```
dc:creator
```

```
<http://d-nb.info/gnd/118578545> .
```

An RDF triple (aREF syntax)

`http://d-nb.info/940697734:`

`dc_creator:`

`http://d-nb.info/gnd/118578545`

An RDF triple (aREF syntax)

```
http://d-nb.info/940697734:  
  dc_creator:  
    http://d-nb.info/gnd/118578545
```

RDF syntax converters exist.

An RDF triple (aREF syntax)

```
http://d-nb.info/940697734:  
  dc_creator:  
    http://d-nb.info/gnd/118578545
```

RDF syntax converters exist.

always use the RDF syntax you understand best!

An RDF triple (aREF syntax)

```
http://d-nb.info/940697734:  
  dc_creator:  
    http://d-nb.info/gnd/118578545
```

RDF syntax converters exist.

always use the RDF syntax you understand best!

(nobody understands RDF/XML syntax)

Multiple RDF triples (Turtle syntax)

```
@prefix dct: <http://purl.org/dc/terms/> .  
@prefix foaf: <http://xmlns.com/foaf/0.1/> .  
  
<http://d-nb.info/940697734>  
dct:title "Gemälde" ;  
dct:creator <http://d-nb.info/gnd/118578545> .  
  
<http://d-nb.info/gnd/118578545>  
foaf:name "Karl Marx" .
```

That's RDF!

- ▶ all things identified by URIs
- ▶ all data consists of triples
 - ▶ subject (always an URI)¹
 - ▶ property (always an URI)
 - ▶ object (URI or character string)²

¹or a blank node

Ontologies

set of common properties and rules

- ▶ foaf:name
(<http://xmlns.com/foaf/0.1/name>)
- ▶ dct:title
(<http://purl.org/dc/terms/title>)

Ontologies

set of common properties and rules

- ▶ foaf:name
(<http://xmlns.com/foaf/0.1/name>)
- ▶ dct:title
(<http://purl.org/dc/terms/title>)

more specialized ontologies exist

- ▶ schema.org
- ▶ RDA-ontology and BIBFRAME

end of technical break.
wake up!

Lesson learned

- ▶ RDF data consists of triples

Lesson learned

- ▶ RDF data consists of triples
- ▶ subjects, properties, and most objects identified by URIs

Lesson learned

- ▶ RDF data consists of triples
- ▶ subjects, properties, and most objects identified by URIs
- ▶ common properties from ontologies

Lesson learned

- ▶ RDF data consists of triples
- ▶ subjects, properties, and most objects identified by URIs
- ▶ common properties from ontologies

⇒ *easy to mix and merge!*

summary of the present
linked open data

Linked Open Data

1. **Data**

with URIs, in RDF

Linked Open Data

1. **Data**

with URIs, in RDF

2. **Open**

accessible via HTTP-URIs

Linked Open Data

1. **Data**
with URIs, in RDF
2. **Open**
accessible via HTTP-URIs
3. **Linked**
contains other HTTP-URIs




Kippis!



Linked RDF



Linked RDF
contains *other* HTTP-URIs



Future

Future of cataloging

cataloging?

intellectual creation of data

intellectual creation of data
about existing works

creation of data about existing works

1. digitization

creation of data about existing works

1. digitization
2. connections

digitization



digitization



required only once per work

creation of data about existing works

1. digitization
2. connections

creation of data about existing works

1. digitization
2. connections

infinite combination of connections

connections that work

- ▶ selection from already existing URIs
- ▶ with appropriate tools

Hangul
Handball
Hanover
Handedness
Han dynasty
Hanoi
Han Chinese
Hanging
Hanja
Hand grenade

benefits

- ▶ common data format
- ▶ accessibility of data
- ▶ flexible aggregation and subsets
- ▶ collaborative creation

disadvantages

- ▶ not all data can be expressed in RDF the same way
(e.g. hierarchies and order is difficult)
- ▶ data modeling is complicated
because the things are complicated

where to start?

Linked Data Finland



<http://www.ldf.fi/>

*please contact to share **your** datasets!*

summary

everything can be connected

everything can be connected with URIs

everything can be connected

as soon as you connect it!

Conferences

SWIB Semantic Web in Libraries (since 2009)
<http://swib.org/>

LODLAM Linked Open Data in Libraries, Archives,
and Museums (since 2011)
<http://lodlam.net>

Image sources

- ▶ Six degrees of separation by Daniel Walker (User:Dannie-walker)
- ▶ *Linking Open Data cloud diagram* (2014) by Max Schmachtenberg, Christian Bizer, Anja Jentzsch and Richard Cyganiak
<http://lod-cloud.net/>
- ▶ Henriette Avram from
<http://www.loc.gov/loc/lcib/0605/avram.html>
- ▶ *Information Management: A Proposal* (1989) by Tim-Berners-Lee.
<http://www.w3.org/History/1989/proposal.html>
- ▶ Tim Berners-Lee (2005) by Uldis Bojārs from Flickr



thanks!

questions!