PROOVRA
INTEGRITY IN EVERY EVIDENCE

CONDITIONAL

DECISION PAGE

Digital Evidence Verification Record

Multipart evidence package • 2 items • Image • 2.4 MB

! CONDITIONAL TRUST STATE

Conditional. 2 items are explicitly marked primary.

Technical Confidence: Conditional

CORE INTEGRITY	DIGITAL SIGNATURE	TRUSTED TIMESTAMP	PUBLIC ANCHORING	IMMUTABLE STORAGE
✓ Verified	✓ Recorded	✓ Recorded	! Pending	! Storage protection unavailable

IMAGE

Evidence represented by preserved metadata and technical references.

Evidence Snapshot

EVIDENCE TYPE
Image evidence package

STRUCTURE
Multipart evidence package

ITEM COUNT
2

PRIMARY EVIDENCE SET
Primary evidence set (2 items)

Open verification page

PUBLIC VERIFICATION

Scan QR code or open verification page

https://app.proovra.com/verify/ev-web-001

EVIDENCE REFERENCE
ev-web-001

GENERATED UTC
30 Jun 2026, 10:06:00 UTC

REPORT MODE
Compact review report

VERIFICATION STATUS
Recorded integrity state verified

TRUST DECISION
Conditional trust state

ANCHORING
OpenTimestamps proof present; public anchoring pending

EVIDENCE STATUS AT REPORT GENERATION
Signed

LEAD ITEM SHA-256 (MULTIPART PACKAGE — PER-PART HASHES FOLLOW)
aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa

Report Boundary.
PROOVRA verifies recorded preservation state only. It does not independently prove factual truth, authorship, context, intent, evidentiary weight, or legal admissibility. Reviewers must apply their own legal interpretation layer.
For technical validation, use the verification page and appendix.

Executive Summary

CONDITIONAL INTEGRITY CONCLUSION

The preserved evidence record is present and reviewable, but one or more supporting technical confirmation signals were not finalized at report generation time. Reviewers should use this report as an evidence-orientation and technical-review aid.

CAPTURE CONTEXT

Device/browser-reported location preserved with this evidence record.



LOCATION METADATA INCLUDED
Yes

LATITUDE
52.520008

LONGITUDE
13.404954

ACCURACY RADIUS
± 12 meters

RECORDED AT SUBMISSION (SERVER UTC)
30 Jun 2026, 10:05:00 UTC

SOURCE
PROOVRA secure capture

Location metadata is device/browser-reported and user-permission-based. It may support context, but it does not independently prove physical presence, authorship, truth, or admissibility.

EVIDENCE TYPE
Image Evidence Package

TOTAL ITEMS
2

EVIDENCE STRUCTURE
Multipart evidence package

TOTAL SIZE
2.4 MB

CAPTURED & SIGNED
30 Jun 2026, 10:05:00 UTC / 30 Jun 2026, 10:05:02 UTC

SUBMITTED BY
owner@acme-legal.example

ORGANIZATION / WORKSPACE
Jalal Attar's personal workspace

IDENTITY LEVEL
Verified email

LEAD ITEM
IMG_4821.jpg
Primary evidence set: 2 items

TRUST DECISION
Conditional trust state

TECHNICAL CONFIDENCE
Conditional

Important boundary

This report verifies recorded integrity and preservation state only. Legal admissibility, factual truth, authorship, context, and evidentiary weight require separate review.

Recorded integrity is verified, but Bitcoin anchoring is not finalized yet. An OpenTimestamps proof is recorded. Use the technical integrity result and recheck anchoring later if independent Bitcoin anchoring is required.

PROOVRA VERIFICATION REPORT

Trust Signal Analysis

VERIFICATION LAYER REVIEW

Signal-level basis for the Trust Decision

This page explains how the recorded integrity, signature, timestamping, anchoring, storage, custody, identity, and package layers support reviewer interpretation. It is a supporting analysis layer, not a separate legal conclusion.

✓ Core integrity — Verified

Core integrity verified

Recorded digest, canonical fingerprint, signature material, and custody references are available and consistent for this evidence record.

✓ Digital signature — Verified

Signature package recorded

Signature material, signing-key reference, and public-key material are available for independent verification.

✓ Trusted timestamp — Verified

Trusted timestamp recorded

An RFC 3161 trusted timestamp is recorded and can support review of when the preserved integrity state existed.

! Public anchoring — Follow-up recommended

OpenTimestamps proof present; Bitcoin anchoring pending

OpenTimestamps proof material is present, but Bitcoin anchoring has not finalized yet.

i Immutable storage — Not recorded

Storage not reported

No verifiable immutable-storage protection was included in the record payload.

! Custody chain — Recorded

3 forensic events recorded

Forensic custody events are recorded, but the custody-chain material is limited or incomplete.

! Workspace identity — Recorded

Workspace/link creator identity recorded

Workspace or link creator identity information is recorded. Remote contributor identity was not independently verified.

✓ Verification package — Verified

Verification package recorded

A verification package/version is recorded, supporting deeper technical validation outside summary surfaces.

Reviewer interpretation

Passed signals: Core integrity, Digital signature, Trusted timestamp, Verification package. Degraded signals: OpenTimestamps proof present; Bitcoin anchoring pending; Storage not reported; 3 forensic events recorded; Workspace/link creator identity recorded.

Recorded integrity is verified, but Bitcoin anchoring is not finalized yet. An OpenTimestamps proof is recorded. Use the technical integrity result and recheck anchoring later if independent Bitcoin anchoring is required.

Court & Technical Review Index

COURT-FACING REVIEW MAP

Control points for legal, forensic, and technical review

This page consolidates the main review checkpoints used to connect the report, preserved evidence, cryptographic materials, custody history, verification package, and technical appendix. It is an index for reviewers, not a legal admissibility conclusion.

EVIDENCE RECORD
ev-web-001

PACKAGE STRUCTURE
Multipart evidence package • 2 items

PRIMARY EVIDENCE SET
2 items explicitly marked primary

FILE DIGEST PRESENT
Yes

CANONICAL FINGERPRINT PRESENT
Yes

SIGNATURE PRESENT
Yes

PUBLIC KEY REFERENCE
proovra-ed25519 / v1

CUSTODY CHAIN PRESENT
Yes

REPORT SCHEMA VERSION
v2

VERIFICATION PACKAGE VERSION
v2

CANONICAL JSON
Available in technical materials / verification package

PRIMARY PACKAGE DIGEST TYPE
Canonical multipart package digest

SIGNATURE MATERIAL
Recorded

TIMESTAMP MATERIAL
Trusted timestamp token recorded

PUBLIC ANCHORING
OpenTimestamps proof present; public anchoring pending

FORENSIC CUSTODY EVENTS
3

ACCESS ACTIVITY
Package access snapshot is taken at generation. Current live access activity should be reviewed on the verification page or audit trail when enabled.

IMMUTABLE STORAGE
Recorded with limitations

Review boundary

These control points support technical and procedural review. Factual truth, authorship, context, relevance, legal admissibility, and evidentiary weight remain separate human/legal determinations.

Evidence Gallery

Unified evidence gallery

Primary, supporting, and context items are presented together for reviewer efficiency. Role and checklist mapping labels identify each item's review purpose; preserved originals, hashes, custody, timestamps, and verification materials remain authoritative.

IMG_4821.jpg

PRIMARY · RENDERED PREVIEW

Image Evidence

Preserved original content is represented through recorded metadata, digest references, and the verification workflow.

ROLE	Primary
MAPPING	Rendered preview
TYPE	Image Evidence
FORMAT	image/jpeg
SIZE	2.4 MB
ITEM SHA-256	aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaa

IMG_4822.jpg

PRIMARY · RENDERED PREVIEW

Image Evidence

Preserved original content is represented through recorded metadata, digest references, and the verification workflow.

ROLE	Primary
MAPPING	Rendered preview
TYPE	Image Evidence
FORMAT	image/jpeg
SIZE	2.4 MB
ITEM SHA-256	aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa aaaaaaa

PROOVRA VERIFICATION REPORT

Duplicate Digest Register

Duplicate content digest register

This register lists evidence items that share the same SHA-256 content digest. Matching digests indicate identical preserved file content. Different filenames, roles, upload positions, or package references may still be relevant and are therefore retained as separate evidence items.

D-01 2 MATCHING ITEMS

aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa

IMG_4821.jpg, IMG_4822.jpg

Chain of Custody

Recorded Forensic Lifecycle

The events below show the system-recorded custody path of the evidence package. Routine viewing, download, and verification access activity is intentionally kept out of this PDF and should be reviewed through the verification page or internal audit trail when needed.

FORENSIC EVENTS (REPORT SNAPSHOT)

3 forensic events

HASH CHAIN

Not reported

PACKAGE ACCESS SNAPSHOT

Snapshot preserved at package generation; current live access activity is reviewed on the verification page.

LIFECYCLE SUMMARY

Created → **Identity recorded** → **Upload completed** → **Signed** → **Timestamped** → **Locked** → **Report generated** → **Anchoring pending**

1. **Evidence record created** — 30 Jun 2026, 10:03:00 UTC
   Evidence record created.

2. **Identity snapshot recorded at submission** — 30 Jun 2026, 10:03:05 UTC
   Identity snapshot recorded • Identity: Verified email • Email: owner@acme-legal.example • Provider: Google

3. **Evidence Completed** — 30 Jun 2026, 10:05:02 UTC
   Evidence completed and signed.

Reviewer Verification Workflow

Procedural verification checklist

Use this section as a review workflow for validating the report against the preserved evidence package and the verification endpoint.

Procedural checkpoints

- Confirm the evidence reference, package structure, and the explicit primary evidence set.
- Validate the representative primary-item SHA-256, the canonical package digest, and the canonical fingerprint hash against the preserved materials.
- Review custody chronology before relying on the evidence record.
- Use the verification endpoint for signature, timestamp token, and anchoring proof validation.

Verification steps

1

STEP 1

Obtain the complete multipart evidence set.

What this establishes: Ensures the reviewer validates the complete package, not only a preview or single extracted file.

2

STEP 2

Review the canonical fingerprint and listed evidence parts.

What this establishes: Supports structured technical verification of the evidence.

3

STEP 3

Validate the canonical package digest against the recorded package structure and item SHA-256 values.

What this establishes: Confirms the recorded package digest matches the package structure and item SHA-256 values.

4

STEP 4

Verify the digital signature using the provided public key.

What this establishes: Validates signature and integrity consistency of the recorded evidence package.

5

STEP 5

Verify the RFC 3161 timestamp token, when present.

What this establishes: Supports verification that the recorded digest existed at or before the referenced timestamp.

6

STEP 6

Verify the OpenTimestamps proof, when present.

What this establishes: Links the evidence digest to a public, independently verifiable timestamping trail.

7

STEP 7

Review the forensic chain of custody events.

What this establishes: Provides a chronological record of how the evidence was handled.

8

STEP 8

Review immutable storage details, when present.

What this establishes: Indicates protection against modification after preservation.

Verification workflow note

Where a timestamp, anchoring record, or signature package exists, this PDF identifies the exact reference values while the verification workflow preserves the heavier validation payloads.

Technical Summary

Device and camera context for the recorded material. Advisory enrichment for reviewers; it does not change the integrity verdict, and location (where recorded) is shown in the Capture Context above.

Representative EXIF shown (Primary Media Item). Per-file EXIF for all 2 media items is included in the verification package (technical-metadata/exif-details.json).

Camera metadata is embedded in the file by the capturing device. The EXIF Original Capture Time is read from the file itself and is distinct from PROOVRA's submission and preservation timestamps.

Capture Device

CAPTURE DEVICE samsung Galaxy S25 FE	**OPERATING SYSTEM** Windows
DEVICE Desktop	**SUBMITTED THROUGH** PROOVRA Web Application
CAPTURE METHOD PROOVRA Web Upload	**TIMEZONE** Europe/London

Camera

CAMERA MAKE samsung	**CAMERA MODEL** Galaxy S25 FE
EXIF ORIGINAL CAPTURE TIME 30 Jun 2026, 09:58:11 UTC+00:00	

Exposure

ISO 50	**APERTURE** f/1.8
SHUTTER / EXPOSURE 1/100s	

Legal Interpretation & Report Boundary

LEGAL AND EVIDENTIARY BOUNDARY

This report is a technical preservation and verification record, not a final legal judgment.

Reviewers should separate recorded integrity, custody, timestamping, and storage controls from factual truth, authorship, context, relevance, evidentiary weight, and admissibility.

This report does not prove

Truth, authorship, intent, context, completeness, admissibility, evidentiary weight, or acceptance by any court, insurer, regulator, or authority.

Technical verification supports detection of post-completion changes only.

Integrity vs. factual accuracy

A valid integrity record can support that the preserved evidence state has not changed after the recorded workflow point. It does not independently prove that the content is true, complete, fairly contextualized, or authored by a particular person.

Legal review posture

Use this report as a technical and procedural record. Questions of factual truth, authorship, context, relevance, evidentiary weight, and admissibility remain for the relevant court, investigator, regulator, insurer, employer, or expert process.

Technical Appendix — Identity, Provenance, Fingerprint & Signature

Identity & Provenance

Who submitted the evidence, which identity level was recorded, and what workspace or organization context exists.

SUBMITTED BY EMAIL
owner@acme-legal.example

SUBMITTED BY PROVIDER
Google

SUBMITTED BY USER REF
submit[redacted-middle]ser-55

CREATED BY USER REF
owner-[redacted-middle]223344

UPLOADED BY USER REF
owner-[redacted-middle]223344

CAPTURE METHOD
PROOVRA Web Upload

IDENTITY LEVEL
Verified email

ORGANIZATION / WORKSPACE
Jalal Attar's personal workspace

ORGANIZATION STATUS
Workspace recorded

Cryptographic Fingerprint

Primary digest and canonical fingerprint references used to identify the preserved evidence state.

Fingerprint interpretation

Multipart evidence package (2 items) represented by a canonical fingerprint describing structure, metadata, and integrity values. MIME types: image/jpeg.

Multipart integrity explanation

This evidence record contains multiple preserved files. The root integrity digest is computed from the ordered SHA-256 hashes of the included evidence parts. No single original-file hash represents the whole record. Each part still has its own SHA-256. The multipart manifest digest can be recomputed from the ordered per-part hashes. This verifies recorded integrity, not factual truth or original device capture authenticity.

CANONICAL PACKAGE DIGEST (SHA-256)
aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa

CANONICAL FINGERPRINT HASH
bbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbbb

CANONICAL FINGERPRINT RECORD
Recorded in verification package; omitted from PDF to keep the report readable and lightweight

Digital Signature

Signature and signing-key references used for independent verification of the recorded evidence state.

SIGNING KEY REFERENCE
proovra-ed25519 / v1

SIGNATURE MATERIAL
Recorded in verification package and verification workflow

PUBLIC KEY MATERIAL
Recorded in verification workflow

Signature material handling

Full signature and public-key materials remain available through the verification package and technical verification endpoint.

Technical Appendix — Timestamp & Anchoring

Trusted Timestamp

RFC 3161 timestamp metadata and timestamped digest reference. This digest may represent canonical package/fingerprint material rather than the original file SHA-256.

TIMESTAMP PROVIDER
freetsa.org

TIMESTAMP URL
https://freetsa.org/tsr

SERIAL NUMBER
0x1A2B

GENERATION TIME (UTC)
30 Jun 2026, 10:05:03 UTC

HASH ALGORITHM
SHA-256

TIMESTAMP STATUS
Trusted timestamp token recorded

TIMESTAMPED DIGEST TYPE
Timestamped Digest / Canonical Package Digest

TIMESTAMPED DIGEST / CANONICAL PACKAGE DIGEST

aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa

Timestamp material handling

Full RFC 3161 token remains available through the verification package and technical verification endpoint.

Anchoring

OpenTimestamps and Bitcoin anchoring references connected to the recorded digest state.

OTS STATUS
OpenTimestamps proof present; public anchoring pending

Anchoring material handling

No additional anchoring proof payload was recorded.