



## DECISION PAGE

Single evidence item • 1 item • Image • 2.4 MB

## ! CONDITIONAL TRUST STATE

**Technical Confidence: Conditional**

**! IMMUTABLE STORAGE**

**Storage protection unavailable**

## PROOVRA Verification Report | ID: ev-sms-loc-001 | v2 | Page 1/11 | Generated: 2026-06-30 UTC



CONDITIONAL INTEGRITY CONCLUSION

The preserved evidence record is present and reviewable, but one or more supporting technical confirmation signals were not finalized at report generation time. Reviewers should use this report as an evidence-orientation and technical-review aid.

EVIDENCE ACQUISITION

ACQUISITION METHOD

Intake Link

DELIVERY CHANNEL

SMS

SUBMISSION TYPE

Remote Contributor

SUBMISSION STATUS

Sent • Delivered • Opened • Submitted

CONSENT

Accepted

CAPTURE CONTEXT

Location was provided by the contributor's browser during upload. Captured after an explicit Share click — not silently. Coordinates are evidence of what the browser reported at the moment of upload, not independent proof of physical presence.



LOCATION METADATA INCLUDED  
Yes

LATITUDE  
52.520008

LONGITUDE  
13.404954

ACCURACY RADIUS  
± 12 meters

INTAKE SUBMITTED AT (SERVER UTC)  
2026-06-30 10:05:00 UTC

SOURCE  
Contributor browser permission

Location metadata is device/browser-reported and user-permission-based. It may support context, but it does not independently prove physical presence, authorship, truth, or admissibility.

EVIDENCE TYPE

Photo Evidence

TOTAL ITEMS

1

EVIDENCE STRUCTURE

Single evidence item

TOTAL SIZE

2.4 MB

CAPTURED & SIGNED

2026-06-30T10:05:00.000Z / 2026-06-30T10:05:02.000Z

SUBMITTED BY

Remote Contributor via Secure Intake Link

ORGANIZATION / WORKSPACE

Acme Legal LLP

IDENTITY LEVEL

Basic account

LEAD ITEM

IMG\_4821.jpg • Image

TRUST DECISION

Conditional trust state

TECHNICAL CONFIDENCE

Conditional

Important boundary

This report verifies recorded integrity and preservation state only. Legal admissibility, factual truth, authorship, context, and evidentiary weight require separate review.

Recorded integrity is verified, but independent public anchoring is not finalized yet. Use the technical integrity result with a conditional publication posture and recheck publication later if independent public anchoring is required.



# Trust Signal Analysis

VERIFICATION LAYER REVIEW

## Signal-level basis for the Trust Decision

This page explains how the recorded integrity, signature, timestamping, anchoring, storage, custody, identity, and package layers support reviewer interpretation. It is a supporting analysis layer, not a separate legal conclusion.

|                                                                                                                                                                                                                                                                      |                                                                                                                                                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div><div>✓</div><div><div>Core integrity</div><div>Core integrity verified</div><div>Recorded digest, canonical fingerprint, signature material, and custody references are available and consistent for this evidence record.</div></div><div>Verified</div></div> | <div><div>✓</div><div><div>Digital signature</div><div>Signature package recorded</div><div>Signature material, signing-key reference, and public-key material are available for independent verification.</div></div><div>Verified</div></div>                        |
| <div><div>✓</div><div><div>Trusted timestamp</div><div>Trusted timestamp recorded</div><div>An RFC 3161 trusted timestamp is recorded and can support review of when the preserved integrity state existed.</div></div><div>Verified</div></div>                     | <div><div>!</div><div><div>Public anchoring</div><div>OpenTimestamps proof present; public anchoring pending</div><div>OpenTimestamps proof material is present, but Bitcoin/public anchoring has not finalized yet.</div></div><div>Follow-up recommended</div></div> |
| <div><div>i</div><div><div>Immutable storage</div><div>Storage not reported</div><div>No verifiable immutable-storage protection was included in the record payload.</div></div><div>Not recorded</div></div>                                                        | <div><div>!</div><div><div>Custody chain</div><div>1 forensic events recorded</div><div>Forensic custody events are recorded, but the custody-chain material is limited or incomplete.</div></div><div>Recorded</div></div>                                            |
| <div><div>!</div><div><div>Identity assurance</div><div>Submitter identity recorded</div><div>Basic submitter identity information is present, but stronger organization verification was not recorded.</div></div><div>Recorded</div></div>                         | <div><div>✓</div><div><div>Verification package</div><div>Verification package recorded</div><div>A verification package/version is recorded, supporting deeper technical validation outside summary surfaces.</div></div><div>Verified</div></div>                    |

## Reviewer interpretation

Passed signals: Core integrity, Digital signature, Trusted timestamp, Verification package. Degraded signals: OpenTimestamps proof present; public anchoring pending; Storage not reported; 1 forensic events recorded; Submitter identity recorded.

**Recorded integrity is verified, but independent public anchoring is not finalized yet. Use the technical integrity result with a conditional publication posture and recheck publication later if independent public anchoring is required.**



# Court & Technical Review Index

COURT-FACING REVIEW MAP

### Control points for legal, forensic, and technical review

This page consolidates the main review checkpoints used to connect the report, preserved evidence, cryptographic materials, custody history, verification package, and technical appendix. It is an index for reviewers, not a legal admissibility conclusion.

|                                                                                                                                                                                 |                                                               |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| <b>EVIDENCE RECORD</b><br>ev-sms-loc-001                                                                                                                                        | <b>PACKAGE STRUCTURE</b><br>Single evidence item • 1 item     |
| <b>LEAD REVIEW ITEM</b><br>IMG_4821.jpg                                                                                                                                         | <b>FILE DIGEST PRESENT</b><br>Yes                             |
| <b>CANONICAL FINGERPRINT PRESENT</b><br>Yes                                                                                                                                     | <b>SIGNATURE PRESENT</b><br>Yes                               |
| <b>PUBLIC KEY REFERENCE</b><br>proovra-ed25519 / v1                                                                                                                             | <b>CUSTODY CHAIN PRESENT</b><br>Yes                           |
| <b>REPORT SCHEMA VERSION</b><br>v2                                                                                                                                              | <b>VERIFICATION PACKAGE VERSION</b><br>v2                     |
| <b>CANONICAL JSON</b><br>Available in technical materials / verification package                                                                                                | <b>PRIMARY DIGEST TYPE</b><br>Original file digest            |
| <b>SIGNATURE MATERIAL</b><br>Recorded                                                                                                                                           | <b>TIMESTAMP MATERIAL</b><br>Trusted timestamp token recorded |
| <b>PUBLIC ANCHORING</b><br>OpenTimestamps proof present; public anchoring pending                                                                                               | <b>FORENSIC CUSTODY EVENTS</b><br>1                           |
| <b>ACCESS ACTIVITY</b><br>Package access snapshot is taken at generation. Current live access activity should be reviewed on the verification page or audit trail when enabled. | <b>IMMUTABLE STORAGE</b><br>Recorded with limitations         |

### Review boundary

These control points support technical and procedural review. Factual truth, authorship, context, relevance, legal admissibility, and evidentiary weight remain separate human/legal determinations.



Primary, supporting, and context items are presented together for reviewer efficiency. Role and checklist mapping labels identify each item's review purpose; preserved originals, hashes, custody, timestamps, and verification materials remain authoritative.

## PRIMARY • RENDERED PREVIEW

Preserved original content is represented through recorded metadata, digest references, and the verification workflow.

[illegible]



# Chain of Custody

## Recorded Forensic Lifecycle

The events below show the system-recorded custody path of the evidence package. Routine viewing, download, and verification access activity is intentionally kept out of this PDF and should be reviewed through the verification page or internal audit trail when needed.

### FORENSIC EVENTS (REPORT SNAPSHOT)

1 forensic events

### HASH CHAIN

Not reported

### PACKAGE ACCESS SNAPSHOT

Snapshot preserved at package generation; current live access activity is reviewed on the verification page.

## LIFECYCLE SUMMARY

Created → Identity recorded → Upload completed → Signed → Timestamped → Locked → Report generated → Anchoring pending



Evidence record created  
{ "type": "PHOTO" }

2026-06-30T10:04:00.000Z



# Reviewer Verification Workflow

## Procedural verification checklist

Use this section as a review workflow for validating the report against the preserved evidence package and the verification endpoint.

### Procedural checkpoints

- Confirm the evidence reference, package structure, and lead review item.
- Validate the lead item SHA-256, original file or canonical package digest, and canonical fingerprint hash against the preserved materials.
- Review custody chronology before relying on the evidence record.
- Use the verification endpoint for signature, timestamp token, and anchoring proof validation.

### Verification steps

- 1

**STEP 1**  
**Obtain the original evidence file.**  
What this establishes: Supports structured technical verification of the evidence.
- 2

**STEP 2**  
**Compute the SHA-256 hash of the evidence file.**  
What this establishes: Confirms the preserved file has not been altered after recording.
- 3

**STEP 3**  
**Compare the computed hash with the value listed in this report.**  
What this establishes: Supports structured technical verification of the evidence.
- 4

**STEP 4**  
**Verify the digital signature using the provided public key.**  
What this establishes: Validates signature and integrity consistency of the recorded evidence package.
- 5

**STEP 5**  
**Verify the RFC 3161 timestamp token, when present.**  
What this establishes: Supports verification that the recorded digest existed at or before the referenced timestamp.
- 6

**STEP 6**  
**Verify the OpenTimestamps proof, when present.**  
What this establishes: Links the evidence digest to a public, independently verifiable timestamping trail.
- 7

**STEP 7**  
**Review the forensic chain of custody events.**  
What this establishes: Provides a chronological record of how the evidence was handled.
- 8

**STEP 8**  
**Review immutable storage details, when present.**  
What this establishes: Indicates protection against modification after preservation.

## Verification workflow note

Where a timestamp, anchoring record, or signature package exists, this PDF identifies the exact reference values while the verification workflow preserves the heavier validation payloads.



## Technical Summary

Device and camera context for the recorded material. Advisory enrichment for reviewers; it does not change the integrity verdict, and location (where recorded) is shown in the Capture Context above.

Camera metadata is embedded in the file by the capturing device. The EXIF Original Capture Time is read from the file itself and is distinct from PROOVRA's submission and preservation timestamps.

### Capture Device

|                                                |                                                    |
|------------------------------------------------|----------------------------------------------------|
| <b>CAPTURE DEVICE</b><br>samsung Galaxy S25 FE | <b>OPERATING SYSTEM</b><br>Android 15              |
| <b>DEVICE</b><br>Mobile                        | <b>SUBMITTED THROUGH</b><br>Intake Link Submission |
| <b>CAPTURE METHOD</b><br>Secure Intake Link    | <b>BROWSER</b><br>Samsung Internet 25              |
| <b>TIMEZONE</b><br>Europe/Berlin               |                                                    |

### Camera

|                                                           |                                      |
|-----------------------------------------------------------|--------------------------------------|
| <b>CAMERA MAKE</b><br>samsung                             | <b>CAMERA MODEL</b><br>Galaxy S25 FE |
| <b>EXIF ORIGINAL CAPTURE TIME</b><br>2026-06-30T09:58:11Z |                                      |

### Exposure

|                                     |                          |
|-------------------------------------|--------------------------|
| <b>ISO</b><br>50                    | <b>APERTURE</b><br>f/1.8 |
| <b>SHUTTER / EXPOSURE</b><br>1/100s |                          |



# Legal Interpretation & Report Boundary

LEGAL AND EVIDENTIARY BOUNDARY

**This report is a technical preservation and verification record, not a final legal judgment.**

Reviewers should separate recorded integrity, custody, timestamping, and storage controls from factual truth, authorship, context, relevance, evidentiary weight, and admissibility.

**This report does not prove**

Truth, authorship, intent, context, completeness, admissibility, evidentiary weight, or acceptance by any court, insurer, regulator, or authority.

Technical verification supports detection of post-completion changes only.

**Integrity vs. factual accuracy**

A valid integrity record can support that the preserved evidence state has not changed after the recorded workflow point. It does not independently prove that the content is true, complete, fairly contextualized, or authored by a particular person.

**Legal review posture**

Use this report as a technical and procedural record. Questions of factual truth, authorship, context, relevance, evidentiary weight, and admissibility remain for the relevant court, investigator, regulator, insurer, employer, or expert process.



Who submitted the evidence, which identity level was recorded, and what workspace or organization context exists.

Primary digest and canonical fingerprint references used to identify the preserved evidence state.

Single evidence item represented by a canonical fingerprint and recorded MIME metadata. MIME: image/jpeg.

Signature and signing-key references used for independent verification of the recorded evidence state.

Full signature and public-key materials remain available through the verification package and technical verification endpoint.



RFC 3161 timestamp metadata and timestamped digest reference for the original preserved file SHA-256.

**Timestamp material handling**

Full RFC 3161 token remains available through the verification package and technical verification endpoint.

OpenTimestamps and external anchoring references connected to the recorded digest state.

**Anchoring material handling**  
No additional anchoring proof payload was recorded.