



DECISION PAGE

Multipart evidence package • 2 items • Image • 2.4 MB

Conditional. 2 items are explicitly marked primary.

Technical Confidence: Conditional

! IMMUTABLE STORAGE

Storage protection unavailable

PROOVRA Verification Report | ID: ev-intake-001 | v2 | Page 1/12 | Generated: 2026-06-30 UTC

CONDITIONAL INTEGRITY CONCLUSION

The preserved evidence record is present and reviewable, but one or more supporting technical confirmation signals were not finalized at report generation time. Reviewers should use this report as an evidence-orientation and technical-review aid.

EVIDENCE ACQUISITION

ACQUISITION METHOD

Intake Link

DELIVERY CHANNEL

SMS

SUBMISSION TYPE

Remote Contributor

SUBMISSION STATUS

Sent • Delivered • Opened • Submitted

CONSENT

Accepted

CAPTURE CONTEXT

Location was provided by the contributor's browser during upload. Captured after an explicit Share click — not silently. Coordinates are evidence of what the browser reported at the moment of upload, not independent proof of physical presence.



LOCATION METADATA INCLUDED
Yes

LATITUDE
52.520008

LONGITUDE
13.404954

ACCURACY RADIUS
± 12 meters

INTAKE SUBMITTED AT (SERVER UTC)
30 Jun 2026, 10:05:00 UTC

SOURCE
Contributor browser permission

Location metadata is device/browser-reported and user-permission-based. It may support context, but it does not independently prove physical presence, authorship, truth, or admissibility.

EVIDENCE TYPE

Image Evidence Package

TOTAL ITEMS

2

EVIDENCE STRUCTURE

Multipart evidence package

TOTAL SIZE

2.4 MB

CAPTURED & SIGNED

30 Jun 2026, 10:05:00 UTC / 30 Jun 2026, 10:05:02 UTC

SUBMITTED BY

Remote Contributor via Secure Intake Link

ORGANIZATION / WORKSPACE

Jalal Attar's personal workspace

IDENTITY LEVEL

Verified email

LEAD ITEM

IMG_4821.jpg
Primary evidence set: 2 items

TRUST DECISION

Conditional trust state

TECHNICAL CONFIDENCE

Conditional

Important boundary

This report verifies recorded integrity and preservation state only. Legal admissibility, factual truth, authorship, context, and evidentiary weight require separate review.

Recorded integrity is verified, but independent public anchoring is not finalized yet. Use the technical integrity result with a conditional publication posture and recheck publication later if independent public anchoring is required.

Trust Signal Analysis

VERIFICATION LAYER REVIEW

Signal-level basis for the Trust Decision

This page explains how the recorded integrity, signature, timestamping, anchoring, storage, custody, identity, and package layers support reviewer interpretation. It is a supporting analysis layer, not a separate legal conclusion.

✓ Core integrity Core integrity verified Recorded digest, canonical fingerprint, signature material, and custody references are available and consistent for this evidence record. Verified	✓ Digital signature Signature package recorded Signature material, signing-key reference, and public-key material are available for independent verification. Verified
✓ Trusted timestamp Trusted timestamp recorded An RFC 3161 trusted timestamp is recorded and can support review of when the preserved integrity state existed. Verified	! Public anchoring OpenTimestamps proof present; public anchoring pending OpenTimestamps proof material is present, but Bitcoin/public anchoring has not finalized yet. Follow-up recommended
i Immutable storage Storage not reported No verifiable immutable-storage protection was included in the record payload. Not recorded	! Custody chain 3 forensic events recorded Forensic custody events are recorded, but the custody-chain material is limited or incomplete. Recorded
! Identity assurance Submitter identity recorded Basic submitter identity information is present, but stronger organization verification was not recorded. Recorded	✓ Verification package Verification package recorded A verification package/version is recorded, supporting deeper technical validation outside summary surfaces. Verified

Reviewer interpretation

Passed signals: Core integrity, Digital signature, Trusted timestamp, Verification package. Degraded signals: OpenTimestamps proof present; public anchoring pending; Storage not reported; 3 forensic events recorded; Submitter identity recorded.

Recorded integrity is verified, but independent public anchoring is not finalized yet. Use the technical integrity result with a conditional publication posture and recheck publication later if independent public anchoring is required.

Court & Technical Review Index

COURT-FACING REVIEW MAP

Control points for legal, forensic, and technical review

This page consolidates the main review checkpoints used to connect the report, preserved evidence, cryptographic materials, custody history, verification package, and technical appendix. It is an index for reviewers, not a legal admissibility conclusion.

EVIDENCE RECORD ev-intake-001	PACKAGE STRUCTURE Multipart evidence package • 2 items
PRIMARY EVIDENCE SET 2 items explicitly marked primary	FILE DIGEST PRESENT Yes
CANONICAL FINGERPRINT PRESENT Yes	SIGNATURE PRESENT Yes
PUBLIC KEY REFERENCE proovra-ed25519 / v1	CUSTODY CHAIN PRESENT Yes
REPORT SCHEMA VERSION v2	VERIFICATION PACKAGE VERSION v2
CANONICAL JSON Available in technical materials / verification package	PRIMARY PACKAGE DIGEST TYPE Canonical multipart package digest
SIGNATURE MATERIAL Recorded	TIMESTAMP MATERIAL Trusted timestamp token recorded
PUBLIC ANCHORING OpenTimestamps proof present; public anchoring pending	FORENSIC CUSTODY EVENTS 3
ACCESS ACTIVITY Package access snapshot is taken at generation. Current live access activity should be reviewed on the verification page or audit trail when enabled.	IMMUTABLE STORAGE Recorded with limitations

Review boundary

These control points support technical and procedural review. Factual truth, authorship, context, relevance, legal admissibility, and evidentiary weight remain separate human/legal determinations.

Primary, supporting, and context items are presented together for reviewer efficiency. Role and checklist mapping labels identify each item's review purpose; preserved originals, hashes, custody, timestamps, and verification materials remain authoritative.

[illegible]

Duplicate Digest Register

Duplicate content digest register

This register lists evidence items that share the same SHA-256 content digest. Matching digests indicate identical preserved file content. Different filenames, roles, upload positions, or package references may still be relevant and are therefore retained as separate evidence items.

D-01

2 MATCHING ITEMS

aa

IMG_4821.jpg, IMG_4822.jpg

Chain of Custody

Recorded Forensic Lifecycle

The events below show the system-recorded custody path of the evidence package. Routine viewing, download, and verification access activity is intentionally kept out of this PDF and should be reviewed through the verification page or internal audit trail when needed.

FORENSIC EVENTS (REPORT SNAPSHOT)

3 forensic events

HASH CHAIN

Not reported

PACKAGE ACCESS SNAPSHOT

Snapshot preserved at package generation; current live access activity is reviewed on the verification page.

LIFECYCLE SUMMARY

Created → Identity recorded → Upload completed → Signed → Timestamped → Locked → Report generated → Anchoring pending

1

Evidence record created

Evidence record created.

30 Jun 2026, 10:03:00 UTC

2

Link creator identity recorded

Identity of the intake link creator (workspace account) was recorded when the secure link was authorized. The remote contributor's identity is not independently verified.

30 Jun 2026, 10:03:05 UTC

3

Evidence Completed

Evidence completed and signed.

30 Jun 2026, 10:05:02 UTC

Reviewer Verification Workflow

Procedural verification checklist

Use this section as a review workflow for validating the report against the preserved evidence package and the verification endpoint.

Procedural checkpoints

- Confirm the evidence reference, package structure, and the explicit primary evidence set.
- Validate the representative primary-item SHA-256, the canonical package digest, and the canonical fingerprint hash against the preserved materials.
- Review custody chronology before relying on the evidence record.
- Use the verification endpoint for signature, timestamp token, and anchoring proof validation.

Verification steps

1

STEP 1

Obtain the complete multipart evidence set.

What this establishes: Ensures the reviewer validates the complete package, not only a preview or single extracted file.

2

STEP 2

Review the canonical fingerprint and listed evidence parts.

What this establishes: Supports structured technical verification of the evidence.

3

STEP 3

Validate the canonical package digest against the recorded package structure and item SHA-256 values.

What this establishes: Confirms the recorded package digest matches the package structure and item SHA-256 values.

4

STEP 4

Verify the digital signature using the provided public key.

What this establishes: Validates signature and integrity consistency of the recorded evidence package.

5

STEP 5

Verify the RFC 3161 timestamp token, when present.

What this establishes: Supports verification that the recorded digest existed at or before the referenced timestamp.

6

STEP 6

Verify the OpenTimestamps proof, when present.

What this establishes: Links the evidence digest to a public, independently verifiable timestamping trail.

7

STEP 7

Review the forensic chain of custody events.

What this establishes: Provides a chronological record of how the evidence was handled.

8

STEP 8

Review immutable storage details, when present.

What this establishes: Indicates protection against modification after preservation.

Verification workflow note

Where a timestamp, anchoring record, or signature package exists, this PDF identifies the exact reference values while the verification workflow preserves the heavier validation payloads.

Technical Summary

Device and camera context for the recorded material. Advisory enrichment for reviewers; it does not change the integrity verdict, and location (where recorded) is shown in the Capture Context above.

Representative EXIF shown. Full per-file EXIF is available in the Verification Package.
EXIF timestamps originate from the media file and are independent of PROOVRA submission and preservation timestamps.

Capture Device

CAPTURE DEVICE samsung Galaxy S25 FE	OPERATING SYSTEM Android 15
DEVICE Mobile	SUBMITTED THROUGH Intake Link Submission
CAPTURE METHOD Secure Intake Link	BROWSER Samsung Internet 25
TIMEZONE Europe/Berlin	

Camera

CAMERA MAKE samsung	CAMERA MODEL Galaxy S25 FE
EXIF ORIGINAL CAPTURE TIME 30 Jun 2026, 09:58:11 UTC+00:00	

Exposure

ISO 50	APERTURE f/1.8
SHUTTER / EXPOSURE 1/100s	

Legal Interpretation & Report Boundary

LEGAL AND EVIDENTIARY BOUNDARY

This report is a technical preservation and verification record, not a final legal judgment.

Reviewers should separate recorded integrity, custody, timestamping, and storage controls from factual truth, authorship, context, relevance, evidentiary weight, and admissibility.

This report does not prove

Truth, authorship, intent, context, completeness, admissibility, evidentiary weight, or acceptance by any court, insurer, regulator, or authority.

Technical verification supports detection of post-completion changes only.

Integrity vs. factual accuracy

A valid integrity record can support that the preserved evidence state has not changed after the recorded workflow point. It does not independently prove that the content is true, complete, fairly contextualized, or authored by a particular person.

Legal review posture

Use this report as a technical and procedural record. Questions of factual truth, authorship, context, relevance, evidentiary weight, and admissibility remain for the relevant court, investigator, regulator, insurer, employer, or expert process.

Who submitted the evidence, which identity level was recorded, and what workspace or organization context exists.

Primary digest and canonical fingerprint references used to identify the preserved evidence state.

Multipart evidence package (2 items) represented by a canonical fingerprint describing structure, metadata, and integrity values. MIME types: image/jpeg.

This evidence record contains multiple preserved files. The root integrity digest is computed from the ordered SHA-256 hashes of the included evidence parts. No single original-file hash represents the whole record. Each part still has its own SHA-256. The multipart manifest digest can be recomputed from the ordered per-part hashes. This verifies recorded integrity, not factual truth or original device capture authenticity.

PROOVRA Verification Report | ID: ev-intake-001 | v2 | Page 11/12 | Generated: 2026-06-30 UTC

Technical Appendix — Signature, Timestamp & Anchoring

Digital Signature

Signature and signing-key references used for independent verification of the recorded evidence state.

SIGNING KEY REFERENCE proovra-ed25519 / v1	SIGNATURE MATERIAL Recorded in verification package and verification workflow
PUBLIC KEY MATERIAL Recorded in verification workflow	

Signature material handling

Full signature and public-key materials remain available through the verification package and technical verification endpoint.

Trusted Timestamp

RFC 3161 timestamp metadata and timestamped digest reference. This digest may represent canonical package/fingerprint material rather than the original file SHA-256.

TIMESTAMP PROVIDER freetlsa.org	TIMESTAMP URL https://freetlsa.org/tsr
SERIAL NUMBER 0x1A2B	GENERATION TIME (UTC) 30 Jun 2026, 10:05:03 UTC
HASH ALGORITHM SHA-256	TIMESTAMP STATUS Trusted timestamp token recorded
TIMESTAMPED DIGEST TYPE Timestamped Digest / Canonical Package Digest	

TIMESTAMPED DIGEST / CANONICAL PACKAGE DIGEST

aa

Timestamp material handling

Full RFC 3161 token remains available through the verification package and technical verification endpoint.

Anchoring & Publication

OpenTimestamps and external anchoring references connected to the recorded digest state.

OTS STATUS OpenTimestamps proof present; public anchoring pending

Anchoring material handling

No additional anchoring proof payload was recorded.