



DECISION PAGE

# Digital Evidence Verification Record

Multipart evidence package • 23 items • Video, Image, PDF • 13.80 MB

✓ **RECORDED INTEGRITY VERIFIED**

Verified. 21 items are explicitly marked primary.

Technical Confidence: High

✓ **CORE INTEGRITY**  
Verified

✓ **DIGITAL SIGNATURE**  
Recorded

✓ **TRUSTED TIMESTAMP**  
Recorded

✓ **BITCOIN ANCHORING**  
Anchored

✓ **IMMUTABLE STORAGE**  
Storage protected



## Evidence Snapshot

### EVIDENCE TYPE

Mixed media evidence package

### ITEM COUNT

23

### STRUCTURE

Multipart evidence package

### PRIMARY EVIDENCE SET

Primary evidence set (21 items)



Open verification page

## PUBLIC VERIFICATION

Scan QR code or open verification page  
<https://app.proovra.com/verify/dd440009-5606-4a44-9a7c7a0fba8745c33b3881671500839d940873f221>

### EVIDENCE REFERENCE

dd440009-5606-4a44-9a7c7a0fba8745c33b3881671500839d940873f221

### GENERATED UTC

04 Jul 2026, 02:23:22 UTC

### REPORT MODE

Full forensic report

### VERIFICATION STATUS

Recorded integrity state verified

### TRUST DECISION

Recorded integrity verified

### ANCHORING

OpenTimestamps Bitcoin anchoring verified

### EVIDENCE STATUS AT REPORT GENERATION

Reported

### LEAD ITEM SHA-256 (MULTIPART PACKAGE — PER-PART HASHES FOLLOW)

a7c7a0fba8745c33b3881671500839d940873f221

## Report Boundary.

PROOVRA verifies recorded preservation state only. It does not independently prove factual truth, authorship, context, intent, evidentiary weight, or legal admissibility. Reviewers must apply their own legal interpretation layer.

For technical validation, use the verification page and appendix.


# Executive Summary

## EXECUTIVE CONCLUSION

The preserved evidence record reached a verified recorded-integrity state with finalized supporting publication materials at report generation time. Reviewers can use this report to orient themselves to the package, then proceed to the later technical and legal sections for deeper validation and interpretation.

## CAPTURE CONTEXT

Device/browser-reported location preserved with this evidence record.



**LOCATION METADATA INCLUDED**  
Yes

**LATITUDE**  
5[REDACTED]

**LONGITUDE**  
[REDACTED]

**ACCURACY RADIUS**  
± 102 meters

**RECORDED AT SUBMISSION (SERVER UTC)**  
04 Jul 2026, 01:17:17 UTC

**SOURCE**  
PROOVRA secure capture

Location metadata is device/browser-reported and user-permission-based. It may support context, but it does not independently prove physical presence, authorship, truth, or admissibility.

|                                                                                                         |                                                      |
|---------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| <b>OPERATING SYSTEM</b><br>Windows                                                                      | <b>DEVICE</b><br>Desktop                             |
| <b>BROWSER</b><br>Chrome 149.0.0.0                                                                      | <b>SUBMITTED THROUGH</b><br>PROOVRA Web Application  |
| <b>CAPTURE METHOD</b><br>PROOVRA Web Upload                                                             | <b>TIMEZONE</b><br>Europe/Berlin                     |
| <b>EVIDENCE TYPE</b><br>Mixed Media Evidence Package                                                    | <b>TOTAL ITEMS</b><br>23                             |
| <b>EVIDENCE STRUCTURE</b><br>Multipart evidence package                                                 | <b>TOTAL SIZE</b><br>13.80 MB                        |
| <b>CAPTURED &amp; SIGNED</b><br>04 Jul 2026, 01:17:17 UTC / 04 Jul 2026, 01:17:32 UTC                   | <b>SUBMITTED BY</b><br>[REDACTED]@proovra.com        |
| <b>ORGANIZATION / WORKSPACE</b><br>[REDACTED]'s personal workspace                                      | <b>IDENTITY LEVEL</b><br>Organization account        |
| <b>LEAD ITEM</b><br>Joint Scene Examination by Fire Investigators.jpg<br>Primary evidence set: 21 items | <b>TRUST DECISION</b><br>Recorded integrity verified |
| <b>TECHNICAL CONFIDENCE</b><br>High                                                                     |                                                      |

## Important boundary

This report verifies recorded integrity and preservation state only. Legal admissibility, factual truth, authorship, context, and evidentiary weight require separate review. Proceed with normal review. For formal reliance, validate the technical appendix and verification package.

# Trust Signal Analysis

VERIFICATION LAYER REVIEW

## Signal-level basis for the Trust Decision

This page explains how the recorded integrity, signature, timestamping, anchoring, storage, custody, identity, and package layers support reviewer interpretation. It is a supporting analysis layer, not a separate legal conclusion.

|                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div><div>✓</div><div><div>Core integrity</div><div>Core integrity verified</div><div>Recorded digest, canonical fingerprint, signature material, and custody references are available and consistent for this evidence record.</div></div><div>Verified</div></div>                                                                               | <div><div>✓</div><div><div>Digital signature</div><div>Signature package recorded</div><div>Signature material, signing-key reference, and public-key material are available for independent verification.</div></div><div>Verified</div></div>                                        |
| <div><div>✓</div><div><div>Trusted timestamp</div><div>Trusted timestamp recorded</div><div>An RFC 3161 trusted timestamp is recorded and can support review of when the preserved integrity state existed.</div></div><div>Verified</div></div>                                                                                                   | <div><div>✓</div><div><div>Bitcoin anchoring</div><div>OpenTimestamps Bitcoin anchoring verified</div><div>OpenTimestamps anchoring metadata includes defensible public evidence such as a valid Bitcoin transaction id or an anchored timestamp.</div></div><div>Verified</div></div> |
| <div><div>✓</div><div><div>Immutable storage</div><div>Immutable retention verified</div><div>Storage metadata indicates immutable-style preservation using Object Lock COMPLIANCE mode with a recorded retention-until timestamp.</div></div><div>Verified</div></div>                                                                            | <div><div>✓</div><div><div>Custody chain</div><div>19 forensic events recorded</div><div>A forensic custody chronology and custody hash-chain references are recorded for reviewer inspection.</div></div><div>Verified</div></div>                                                    |
| <div><div>✓</div><div><div>Workspace identity</div><div>Authenticated workspace user identity recorded</div><div>Authenticated workspace user identity was recorded for reviewer context. Submitted by the authenticated workspace user; identity was recorded from the authenticated (OAuth-backed) session.</div></div><div>Recorded</div></div> | <div><div>✓</div><div><div>Verification package</div><div>Verification package recorded</div><div>A verification package/version is recorded, supporting deeper technical validation outside summary surfaces.</div></div><div>Verified</div></div>                                    |

## Reviewer interpretation

Passed signals: Core integrity, Digital signature, Trusted timestamp, Bitcoin anchoring, Immutable storage, Custody chain, Workspace identity, Verification package. Degraded signals: No degraded signals were recorded.

Proceed with normal review. For formal reliance, validate the technical appendix and verification package.

# Court & Technical Review Index

COURT-FACING REVIEW MAP

### Control points for legal, forensic, and technical review

This page consolidates the main review checkpoints used to connect the report, preserved evidence, cryptographic materials, custody history, verification package, and technical appendix. It is an index for reviewers, not a legal admissibility conclusion.

|                                                                                                                                                                                 |                                                                          |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|
| <b>EVIDENCE RECORD</b><br>dd440009-5606-4a44-9761-1[REDACTED]                                                                                                                   | <b>PACKAGE STRUCTURE</b><br>Multipart evidence package • 23 items        |
| <b>PRIMARY EVIDENCE SET</b><br>21 items explicitly marked primary                                                                                                               | <b>FILE DIGEST PRESENT</b><br>Yes                                        |
| <b>CANONICAL FINGERPRINT PRESENT</b><br>Yes                                                                                                                                     | <b>SIGNATURE PRESENT</b><br>Yes                                          |
| <b>PUBLIC KEY REFERENCE</b><br>ed25519 / v1                                                                                                                                     | <b>CUSTODY CHAIN PRESENT</b><br>Yes                                      |
| <b>REPORT SCHEMA VERSION</b><br>v2                                                                                                                                              | <b>VERIFICATION PACKAGE VERSION</b><br>v2                                |
| <b>CANONICAL JSON</b><br>Available in technical materials / verification package                                                                                                | <b>PRIMARY PACKAGE DIGEST TYPE</b><br>Canonical multipart package digest |
| <b>SIGNATURE MATERIAL</b><br>Recorded                                                                                                                                           | <b>TIMESTAMP MATERIAL</b><br>Trusted timestamp token recorded            |
| <b>BITCOIN ANCHORING</b><br>OpenTimestamps Bitcoin anchoring verified                                                                                                           | <b>FORENSIC CUSTODY EVENTS</b><br>19                                     |
| <b>ACCESS ACTIVITY</b><br>Package access snapshot is taken at generation. Current live access activity should be reviewed on the verification page or audit trail when enabled. | <b>IMMUTABLE STORAGE</b><br>Verified                                     |

### Review boundary

These control points support technical and procedural review. Factual truth, authorship, context, relevance, legal admissibility, and evidentiary weight remain separate human/legal determinations.

Unified evidence gallery

Primary, supporting, and context items are presented together for reviewer efficiency. Role and checklist mapping labels identify each item's review purpose; preserved originals, hashes, custody, timestamps, and verification materials remain authoritative.

Joint Scene Examination by Fire Investigators.jpg

PRIMARY · CLOSE-UP DETAIL



|              |                                                  |
|--------------|--------------------------------------------------|
| ROLE         | Primary                                          |
| MAPPING      | Close-up detail                                  |
| TYPE         | Image Evidence                                   |
| FORMAT       | image/jpeg                                       |
| SIZE         | 369.59 KB                                        |
| ITEM SHA-256 | a7c7a0fba8745c33b3881671500839d940873f221e326844 |

Area of Fire Origin – Evidence Marker #1.jpg

PRIMARY · CLOSE-UP DETAIL



|              |                                                   |
|--------------|---------------------------------------------------|
| ROLE         | Primary                                           |
| MAPPING      | Close-up detail                                   |
| TYPE         | Image Evidence                                    |
| FORMAT       | image/jpeg                                        |
| SIZE         | 143.39 KB                                         |
| ITEM SHA-256 | 45b03c0f114746c832171d668fb1041ec2c28edb564668043 |

Fire-Damaged Storage Racking System.jpg

PRIMARY · SCENE OVERVIEW



|              |                                                   |
|--------------|---------------------------------------------------|
| ROLE         | Primary                                           |
| MAPPING      | Scene overview                                    |
| TYPE         | Image Evidence                                    |
| FORMAT       | image/jpeg                                        |
| SIZE         | 203.70 KB                                         |
| ITEM SHA-256 | 0424813c3d65ac85075887d4fc0abd93043292e56c9c8ec8a |

Roof Structure – Fire and Heat Damage.jpg

PRIMARY · CLOSE-UP DETAIL



|              |                                                 |
|--------------|-------------------------------------------------|
| ROLE         | Primary                                         |
| MAPPING      | Close-up detail                                 |
| TYPE         | Image Evidence                                  |
| FORMAT       | image/jpeg                                      |
| SIZE         | 411.59 KB                                       |
| ITEM SHA-256 | 1ffec043758a1742a91efa2d9c3e8cd345e58425535f287 |

Fire-Damaged Industrial Processing Equipment.jpg

PRIMARY · SCENE OVERVIEW



|              |                                                 |
|--------------|-------------------------------------------------|
| ROLE         | Primary                                         |
| MAPPING      | Scene overview                                  |
| TYPE         | Image Evidence                                  |
| FORMAT       | image/jpeg                                      |
| SIZE         | 287.90 KB                                       |
| ITEM SHA-256 | afbdbdbeed24d9ad5ee6d12f93447a19a791fa00f94efed |

Fire-Damaged Production Machine.jpg


PRIMARY · CLOSE-UP DETAIL



|              |                                                |
|--------------|------------------------------------------------|
| ROLE         | Primary                                        |
| MAPPING      | Close-up detail                                |
| TYPE         | Image Evidence                                 |
| FORMAT       | image/jpeg                                     |
| SIZE         | 103.46 KB                                      |
| ITEM SHA-256 | 2c33d59c4f3260c79611118143d48b7330d78cbef43bc0 |

Fire-Damaged Warehouse Interior Overview.jpg

PRIMARY · SCENE OVERVIEW



|              |                                                  |
|--------------|--------------------------------------------------|
| ROLE         | Primary                                          |
| MAPPING      | Scene overview                                   |
| TYPE         | Image Evidence                                   |
| FORMAT       | image/jpeg                                       |
| SIZE         | 225.83 KB                                        |
| ITEM SHA-256 | 9f00ee137744186b53aa04b7ea171633e733776812389623 |

Partially Fire-Damaged Stored Inventory.jpg

PRIMARY · CLOSE-UP DETAIL



|              |                                                 |
|--------------|-------------------------------------------------|
| ROLE         | Primary                                         |
| MAPPING      | Close-up detail                                 |
| TYPE         | Image Evidence                                  |
| FORMAT       | image/jpeg                                      |
| SIZE         | 664.03 KB                                       |
| ITEM SHA-256 | 1622bc6caefb04fbfd12a6e2920f145c46dba6525df6d66 |

Storage Aisle Showing Extensive Fire Damage.jpg

PRIMARY · SCENE OVERVIEW



|              |                                               |
|--------------|-----------------------------------------------|
| ROLE         | Primary                                       |
| MAPPING      | Scene overview                                |
| TYPE         | Image Evidence                                |
| FORMAT       | image/jpeg                                    |
| SIZE         | 298.67 KB                                     |
| ITEM SHA-256 | 834992042a85fef1c5df48ca5221ab58dc6f0e94cb88d |

Fire-Damaged Storage Shelving and Inventory.jpg

PRIMARY · SCENE OVERVIEW



|              |                                                     |
|--------------|-----------------------------------------------------|
| ROLE         | Primary                                             |
| MAPPING      | Scene overview                                      |
| TYPE         | Image Evidence                                      |
| FORMAT       | image/jpeg                                          |
| SIZE         | 329.51 KB                                           |
| ITEM SHA-256 | 301791c12084d14856fa348440fe5e7dc6862e51f7169174f1c |

Heat-Damaged Industrial Components.jpg


PRIMARY · SCENE OVERVIEW



|              |                                                   |
|--------------|---------------------------------------------------|
| ROLE         | Primary                                           |
| MAPPING      | Scene overview                                    |
| TYPE         | Image Evidence                                    |
| FORMAT       | image/jpeg                                        |
| SIZE         | 295.09 KB                                         |
| ITEM SHA-256 | 221c85a95c0c811015548452131ea2c620981791164b32689 |

Post-Fire Interior Damage Assessment.jpg

PRIMARY · SCENE OVERVIEW



|              |                                                    |
|--------------|----------------------------------------------------|
| ROLE         | Primary                                            |
| MAPPING      | Scene overview                                     |
| TYPE         | Image Evidence                                     |
| FORMAT       | image/jpeg                                         |
| SIZE         | 657.30 KB                                          |
| ITEM SHA-256 | 53b19fe904ed35ccbb03e10b9aa6d4a979866264f9559c8613 |

Fire-Damaged Electrical Control Cabinet.jpg

PRIMARY · CLOSE-UP DETAIL



|              |                                                  |
|--------------|--------------------------------------------------|
| ROLE         | Primary                                          |
| MAPPING      | Close-up detail                                  |
| TYPE         | Image Evidence                                   |
| FORMAT       | image/jpeg                                       |
| SIZE         | 353.02 KB                                        |
| ITEM SHA-256 | ab293f3738afdf3c3ffcc7f61841ca35424657726e3e0570 |

Electrical Panel Fire at Time of Incident.jpg

PRIMARY · CLOSE-UP DETAIL



|              |                                                  |
|--------------|--------------------------------------------------|
| ROLE         | Primary                                          |
| MAPPING      | Close-up detail                                  |
| TYPE         | Image Evidence                                   |
| FORMAT       | image/jpeg                                       |
| SIZE         | 77.61 KB                                         |
| ITEM SHA-256 | 8954e0d97e55706ab8b2fbc652b567910adf428fe8b5f38e |

Heat-Damaged Steel Access Door.jpg

PRIMARY · CLOSE-UP DETAIL



|              |                                               |
|--------------|-----------------------------------------------|
| ROLE         | Primary                                       |
| MAPPING      | Close-up detail                               |
| TYPE         | Image Evidence                                |
| FORMAT       | image/jpeg                                    |
| SIZE         | 163.91 KB                                     |
| ITEM SHA-256 | 1a38d9ff2fa3ca1b06a53962a9bc1a5b6f1d759e230de |

Fire-Damaged Building Entrance.jpg

PRIMARY · CLOSE-UP DETAIL



|              |                                                  |
|--------------|--------------------------------------------------|
| ROLE         | Primary                                          |
| MAPPING      | Close-up detail                                  |
| TYPE         | Image Evidence                                   |
| FORMAT       | image/jpeg                                       |
| SIZE         | 504.34 KB                                        |
| ITEM SHA-256 | 37fa9e2831eafbd901a2285bfff1a7c01e526c7d9bb6254d |

Active Fire Suppression Operations.jpg

PRIMARY · SCENE OVERVIEW



|              |                                                |
|--------------|------------------------------------------------|
| ROLE         | Primary                                        |
| MAPPING      | Scene overview                                 |
| TYPE         | Image Evidence                                 |
| FORMAT       | image/jpeg                                     |
| SIZE         | 68.50 KB                                       |
| ITEM SHA-256 | 99ec4476270224e88270b5495598538321e619c827410a |

Fire Suppression Operations at Warehouse Loading Bays.jpg

PRIMARY · SCENE OVERVIEW



|              |                                                 |
|--------------|-------------------------------------------------|
| ROLE         | Primary                                         |
| MAPPING      | Scene overview                                  |
| TYPE         | Image Evidence                                  |
| FORMAT       | image/jpeg                                      |
| SIZE         | 477.46 KB                                       |
| ITEM SHA-256 | 9027ec033caa5721a6394d9af4907bcc98afc23134316bd |

Fire-Damaged Loading Bay Entrance.jpg

PRIMARY · SCENE OVERVIEW



|              |                                            |
|--------------|--------------------------------------------|
| ROLE         | Primary                                    |
| MAPPING      | Scene overview                             |
| TYPE         | Image Evidence                             |
| FORMAT       | image/jpeg                                 |
| SIZE         | 323.68 KB                                  |
| ITEM SHA-256 | 44b994b154c871709761c1f154207f26a64a96448a |

Localized Exterior Fire Damage at Loading Dock.jpg


PRIMARY · SCENE OVERVIEW



|              |                                              |
|--------------|----------------------------------------------|
| ROLE         | Primary                                      |
| MAPPING      | Scene overview                               |
| TYPE         | Image Evidence                               |
| FORMAT       | image/jpeg                                   |
| SIZE         | 123.86 KB                                    |
| ITEM SHA-256 | cec9fec6f8be9f10f6268253d96c825212e7b44db5b2 |

Fire Suppression Operations at Warehouse Loading Bays.png


PRIMARY · SCENE OVERVIEW



|              |                                                  |
|--------------|--------------------------------------------------|
| ROLE         | Primary                                          |
| MAPPING      | Scene overview                                   |
| TYPE         | Image Evidence                                   |
| FORMAT       | image/png                                        |
| SIZE         | 1021.88 KB                                       |
| ITEM SHA-256 | 366038c5a8b9ec9b9b32b4122db48e499833d98257e74d83 |

Initial Fire Scene Walkthrough.mp4

SUPPORTING · WITNESS/MEDIA STATEMENT



|              |                                               |
|--------------|-----------------------------------------------|
| ROLE         | Supporting                                    |
| MAPPING      | Witness/media statement                       |
| TYPE         | Video Evidence                                |
| FORMAT       | video/mp4                                     |
| SIZE         | 965.46 KB                                     |
| ITEM SHA-256 | 201eb24597523b5c085c75753f90c4ba36baa5ef3fc83 |

Fire Investigation Report.pdf

SUPPORTING · SUPPORTING FILE/LOG



|              |                                               |
|--------------|-----------------------------------------------|
| ROLE         | Supporting                                    |
| MAPPING      | Supporting file/log                           |
| TYPE         | Document Evidence                             |
| FORMAT       | application/pdf                               |
| SIZE         | 5.92 MB                                       |
| ITEM SHA-256 | 07c95e0d0cb3d20ae5163d52ae560f8f5f2f4813574f4 |

# Chain of Custody

## Recorded Forensic Lifecycle

The events below show the system-recorded custody path of the evidence package. Routine viewing, download, and verification access activity is intentionally kept out of this PDF and should be reviewed through the verification page or internal audit trail when needed.

### FORENSIC EVENTS (REPORT SNAPSHOT)

19 forensic events

### HASH CHAIN

Recorded

### PACKAGE ACCESS SNAPSHOT

Snapshot preserved at package generation; current live access activity is reviewed on the verification page.

## LIFECYCLE SUMMARY

Created → Identity recorded → Upload completed → Signed → Timestamped → Locked → Report generated → Anchoring recorded

1

### Evidence record created

Evidence record created.

04 Jul 2026, 01:17:17 UTC

2

### Identity snapshot recorded at submission

Authenticated workspace user identity was recorded at submission. Submitted by an authenticated workspace user via an OAuth-backed account. Identity snapshot recorded • Identity: OAuth-backed identity • Email: [REDACTED]@proovra.com • Provider: GOOGLE

04 Jul 2026, 01:17:17 UTC

3

### Upload authorization recorded

Upload authorization recorded (presigned URL issued; bytes not yet confirmed) • Mode: initial upload authorization for multipart evidence

04 Jul 2026, 01:17:17 UTC

4

### Upload completion confirmed

Multipart evidence package completed • Items: 23 • Size: 14474017 bytes • technical digest recorded in appendix

04 Jul 2026, 01:17:32 UTC

5

### Digital signature applied

Cryptographic signature applied • Key: dw ed25519 kms • Version: 1 • technical digest recorded in appendix • Timestamp: STAMPED • TSA: GLOBALTRUST

04 Jul 2026, 01:17:32 UTC

6

### Trusted timestamp token recorded

Trusted timestamp applied • Status: STAMPED • TSA: GLOBALTRUST • Serial: 0x[REDACTED]9B

04 Jul 2026, 01:17:32 UTC

7

### Object Lock retention applied to storage

Object Lock retention applied to storage. Storage object cannot be altered or deleted before the retention deadline expires.

04 Jul 2026, 01:17:40 UTC

8

### Evidence Completed

completedAtUtc: 2026-07-04T01:17:40.885Z • completedByUserId: abd21a3a-a196-4bf8-a[REDACTED]7

04 Jul 2026, 01:17:40 UTC

9

### Identity context recorded at report generation

Identity context re-snapshotted at report generation for the report's reviewer audit context.

04 Jul 2026, 01:17:46 UTC

10

### OpenTimestamps update recorded

OpenTimestamp proof created • Status: PENDING • Calendar: https://a.pool.opentimestamps.org

04 Jul 2026, 01:17:57 UTC

Later OpenTimestamps events show anchoring completion.

# Chain of Custody — Continued

|    |                                                                                                                                                                                                                                                  |                           |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|
| 11 | <b>Report generated</b><br>Verification report generated • Version: 1 • Verification: RECORDED INTEGRITY VERIFIED • Capture: PROOVRA Web Upload • Structure: Multipart evidence package • Identity: Organization account                         | 04 Jul 2026, 01:17:46 UTC |
| 12 | <b>Review-ready state recorded</b><br>Evidence marked review ready • Reviewer summary version: 1                                                                                                                                                 | 04 Jul 2026, 01:17:46 UTC |
| 13 | <b>Report Pdf Signed</b><br>reportVersion: 1 • pdfSignedAtUtc: 2026-07-04T01:17:57.830Z • pdfSignerKeyId: operator pkcs12 • pdfSignatureStatus: SIGNED                                                                                           | 04 Jul 2026, 01:17:46 UTC |
| 14 | <b>Verification package generated</b><br>Verification package generated • Version: 1 • Type: full evidence package                                                                                                                               | 04 Jul 2026, 01:17:46 UTC |
| 15 | <b>OpenTimestamps update recorded</b><br>OpenTimestamp proof created • Status: PENDING • Bitcoin Tx: e5a1d3e0d90eaa8e646588fe81bdadbb4f7d6fbf6[REDACTED]                                                                                         | 04 Jul 2026, 01:23:15 UTC |
| 16 | <b>OpenTimestamps update recorded</b><br>OpenTimestamp proof created • Status: ANCHORED • Bitcoin Tx: e5a1d3e0d90eaa8e646588fe81bdadbb4f7d6[REDACTED]                                                                                            | 04 Jul 2026, 02:23:17 UTC |
| 17 | <b>Identity context recorded at report generation</b><br>Identity context re-snapshotted at report generation for the report's reviewer audit context.                                                                                           | 04 Jul 2026, 02:23:22 UTC |
| 18 | <b>Report generated</b><br>Verification report generated • Version: 2 • Verification: RECORDED INTEGRITY VERIFIED • Capture: PROOVRA Web Upload • Structure: Multipart evidence package • Identity: Organization account • Refresh: ots anchored | 04 Jul 2026, 02:23:22 UTC |
| 19 | <b>Review-ready state recorded</b><br>Evidence marked review ready • Reviewer summary version: 2                                                                                                                                                 | 04 Jul 2026, 02:23:22 UTC |

# Custody Hash Chain Details

This table shows a curated forensic subset of the custody hash chain. Sequence identifiers preserve the original custody-event log order, so numbering may be non-sequential when intermediate events are omitted from this PDF view.

Full custody records, intermediate entries, complete hash values, and access activity are preserved in the verification package and can be inspected through the public verification page.

Events are displayed in hash-chain order. Some timestamps may appear slightly out of chronological order because asynchronous system jobs can append events after the workflow timestamp they document.

| SEQ | RECORDED AT               | EVENT                                          | PREVIOUS EVENT HASH                                            | EVENT HASH                                                    |
|-----|---------------------------|------------------------------------------------|----------------------------------------------------------------|---------------------------------------------------------------|
| 1   | 04 Jul 2026, 01:17:17 UTC | Evidence record created                        | N/A                                                            | c47079636b3df2cc861be3083c34b2dd8b22676fedf3986149[REDACTED]  |
| 2   | 04 Jul 2026, 01:17:17 UTC | Identity snapshot recorded at submission       | c47079636b3df2cc861be3083c34b2dd8b22676fedf3986149[REDACTED]   | 662e50c4746409a3bd2b113d89829ac1a238adb9e0c38d640[REDACTED]   |
| 3   | 04 Jul 2026, 01:17:17 UTC | Upload authorization recorded                  | 662e50c4746409a3bd2b113d89829ac1a238adb9e0c38d640[REDACTED]    | 77390a4ce7306e2b3a6e0f65502ece5a8e9cabb065b3a4c9e[REDACTED]   |
| 4   | 04 Jul 2026, 01:17:32 UTC | Upload completion confirmed                    | 77390a4ce7306e2b3a6e0f65502ece5a8e9cabb065b3a4c9e[REDACTED]    | 543de09ec21420db8868002774b1a9c2525e24010b99b7606f[REDACTED]  |
| 5   | 04 Jul 2026, 01:17:32 UTC | Digital signature applied                      | 543de09ec21420db8868002774b1a9c2525e24010b99b7606f[REDACTED]   | cd31648529fa6571fdbd763c16163534d9e6a224c1334686c2[REDACTED]  |
| 6   | 04 Jul 2026, 01:17:32 UTC | Trusted timestamp token recorded               | cd31648529fa6571fdbd763c16163534d9e6a224c1334686c2[REDACTED]   | 6fc3fa8937ece1a929daa870e15793168fe27c767bc17f3306[REDACTED]  |
| 7   | 04 Jul 2026, 01:17:40 UTC | Object Lock retention applied to storage       | 6fc3fa8937ece1a929daa870e15793168fe27c767bc17f3306[REDACTED]   | d051a3cf02b30c58f710cff5886bdd66f526861774e5abb11f[REDACTED]  |
| 8   | 04 Jul 2026, 01:17:40 UTC | Evidence Completed                             | d051a3cf02b30c58f710cff5886bdd66f526861774e5abb11f[REDACTED]   | a8d4b93ebd4bc76a38cf9618bc515afed4d04c9e8c6e0900[REDACTED]    |
| 9   | 04 Jul 2026, 01:17:46 UTC | Identity context recorded at report generation | a8d4b93ebd4bc76a38cf9618bc515afed4d04c9e8c6e0900d[REDACTED]    | a5379d0a8479f78fdce2d2286c30785bd3a57fb9243f9935ff[REDACTED]  |
| 10  | 04 Jul 2026, 01:17:57 UTC | OpenTimestamps update recorded                 | a5379d0a8479f78fdce2d2286c30785bd3a57fb9243f9935ffe4[REDACTED] | 42972d5fe1c4f1e307d9f617bac379dfc8ea77389aaad202[REDACTED]    |
| 11  | 04 Jul 2026, 01:17:46 UTC | Report generated                               | 42972d5fe1c4f1e307d9f617bac379dfc8ea77389aaad2026e[REDACTED]   | ccd2fc08682e32a25db7373ba1d269c13f5484bdbcdab76e[REDACTED]    |
| 12  | 04 Jul 2026, 01:17:46 UTC | Review-ready state recorded                    | ccd2fc08682e32a25db7373ba1d269c13f5484bdbcdab76e[REDACTED]     | 85f1f7f3d001ad8d3b81e61a38f3ba4b071f4719977ad89ad5[REDACTED]  |
| 13  | 04 Jul 2026, 01:17:46 UTC | Report Pdf Signed                              | 85f1f7f3d001ad8d3b81e61a38f3ba4b071f4719977ad89ad5d[REDACTED]  | d9aded6346854a3d52fb4500eab3ae0a70c1a9dd68b2e2f1[REDACTED]    |
| 14  | 04 Jul 2026, 01:17:46 UTC | Verification package generated                 | d9aded6346854a3d52fb4500eab3ae0a70c1a9dd68b2e2f12[REDACTED]    | 21dd727b9e673345a6a3ef54a48ad417cb0ed51756780368[REDACTED]    |
| 15  | 04 Jul 2026, 01:23:15 UTC | OpenTimestamps update recorded                 | 21dd727b9e673345a6a3ef54a48ad417cb0ed517567803682[REDACTED]    | 2af307acc2f8d01b3722627092ba0baf7cf87147409b19b45dc[REDACTED] |
| 16  | 04 Jul 2026, 02:23:17 UTC | OpenTimestamps update recorded                 | 2af307acc2f8d01b3722627092ba0baf7cf87147409b19b45dc[REDACTED]  | 3f7496dd455fab56b492705a1136ce7650277cbdfea99bd3[REDACTED]    |
| 17  | 04 Jul 2026, 02:23:22 UTC | Identity context recorded at report generation | 3f7496dd455fab56b492705a1136ce7650277cbdfea99bd3e[REDACTED]    | f9b911fee8d53ddd1818cfc8f64527655cd493e32592bfe4a[REDACTED]   |
| 18  | 04 Jul 2026, 02:23:22 UTC | Report generated                               | f9b911fee8d53ddd1818cfc8f64527655cd493e32592bfe4a3[REDACTED]   | 54901a39eadd1f233f2e2f2c4191f250178b8dcde78492122[REDACTED]   |
| 19  | 04 Jul 2026, 02:23:22 UTC | Review-ready state recorded                    | 54901a39eadd1f233f2e2f2c4191f250178b8dcde7849212285[REDACTED]  | d10afb97560e4ebbc26c2643d12fb18a891a1996a8d46b2[REDACTED]     |

# Reviewer Verification Workflow

## Procedural verification checklist

Use this section as a review workflow for validating the report against the preserved evidence package and the verification endpoint.

### Procedural checkpoints

- Confirm the evidence reference, package structure, and the explicit primary evidence set.
- Validate the representative primary-item SHA-256, the canonical package digest, and the canonical fingerprint hash against the preserved materials.
- Review custody chronology before relying on the evidence record.
- Use the verification endpoint for signature, timestamp token, and anchoring proof validation.

### Verification steps

- 1

**STEP 1**  
**Obtain the complete multipart evidence set.**  
What this establishes: Ensures the reviewer validates the complete package, not only a preview or single extracted file.
- 2

**STEP 2**  
**Review the canonical fingerprint and listed evidence parts.**  
What this establishes: Supports structured technical verification of the evidence.
- 3

**STEP 3**  
**Validate the canonical package digest against the recorded package structure and item SHA-256 values.**  
What this establishes: Confirms the recorded package digest matches the package structure and item SHA-256 values.
- 4

**STEP 4**  
**Verify the digital signature using the provided public key.**  
What this establishes: Validates signature and integrity consistency of the recorded evidence package.
- 5

**STEP 5**  
**Verify the RFC 3161 timestamp token, when present.**  
What this establishes: Supports verification that the recorded digest existed at or before the referenced timestamp.
- 6

**STEP 6**  
**Verify the OpenTimestamps proof, when present.**  
What this establishes: Links the evidence digest to a public, independently verifiable timestamping trail.
- 7

**STEP 7**  
**Review the forensic chain of custody events.**  
What this establishes: Provides a chronological record of how the evidence was handled.
- 8

**STEP 8**  
**Review immutable storage details, when present.**  
What this establishes: Indicates protection against modification after preservation.

## Procedural note

This checklist is operational only and is intentionally separate from the report's legal interpretation section.

## Verification workflow note

Where a timestamp, anchoring record, or signature package exists, this PDF identifies the exact reference values while the verification workflow preserves the heavier validation payloads.

# Legal Interpretation & Report Boundary

LEGAL AND EVIDENTIARY BOUNDARY

**This report is a technical preservation and verification record, not a final legal judgment.**

Reviewers should separate recorded integrity, custody, timestamping, and storage controls from factual truth, authorship, context, relevance, evidentiary weight, and admissibility.

**This report does not prove**

Truth, authorship, intent, context, completeness, admissibility, evidentiary weight, or acceptance by any court, insurer, regulator, or authority.

Technical verification supports detection of post-completion changes only.

**Integrity vs. factual accuracy**

A valid integrity record can support that the preserved evidence state has not changed after the recorded workflow point. It does not independently prove that the content is true, complete, fairly contextualized, or authored by a particular person.

**Legal review posture**

Use this report as a technical and procedural record. Questions of factual truth, authorship, context, relevance, evidentiary weight, and admissibility remain for the relevant court, investigator, regulator, insurer, employer, or expert process.

**Presentation materials**

Embedded previews in this PDF are reviewer-facing representations only. For deeper review, expert comparison, or formal process, rely on the preserved original evidence and the verification workflow rather than the PDF rendering alone.

# Technical Appendix — Identity, Provenance, Fingerprint & Signature

## Identity & Provenance

Who submitted the evidence, which identity level was recorded, and what workspace or organization context exists.

|                                                     |                                                                    |
|-----------------------------------------------------|--------------------------------------------------------------------|
| <b>SUBMITTED BY EMAIL</b><br>[REDACTED]@proofra.com | <b>SUBMITTED BY PROVIDER</b><br>Google                             |
| <b>SUBMITTED BY USER REF</b><br>abd21a[REDACTED]    | <b>CREATED BY USER REF</b><br>abd21a[re[REDACTED]                  |
| <b>UPLOADED BY USER REF</b><br>abd21a[REDACTED]     | <b>CAPTURE METHOD</b><br>PROOVRA Web Upload                        |
| <b>IDENTITY LEVEL</b><br>Organization account       | <b>ORGANIZATION / WORKSPACE</b><br>[REDACTED]'s personal workspace |
| <b>ORGANIZATION STATUS</b><br>Organization recorded |                                                                    |

## Cryptographic Fingerprint

Primary digest and canonical fingerprint references used to identify the preserved evidence state.

### Fingerprint interpretation

Multipart evidence package (23 items) represented by a canonical fingerprint describing structure, metadata, and integrity values. MIME types: image/jpeg, image/png, video/mp4, application/pdf.

### Multipart integrity explanation

This evidence record contains multiple preserved files. The root integrity digest is computed from the ordered SHA-256 hashes of the included evidence parts. No single original-file hash represents the whole record. Each part still has its own SHA-256. The multipart manifest digest can be recomputed from the ordered per-part hashes. This verifies recorded integrity, not factual truth or original device capture authenticity.

|                                                                                                                                       |                                                                                    |
|---------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| <b>CANONICAL PACKAGE DIGEST (SHA-256)</b><br>4191290e172ea384629680a73e1ae3f[REDACTED]                                                | <b>CANONICAL FINGERPRINT HASH</b><br>b969ee2843d803edc0c8564cf9dc4fb6da8[REDACTED] |
| <b>CANONICAL FINGERPRINT RECORD</b><br>Recorded in verification package; omitted from PDF to keep the report readable and lightweight |                                                                                    |

## Digital Signature

Signature and signing-key references used for independent verification of the recorded evidence state.

|                                                                 |                                                                                         |
|-----------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| <b>SIGNING KEY REFERENCE</b><br>ed25519 / v1                    | <b>SIGNATURE MATERIAL</b><br>Recorded in verification package and verification workflow |
| <b>PUBLIC KEY MATERIAL</b><br>Recorded in verification workflow |                                                                                         |

### Signature material handling

Full signature and public-key materials remain available through the verification package and technical verification endpoint.

# Technical Appendix — Timestamp & Anchoring

## Trusted Timestamp

RFC 3161 timestamp metadata and timestamped digest reference. This digest may represent canonical package/fingerprint material rather than the original file SHA-256.

|                                                                                                        |                                                             |
|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| <b>TIMESTAMP PROVIDER</b><br>GLOBALTRUST                                                               | <b>TIMESTAMP URL</b><br>https://timestamp.globaltrust.eu    |
| <b>SERIAL NUMBER</b><br>0x03[REDACTED]                                                                 | <b>GENERATION TIME (UTC)</b><br>04 Jul 2026, 01:17:35 UTC   |
| <b>HASH ALGORITHM</b><br>sha256                                                                        | <b>TIMESTAMP STATUS</b><br>Trusted timestamp token recorded |
| <b>TIMESTAMPED DIGEST TYPE</b><br>Timestamped Digest / Canonical Package Digest                        |                                                             |
| <b>TIMESTAMPED DIGEST / CANONICAL PACKAGE DIGEST</b><br>4191290e172ea384629680a73e1ae3fadecc[REDACTED] |                                                             |

### Timestamp material handling

Full RFC 3161 token remains available through the verification package and technical verification endpoint. This value may differ from the original file SHA-256 when the timestamp is applied to canonical evidence or fingerprint material.

## Anchoring

OpenTimestamps and Bitcoin anchoring references connected to the recorded digest state.

|                                                                                      |                                                                            |
|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| <b>OTS STATUS</b><br>OpenTimestamps Bitcoin anchoring verified                       | <b>OTS ANCHORED AT (UTC)</b><br>2026-07-04T02:23:17.530Z                   |
| <b>OTS UPGRADED AT (UTC)</b><br>2026-07-04T02:23:17.530Z                             | <b>OTS BITCOIN TXID</b><br>e5a1d3e0d90eaa8e646588fe81bdadbb4f7d[REDACTED]2 |
| <b>ANCHOR MODE</b><br>OpenTimestamps Bitcoin anchoring verified                      |                                                                            |
| <b>OPENTIMESTAMPS DIGEST</b><br>b969ee2843d803edc0c8564cf9dc4fb6da82dec711[REDACTED] |                                                                            |

### Anchoring material handling

Full OpenTimestamps anchoring proofs remain available through the verification package and verification endpoint.