	Customers
PK	**customer_id int NOT NULL**
	customer_name char(50) NOT NULL

	Invoice
PK	**invoice_id int NOT NULL**
FK1	transaction_id int NOT NULL

	Tra
PK	**transaction**

	nsaction
	id int NOT NULL

	Shipments
PK	shipment_id int NOT NULL

address char(250) NOT NULL

status int(1) NOT NULL

gender char(1) NULL

created_at datetime(7) NULL

updated_at datetime(7) NULL

FK1	transaction_id int NOT NULL
FK2	customer_id int NOT NULL
FK3	product_id int NULL
	product_qty int NULL

FK1	invoice_id int
FK2	shipment_id i
	transaction_s

	P
PK	**product_id i**
FK1	customer_id i
	product_type
	product_code
	product_nam
	product_statu
	created_at da
	updated_at d

```
NOT NULL                              FK1 │ transaction_id int NOT NULL
                           ╫─────────╫│
nt NULL                                   │ shipment_date date NOT NULL
status int(1) NULL                        │ shipment_status VARCHAR NOT NULL
                                          │ tracking_no VARCHAR NULL
```

	Product
nt NOT NULL	
int NOT NULL	
varchar NOT NULL	
e varchar(10) NOT NULL	
e varchar(100) NOT NULL	
s int(1) NOT NULL	
atetime(7) NULL	
atetime(7) NULL	