SE 3XA3: Software Requirements Specification Namcap

Team 2, VPB Game Studio Prajvin Jalan (jalanp) Vatsal Shukla (shuklv2) Baltej Toor (toorbs)

December 7, 2016

Contents

1	\mathbf{Pro}	oject Drivers	1				
	1.1	The Purpose of the Project	1				
	1.2						
		1.2.1 The Client	1				
		1.2.2 The Customers	1				
		1.2.3 Other Stakeholders	1				
	1.3	Mandated Constraints	2				
		1.3.1 Solution Constraints	2				
		1.3.2 Implementation Environment of the Current System .	2				
		1.3.3 Partner or Collaborative Applications	2				
		1.3.4 Off-the-Shelf Software	2				
		1.3.5 Anticipated Workplace Environment	2				
		1.3.6 Schedule Constraints	3				
		1.3.7 Budget Constraints	3				
		1.3.8 Enterprise Constraints	3				
	1.4	Naming Conventions and Terminology	4				
	1.5	Relevant Facts and Assumptions	4				
		1.5.1 Relevant Facts	4				
		1.5.2 Business Rules	4				
		1.5.3 Assumptions	4				
2	Fun	actional Requirements	5				
	2.1	The Scope of the Work and the Product	5				
		2.1.1 The Context of the Work	5				
		2.1.2 Work Partitioning	5				
		2.1.3 Individual Product Use Cases	7				
	2.2	Functional Requirements	10				
3	Noı	n-functional Requirements	15				
	3.1	Look and Feel Requirements	15				
	3.2	Usability and Humanity Requirements	16				
	3.3	Performance Requirements	17				
	3.4	Operational and Environmental Requirements	18				
	3.5	Maintainability and Support Requirements	18				
	3.6	Security Requirements	19				
	3.7	Cultural Requirements	19				

3.8	Legal Requirements			
3.9	Health and Safety Requirements			
Pro	ject Issues			
4.1	Open Issues			
4.2	Off-the-Shelf Solutions			
	4.2.1 Ready-Made Products			
	4.2.2 Reusable Components			
	4.2.3 Products That Can Be Copied			
4.3	New Problems			
	4.3.1 Effects on the Current Environment			
	4.3.2 Effects on the Installed System			
	4.3.3 Potential User Problems			
	4.3.4 Limitations in the Anticipated Implementation Envi-			
	ronment That May Inhibit the New Product			
	4.3.5 Follow-Up Problems			
4.4	Tasks			
	4.4.1 Project Planning			
	4.4.2 Planning of the Development Process			
4.5	Migration to the New Product			
4.6	Risks			
4.7	Costs			
4.8	User Documentation and Training			
	4.8.1 User Documentation Requirements			
	4.8.2 Training Requirements			
4.9	Waiting Room			
4.10	Ideas for Solutions			
5 Appendix				
	Symbolic Parameters			
	3.9 Proj 4.1 4.2 4.3 4.4 4.5 4.6 4.7 4.8			

5	Symbolic Constants	. 26
${f List}$	of Figures	
1	Context Diagram of the Work	. 5
2	Flow Diagram of the Game	. 6

Table 1: Revision History

Date	Version	Notes
2016-10-11	1.0	Addition of content to Project Drivers sections excluding Naming Conventions
		and Terminology
2016-10-11	1.1	Addition of content to Project Issues sections excluding Open Issues and Ideas for
		Solutions
2016-10-11	1.2	Addition of content to Non-functional Re-
		quirements section
2016-10-11	1.3	Formatting fixes to figure and table loca-
		tions
2016-10-11	1.4	Further formatting and content additions
2012 10 11	4 -	to 1.4 and 4.10
2016-10-11	1.5	Revision of linguistics and use of 'Pac-
0016 10 11	1.0	man' in the document
2016-10-11	1.6	Addition of Symbolic Paremeters table and minor text edits
2016-10-29	1.7	Revision of Mandated Constraints section
		to reference feedback
2016-10-30	1.8	Revision of Legal Requirements section to
		reference feedback
2016-10-31	1.9	Revision of Functional Requirements to
		address Big Dot functionality feedback
2016-10-31	2.0	Addition of Symbolic Constant for Health
		and Safety Requirements
2016-12-07	2.1	Final revision of SRS based on given feed-
		back, made adjustments to use cases, en-
		vironment and constraints; Use Case 10
		references big dot collision with enemy

This document describes the requirements for the redevelopment project Namcap. The template for the Software Requirements Specification (SRS) is a subset of the Volere template (Robertson and Robertson, 2012).

1 Project Drivers

1.1 The Purpose of the Project

The purpose of this project is to redevelop the classic arcade game Pacman based on an unstructured open-source development. The Pacman conceptual redevelopment, 'Namcap' aims to provide the classic arcade-style experience to a broader player base. The project will be geared towards a computer implementation to provide the most access for the classical gaming interaction without having to pay large amounts for additional hardware. The project will focus on redeveloping the reference open-source project with correct programming standards, modularization, and an emphasis on formal documentation.

1.2 The Stakeholders

1.2.1 The Client

The project is being developed for an external entity that has final say on the acceptance of the redevelopment and will review the project before deployment. The external entity shows interest in the redevelopment of open source projects with emphasis on improvement of programming structure and documentation.

1.2.2 The Customers

The general gaming population are customers for this project. A typical gamer would have access to the internet and have the computer experience to download and run the application.

1.2.3 Other Stakeholders

Another stakeholder of this project is the redevelopment team. VPB Game Studio is responsible for the development of Namcap, with emphasis on the utilization of correct programming principles and formalization of documentation throughout development.

1.3 Mandated Constraints

1.3.1 Solution Constraints

The implementation shall be based on the same mechanics as the original implementation. Mechanics such as sprit movement, collision with various in-game entities, and scoring should reflect Pacman. The project is a redevelopment and aims to stay true to the retro-arcade gaming interaction that Pacman utilized.

1.3.2 Implementation Environment of the Current System

- i All controls associated with the game mechanics shall be integrated to work with any keyboard configuration.
- ii The application shall be executable on both Mac, Windows, and Linux operating systems.

1.3.3 Partner or Collaborative Applications

The implementation requires the Java Development Kit along with several built-in libraries. The development will primarily focus on use of the Java Swing and AWT libraries in order to implement GUI elements. The development will also make use of various other built-in libraries such as the File and Scanner libraries for file I/O functionalities.

1.3.4 Off-the-Shelf Software

The implementation is self-contained and therefore requires no addition OTS software to be incorporated into the project.

1.3.5 Anticipated Workplace Environment

The application shall be usable on desktop and laptop computer platforms. This allows users, once the application is downloaded locally, to run the game virtually anywhere with a laptop. The implementation does not affect the workplace environment externally as no audio functionality is built-in.

The execution of the implementation is only limited to the extent of laptop portability.

1.3.6 Schedule Constraints

Self-imposed scheduling deadlines have been put in place for the development process. Specifically, the development team is aiming to have the initial implementation fully functioning by December 2016. For a more specific break-down of the established development deadlines, refer to the [Namcap Gantt Project] (click to be open the gantt).

1.3.7 Budget Constraints

In terms of this redevelopment project, man-hours is the primary budgetary constraint. The time of the developers is split between this redevelopment and other projects/ courses varying for each individual. This results in a man-hour constraint of 10 hours/week to account for the individual schedules of the development team. Since the redevelopment is based on an open-source implementation, any and all additional resources for the project are readily and freely available.

1.3.8 Enterprise Constraints

The redeveloped implementation shall follow the correct programming and development standards as well as emphasis the creation of formalized documentation.

1.4 Naming Conventions and Terminology

Table 2: Terminology

Terminology Used	Meaning/Reference To
OTS	'Off-The-Shelf' solution
UI	'User Interface'
AI	'Artificial Intelligence'
NF/F	'Non-Functional/Functional'
Project/Redevelopment	Recreation of Pacman, Namcap
Player	In-game player entity (character icon)

1.5 Relevant Facts and Assumptions

1.5.1 Relevant Facts

- i The existing base implementation is approximately 1600 lines of Java code.
- ii The original project is to be used as a source to conceptualize based on the requirements. No code will be used from the original project.

1.5.2 Business Rules

The redevelopment team shall delegate work as to equalize the amount taken on by each member. This allows for an efficient development process and is mandated by the client of the project.

1.5.3 Assumptions

The redevelopment project assumes that:

- i All required software components (IDEs, Image Editing Software) will be readily available.
- ii Audio functionality shall not be implemented initially (may be implemented in the future following the appropriate decision process).

- iii The implementation will be executed in a verified instance of either the Mac, Windows, or Linux operating systems.
- iv The majority of users will have basic computer knowledge and experience.

2 Functional Requirements

2.1 The Scope of the Work and the Product

2.1.1 The Context of the Work

The context diagram of the work is given in Figure 1.




Figure 1: Context Diagram of the Work

2.1.2 Work Partitioning

Figure 2 demonstrates a rough representation of the mechanics of the game. The user interface contains a main menu, a game over screen and the in-game interface where all of the gameplay will occur.




Figure 2: Flow Diagram of the Game

2.1.3 Individual Product Use Cases

Table 3: List of events

Event Name	Inputs/Outputs	Summary
Start Game	Keyboard (Spacebar)	The game is started.
Move Player	Keyboard(arrow	Player moves through the
	keys)/UI(ouput)	map.
Enemies Move	UI(output)	The enemies move through
		the map.
Player hits wall	Keyboard(arrow	Player stops moving unless a
	keys)/UI(output)	valid move is made.
Player collects	Keyboard(arrow	Player collects dots which in-
dots	keys)/UI(output)	creases the game points.
Player hits en-	Keyboard(arrow	Points are reset and UI
emy	keys)/UI(output)	changes to main menu if
		player lives $== 0$. Lives decre-
		ment by 1 otherwise.
Player collects	Keyboard(arrow	Player collects big dot, ene-
big dot	keys)/UI(output)	mies change colour and Player
		is able to hit the enemies.
		Points are incremented as
		Player hits enemies.
Player collects	Keyboard(arrow	Once Player collects all dots,
all dots	keys)/UI(output)	the points are reset and UI
		switches back to main menu.
Enemy hits wall	UI(output)	When enemies hit a wall, they
		will turn and start moving to
		a valid path.
Player col-	Keyboard(arrow	Player collides with enemies
lides with	keys)/UI(output)	with Big Dot consumed and
Enemy (with		points are incremented by
Big Dot con-		double standard point value.
sumed/active)		Enemy is removed by collision
		and respawns in the center of
		the level.

• Use Case Number: 1

Name: Start Game

Trigger: The user starts a new game. Precondition: The main menu is open.

Postcondition: The in-game UI is shown and the game is started.

• Use Case Number: 2

Name: Move Player

Trigger: User presses arrow keys from the keyboard.

Precondition: In-game UI is active.

Postcondition: Player moves according to the arrow pressed.

• Use Case Number: 3

Name: Player contacts wall

Trigger: Player moves towards a wall.

Precondition: In-game UI is active.

Postcondition: User presses an arrow key to move Player away from

wall.

• Use Case Number: 4

Name: Player contacts enemy

Trigger: Player and enemy collide.

Precondition: In-game UI is active.

Postcondition: Points are reset and main menu UI is active if player

lives == 0. Decrements lives by 1 otherwise.

• Use Case Number: 5

Name: Enemies move

Trigger: Enemies collide with wall. Precondition: In-game UI is active.

Postcondition: Enemies move according to their AI.

• Use Case Number: 6

Name: Player collects dots

Trigger: User moves Player towards dots.

Precondition: Dots exist and in-game UI is active.

Post condition: Points are incremented by Ψ and the collected dot is no

longer visible.

• Use Case Number: 7

Name: Player collects big dot

Trigger: User moves Player towards big dot.

Precondition: Big dot exists and in-game UI is active.

Postcondition: Points are incremented by Σ and the collected big dot is no longer visible. Enemies change colour and Player is able to collide

with enemies.

• Use Case Number: 8

Name: Player collects last dot

Trigger: User moves Player towards last dot.

Precondition: In-game UI is active.

Postcondition: High score is updated if possible and game over UI is

active, displaying player's points.

• Use Case Number: 9

Name: Quit game

Trigger: User presses Escape on the keyboard.

Precondition: Main menu UI is active.

Postcondition: The game application is terminated.

• Use Case Number: 10

Name: Player collides with Enemy (while Big Dot consumed)

Trigger: User moves player towards enemy with Big Dot active.

Precondition: In-game UI is active. Big Dot is active (indicated by

different enemy colour).

Postcondition: Points are incremented by Λ per enemy collision. Enemy is removed after collision and respawns at the center of the level.

2.2 Functional Requirements

• Requirement Number: F1

Requirement Type: 2.2

Use Case: 1

Description: User must have the ability to start a new game.

Rationale: The user needs to have this ability in order to play the

game.

Fit Criterion: The game is able to be started.

Priority: High Conflicts: None

• Requirement Number: F2

Requirement Type: 2.2

Use Case: 2

Description: The user must have the ability to move Player up, down,

left or right.

Rationale: The user must have this ability to collect points and dodge

enemies.

Fit Criterion: Player moves correctly based on the users input.

Priority: High Conflicts: None

• Requirement Number: F3

Requirement Type: 2.2

Use Case: 3

Description: Player must stop moving when coming in contact with a

wall.

Rationale: Player must stop when touching a wall to make the game

more challenging and fair.

Fit Criterion: Player is unable to pass through walls.

Priority: High Conflicts: None • Requirement Number: F4

Requirement Type: 2.2

Use Case: 4

Description: The player loses a life if player has more than 1 life. Else,

the game will come to an end.

Rationale: Player must lose a life when coming in contact with an

enemy to make the game more challenging and fair.

Fit Criterion: Player is unable to pass through enemies.

Priority: High Conflicts: None

• Requirement Number: F5

Requirement Type: 2.2

Use Case: 5

. 0

Description: The enemies must be able to move on a valid path.

Rationale: Enemies must be able to move in order for the game to be

more challenging and fair.

Fit Criterion: Enemies move correctly based on their AI.

Priority: Medium Conflicts: None

• Requirement Number: F6

Requirement Type: 2.2

Use Case: 5

Description: The enemies must not be able to pass through walls.

Rationale: Enemies must not pass through walls in order to keep the

game fair.

Fit Criterion: Enemies move according to their AI.

Priority: High Conflicts: None • Requirement Number: F7

Requirement Type: 2.2

Use Case: 6

Description: User must be able to collect dots. Dots must disappear after collection.

Rationale: User must be able to collect dots in order to gain points in the game.

Fit Criterion: The user's points are increased by Ψ upon collecting dots.

Priority: Medium

Conflicts: None

• Requirement Number: F8

Requirement Type: 2.2

Use Case: 7

Description: The user must be able to collect the big dot.

Rationale: The user must be able to collect the big dot in order to collide with the enemy.

Fit Criterion: The user's points are increased by Σ upon collecting a big dot. The user's ability to collide with enemies is enabled upon collecting big dot.

Priority: Medium

Conflicts: None

• Requirement Number: F9

Requirement Type: 2.2

Use Case: 7

Description: User must be able to collide with enemies upon collecting

big dot.

Rationale: In order to remove enemies and respawn them back at the center, user must collide with enemies.

Fit Criterion: User is able to collide with enemies and points are incremented by Λ upon collision. User's ability to collide with enemies is enabled.

Priority: Medium Conflicts: None

• Requirement Number: F10

Requirement Type: 2.2

Use Case: 7

Description: Enemies must change colour when user collects big dot.

Rationale: Indicates to the user that the player is able to collide with

enemies and increase score further.

Fit Criterion: Each enemy's asset will refer to a different coloured

sprite.

Priority: Low Conflicts: None

• Requirement Number: F11

Requirement Type: 2.2

Use Case: 8

Description: The user must be able to win the game.

Rationale: The user needs a reason to play the game.

Fit Criterion: The user collects the last dot to win the game.

Priority: High Conflicts: None

• Requirement Number: F12

Requirement Type: 2.2

Use Case: 9

Description: The user must be able to quit the game.

Rationale: The user must have the option to terminate the game.

Fit Criterion: The user must press Escape on the main menu to terminate the game.

Priority: High Conflicts: None

• Requirement Number: F13

Requirement Type: 2.2

Use Case: 6

Description: User's points must increase when dots (or enemies when possible) are collected.

Rationale: Points must be increased in order to give user a reason to play the game.

Fit Criterion: User must collect dots (or enemies when possible) in order for points to increase by the appropriate amounts.

Priority: High Conflicts: None

• Requirement Number: F14

Requirement Type: 2.2

Use Case: 10

Description: User's points must increase at a greater rate when colliding with enemies with Big Dot active.

Rationale: Big Dot provides a bonus for players to increase points at a faster rate, otherwise Big Dot has no purpose.

Fit Criterion: Score is incremented by Λ when colliding with enemies with Big Dot active.

Priority: Medium Conflicts: None

• Requirement Number: F15

Requirement Type: 2.2

Use Case: 10

Description: Enemies are removed from collision and respawn at level center upon collision with player with Big Dot active.

Rationale: Big Dot provides ability to clear enemies from the level to open paths to further player progress score-wise.

Fit Criterion: Enemy entity is reset and initialized back at the starting point.

Priority: Medium Conflicts: None

3 Non-functional Requirements

3.1 Look and Feel Requirements

• Requirement Number: NF1

Description: The application layout shall be similar to that of the original Pacman arcade game.

Rationale: The application is intended to make the enjoyable arcadestyle of Pacman accessible to users without arcade machines (so the layout should comply with those standards).

Fit Criterion: Testers will make a comparison between the application and the original Pacman arcade game to ensure the layout looks consistent.

Priority: High

• Requirement Number: NF2

Description: The application color scheme shall be similar to that of the original Pacman arcade game.

Rationale: The application is intended to make the enjoyable arcadestyle of Pacman accessible to users without arcade machines (so the colors should match the original game).

Fit Criterion: Testers will make a comparison between the application and the original Pacman arcade game to ensure the colors of the games are consistent.

Priority: High

3.2 Usability and Humanity Requirements

• Requirement Number: NF3

Description: The application shall be easy for any individual above the age of 10 to use.

Rationale: The original arcade game was accessible to all ages and was simple to understand even for elementary school students - this application should reflect that ease of use.

Fit Criterion: Part of the testers for the application will be younger children, who should be able to successfully maneuver the Player through the map (collecting points and dodging enemies).

Priority: High

• Requirement Number: NF4

Description: The application interface shall be in English.

Rationale: The game is intended for use by anyone who speaks English.

Fit Criterion: Testers will ensure that all parts of the application (instructions, game interface, etc.) are clearly understandable in English.

Priority: High

• Requirement Number: NF5

Description: The game shall be easy for any player to learn within their first playthrough.

Rationale: Much of the popularity of the original arcade Pacman was in the simplicity of the game, so this redevelopment should reflect that.

Fit Criterion: Majority of testers should be able to understand how to play the game within their first playthrough (3 lives).

Priority: High

• Requirement Number: NF6

Description: The application shall only provide information to users that is necessary for them to enjoy the game.

Rationale: In order to keep maintain simplicity in this game as per NF7, it should be easily understandable and anything not relevant to the user's experience should be kept away from them.

Fit Criterion: Testers should not have trouble understanding the objectives of the game within their first playthrough (3 lives).

Priority: Moderate

3.3 Performance Requirements

• Requirement Number: NF7

Description: The response time between user actions and in-game operations shall be within a certain amount.

Rationale: If there is a delay in response time then users will not be able to enjoy the game to a full extent.

Fit Criterion: 90% of tests for response time will have a delay of less than Θ .

Priority: High

• Requirement Number: NF8

Description: The application shall not have unexpected failures.

Rationale: The application needs to be reliable so that users can spend time enjoying the game without worrying about downtime due to internal errors.

Fit Criterion: Unexpected crashes of the application will be within Ω of application tests.

Priority: High

• Requirement Number: NF9

Description: The application shall be expected to operate indefinitely.

Rationale: The game is provided for free as a redevelopment of the original arcade Pacman and longevity of the application is necessary to fulfill the product's goal - lifetime enjoyment of a classic arcade game without the need for an arcade machine.

Fit Criterion: The application is available for use as a jar file, so once the initial release is downloaded then the game shall be available to play at the user's leisure.

Priority: Moderate

3.4 Operational and Environmental Requirements

• Requirement Number: NF10

Description: Application releases shall be offered to users once per year.

Rationale: In the future there may be additional features added to the game (such as sounds, more levels, more interactions, customizable options, etc.) so releases should be kept in mind.

Fit Criterion: When new releases are provided to users, previous releases shall not be updated and there shall be no maintenance on the user's part apart from downloading the update.

Priority: Low

3.5 Maintainability and Support Requirements

• Requirement Number: NF11

Description: Bug fixes shall be provided within a few days to ensure application usability.

Rationale: Since the application code is open source, any unexpected errors in the game can be fixed by any developers so that users don't have to worry about the game crashing or behaving incorrectly (and decreasing enjoyment).

Fit Criterion: The code for the game is updated within one business week of an error being reported.

Priority: Moderate

• Requirement Number: NF12

Description: The application is expected to run on all operating systems that have a JVM.

Rationale: This game is being redeveloped as an application that is accessible to all users, so it should run independently of the user's platform in order to fulfill this goal.

Fit Criterion: The application will be tested on multiple platforms to ensure that it can be accessible to all users.

Priority: Moderate

3.6 Security Requirements

• Requirement Number: NF13

Description: Access to application code shall be made available through an open-source repository.

Rationale: Open-source code allows for easy maintainability of the application; any developer can efficiently fix errors in the code and improve on the design.

Fit Criterion: Changes for the code can be requested through the opensource repository, with final confirmation for changes being made by the original developers of the product (VPB Game Studio).

Priority: Moderate

3.7 Cultural Requirements

• Requirement Number: NF14

Description: The application shall not contain symbols or text that can be seen as potentially offensive to religious or ethnic groups.

Rationale: The game is intended for use by anyone worldwide and shall not discriminate against its users, especially since this would result in a decline in user satisfaction.

Fit Criterion: During testing, application shall be verified to not contain any offensive symbols or text.

Priority: High

3.8 Legal Requirements

• Requirement Number: NF15

Description: The application shall not commit copyright infringement on literary work of the original Pacman.

Rationale: Any literary work of Pacman (including artwork and sound) is protected under copyright law so it cannot be replicated.

Fit Criterion: Any literary work used in Namcap shall not make use of the original arcade game's sprite set. All similar artwork shall be altered so that similarities are minimized for the redevelopment.

Priority: High

• Requirement Number: NF16

Description: The application shall not commit trademark infringement on the product that is the original arcade Pacman.

Rationale: Any similarities in Namcap to the original work of Pacman (including the game title, game characters, and other game entities) should be such that they do not break trademark agreements.

Fit Criterion: All game entities in Namcap shall not be similar to entities in the original arcade game. All similar game entities (character names, item names) shall be altered to avoid trademark violation.

Priority: High

3.9 Health and Safety Requirements

• Requirement Number: NF17

Description: The application shall remind the user not to play without breaks.

Rationale: One's health comes into question whenever any software application is being used continuously for a long period of time, so it is important for users not to keep playing after a certain amount of time without taking a break in order to stay healthy.

Fit Criterion: Every Φ of continuous playtime will pause the application and prompt the user to take a break.

Priority: Low

4 Project Issues

4.1 Open Issues

As the implementation will be a self-contained Java application, at this stage in development the only open issue would be testing. Testing of the implementation has not yet occurred on both Windows and Linux based operating systems. This may result in unforeseen complications in the future, however the issues would most likely be easily dealt with as a characteristic

of the type of application being built and the programming language being used for development.

4.2 Off-the-Shelf Solutions

4.2.1 Ready-Made Products

As this project is a redevelopment of Pacman, the emphasis is on the use of correct programming and documentation standards of an existing readymade product (arcade Pacman).

4.2.2 Reusable Components

The Java Swing and Robot libraries will be used for graphical and testing components of the implementation.

4.2.3 Products That Can Be Copied

The original project contains the graphical assets for the original Pacman. These assets are easily modifiable for legal use in the redeveloped Namcap.

4.3 New Problems

4.3.1 Effects on the Current Environment

Assuming the user is using modern computer technology with default processing capability, the application will not affect any existing systems/environment.

4.3.2 Effects on the Installed System

The application is self-contained and will not coexist with any existing system.

4.3.3 Potential User Problems

Users of an existing system will not be affected by the introduction of this redeveloped implementation as it is meant to stand-alone from any prior implementation.

4.3.4 Limitations in the Anticipated Implementation Environment That May Inhibit the New Product

Inadequate processing power (minimal required) would inhibit the application from running optimally as it utilizes a graphical interface that drives the functionality.

4.3.5 Follow-Up Problems

Due to the implementation's minimal hardware and system requirements, future iterations of the hardware or software used to run the application will not affect the execution/functionality of the application. Since the project will be built-off of an open-source implementation and readily available online, demand and legality concerns are minimal.

4.4 Tasks

4.4.1 Project Planning

The redevelopment team will be responsible to allocate the appropriate resources to the completion of processes required for the final implementation.

TaskEstimated TimelineImplementation Model DevelopmentOctober 15Revision of Implementation ModelOctober 17Java Implementation DevelopmentNovember 10Revision of Java ImplementationNovember 12MaintenanceOngoing Semi-Annually

Table 4: Project Plan

4.4.2 Planning of the Development Process

Phase 1 - Model Development: This phase of the redevelopment project will focus on the creation of a suitable model to blueprint the implementation process. The model development will mainly consists of conceptual design,

cover all applicable functionalities of the program, and must be operational (revised) as of October 17.

Phase 2 - Program Development: This phase will focus on the actual programming of the modelled implementation in Java. This phase will require the availability of the IDE and corresponding Java packages to be utilized. Functionality and other testing will occur during this period for the operational deadline of November 12.

Phase 3 - Application Maintenance: This phase will encapsulate the ongoing maintenance and updates to the application in order to remain flexible with any issues that arise in the future. The emphasis will be on implementation optimality to ensure the game runs smoothly as hardware and software environments change over time.

4.5 Migration to the New Product

The game will be self-contained and therefore no applicable migration requirements and/or modifications of data need to occur for the introduction of the new implementation.

4.6 Risks

Since this project aims to redevelop a game, there are minimal risks involved with the execution or maintenance of a self-contained implementation.

4.7 Costs

Development assets will be modified/conceptualized from an open-source project with use of freely available programming and image editing software. Therefore there are no foreseen costs to the client associated with the development of this project.

4.8 User Documentation and Training

4.8.1 User Documentation Requirements

A user manual detailing the control set and in-game entity uses will be included with the final implementation. The document will list the controls required to play the game and will detail what each entity in the game does and how it affects the overall gameplay. If additional gameplay mechanics are integrated into the design in the future, the user manual will have to be updated to encapsulate the changes made such that the user has up-to-date information on how the game works.

4.8.2 Training Requirements

Training requirements are not applicable to this project. The user manual will include all information needed by the user to play the game.

4.9 Waiting Room

In-game audio, save and load game, and additional level creation functionalities will not be a part of the initial development release but may be revisited for future iterations.

4.10 Ideas for Solutions

NF12 Possible solution would involve verification that all source files compile as an executable .jar file. This would ensure that any system with the Java Virtual Machine would be able to run the application.

References

James Robertson and Suzanne Robertson. Volere Requirements Specification Template. Atlantic Systems Guild Limited, 16 edition, 2012.

5 Appendix

5.1 Symbolic Parameters

The definition of the requirements call for SYMBOLIC_CONSTANTS; their values are defined in this section for easy maintenance.

Table 5: Symbolic Constants

Constant	Value	Description
Θ	0.5 seconds	Response time between user actions and
		in-game operations
Ω	1 %	Percent of application tests that will cause
		unexpected failures in the application
Φ	2 hours	Duration that application runs for before
		prompting user to take a break
Ψ	100 points	Point increment when player collides with
		small dot
\sum	200 points	Point increment when player collides with
		big dot
Λ	500 points	Point increment when player collides with
	_	enemy during big dot stage