

SE 3XA3: Development Plan Namcap

Team 2, VPB Game Studio
Prajvin Jalan (jalanp)
Vatsal Shukla (shuklv2)
Baltej Toor (toorbs)

October 11, 2016

Contents

1	Project Drivers	1
1.1	The Purpose of the Project	1
1.2	The Stakeholders	1
1.2.1	The Client	1
1.2.2	The Customers	1
1.2.3	Other Stakeholders	1
1.3	Mandated Constraints	2
1.3.1	Solution Constraints	2
1.3.2	Implementation Environment of the Current System	2
1.3.3	Partner or Collaborative Applications	2
1.3.4	Off-the-Shelf Software	2
1.3.5	Anticipated Workplace Environment	2
1.3.6	Schedule Constraints	3
1.3.7	Budget Constraints	3
1.3.8	Enterprise Constraints	3
1.4	Naming Conventions and Terminology	3
1.5	Relevant Facts and Assumptions	4
1.5.1	Relevant Facts	4
1.5.2	Business Rules	4
1.5.3	Assumptions	4
2	Functional Requirements	4
2.1	The Scope of the Work and the Product	4
2.1.1	The Context of the Work	4
2.1.2	Work Partitioning	5
2.1.3	Individual Product Use Cases	7
2.2	Functional Requirements	9
3	Non-functional Requirements	14
3.1	Look and Feel Requirements	14
3.2	Usability and Humanity Requirements	14
3.3	Performance Requirements	16
3.4	Operational and Environmental Requirements	16
3.5	Maintainability and Support Requirements	17
3.6	Security Requirements	17
3.7	Cultural Requirements	18

3.8	Legal Requirements	18
3.9	Health and Safety Requirements	18
4	Project Issues	19
4.1	Open Issues	19
4.2	Off-the-Shelf Solutions	19
4.2.1	Ready-Made Products	19
4.2.2	Reusable Components	19
4.2.3	Products That Can Be Copied	19
4.3	New Problems	20
4.3.1	Effects on the Current Environment	20
4.3.2	Effects on the Installed System	20
4.3.3	Potential User Problems	20
4.3.4	Limitations in the Anticipated Implementation Environment That May Inhibit the New Product	20
4.3.5	Follow-Up Problems	20
4.4	Tasks	20
4.4.1	Project Planning	20
4.4.2	Planning of the Development Process	21
4.5	Migration to the New Product	21
4.6	Risks	22
4.7	Costs	22
4.8	User Documentation and Training	22
4.8.1	User Documentation Requirements	22
4.8.2	Training Requirements	22
4.9	Waiting Room	22
4.10	Ideas for Solutions	22
5	Appendix	25
5.1	Symbolic Parameters	25

List of Tables

1	Revision History	iv
2	Terminology	3
3	List of events	7
4	Project Plan	21

5	Symbolic Constants	25
---	------------------------------	----

List of Figures

1	Context Diagram of the Work	5
2	Flow Diagram of the Game	6

Table 1: **Revision History**

Date	Version	Notes
2016-10-11	1.0	Addition of content to Project Drivers sections excluding Naming Conventions and Terminology
2016-10-11	1.1	Addition of content to Project Issues sections excluding Open Issues and Ideas for Solutions
2016-10-11	1.2	Addition of content to Non-functional Requirements section
2016-10-11	1.3	Formatting fixes to figure and table locations
2016-10-11	1.4	Further formatting and content additions to 1.4 and 4.10
2016-10-11	1.5	Revision of linguistics and use of 'Pacman' in the document
2016-10-11	1.6	Addition of Symbolic Parameters table and minor text edits

This document describes the requirements for the redevelopment project Namcap. The template for the Software Requirements Specification (SRS) is a subset of the Volere template (Robertson and Robertson, 2012).

1 Project Drivers

1.1 The Purpose of the Project

The purpose of this project is to redevelop the classic arcade game Pacman based on an unstructured open-source development. The Pacman conceptual redevelopment, 'Namcap' aims to provide the classic arcade-style experience to a broader player base. The project will be geared towards a computer implementation to provide the most access for the classical gaming interaction without having to pay large amounts for additional hardware. The project will focus on redeveloping the reference open-source project with correct programming standards, modularization, and an emphasis on formal documentation.

1.2 The Stakeholders

1.2.1 The Client

The project is being developed for an external entity that has final say on the acceptance of the redevelopment and will review the project before deployment. The external entity shows interest in the redevelopment of open source projects with emphasis on improvement of programming structure and documentation.

1.2.2 The Customers

The general gaming population are customers for this project. A typical gamer would have access to the internet and have the computer experience to download and run the application.

1.2.3 Other Stakeholders

Another stakeholder of this project is the redevelopment team. VPB Game Studio is responsible for the development of Namcap, with emphasis on the

utilization of correct programming principles and formalization of documentation throughout development.

1.3 Mandated Constraints

1.3.1 Solution Constraints

The implementation shall be based on the same mechanics as the original implementation. Mechanics such as sprit movement, collision with various in-game entities, and scoring should reflect Pacman. The project is a redevelopment and aims to stay true to the retro-arcade gaming interaction that Pacman utilized.

1.3.2 Implementation Environment of the Current System

- i All controls associated with the game mechanics shall be integrated to work with any keyboard configuration.
- ii The application shall be executable on both Mac, Windows, and Linux operating systems.

1.3.3 Partner or Collaborative Applications

The implementation does not require any partner or collaborative applications to execute. The application runs independently of any external or pre-existing applications.

1.3.4 Off-the-Shelf Software

The implementation is self-contained and therefore requires no addition OTS software to be incorporated into the project.

1.3.5 Anticipated Workplace Environment

The application shall be usable on desktop and laptop computer platforms. This allows users, once the application is downloaded locally, to run the game virtually anywhere with a laptop. The implementation does not affect the workplace environment externally as no audio functionality is built-in. The execution of the implementation is only limited to the extent of laptop portability.

1.3.6 Schedule Constraints

Scheduling constraints are not applicable to this redevelopment project. However, self-imposed scheduling guidelines have been put in place for the development process. Specifically, the development team is aiming to have the initial implementation fully functioning by December 2016.

1.3.7 Budget Constraints

Strict budget constraints are not applicable for this project. Any possible budgeting considerations for this redevelopment project focus around the team's time management and availability. Since the redevelopment is based on an open-source implementation, any and all additional resources for the project are readily and freely available.

1.3.8 Enterprise Constraints

The redeveloped implementation shall follow the correct programming and development standards as well as emphasis the creation of formalized documentation.

1.4 Naming Conventions and Terminology

Table 2: Terminology

Terminology Used	Meaning/Reference To
OTS	'Off-The-Shelf' solution
UI	'User Interface'
AI	'Artificial Intelligence'
NF/F	'Non-Functional/Functional'
Project/Redevelopment	Recreation of Pacman, Namcap
Player	In-game player entity (character icon)

1.5 Relevant Facts and Assumptions

1.5.1 Relevant Facts

- i The existing base implementation is approximately 1600 lines of Java code.
- ii The original project is to be used as a source to conceptualize based on the requirements. No code will be used from the original project.

1.5.2 Business Rules

The redevelopment team shall delegate work as to equalize the amount taken on by each member. This allows for an efficient development process and is mandated by the client of the project.

1.5.3 Assumptions

The redevelopment project assumes that:

- i All required software components (IDEs, Image Editing Software) will be readily available.
- ii Audio functionality shall not be implemented initially (may be implemented in the future following the appropriate decision process).
- iii The implementation will be executed in a verified instance of either the Mac, Windows, or Linux operating systems.
- iv The majority of users will have basic computer knowledge and experience.

2 Functional Requirements

2.1 The Scope of the Work and the Product

2.1.1 The Context of the Work

The context diagram of the work is given in [Figure 1](#).




Figure 1: Context Diagram of the Work

2.1.2 Work Partitioning

Figure 2 demonstrates a rough representation of the mechanics of the game. The user interface contains a main menu, a game over screen and the in-game interface where all of the gameplay will occur.




Figure 2: Flow Diagram of the Game

2.1.3 Individual Product Use Cases

Table 3: List of events

Event Name	Inputs/Outputs	Summary
Start Game	Keyboard (Spacebar)	The game is started.
Move Player	Keyboard(arrow keys)/UI(ouput)	Player moves through the map.
Enemies Move	UI(output)	The enemies move through the map.
Player hits wall	Keyboard(arrow keys)/UI(output)	Player stops moving unless a valid move is made.
Player collects dots	Keyboard(arrow keys)/UI(output)	Player collects dots which increases the game points.
Player hits enemy	Keyboard(arrow keys)/UI(output)	Points are reset and UI changes to main menu.
Player collects big dot	Keyboard(arrow keys)/UI(output)	Player collects big dot, enemies change colour and Player is able to hit the enemies and send them back to their cage. Points are incremented as Player hits enemies.
Player collects all dots	Keyboard(arrow keys)/UI(output)	Once Player collects all dots, the points are reset and UI switches back to main menu.
Enemy hits wall	UI(output)	When enemies hit a wall, they will turn and start moving to a valid path.

- Use Case Number: 1

Name: Start Game

Trigger: The user starts a new game

Precondition: The main menu is open

Postcondition: The in-game UI is shown and the game is started

- Use Case Number: 2

Name: Move Player

Trigger: User presses arrow keys from the keyboard

Precondition: In-game UI is active

Postcondition: Player moves according to the arrow pressed

- Use Case Number: 3

Name: Player contacts wall

Trigger: Player moves towards a wall

Precondition: In-game UI is active

Postcondition: User presses an arrow key to move Player away from wall

- Use Case Number: 4

Name: Player contacts enemy

Trigger: Player and enemy collide

Precondition: In-game UI is active

Postcondition: Points are reset and main menu UI is active

- Use Case Number: 5

Name: Enemies move

Trigger: Enemies collide with wall

Precondition: In-game UI is active

Postcondition: Enemies move according to their AI

- Use Case Number: 6

Name: Player collects dots

Trigger: User moves Player towards dots

Precondition: Dots exist and in-game UI is active

Postcondition: Points are incremented and the collected dot is no longer visible

- Use Case Number: 7
 Name: Player collects big dot
 Trigger: User moves Player towards big dot
 Precondition: Big dot exists and in-game UI is active
 Postcondition: Enemies change colour and Player is able to collide with enemies
- Use Case Number: 8
 Name: Player collects last dot
 Trigger: User moves Player towards last dot
 Precondition: In-game UI is active
 Postcondition: Points are reset and game over UI is active
- Use Case Number: 9
 Name: Name: Quit game
 Trigger: User presses Escape on the keyboard
 Precondition: Main menu UI is active
 Postcondition: The game application is terminated

2.2 Functional Requirements

- Requirement Number: F1
 Requirement Type: 2.2
 Use Case: 1
 Description: User must have the ability to start a new game
 Rationale: The user needs to have this ability in order to play the game
 Fit Criterion: The game is able to be started
 Priority: High
 Conflicts: None

- Requirement Number: F2
Requirement Type: 2.2
Use Case: 2
Description: The user must have the ability to move Player up, down, left or right.
Rationale: The user must have this ability to collect points and dodge enemies.
Fit Criterion: Player moves correctly based on the users input.
Priority: High
Conflicts: None
- Requirement Number: F3
Requirement Type: 2.2
Use Case: 3
Description: Player must stop moving when coming in contact with a wall.
Rationale: Player must stop when touching a wall to make the game more challenging and fair.
Fit Criterion: Player is unable to pass through walls.
Priority: High
Conflicts: None
- Requirement Number: F4
Requirement Type: 2.2
Use Case: 4
Description: The game must come to an end when Player comes in contact with an enemy.
Rationale: Player must "die" when coming in contact with an enemy to make the game more challenging and fair.
Fit Criterion: Player is unable to pass through enemies.
Priority: High
Conflicts: None

- Requirement Number: F5
Requirement Type: 2.2
Use Case: 5
Description: The enemies must be able to move on a valid path.
Rationale: Enemies must be able to move in order for the game to be more challenging and fair.
Fit Criterion: Enemies move correctly based on their AI.
Priority: Medium
Conflicts: None
- Requirement Number: F6
Requirement Type: 2.2
Use Case: 5
Description: The enemies must not be able to pass through walls.
Rationale: Enemies must not pass through walls in order to keep the game fair.
Fit Criterion: Enemies move according to their AI.
Priority: High
Conflicts: None
- Requirement Number: F7
Requirement Type: 2.2
Use Case: 6
Description: User must be able to collect dots. Dots must disappear after collection.
Rationale: User must be able to collect dots in order to gain points in the game.
Fit Criterion: The user's points are increased upon collecting dots
Priority: Medium
Conflicts: None

- Requirement Number: F8
 Requirement Type: 2.2
 Use Case: 7
 Description: The user must be able to collect the big dot
 Rationale: The user must be able to collect the big dot in order to collide with the enemy
 Fit Criterion: The user's ability to collide with enemies is enabled upon collecting big dot
 Priority: Medium
 Conflicts: None

- Requirement Number: F9
 Requirement Type: 2.2
 Use Case: 7
 Description: User must be able to collide with enemies upon collecting big dot
 Rationale: In order to knock the enemies back to their cage, user must collide with enemies
 Fit Criterion: User is able to collide with enemies to gain extra points
 Priority: Medium
 Conflicts: None

- Requirement Number: F10
 Requirement Type: 2.2
 Use Case: 7
 Description: Enemies must be able to run away from user upon collecting big dot
 Rationale: Enemies will try to avoid being eaten by the user
 Fit Criterion: The enemy's AI will determine how they will run away from the user
 Priority: Low
 Conflicts: None

- Requirement Number: F11
Requirement Type: 2.2
Use Case: 8
Description: The user must be able to win the game.
Rationale: The user needs a reason to play the game.
Fit Criterion: The user collects the last dot to win the game.
Priority: High
Conflicts: None
- Requirement Number: F12
Requirement Type: 2.2
Use Case: 9
Description: The user must be able to quit the game.
Rationale: The user must have the option to terminate the game.
Fit Criterion: The user must press Escape on the main menu to terminate the game.
Priority: High
Conflicts: None
- Requirement Number: F13
Requirement Type: 2.2
Use Case: 6
Description: User's points must increase when dots are collected.
Rationale: Points must be increased in order to give user a reason to play the game.
Fit Criterion: User must collect dots in order for points to increase.
Priority: High
Conflicts: None

3 Non-functional Requirements

3.1 Look and Feel Requirements

- Requirement Number: NF1

Description: The application layout shall be similar to that of the original Pacman arcade game

Rationale: The application is intended to make the enjoyable arcade-style of Pacman accessible to users without arcade machines (so the layout should comply with those standards)

Fit Criterion: Testers will make a comparison between the application and the original Pacman arcade game to ensure the layout looks consistent

Priority: High

- Requirement Number: NF2

Description: The application color scheme shall be similar to that of the original Pacman arcade game

Rationale: The application is intended to make the enjoyable arcade-style of Pacman accessible to users without arcade machines (so the colors should match the original game)

Fit Criterion: Testers will make a comparison between the application and the original Pacman arcade game to ensure the colors of the games are consistent

Priority: High

3.2 Usability and Humanity Requirements

- Requirement Number: NF3

Description: The application shall be easy for any individual above the age of 10 to use

Rationale: The original arcade game was accessible to all ages and was simple to understand even for elementary school students - this application should reflect that ease of use

Fit Criterion: Part of the testers for the application will be younger children, who should be able to successfully maneuver the Player through the map (collecting points and dodging enemies)

Priority: High

- Requirement Number: NF4

Description: The application interface shall be in English

Rationale: The game is intended for use by anyone who speaks English

Fit Criterion: Testers will ensure that all parts of the application (instructions, game interface, etc.) are clearly understandable in English

Priority: High

- Requirement Number: NF5

Description: The game shall be easy for any player to learn within their first playthrough

Rationale: Much of the popularity of the original arcade Pacman was in the simplicity of the game, so this redevelopment should reflect that

Fit Criterion: Majority of testers should be able to understand how to play the game within their first playthrough (3 lives)

Priority: High

- Requirement Number: NF6

Description: The application shall only provide information to users that is necessary for them to enjoy the game

Rationale: In order to keep maintain simplicity in this game as per NF7, it should be easily understandable and anything not relevant to the user's experience should be kept away from them

Fit Criterion: Testers should not have trouble understanding the objectives of the game within their first playthrough (3 lives)

Priority: Moderate

3.3 Performance Requirements

- Requirement Number: NF7

Description: The response time between user actions and in-game operations shall be within a certain amount

Rationale: If there is a delay in response time then users will not be able to enjoy the game to a full extent

Fit Criterion: 90% of tests for response time will have a delay of less than Θ

Priority: High

- Requirement Number: NF8

Description: The application shall not have unexpected failures

Rationale: The application needs to be reliable so that users can spend time enjoying the game without worrying about downtime due to internal errors

Fit Criterion: Unexpected crashes of the application will be within Ω of application tests

Priority: High

- Requirement Number: NF9

Description: The application shall be expected to operate indefinitely

Rationale: The game is provided for free as a redevelopment of the original arcade Pacman and longevity of the application is necessary to fulfill the product's goal - lifetime enjoyment of a classic arcade game without the need for an arcade machine

Fit Criterion: The application is available for use as a jar file, so once the initial release is downloaded then the game shall be available to play at the user's leisure

Priority: Moderate

3.4 Operational and Environmental Requirements

- Requirement Number: NF10

Description: Application releases shall be offered to users once per year

Rationale: In the future there may be additional features added to the game (such as sounds, more levels, more interactions, customizable options, etc.) so releases should be kept in mind

Fit Criterion: When new releases are provided to users, previous releases shall not be updated and there shall be no maintenance on the user's part apart from downloading the update

Priority: Low

3.5 Maintainability and Support Requirements

- Requirement Number: NF11

Description: Bug fixes shall be provided within a few days to ensure application usability

Rationale: Since the application code is open source, any unexpected errors in the game can be fixed by any developers so that users don't have to worry about the game crashing or behaving incorrectly (and decreasing enjoyment)

Fit Criterion: The code for the game is updated within one business week of an error being reported

Priority: Moderate

- Requirement Number: NF12

Description: The application is expected to run on all operating systems that have a JVM

Rationale: This game is being redeveloped as an application that is accessible to all users, so it should run independently of the user's platform in order to fulfill this goal

Fit Criterion: The application will be tested on multiple platforms to ensure that it can be accessible to all users

Priority: Moderate

3.6 Security Requirements

- Requirement Number: NF13

Description: Access to application code shall be made available through an open-source repository

Rationale: Open-source code allows for easy maintainability of the application; any developer can efficiently fix errors in the code and improve on the design

Fit Criterion: Changes for the code can be requested through the open-source repository, with final confirmation for changes being made by the original developers of the product (VPB Game Studio)

Priority: Moderate

3.7 Cultural Requirements

- Requirement Number: NF14

Description: The application shall not contain symbols or text that can be seen as potentially offensive to religious or ethnic groups

Rationale: The game is intended for use by anyone worldwide and shall not discriminate against its users, especially since this would result in a decline in user satisfaction

Fit Criterion: During testing, application shall be verified to not contain any offensive symbols or text

Priority: High

3.8 Legal Requirements

There are no legal requirements in relation to this project.

3.9 Health and Safety Requirements

- Requirement Number: NF15

Description: The application shall remind the user not to play without breaks

Rationale: One's health comes into question whenever any software application is being used continuously for a long period of time, so it is important for users not to keep playing after a certain amount of time without taking a break in order to stay healthy

Fit Criterion: Every 2 hours of continuous playtime will pause the application and prompt the user to take a break

Priority: Low

4 Project Issues

4.1 Open Issues

As the implementation will be a self-contained Java application, at this stage in development the only open issue would be testing. Testing of the implementation has not yet occurred on both Windows and Linux based operating systems. This may result in unforeseen complications in the future, however the issues would most likely be easily dealt with as a characteristic of the type of application being built and the programming language being used for development.

4.2 Off-the-Shelf Solutions

4.2.1 Ready-Made Products

As this project is a redevelopment of Pacman, the emphasis is on the use of correct programming and documentation standards of an existing ready-made product (arcade Pacman).

4.2.2 Reusable Components

The Java Swing and Robot libraries will be used for graphical and testing components of the implementation.

4.2.3 Products That Can Be Copied

The original project contains the graphical assets for the original Pacman. These assets are easily modifiable for legal use in the redeveloped Namcap.

4.3 New Problems

4.3.1 Effects on the Current Environment

Assuming the user is using modern computer technology with default processing capability, the application will not affect any existing systems/environment.

4.3.2 Effects on the Installed System

The application is self-contained and will not coexist with any existing system.

4.3.3 Potential User Problems

Users of an existing system will not be affected by the introduction of this redeveloped implementation as it is meant to stand-alone from any prior implementation.

4.3.4 Limitations in the Anticipated Implementation Environment That May Inhibit the New Product

Inadequate processing power (minimal required) would inhibit the application from running optimally as it utilizes a graphical interface that drives the functionality.

4.3.5 Follow-Up Problems

Due to the implementation's minimal hardware and system requirements, future iterations of the hardware or software used to run the application will not affect the execution/functionality of the application. Since the project will be built-off of an open-source implementation and readily available online, demand and legality concerns are minimal.

4.4 Tasks

4.4.1 Project Planning

The redevelopment team will be responsible to allocate the appropriate resources to the completion of processes required for the final implementation.

Table 4: Project Plan

Task	Estimated Timeline
Implementation Model Development	October 15
Revision of Implementation Model	October 17
Java Implementation Development	November 10
Revision of Java Implementation	November 12
Maintenance	Ongoing Semi-Annually

4.4.2 Planning of the Development Process

Phase 1 - Model Development: This phase of the redevelopment project will focus on the creation of a suitable model to blueprint the implementation process. The model development will mainly consists of conceptual design, cover all applicable functionalities of the program, and must be operational (revised) as of October 17.

Phase 2 - Program Development: This phase will focus on the actual programming of the modelled implementation in Java. This phase will require the availability of the IDE and corresponding Java packages to be utilized. Functionality and other testing will occur during this period for the operational deadline of November 12.

Phase 3 - Application Maintenance: This phase will encapsulate the ongoing maintenance and updates to the application in order to remain flexible with any issues that arise in the future. The emphasis will be on implementation optimality to ensure the game runs smoothly as hardware and software environments change over time.

4.5 Migration to the New Product

The game will be self-contained and therefore no applicable migration requirements and/or modifications of data need to occur for the introduction of the new implementation.

4.6 Risks

Since this project aims to redevelop a game, there are minimal risks involved with the execution or maintenance of a self-contained implementation.

4.7 Costs

Development assets will be modified/conceptualized from an open-source project with use of freely available programming and image editing software. Therefore there are no foreseen costs to the client associated with the development of this project.

4.8 User Documentation and Training

4.8.1 User Documentation Requirements

A user manual detailing the control set and in-game entity uses will be included with the final implementation. The document will list the controls required to play the game and will detail what each entity in the game does and how it affects the overall gameplay. If additional gameplay mechanics are integrated into the design in the future, the user manual will have to be updated to encapsulate the changes made such that the user has up-to-date information on how the game works.

4.8.2 Training Requirements

Training requirements are not applicable to this project. The user manual will include all information needed by the user to play the game.

4.9 Waiting Room

In-game audio, save and load game, and additional level creation functionalities will not be a part of the initial development release but may be revisited for future iterations.

4.10 Ideas for Solutions

NF12 Possible solution would involve verification that all source files compile as an executable .jar file. This would ensure that any system with the

Java Virtual Machine would be able to run the application.

References

James Robertson and Suzanne Robertson. *Volere Requirements Specification Template*. Atlantic Systems Guild Limited, 16 edition, 2012.

5 Appendix

5.1 Symbolic Parameters

The definition of the requirements call for SYMBOLIC_CONSTANTS; their values are defined in this section for easy maintenance.

Table 5: Symbolic Constants

Constant	Value	Description
Θ	0.5 seconds	Response time between user actions and in-game operations
Ω	1 %	Percent of application tests that will cause unexpected failures in the application