

Visual Studio 2022 Image Library

Use instructions

Images that have KnownMonikers are consumable by any Visual Studio component or extension via the [Visual Studio Image Service](#). The same usage restrictions apply to all variations of a given image. As part of a visual language, the following images (or any part of the images) must be used in a manner consistent with the image name or concept description indicated below.

Read the [Visual Studio 2022 Image Library EULA](#).

Image	KnownMoniker	Description
	Abbreviation	Refer to icon name.
	AboutBox	Refer to icon name.
	AbsolutePosition	Used for setting objects to absolute position.
	AbstractAssociation	Abstract association relationship.
	AbstractClass	An abstract class symbol.
	AbstractCube	Refer to icon name.
	Accelerator	Represents the accelerator function in devices.
	AcceptEventAction	
	Accessibility	The common symbol for accessibility.
	Accordion	Refer to icon name.
	Account	Represents user account or log-in information.
	AccountAttribute	Refer to icon name.
	AccountGroup	Refer to icon name.
	Action	

Image	KnownMoniker	Description
	ActionLog	Refer to icon name.
	ActionTool	Refer to icon name.
	ActivateWorkflow	Refer to icon name.
	ActiveDocumentHost	Refer to icon name.
	ActiveEnvironment	Used in Python Tools to represent an active environment.
	ActiveFluidLayout	Refer to icon name.
	ActiveServerApplication	
	Activity	Workflow activity, or reconcile changes between local version and server version.
	ActivityDiagram	Represents an activity type diagram.
	ActivityFinalNode	Represents the final node used in an activity diagram.
	ActivityMonitor	Refer to icon name.
	ActivityParameterNode	Represents the parameter node used in an activity diagram.
	Actor	Actor role in workflow diagram.
	Add	Used for adding items.
	AddAgent	Refer to icon name.
	AddAssociation	Refer to icon name.
	AddAttachment	Used for adding attachment as opposed to deleting attachment. When there is only one control to add attachment, you can use the Attachment icon by itself.
	AddAttribute	Add attribute, field value, parameter.
	AddBehavior	Refer to icon name.

Image	KnownMoniker	Description
	AddBottomFrame	Refer to icon name.
	AddBuildToQueue	Used for adding a new build to the queue.
	AddButton	Refer to icon name.
	AddCellToLeft	Insert cell to the left of current cell
	AddCellToRight	Insert cell to the right of current cell
	AddChildNode	Used for adding child nodes to the current parent node.
	AddClass	Refer to icon name.
	AddClause	Add clause to build queries.
	AddColumn	Refer to icon name.
	AddColumns	Add table column.
	AddColumnsToLeft	Insert a column to the left of current column.
	AddColumnsToRight	Insert a column to the right of current column.
	AddComment	Add comment to a discussion thread, not comment code block.
	AddComponent	Refer to icon name.
	AddComputedField	Refer to icon name.
	AddConditionalLoop	Refer to icon name.
	AddConditionalRule	Refer to icon name.
	AddConnection	Add connection as opposed to disconnect from a remote service. When there is only one control for adding connection, you may use the Connect icon by itself.
	AddControl	Add control.

Image	KnownMoniker	Description
	AddCustomControl	Add custom control
	AddDatabase	Add database.
	AddDataItem	Add data item.
	AddDataSource	Add data source.
	AddDelegation	Refer to icon name.
	AddDictionary	Add dictionary
	AddDictionaryItem	Refer to icon name.
	AddDimension	Add dimension.
	AddDocument	Refer to icon name.
	AddDocumentGroup	Refer to icon name.
	AddEntity	
	AddEvent	Add event.
	AddFavorite	When there is only one control for toggling between add and remove favorites, you may use the Favorite icon by itself.
	AddField	Add a property field.
	AddFolder	Refer to icon name.
	AddForm	Refer to icon name.
	AddFriend	Refer to icon name.
	AddGroup	Refer to icon name.
	AddHTMLPage	Refer to icon name.

Image	KnownMoniker	Description
	AddImage	Can also be used for adding project resources.
	AddIn	Represents add-on, plug-in.
	AddIndexer	Refer to icon name.
	AddInheritance	Add inheritance relationship.
	AddInheritedControl	Add a control with inherited attributes from parent.
	AddInheritedForm	Add a form with inherited attributes from parent form.
	AddInterface	Refer to icon name.
	AddItem	Refer to icon name.
	AddKeyframe	Add key frame to timeline.
	AddLayoutItem	Refer to icon name.
	AddLeftFrame	Refer to icon name.
	AddLink	Used for adding links as opposed to deleting links. Use the Link icon by itself for obtaining links.
	AddLiveDataSource	Add live data source as opposed to local, static data source files.
	AddLocalServer	Add local server as opposed to remote server.
	AddManifest	Refer to icon name.
	AddMember	Refer to icon name.
	AddMemberFormula	Refer to icon name.
	AddMethod	Refer to icon name.
	AddModule	Refer to icon name.

Image	KnownMoniker	Description
	AddNamespace	Refer to icon name.
	AddNestedTable	Add table nested within another table.
	AddNoColor	Use color version by default. Only use grey version if you need to reduce visual noise in a list scenario.
	AddOnlineVersion	This is often used in an icon button where no text label is shown.
	AddOrRemoveColumns	Add removed columns back, or insert cut columns from clipboard.
	AddPageGuides	Refer to icon name.
	AddParameter	Refer to icon name.
	AddparentNode	Add parent node above the current child.
	AddPhone	Refer to icon name.
	AddProperty	Refer to icon name.
	AddQuery	Refer to icon name.
	AddReference	Refer to icon name.
	AddRelationship	Refer to icon name.
	AddRemoteServer	Add remote server as opposed to local server.
	AddressEditor	Refer to icon name.
	AddRightFrame	Refer to icon name.
	AddRow	Add row to table.
	AddRulerHorizontal	
	AddRulerVertical	

Image	KnownMoniker	Description
	AddScreen	Used in Storyboard for adding a screen.
	AddSnippet	Refer to icon name.
	AddState	Add state to timeline.
	AddStateGroup	Add a group of state to timeline.
	AddStyleRule	Add styling rules.
	AddTable	Refer to icon name.
	AddTablet	Refer to icon name.
	AddTeamProject	Refer to icon name.
	AddTest	Can also be used for attaching test to existing projects.
	AddTestGroup	Can also be used for attaching a group of test cases to existing projects.
	AddTextFile	Refer to icon name.
	AddThread	Refer to icon name.
	AddToCollection	Can also be used for adding a collection of items.
	AddToDependancyGraph	Add Dependency type graph.
	AddToDependancyGraphAncestor	Add Dependency type graph with ancestor.
	AddTopFrame	Refer to icon name.
	AddToRowAbove	Add row above the current row.
	AddToRowBelow	Add row below the current row.
	AddToSolutionExplorer	Add current file to Solution Explorer tree view.

Image	KnownMoniker	Description
	AddTransition	Refer to icon name.
	AddUser	Refer to icon name.
	AddVariable	Refer to icon name.
	AddWebForm	Refer to icon name.
	AddWebService	Refer to icon name.
	AddWebUserControl	Refer to icon name.
	AdRotator	Ad rotator control.
	AdvancedBreakpointDisabled	Refer to icon name.
	AdvancedBreakpointEnabled	Refer to icon name.
	AdvancedProductionBreakpointAlert	Debug breakpoint icon used in editor margin.
	AdvancedProductionBreakpointOff	Debug breakpoint icon used in editor margin.
	AdvancedProductionBreakpointOK	Debug breakpoint icon used in editor margin.
	AdvancedProductionBreakpointOn	Debug breakpoint icon used in editor margin.
	AdvancedProductionTracepointAlert	Debug breakpoint icon used in editor margin.
	AdvancedProductionTracepointOff	Debug breakpoint icon used in editor margin.
	AdvancedProductionTracepointOn	Debug breakpoint icon used in editor margin.
	AdvancedTracePointDisabled	
	AdvancedTracePointEnabled	
	AdvancedView	Refer to icon name.

Image	KnownMoniker	Description
{Σ}	Aggregate	Can be used for aggregation and sum related concepts.
{Σ}+	AggregateAdvancedView	Refer to icon name.
{Σ}Σ	AggregateCopy	Can be used for multiple aggregation items or create a copy of an aggregation item.
{Σ}	AggregateDesign	Refer to icon name.
{Σ}	AggregateDesignUndefined	Refer to icon name.
{Σ}×	AggregateError	Refer to icon name.
{Σ}!	AggregateWarning	Refer to icon name.
喷涂	Airbrush	A design tool to spray color into an area.
底部对齐	AlignBottom	Align objects to the bottom.
垂直居中对齐	AlignCenter	Align objects vertically to center.
水平拉伸对齐	AlignHorizontalStretch	Align horizontally and stretch to fit the same width.
左侧对齐	AlignLeft	Align objects to the left.
水平居中对齐	AlignMiddle	Align objects horizontally to middle.
右侧对齐	AlignRight	Align objects to the right.
网格对齐	AlignToGrid	Align objects to grid.
顶部对齐	AlignTop	Align objects to the top.
垂直拉伸对齐	AlignVerticalStretch	Align vertically and stretch to fit the same height.
导出所有日志	All	Export all log.
所有字段来自数据库	AllFieldsInDatabase	Indicates that all fields are from data source.

Image	KnownMoniker	Description
	AllLoadedTests	Indicates a collection of test loaded to the current scope.
	AlphaChannel	A design tool to view and configue alpha channel for opacity.
	AlphaTest	This icon shape is generic so the usage is not limited to what is indicated in the name.
	AlwaysVisible	Pin the item so that it is always visible.
	Analysis	Used for performance analysis.
	AnalysisServerConnection	Refer to icon name.
	AnalyzeTrace	Used for viewing detailed performance analytics data.
	Animation	A Blend design tool to create animation. Can also be used for Quick Access.
	AnimationError	Refer to icon name.
	AppearanceEditor	A component part for editing apperance, styling.
	AppearanceGrid	Used in Designer view Appearance tab. Sets the alignment behavior to align to grid.
	Application	Can also be used for application window or generic project.
	ApplicationAccess	The access policy, permission, authoriation related settings of an application.
	ApplicationBar	This icon shape is generic so the usage is not limited to what is indicated in the name.
	ApplicationBarCommand	Refer to icon name.
	ApplicationBarMenu	Refer to icon name.
	ApplicationClass	Refer to icon name.
	ApplicationConnectionDiagram	A diagram shows the relationship among several applications.
	ApplicationEnvironment	

Image	KnownMoniker	Description
	ApplicationError	Used in Solution Explorer for project node with error status.
	ApplicationFlyout	A flyout layout is a panel that pops out of the main app container.
	ApplicationGroup	Used for a group of applications.
	ApplicationOnlySequence	Refer to icon name.
	ApplicationPrivate	Used in Solution Explorer for Private app node.
	ApplicationRole	Refer to icon name.
	ApplicationRoleError	Refer to icon name.
	ApplicationRoleWarning	Refer to icon name.
	ApplicationRoot	The root location of application. Can also be used for application resource location on server.
	ApplicationWarning	Used in Solution Explorer for project node with warning status.
	ApplyCodeChanges	Apply pending changes to code.
	ApplyStyle	Apply pending changes to style.
	ArchitectureExplorer	Shows the application architecture in an explorer tool window.
	ArcPie	
	ArcRing	
	ArcSegment	A Blend design tool to draw arc segment.
	AreaChart	A chart type with filled areas.
	ArrangeSelection	Refer to icon name.
	ArrangeShapes	Arrange the sequence of objects.

Image	KnownMoniker	Description
	ArtboardSplit	Split artboards. This icon shape is generic so the usage is not limited to what is indicated in the name.
	Aserif	Used for Serif font. Can also be used for setting font family.
	ASMFile	Refer to icon name.
	ASPFile	Can also be used for web related file types.
	ASPGenericHandlerFile	Can also be used for web related source code files.
	ASPRazorFile	Refer to icon name.
	ASPWebApplication	Can also be used for generic web and browser.
	ASPWebSite	Can also be used for generic web and browser.
	Assembly	This icon shape is generic so the usage is not limited to what is indicated in the name.
	AssemblyError	Indicates the status of assembly is negative and critical.
	AssemblyExcluded	Indicates the status of assembly is excluded or not available.
	AssemblyInfoFile	Indicates the status of assembly is neutral but there is helpful information provided.
	AssemblyWarning	Indicates the status of assembly is negative but not as critical as error.
	Assign	Represents variable assignment.
	AssignBuild	Refer to icon name.
	AssignedPart	Refer to icon name.
	AssignTesterToTest	Can also be used for manual testing that requires user intervention.
	Association	A control to create association between objects.
	AssociationEditor	An editor for setting association.

Image	KnownMoniker	Description
	AssociationGroup	A control to create multiple association between objects.
	AssociationLine	Lines showing association relationship among objects.
	AssociationRelationship	Generic association line.
	Asterisk	Usually used in form field validation for required fields. Can also be used literally as asterisk character.
	AsymmetricKey	Used in a datatable to represent asymmetric key fields.
	AsymmetricKeyError	Indicates the status of asymmetric key is negative and critical.
	AsymmetricKeyWarning	Indicates the status of asymmetric key is negative but not as critical as error.
	AsynchronousMessage	Refer to icon name.
	ATL	Active Template Library.
	ATLApplication	Refer to icon name.
	ATLASPComponent	Refer to icon name.
	ATLComponentWizard	Refer to icon name.
	ATLControl	Refer to icon name.
	ATLDialog	Refer to icon name.
	ATLEvent	Refer to icon name.
	ATLFile	Refer to icon name.
	ATLObject	Refer to icon name.
	ATLProperty	Refer to icon name.
	ATLServer	Refer to icon name.

Image	KnownMoniker	Description
	ATLWebService	Refer to icon name.
	Attach	Represents attachment. Can be used as an action button to add new attachment, or show current attachment.
	AttachDocument	
	AttachDynamicTemplate	Template icon with dynamic modifier and paperclip
	AttachStyleSheet	Attach stylesheet to the content.
	Attribute	Can also be used for variable placeholder, or used literally as @ character.
	AttributeKeyDisabled	Refer to icon name.
	AttributeRelationshipEditor	Refer to icon name.
	AudioMute	Use this icon when you need to emphasize on Audio device is muted or disabled.
	AudioPlayback	Refer to icon name.
	AudioRecording	Refer to icon name.
	AutoArrangeShapes	A design tool that auto arrange shapes.
	AutoComplete	Used to represent combo box control auto complete feature.
	AutoFilter	The Action modifier icon represents Macro, recorded actions.
	AutoFormatTable	The Action modifier icon represents Macro, recorded actions.
	AutomergeAll	The Action modifier icon represents Macro, recorded actions.
	AutoscrollToCurrentFrame	The Action modifier icon represents Macro, recorded actions.
	AutosizeColumn	The Action modifier icon represents Macro, recorded actions.
	AutosizeFixedWidth	This icon shape is generic so the usage is not limited to what is indicated in the name.

Image	KnownMoniker	Description
	AutosizeOptimize	Auto optimize size according to screen/window. Can also be used for expanding a window to full screen.
	AutosizeStretch	Strech content to fit container width.
	AutoSum	Similar to Excel AutoSum function.
	AutosWindow	The tool window that displays automation process.
	AutoTest	The Action modifier icon represents Macro, recorded actions.
	AutoThumbnail	Automatically generates thumbnail from image.
	Axis	Refer to icon name.
	AxisX	X axis in a data grid.
	AxisY	Y axis in a data grid.
	BackgroundColor	A design tool that sets background color. Often used together with ForegroundColor.
	BackgroundWorker	This icon can also be used for background progress.
	Backslash	This icon shape is generic so the usage is not limited to what is indicated in the name.
	Backwards	Used for navigating to previous page.
	BalanceBrace	Used for beautifying code.
	BarChart	Refer to icon name.
	BatchCheckIn	Can also be used for batch upload.
	Battery	
	BDCModelResource	
	BDCModelTemplate	Refer to icon name.

Image	KnownMoniker	Description
	Behavior	Refer to icon name.
	BehaviorEditor	Refer to icon name.
	BevelJoint	Refer to icon name.
	BI	Refer to icon name.
	Bidirectional	Refer to icon name.
	Binary	Refer to icon name.
	BinaryFile	Refer to icon name.
	BinaryRegistryValue	
	Binding	Refer to icon name.
	BindingNavigator	Refer to icon name.
	BindingSource	Refer to icon name.
	Bios	Refer to icon name.
	BlankApplication	Refer to icon name.
	BlankFile	Refer to icon name.
	BlankPhone	Refer to icon name.
	BlankWebSite	Refer to icon name.
	BlockError	Refer to icon name.
	BlockSelection	Refer to icon name.
	BlueChannel	Refer to icon name.

Image	KnownMoniker	Description
	Bold	Refer to icon name.
	Bookmark	Refer to icon name.
	BookmarkDisabled	Refer to icon name.
	BookmarkGroupDisabled	Refer to icon name.
	BookmarkMenuItem	Refer to icon name.
	BooleanData	Refer to icon name.
	BorderElement	Refer to icon name.
	Borders	Refer to icon name.
	BottomBorder	
	BottomLeftOfTwoColumnsLeftSplit	Refer to icon name.
	BottomLeftOfTwoRowsBottomSplit	Refer to icon name.
	BottomLeftOfTwoRowsTwoColumns	Refer to icon name.
	BottomRightOfTwoColumnsRightSplit	Refer to icon name.
	BottomRightOfTwoRowsBottomSplit	Refer to icon name.
	BottomRightOfTwoRowsTwoColumns	Refer to icon name.
	BottomRowOfTwoRowsTopSplit	Refer to icon name.
	BoundBreakpoint	Refer to icon name.
	BoundCheckboxFieldColumn	Refer to icon name.
	BoundImageColumn	Refer to icon name.

Image	KnownMoniker	Description
	Box	Refer to icon name.
	BoxPlotChart	Refer to icon name.
	Branch	Refer to icon name.
	BranchChild	
	BranchCompare	Refer to icon name.
	BranchContainsChanges	
	BranchCousin	
	BranchFork	Used for forking a repo or a forked repo.
	BranchGroup	
	BranchNoColor	Use grey version by default.
	BranchParent	
	BranchPermissions	
	BranchRelationship	
	BranchRemote	Refer to icon name.
	BranchSibling	
	BranchUploaded	Refer to icon name.
	BreakpointAvailable	
	BreakpointDependent	
	BreakpointDependentDisabled	

Image	KnownMoniker	Description
	BreakpointDependentError	
	BreakpointDependentWarning	
	BreakpointDisabled	Refer to icon name.
	BreakpointEnabled	Refer to icon name.
	BreakpointError	Refer to icon name.
	BreakpointsWindow	Refer to icon name.
	BreakpointTemporary	
	BreakpointTemporaryAvailable	
	BreakpointTemporaryDisabled	
	BreakpointTemporaryError	
	BreakpointTemporaryWarning	
	BreakpointWarning	Breakpoint will not be invoked.
	Brightness	Refer to icon name.
	BringForward	Refer to icon name.
	BringToFront	Refer to icon name.
	BrokerPriority	Refer to icon name.
	BrowseData	Refer to icon name.
	BrowseDefinition	Refer to icon name.
	BrowseNext	Refer to icon name.

Image	KnownMoniker	Description
	BrowsePrevious	Refer to icon name.
	BrowserLink	Refer to icon name.
	BrowserSDK	Refer to icon name.
	Brush	Refer to icon name.
	BrushXFormArrow	Refer to icon name.
	BubbleChart	Refer to icon name.
	Bug	Refer to icon name.
	BuildCollection	Refer to icon name.
	BuildDefinition	Refer to icon name.
	BuildDynamicValueGroup	Refer to icon name.
	BuildErrorList	Refer to icon name.
	BuildMatchAllFilter	Refer to icon name.
	BuildQueue	Refer to icon name.
	BuildSelection	Build only selected items.
	BuildSolution	Refer to icon name.
	BuildStyle	Refer to icon name.
	BulletList	Refer to icon name.
	BulletPanel	Refer to icon name.
	BusinessObjectDatasource	Refer to icon name.

Image	KnownMoniker	Description
	ButterflyGraphMode	Refer to icon name.
	Button	Refer to icon name.
	ButtonClick	Refer to icon name.
	ButtonGroup	Refer to icon name.
	ButtonIcon	Refer to icon name.
	CABProject	Refer to icon name.
	Cache	Refer to icon name.
	CacheError	Refer to icon name.
	CacheGroup	Refer to icon name.
	CacheOK	Refer to icon name.
	CacheProperty	
	CacheRefresh	Refer to icon name.
	CalculateMember	
	CalculatePrimaryKey	
	CalculationWarning	Refer to icon name.
	Calculator	Refer to icon name.
	CalculatorMethod	Refer to icon name.
	Calendar	Refer to icon name.
	Call	Refer to icon name.

Image	KnownMoniker	Description
	CallBehaviorAction	Refer to icon name.
	CallBrowser	Refer to icon name.
	CallBrowserSettings	Refer to icon name.
	CallerCalleeView	Refer to icon name.
	CallFrom	Refer to icon name.
	CallFromMethod	Refer to icon name.
	CallHierarchy	Refer to icon name.
	CallOperationAction	Refer to icon name.
	Callout	Refer to icon name.
	CalloutCloud	Refer to icon name.
	CalloutOval	Refer to icon name.
	CalloutRectangle	Refer to icon name.
	CalloutRoundedRectangle	Refer to icon name.
	CallReturnInstructionPointer	Refer to icon name.
	CallReturnInstructionPointerAlert	Refer to icon name.
	CallStackWindow	Refer to icon name.
	CallThread	Refer to icon name.
	CallTo	Refer to icon name.
	CallToMethod	Refer to icon name.

Image	KnownMoniker	Description
	Camera	Refer to icon name.
	CameraDisabled	
	CameraOrbit	Refer to icon name.
	CameraOutline	
	Cancel	Refer to icon name.
	CancelBuild	Refer to icon name.
	CancellationScope	Refer to icon name.
	CancelPerformanceReport	Refer to icon name.
	CancelQuery	Stop running queries.
	CancelTest	Used for removing single driver test.
	CancelIXSISchema	Refer to icon name.
	CandleStickChart	Refer to icon name.
	CanvasElement	Refer to icon name.
	CaptionTag	Refer to icon name.
	CaptureFrame	Refer to icon name.
	Carousel	Refer to icon name.
	CascadingDropDown	Refer to icon name.
	CaseLookupColumn	Refer to icon name.
	CaseTable	Refer to icon name.

Image	KnownMoniker	Description
	CaseTableColumn	Refer to icon name.
	CatalogZone	Refer to icon name.
	CategorizedView	Refer to icon name.
	CategoryAxis	Refer to icon name.
	CategoryPageltemTemplate	Refer to icon name.
	CCTProject	Refer to icon name.
	CD	Refer to icon name.
	CDDrive	Refer to icon name.
	CellFormula	Refer to icon name.
	CenterHorizontally	
	CenterVertically	Refer to icon name.
	Certificate	Refer to icon name.
	CertificateError	Refer to icon name.
	CertificateWarning	Refer to icon name.
	CFile	Refer to icon name.
	ChangePassword	Refer to icon name.
	Changeset	Refer to icon name.
	ChangesetGroup	Refer to icon name.
	ChangesetMergeAcross	Refer to icon name.

Image	KnownMoniker	Description
	ChangesetMergeDown	Refer to icon name.
	ChangesetMergeUp	Refer to icon name.
	ChangeSourceControl	Refer to icon name.
	ChartFilter	Refer to icon name.
	ChartWizard	Refer to icon name.
	CheckAdd	Refer to icon name.
	CheckBoxChecked	Refer to icon name.
	CheckBoxDisabled	Refer to icon name.
	CheckBoxFieldColumnChecked	Refer to icon name.
	CheckBoxFieldColumnUnchecked	Refer to icon name.
	CheckboxGroup	Refer to icon name.
	CheckboxList	Refer to icon name.
	CheckBoxMixed	Refer to icon name.
	CheckBoxUnchecked	Refer to icon name.
	CheckConstraint	Refer to icon name.
	CheckConstraintError	Refer to icon name.
	CheckConstraintGroup	Refer to icon name.
	CheckDot	Refer to icon name.
	CheckedIn	Used in Solution Explorer as adorner for file or folder node icon to indicate source control status.

Image	KnownMoniker	Description
	CheckedInNode	Used in Solution Explorer as adorner for file or folder node icon to indicate source control status.
	CheckedOutByOtherUser	Used in Solution Explorer as adorner for file or folder node icon to indicate source control status.
	CheckedOutByOtherUserNode	Used in Solution Explorer as adorner for file or folder node icon to indicate source control status.
	CheckedOutForEdit	Used in Solution Explorer as adorner for file or folder node icon to indicate source control status.
	CheckedOutForEditNode	Used in Solution Explorer as adorner for file or folder node icon to indicate source control status.
	CheckerboardRound	Refer to icon name.
	CheckerboardSquare	Refer to icon name.
	CheckIn	Refer to icon name.
	CheckInItem	Refer to icon name.
	CheckInShelveset	Refer to icon name.
	Checklist	Refer to icon name.
	Checkmark	Refer to icon name.
	CheckOutForEdit	Refer to icon name.
	CheckOutItem	Refer to icon name.
	Checkpoint	Refer to icon name.
	CheckpointBuild	Refer to icon name.
	ChildWindow	Refer to icon name.

Image	KnownMoniker	Description
	ChildWindowTemplate	Refer to icon name.
	Choose	Refer to icon name.
	ChooseTarget	Refer to icon name.
	Class	
	ClassCollection	
	ClassDetails	Refer to icon name.
	ClassFile	Refer to icon name.
	ClassInternal	Refer to icon name.
	ClassLibrary	Refer to icon name.
	ClassMethodReference	Refer to icon name.
	ClassMethodReferenceAmbiguous	Refer to icon name.
	ClassMissing	Refer to icon name.
	ClassPrivate	Refer to icon name.
	ClassProtected	Refer to icon name.
	ClassPublic	Refer to icon name.
	ClassSealed	Refer to icon name.
	ClassShortcut	Refer to icon name.
	CleanData	Refer to icon name.
	ClearBookmark	Refer to icon name.

Image	KnownMoniker	Description
	ClearBreakpointGroup	Clear all breakpoints.
	ClearCollection	Refer to icon name.
	ClearDictionary	Refer to icon name.
	ClearSort	
	ClearWindowContent	Refer to icon name.
	ClickOnce	Refer to icon name.
	ClientStatistics	Refer to icon name.
	CloakOrHide	Refer to icon name.
	CloneToDesktop	Used in Get To Code window for cloning a repo.
	Close	Refer to icon name.
	CloseAll	Refer to icon name.
	ClosedCaption	Refer to icon name.
	CloseDocument	Refer to icon name.
	CloseDocumentGroup	Refer to icon name.
	CloseLog	Refer to icon name.
	CloseSolution	Refer to icon name.
	Cloud	Refer to icon name.
	CloudBlobs	
	CloudBusinessApplication	Refer to icon name.

Image	KnownMoniker	Description
	CloudConfigurationFile	Refer to icon name.
	CloudConsole	Refer to icon name.
	CloudDatabase	Refer to icon name.
	CloudDownload	Refer to icon name.
	CloudError	Refer to icon name.
	CloudFile	Refer to icon name.
	CloudGroup	Refer to icon name.
	CloudOK	Refer to icon name.
	CloudPackage	Refer to icon name.
	CloudRefresh	Refer to icon name.
	CloudRun	Refer to icon name.
	CloudServer	Refer to icon name.
	CloudService	Refer to icon name.
	CloudServiceBus	
	CloudStaging	Refer to icon name.
	CloudStagingOK	Refer to icon name.
	CloudStagingRefresh	Refer to icon name.
	CloudStagingStopped	Refer to icon name.
	CloudStopped	Refer to icon name.

Image	KnownMoniker	Description
	CloudUpload	Refer to icon name.
	CloudWarning	Refer to icon name.
	Cluster	Refer to icon name.
	ClusteredIndex	Refer to icon name.
	ClusteredIndexError	Refer to icon name.
	ClusteredIndexWarning	Refer to icon name.
	Code	Refer to icon name.
	CodeActivity	Refer to icon name.
	CodeAnalysisWindow	Refer to icon name.
	CodeCoverage	Refer to icon name.
	CodeCoverageDisabled	Refer to icon name.
	CodeDefinitionWindow	Refer to icon name.
	CodeErrorRule	Refer to icon name.
	CodeHiddenRule	Refer to icon name.
	CodeInformation	Refer to icon name.
	CodeInformationError	Used in Solution Explorer for code analysis node with error status.
	CodeInformationPrivate	Used in Solution Explorer for private code analysis node.
	CodeInformationRule	Refer to icon name.
	CodeInformationWarning	Used in Solution Explorer for code analysis node with warning status.

Image	KnownMoniker	Description
	CodeLens	Refer to icon name.
	CodeMetrics	Refer to icon name.
	CodeReview	Refer to icon name.
	CodeReviewDashboard	Refer to icon name.
	CodeReviewWizard	Refer to icon name.
	CodeSuppressedRule	
	CodeTest	Refer to icon name.
	CodeWarningRule	
	Collapse	Refer to icon name.
	CollapseAll	Collapse all items in a tree view. Often used together with ExpandAll.
	CollapseLeft	Refer to icon name.
	CollapseUp	Refer to icon name.
	CollapseUpGroup	Refer to icon name.
	CollapsiblePanel	Refer to icon name.
	CollectionPageltemTemplate	Refer to icon name.
	ColorDialog	Refer to icon name.
	ColorPalette	Refer to icon name.
	ColorPicker	Refer to icon name.
	ColorScale	Refer to icon name.

Image	KnownMoniker	Description
	ColorWheel	Refer to icon name.
	Column	Refer to icon name.
	ColumnButton	Refer to icon name.
	ColumnChart	Refer to icon name.
	ColumnComponent	Refer to icon name.
	ColumnDetails	Refer to icon name.
	ColumnError	Refer to icon name.
	ColumnGroup	Refer to icon name.
	ColumnKeyChecked	Refer to icon name.
	ColumnKeyUnchecked	Refer to icon name.
	ColumnLabels	Refer to icon name.
	ColumnLink	Refer to icon name.
	ColumnMissing	Refer to icon name.
	ColumnNullRatioProfile	Refer to icon name.
	ColumnPatternProfile	Refer to icon name.
	ColumnPredict	Refer to icon name.
	ColumnPredictChecked	Refer to icon name.
	ColumnPredictUnchecked	Refer to icon name.
	ColumnSettings	Refer to icon name.

Image	KnownMoniker	Description
	ColumnWarning	Refer to icon name.
	COM	Used in Solution Explorer for .NET component node.
	ComboBox	Refer to icon name.
	ComboBoxItem	Refer to icon name.
	COMContractFile	Refer to icon name.
	COMError	Used in Solution Explorer for COM node with error status.
	Comma	Refer to icon name.
	CommandUIOption	Refer to icon name.
	Comment	Refer to icon name.
	CommentCode	Refer to icon name.
	CommentGroup	Refer to icon name.
	CommentLink	Refer to icon name.
	Commit	Git commit.
	CompareDatabases	Refer to icon name.
	CompareFiles	Refer to icon name.
	CompareFolders	Refer to icon name.
	ComparePerformanceReports	Refer to icon name.
	CompareSchemas	
	CompareTargetDatabase	Refer to icon name.

Image	KnownMoniker	Description
	CompareValidator	Refer to icon name.
	Compensate	Refer to icon name.
	CompilableFile	Refer to icon name.
	Compile	Refer to icon name.
	CompiledHelpFile	Refer to icon name.
	CompleteWord	Refer to icon name.
	CompletionMode	Refer to icon name.
	ComplexProperty	Refer to icon name.
	Component	Refer to icon name.
	ComponentDiagram	Refer to icon name.
	ComponentFile	Refer to icon name.
	CompositeTask	Refer to icon name.
	Composition	Refer to icon name.
	COMPrivate	Used in Solution Explorer for .NET private component node.
	ComputedColumn	Refer to icon name.
	ComputedColumnDisabled	Refer to icon name.
	ComputedColumnError	Refer to icon name.
	ComputedColumnWarning	Refer to icon name.
	Computer	Refer to icon name.

Image	KnownMoniker	Description
	ComputerService	Refer to icon name.
	COMWarning	Used in Solution Explorer for .NET component node with warning status.
	ConditionalLoop	Refer to icon name.
	ConditionalRule	Refer to icon name.
	ConditionalRuleIfThen	Refer to icon name.
	ConePreview	Refer to icon name.
	ConfigurationEditor	Refer to icon name.
	ConfigurationFile	Refer to icon name.
	ConfigureComputer	Refer to icon name.
	ConfigureDatabaseWizard	Refer to icon name.
	ConfirmButton	Refer to icon name.
	Conflict	Refer to icon name.
	ConnectArrow	
	ConnectedServices	Refer to icon name.
	ConnectionBuilder	Refer to icon name.
	ConnectionOffline	Refer to icon name.
	ConnectionWarning	Refer to icon name.
	ConnectionZone	Refer to icon name.
	Connector	Refer to icon name.

Image	KnownMoniker	Description
	ConnectTestPlan	Refer to icon name.
	ConnectToDatabase	Refer to icon name.
	ConnectToEnvironment	Refer to icon name.
	ConnectToRemoteServer	Refer to icon name.
	ConnectToWebSite	Refer to icon name.
	Console	Refer to icon name.
	ConsoleTest	Refer to icon name.
	Constant	
	ConstantInternal	Refer to icon name.
	ConstantPrivate	Refer to icon name.
	ConstantProtected	Refer to icon name.
	ConstantPublic	Refer to icon name.
	ConstantSealed	Refer to icon name.
	ConstantShortcut	Refer to icon name.
	ContactCard	Refer to icon name.
	Container	Refer to icon name.
	ContainsDynamicValueProperty	Refer to icon name.
	ContentControlElement	Refer to icon name.
	ContentInstaller	

Image	KnownMoniker	Description
	ContentPlaceholder	Refer to icon name.
	ContentPresenter	Refer to icon name.
	ContentType	Refer to icon name.
	ContextMenu	Refer to icon name.
	Contract	Refer to icon name.
	ContractArrow	Refer to icon name.
	ContractError	Refer to icon name.
	ContractSettings	Refer to icon name.
	ContractWarning	Refer to icon name.
	Control	Refer to icon name.
	ControlAltDel	Refer to icon name.
	ControlFlow	Refer to icon name.
	ConvertBranchToFolder	Refer to icon name.
	ConvertFolderToBranch	Refer to icon name.
	ConvertPartition	Refer to icon name.
	ConvertToCodeWebTest	Refer to icon name.
	ConvertToHyperlink	Refer to icon name.
	Copy	Refer to icon name.
	CopyDynamicValue	Refer to icon name.

Image	KnownMoniker	Description
	CopyItem	Refer to icon name.
	CopyWebsite	Refer to icon name.
	CordovaMultiDevice	Refer to icon name.
	Correlation	Refer to icon name.
	CorrelationScope	Refer to icon name.
	CountAttributes	Refer to icon name.
	CountCollection	Refer to icon name.
	CountDictionary	Refer to icon name.
	CountDynamicValue	Refer to icon name.
	Counter	Refer to icon name.
	CPPAddATLSupportToMFC	Refer to icon name.
	CPPATLApplication	Refer to icon name.
	CPPATLASPComponent	Refer to icon name.
	CPPATLControl	Refer to icon name.
	CPPATLDatabase	
	CPPATLDialog	Refer to icon name.
	CPPATLDynamicLibrary	Refer to icon name.
	CPPATLEvent	Refer to icon name.
	CPPATLFile	Refer to icon name.

Image	KnownMoniker	Description
	CPPATLObject	Refer to icon name.
	CPPATLProperty	Refer to icon name.
	CPPATLServer	Refer to icon name.
	CPPATLWebService	Refer to icon name.
	CPPBlankApplication	Refer to icon name.
	CPPBlankPhone	Refer to icon name.
	CPPClassLibrary	Refer to icon name.
	CPPConsole	Refer to icon name.
	CPPCustomWizardProject	Refer to icon name.
	CPPDirectXThreeDApplication	Refer to icon name.
	CPPDirectXTwoDApplication	Refer to icon name.
	CPPFile	Refer to icon name.
	CPPTreeNode	Used in File Explorer to represent C++ file node.
	CPPFixedLayoutApplication	Refer to icon name.
	CPPGridLayoutApplication	Refer to icon name.
	CPPHeaderFile	Refer to icon name.
	CPPHubApplication	Refer to icon name.
	CPPMakeFileApplication	Refer to icon name.
	CPPMarkupXML	Refer to icon name.

Image	KnownMoniker	Description
	CPPMFCActiveX	Refer to icon name.
	CPPMFCAplication	Refer to icon name.
	CPPMFCClass	Refer to icon name.
	CPPMFCDatabase	
	CPPMFCDynamicLibrary	
	CPPMFCLibrary	Refer to icon name.
	CPPMinimalRebuildDependencyFile	Refer to icon name.
	CPPNavigationApplication	Refer to icon name.
	CPPPhone	Refer to icon name.
	CPPPhoneHub	Refer to icon name.
	CPPPhonePivot	Refer to icon name.
	CPPPhoneTest	Refer to icon name.
	CPPPhoneWebSite	Refer to icon name.
	CPPProjectFilterFile	Refer to icon name.
	CPPProjectNode	Used in File Explorer to represent C++ project node.
	CPPSharedProject	Refer to icon name.
	CPPSourceFile	Refer to icon name.
	CPPSplitApplication	Refer to icon name.
	CPPSQLiteDatabase	Refer to icon name.

Image	KnownMoniker	Description
A red icon showing a document with horizontal lines.	CPPStoredProcedure	Refer to icon name.
A red icon showing a tablet device.	CPPTablet	Refer to icon name.
A red icon showing a laboratory flask.	CPPTest	Refer to icon name.
A red icon showing a document with a flask icon.	CPPTestApplication	Refer to icon name.
A red icon showing a flask and a test tube.	CPPTestLibrary	Refer to icon name.
A red icon showing a globe with a minus sign.	CPPWebService	Refer to icon name.
A red icon showing a folder with a lock.	CPPWin32Application	Refer to icon name.
A red icon showing a clipboard and a pencil.	CPPWindowsFormsApplication	Refer to icon name.
A red icon showing a service icon.	CPPWindowsService	Refer to icon name.
A red icon showing a document with a memory chip.	CrashDumpFile	Refer to icon name.
A red icon showing a message bubble with arrows.	CreateMessage	Refer to icon name.
A red icon showing a paintbrush and a plus sign.	CreatePropertyBrush	
A red icon showing two circular nodes connected by arrows.	CreatePullRequest	
A red icon showing a bracketed group symbol.	CrossGroupLink	Refer to icon name.
A red icon showing a report document.	CrystalReport	Refer to icon name.
A green icon showing a document.	CSApplication	Refer to icon name.
A green icon showing a document with an 'i' symbol.	CSAssemblyInfoFile	
A green icon showing a document with a building symbol.	CSBDCModel	
A green icon showing a document with a checkmark.	CSBlankApplication	Refer to icon name.

Image	KnownMoniker	Description
	CSBlankFile	Refer to icon name.
	CSBlankPhone	Refer to icon name.
	CSBlankWebSite	Refer to icon name.
	CSClassCollection	Refer to icon name.
	CSClassFile	Refer to icon name.
	CSClassLibrary	Refer to icon name.
	CSCloudBusinessApplication	Refer to icon name.
	CSCodeTest	Refer to icon name.
	CSColumn	Refer to icon name.
	CSConsole	Refer to icon name.
	CSConsoleTest	Refer to icon name.
	CSContentType	Refer to icon name.
	CSDeploymentModule	Refer to icon name.
	CSDeviceTest	Refer to icon name.
	CSDynamicWebSite	Refer to icon name.
	CSEventReceiver	Refer to icon name.
	CSExtension	Refer to icon name.
	CSFile	Refer to icon name.
	CSTreeNode	Used for C# file node in Solution Explorer.

Image	KnownMoniker	Description
	CSFixedLayoutApplication	Refer to icon name.
	CSGridApplication	Refer to icon name.
	CSHubApplication	Refer to icon name.
	CSInteractiveWindow	C# Interactive Window Interactive can be used to write code at the console or in a window in Visual Studio.
	CSInterface	Refer to icon name.
	CSInterfaceCollection	Refer to icon name.
	CSLibrary	Refer to icon name.
	CSLightSwitch	Refer to icon name.
	CSLightSwitchLibrary	Refer to icon name.
	CSListDefinition	Refer to icon name.
	CSMenuItemCustomAction	Refer to icon name.
	CSNavigationApplication	Refer to icon name.
	CSPackage	Refer to icon name.
	CSPhone	Refer to icon name.
	CSPhoneHub	Refer to icon name.
	CSPhoneLibrary	Refer to icon name.
	CSPhonePivot	Refer to icon name.
	CSPhoneTest	Refer to icon name.
	CSPhoneWebApplication	Refer to icon name.

Image	KnownMoniker	Description
	CSPhoneWebSite	Refer to icon name.
	CSProjectNode	Used for C++ project node in Solution Explorer.
	CSRazorFile	Refer to icon name.
	CSReport	Refer to icon name.
	CSRibbonCustomAction	Refer to icon name.
	CSSClass	Refer to icon name.
	CSSElement	Refer to icon name.
	CSServiceBusWorker	Refer to icon name.
	CSSharedProject	Refer to icon name.
	CSSilverlight	Refer to icon name.
	CSSilverlightLibrary	Refer to icon name.
	CSSilverlightPhone	Refer to icon name.
	CSSilverlightTest	Refer to icon name.
	CSSilverlightWebSite	Refer to icon name.
	CSSiteDefinition	Refer to icon name.
	CSSLink	Refer to icon name.
	CSSourceFile	Refer to icon name.
	CSSplitApplication	Refer to icon name.
	CSSQLLibrary	Refer to icon name.

Image	KnownMoniker	Description
	CSSStyleError	Refer to icon name.
	CSTablet	Refer to icon name.
	CSTestApplication	Refer to icon name.
	CSTestLibrary	Refer to icon name.
	CSWCF	Refer to icon name.
	CSWebApplication	Refer to icon name.
	CSWebLibrary	
	CSWebPart	Refer to icon name.
	CSWebService	Refer to icon name.
	CSWebsiteTemplate	Refer to icon name.
	CSWF	Refer to icon name.
	CSWindowsLibrary	
	CSWindowsService	Refer to icon name.
	CSWorkerTemplateFile	Refer to icon name.
	CSWorkflow	Refer to icon name.
	CSWorkflowActivity	Refer to icon name.
	CSWorkflowAssociationForm	Refer to icon name.
	CSWorkflowDiagram	Refer to icon name.
	CSWorkflowInitiationForm	Refer to icon name.

Image	KnownMoniker	Description
	CSWorkflowManagerActivity	Refer to icon name.
	CSWPFAplication	Refer to icon name.
	CSWPFLibrary	Refer to icon name.
	CSWPFUserControl	Refer to icon name.
	CSWPFWBSITE	Refer to icon name.
	CubeAndDimension	Refer to icon name.
	CubeBuilderView	Refer to icon name.
	CubeDimension	Refer to icon name.
	Currency	Refer to icon name.
	CurrentContextArrow	Refer to icon name.
	CurrentFile	Used in Go To... feature to indicate search scope is limited to the current document.
	CurrentFlowDecision	Refer to icon name.
	CurrentFlowSwitch	Refer to icon name.
	CurrentInstructionPointer	Refer to icon name.
	CurrentInstructionPointerPaused	Refer to icon name.
	CurrentInstructionPointerStopped	Refer to icon name.
	CurrentLocationArrow	Refer to icon name.
	Cursor	Refer to icon name.
	CursorFile	Refer to icon name.

Image	KnownMoniker	Description
	Curve	Refer to icon name.
	CustomAction	Refer to icon name.
	CustomActionEditor	Refer to icon name.
	CustomControl	Refer to icon name.
	CustomCSS	Refer to icon name.
	CustomErrorMessage	Refer to icon name.
	CustomValidator	Refer to icon name.
	Cut	Refer to icon name.
	Cylinder	Refer to icon name.
	D	Refer to icon name.
	DACapplications	Schema with database modifier
	DarkTheme	For indicating dark theme background. Looks like mostly dark moon
	Dash	
	Databar	Data table withsome areas filled in.
	Database	Blue barrel, the database icon
	DatabaseApplication	Application with database modifier, for database applications
	DatabaseAuditSpecification	magnifier modifer represents audit
	DatabaseAuditSpecificationOff	magnifier modifer represents audit plus X modifier means its turned off
	DatabaseColumn	Refer to icon name.

Image	KnownMoniker	Description
	DatabaseConfigurationFile	
	DatabaseDestination	
	DatabaseDetailsView	Refer to icon name.
	DatabaseFile	
	DatabaseGroup	2 database icons symbolize database group
	DatabaseGroupError	indicates error with database group
	DatabaseLibrary	
	DatabaseMarkup	database with angle bracket modifer means database markup
	DatabaseMethod	database with cube modifier to indicate method
	DatabaseMobileConnection	
	DatabaseModelRefresh	
	DatabaseOffline	X modifer shows that database is offline
	DatabasePaused	pause modifier shows that the database is paused
	DatabasePerformane	
	DatabaseProperty	Intellisense icon wrench icon represents property with database modifier
	DatabaseReference	database with reference modifer
	DatabaseReport	
	DatabaseRole	database with user modifier indicates the database role
	DatabaseRoleError	Database role with error modifier to indicate error

Image	KnownMoniker	Description
	DatabaseRoleWarning	Database role with warning modifier to indicate warning
	DatabaseRunning	Database with play modifier represents run database
	DatabaseSchema	database with schema modifier
	DatabaseScript	
	DatabaseSettings	gear modifier represents database setting
	DatabaseSource	arrow represents source
	DatabaseStopped	stop modifier on database to stop
	DatabaseStoredProcedures	App window with text and database modifier represents database stored procedure
	DatabaseTableGroup	double table modifier represents table group
	DatabaseTest	the beaker modifier represents test
	DatabaseUnknown	question mark modifier means database unknown
	DatabaseVariable	
	DatabaseWarning	warning modifier means something wrong with database
	DataBindingSource	
	DataCenter	
	DataCompare	2 databases with arrows pointing at each other represents compare
	DataField	data column with one field highlighted represents data field
	DataForm	Refer to icon name.
	DataGenerationPlan	Plan document with lines is main icon with database modifier to specify what plan is for

Image	KnownMoniker	Description
	DataGenerator	Dots with arrow aimed at database represents data generator
	DataGrid	Grid icon with database modifier represents Data grid
	Datalist	Refer to icon name.
	DataMining	Pickaxe by itself represents data mining, not for mining anything else
	DataMiningColumn	Refer to icon name.
	DataMiningDimension	Refer to icon name.
	DataMiningMethod	Refer to icon name.
	DataMiningPrediction	Refer to icon name.
	DataMiningQuery	Refer to icon name.
	DataMiningStructure	Refer to icon name.
	DataMiningViewer	No pickaxe or database, the viewbox and schema indicates datamining viewer
	DataPager	2 pages with back and forth arrows represents paging through data
	DataRepeater	repeater icon with database as modifier
	DataSource	server icon with database modifer
	DatasetReference	database set with shortcuticon modifer represents reference
	DataSourceReference	plug represents datasource with shortcut modifer for reference
	DataSourceTarget	Double database icons with opposite arrows reversed out
	DataSourceView	Database icon with view modifier

Image	KnownMoniker	Description
	DataTable	Table icon with large database modifier
	DateTimeAxis	Calendar on an axis
	DateTimePicker	Calendar date picker control.
	DebugCheckedTests	The debug play icon with a checkbox modifier
	DebugHistorySeekToFrame	Refer to icon name.
	DebugInteractiveWindow	Currently used in Container Tools for Run interactive shell. Can also be used for debug application in general.
	DebugSelection	Beaker in a outline (outline meaning selected) with a debug/play modifier
	DebugTemplate	A dotted document means template, with a hollow debug/play modifier
	DebugXSLT	Schema icon with green debug/play modifier
	DecisionNode	node represented by diamond, 2 arrows represents decision
	DecisionTree	large diagram
	Declaration	Refer to icon name.
	DeclarativeCatalogPart	Refer to icon name.
	DecreaseDecimals	Decimal icon with an arrow for decrease
	DecreaseFontSize	Font icon A with down arrow symbolizing decrease
	DecreaseHorizontalSpacing	vertical lines with horizontal arrows pointing toward each other
	DecreaseIndent	
	DecreaseVerticalSpacing	horizontal lines with vertical arrows pointing toward each other
	DefaultConstraint	Refer to icon name.

Image	KnownMoniker	Description
	DefaultConstraintError	Refer to icon name.
	DefaultConstraintWarning	Default constraint icon with warning modifier
	DefineInheritance	Refer to icon name.
	DelayWorkflow	Workflow icon with clock modifier to indicate delay
	Delegate	
	DelegateInternal	intellisense icon heart represents friend
	DelegatePrivate	intellisense icon lock represents private
	DelegateProtected	intellisense icon star represents password protected(?)
	DelegatePublic	intellisense icon
	DelegateSealed	circle/slash represents sealed
	DelegateShortcut	arrow in box represents shortcut
	Delegation	Refer to icon name.
	Delete	
	DeleteAttachment	Refer to icon name.
	DeleteBreakpoint	Delete selected breakpoint.
	DeleteCell	Cell icon with delete red x modifier
	DeleteClause	Clause icon with delete red x modifier
	DeleteColumn	Column icon with delete red x modifier
	DeleteColumns	Selected column icon with delete red x modifier

Image	KnownMoniker	Description
	DeleteDatabase	Database icon with delete red x modifier
	DeleteDimensionTranslation	Dimension translation icon with delete red x modifier
	DeleteDocument	
	DeleteEntity	
	DeleteFilter	Filter icon with delete red x modifier
	DeleteFolder	Folder icon with delete red x modifier
	DeleteGroup	Group box icon with delete red x modifier
	DeleteListItem	List item icon with delete red x modifier
	DeleteMessage	
	DeleteParameter	parameter icon with delete red x modifier
	DeletePerspective	Perspective icon with delete red x modifier
	DeleteProperty	Property (wrench) icon with delete red x modifier
	DeleteQuery	Query icon with delete red x modifier
	DeleteRelationship	Relationship icon with delete red x modifier
	DeleteStep	step icon with delete red x modifier
	DeleteTable	table icon with delete red x modifier
	Delete TableColumn	column icon with delete red x modifier
	Delete TableRow	row icon with delete red x modifier
	Delete Tag	Tag icon with delete red x modifier

Image	KnownMoniker	Description
	DeleteTaskList	
	DeleteTranslation	Translation (globe and cube) icon with delete red x modifier
	DeleteVariables	fx icon with delete red x modifier
	DeleteWatch	watch (glasses) icon with delete red x modifier
	DeleteWorkflow	
	Dependancy	
	DependancyGraph	
	DependancyGraphAncestor	
	DependencyMatrix	Refer to icon name.
	DependencyWarning	Dependency icon with warning modifier
	DeployDatabase	server icon pointing to database
	DeploymentApplication	App icon with deploy modifier
	DeploymentConfiguration	Server icon with deployment icon modifier
	DeploymentConfigurationExtension	Deployment icon with squiggly line
	DeploymentFile	3-square deploy icon
	DepthTest	Z with arrow pointing down at 45 degrees
	DerivedColumn	2 columns with arrow between
	DerivedDataMining	Data mining icon with stopwatch modifier
	DescriptionTemplate	Refer to icon name.

Image	KnownMoniker	Description
	DescriptionViewer	comment bubble with info modifier
	DesignMode	Triangle and measuring tool
	DesignStorage	Graph icon with cube modifier
	DestinationAssistant	Box with arrow modifier pointing to it
	Detail DataView	Straight lines to represent data (not to be confused with database)
	DetailPageItemTemplate	Layout icon with 3 boxes for detail
	DetailView	Lens magnifying part of a box
	DeviceTest	Test beaker icon with mobile device modifier
	DGSLFile	3D sphere with diagram modifier
	Diagram	Refer to icon name.
	DiagramError	Diagram icon with error modifier
	DiagramWarning	Diagram icon with warning modifier
	Dialog	App window with lines
	DialogGroup	Dialog icon group
	DialogTemplate	A dotted dialog icon means dialog template
	Diamond	
	Dictionary	Open book
	DictionaryContains	Dictionary icon with equal sign modifier
	Diff	Refer to icon name.

Image	KnownMoniker	Description
	DimensionBrowserView	Dimension icon with magnifying glass modifier
	DimensionBuilderView	Dimension icon with hammer modifier
	DimensionTranslationView	Dimension icon with globe modifier
	DimensionUsageView	Dimension icon with double 3d box modifier
	DimensionWriteback	Dimension icon inside an app window icon with an upload arrow modifier
	DirectionLight	Refer to icon name.
	DirectLinkList	Query list icon
	DirectXThreeD	3D box
	DirectXThreeDApplication	App window with 3D box modifier
	DirectXTwoDApplication	App window with 2D box modifier
	DisableAllBreakpoints	Disable all breakpoints.
	DisableCode	
	DisassemblyWindow	Refer to icon name.
	Disconnect	Pleg with red delete x modifier
	DisplayConfiguration	Display icon with wrench modifier
	DisplayFullSignature	Straight brackets with ab modifier
	DisplayName	ab icon inside a box
	DisplayNone	x inside a box
	DistributeHorizontalCenter	Refer to icon name.

Image	KnownMoniker	Description
	DistributeVerticalCenter	Refer to icon name.
	DivideMember	member icon with a divide (slash) modifier
	DivideMemberFormula	member icon with a divide (slash) modifier and an fx modifier
	DividePath	drawing tool
	DIVTag	Refer to icon name.
	DMAChannel	Refer to icon name.
	Dock	Refer to icon name.
	DockBottom	Used for docking tool windows to bottom.
	DockPanel	Refer to icon name.
	DockRight	Used for docking tool windows to right.
	DockTo	App window with arrow pointing to corner
	Document	Document icon means document or file
	DocumentCollection	multiple document files represents file collection
	DocumentError	Refer to icon name.
	DocumentExclude	Refer to icon name.
	DocumentGroup	Refer to icon name.
	DocumentGroupError	Refer to icon name.
	DocumentGroupWarning	Refer to icon name.
	DocumentOK	Refer to icon name.

Image	KnownMoniker	Description
	DocumentOutline	Bullet points and lines
	DocumentsFolder	Folder icon with document modifier
	DocumentSource	Refer to icon name.
	DocumentTag	
	DocumentViewer	Document with lens magnifying in the corner
	DocumentWarning	Refer to icon name.
	DomainController	Server icon with controller icon modifier
	DomainScrollVertical	Refer to icon name.
	DomainType	Refer to icon name.
	DotNETFrameworkDependency	
	DotNETPhone	
	DotNETPhoneError	
	DottedSplitter	Refer to icon name.
	DoughnutChart	Refer to icon name.
	DoWhile	Refer to icon name.
	Download	Blue down arrow modifier means download
	DownloadDocument	Blue down arrow modifier means download
	DownloadFolder	Blue down arrow modifier means download
	DownloadLog	Blue down arrow modifier means download

Image	KnownMoniker	Description
	DownloadNoColor	
	DownloadWebSettings	Blue down arrow modifier means download
	DragDropControl	Drag and drop tool icon
	DragDropGroupControl	Refer to icon name.
	DraggedCurrentInstructionPointer	
	DraggedInstructionPointerPaused	Refer to icon name.
	DragHandle	Refer to icon name.
	DragPanel	Refer to icon name.
	DrillDown	Refer to icon name.
	Driver	Driver icon
	DriverPackage	Driver icon with package modifier
	DriverTest	Driver icon with test beaker modifier
	DriverVerifier	Driver icon with checkmark modifier
	DropPointTarget	Refer to icon name.
	DropShadow	Refer to icon name.
	DSlash	Refer to icon name.
	DTSCustomTask	Globe icon with hammer modifier
	DTSFileSystem	Folder with deployment icon modifier
	DTSVisualizer	Deployment icon with viewbox modifier

Image	KnownMoniker	Description
	Dynamic	2-way arrow means dynamic
	DynamicDataField	Highlighted field in a column with dynamic modifier
	DynamicDiscoveryDocument	App window icon with globe icon
	DynamicEntity	Class/entity icon with dynamic modifier
	DynamicGroup	Double dynamic modifier
	DynamicHyperlink	Refer to icon name.
	DynamicImage	Image icon with dynamic modifier
	DynamicLibrary	Library icon with dynamic modifier
	DynamicMenu	Menu icon with dynamic modifier
	DynamicPhone	Mobile phone icon with dynamic modifier
	DynamicPopulate	Document icon with dynamic modifier
	DynamicProcedure	Procedure icon (app window with lines) with dynamic modifier
	DynamicTable	Image icon with dynamic modifier
	DynamicTemplate	Template icon with dynamic modifier
	DynamicTestSuite	
	DynamicValidator	Dynamic icon with checkmark modifier
	DynamicValue	Refer to icon name.
	DynamicWebSite	Globe with dynamic modifier
	E2ETracing	Refer to icon name.

Image	KnownMoniker	Description
	Edit	Pencil by itself or as a modifier can mean edit, custom, or modify
	EditAssociation	Pencil by itself or as a modifier can mean edit, custom, or modify
	EditBug	Pencil by itself or as a modifier can mean edit, custom, or modify
	EditColumn	Pencil by itself or as a modifier can mean edit, custom, or modify
	EditDatabase	Pencil by itself or as a modifier can mean edit, custom, or modify
	EditDimension	Pencil by itself or as a modifier can mean edit, custom, or modify
	EditDocument	page with pencil/edit modifier
	EditDropDownList	Pencil by itself or as a modifier can mean edit, custom, or modify
	EditFieldDialog	Pencil by itself or as a modifier can mean edit, custom, or modify
	EditFilter	Pencil by itself or as a modifier can mean edit, custom, or modify
	EditInput	Refer to icon name.
	EditKey	Pencil by itself or as a modifier can mean edit, custom, or modify
	EditLabel	Pencil by itself or as a modifier can mean edit, custom, or modify
	EditLayoutTable	Pencil by itself or as a modifier can mean edit, custom, or modify
	EditLink	Pencil by itself or as a modifier can mean edit, custom, or modify
	EditManifest	Pencil by itself or as a modifier can mean edit, custom, or modify
	EditNotebook	
	Editor	Rectangular box with text lines broken up means editor (no pencil)
	EditorConfigFile	Used for *.editorconfig file node in Solution Explorer.

Image	KnownMoniker	Description
	EditorWarning	Editor icon with warning modifier
	EditQuery	query icon with pencil/edit modifier
	EditRelationship	relationship icon with pencil/edit modifier
	EditRowLeft	Pencil by itself or as a modifier can mean edit, custom, or modify
	EditRowRight	Pencil by itself or as a modifier can mean edit, custom, or modify
	EditSmartTag	pricetag style tag icon with pencil/edit modifier
	EditString	the ab icon means title string, pencil/edit modifier means edit title string
	EditTag	outlined tag icon with pencil/edit modifier
	EditTaskList	
	EditTooltip	Tooltip icon with pencil/edit modifier
	EditWindow	Window icon (aka app icon) with pencil/edit modifier means edit window
	>EditZone	Edit pencil points to editor zone
	Effect	fx icon means effects and can appear by itself or as a modifier
	EffectDisabled	fx icon with no modifier
	EffectEnabled	fx icon by itself
	EightX	800% scale
	ElementHost	Refer to icon name.
	ElementID	Refer to icon name.
	ElementSeparator	

Image	KnownMoniker	Description
	Ellipse	ellipse tool
	Ellipsis	3 dots means more
	EmailAddressEditor	Mail icon with @ symbol and pencil/edit modifier
	EmailAddressViewer	Gold mail icon with @ symbol only
	EmbeddedFont	Font icon A with lock modifier symbolizing embedded font
	EmptyBucket	Refer to icon name.
	EmptyContainer	In this case, dotted line means empty
	EnableAllBreakpoints	Enable all breakpoints.
	EnableCode	Code icon with green checkmark modifier meaning enable
	EncapsulateField	intellisense icon
	EndCall	Used for ending a Live Share session.
	EndPoint	Refer to icon name.
	EndpointComponent	Refer to icon name.
	Entities	Refer to icon name.
	EntityContainer	App window with class icon inside
	EntityDatabase	Database icon with class modifier
	EntitySet	Double class icon
	Entry	Refer to icon name.
	EntryPoint	Refer to icon name.

Image	KnownMoniker	Description
	Enumeration	
	EnumerationInternal	intellisense icon
	EnumerationItemInternal	intellisense icon
	EnumerationItemPrivate	intellisense icon
	EnumerationItemProtected	intellisense icon
	EnumerationItemPublic	intellisense icon
	EnumerationItemSealed	intellisense icon
	EnumerationItemShortcut	intellisense icon
	EnumerationItemSnippet	intellisense icon
	EnumerationPrivate	intellisense icon
	EnumerationProtected	intellisense icon
	EnumerationPublic	intellisense icon
	EnumerationSealed	intellisense icon
	EnumerationShortcut	intellisense icon
	EnumerationSnippet	intellisense icon
	Environment	Refer to icon name.
	EnvironmentTemplate	Refer to icon name.
	Eraser	eraser tool in Blend(?)
	ErrorBarChart	Refer to icon name.

Image	KnownMoniker	Description
	ErrorSquiggleActive	Used to represent the squiggle showing when there is active syntax error.
	ErrorSquiggleCriticalActive	Refer to icon name.
	ErrorSquiggleCriticalInactive	Refer to icon name.
	ErrorSquiggleInactive	Refer to icon name.
	ErrorSummary	Refer to icon name.
	EvenColumns	
	EvenRows	
	Event	
	EventError	intellisense icon
	EventFilter	intellisense icon
	EventInternal	intellisense icon
	EventLog	intellisense icon
	EventLogFailureAudit	intellisense icon
	EventLogSuccessAudit	intellisense icon
	EventMissing	intellisense icon
	EventPrivate	intellisense icon
	EventProtected	intellisense icon
	EventPublic	intellisense icon
	EventSealed	intellisense icon

Image	KnownMoniker	Description
	EventSession	intellisense icon
	EventShortcut	intellisense icon
	EventSnippet	intellisense icon
	EventTable	
	EventTrigger	Refer to icon name.
	EventWarning	Refer to icon name.
	ExcelWorksheetView	Refer to icon name.
	ExceptionInternal	intellisense icon
	ExceptionPrivate	intellisense icon
	ExceptionProtected	intellisense icon
	ExceptionPublic	intellisense icon
	ExceptionSealed	intellisense icon
	ExceptionSettings	intellisense icon
	ExceptionShortcut	intellisense icon
	ExclamationPoint	Refer to icon name.
	ExcludeMember	member icon with exclude icon modifier
	ExcludeMemberFormula	member icon with exclude icon modifier and formula f
	ExcludePath	drawing tool
	ExcludeRun	

Image	KnownMoniker	Description
	ExecutableType	Refer to icon name.
	Execute	Refer to icon name.
	ExecuteDDL	Refer to icon name.
	ExistingConnection	Refer to icon name.
	ExistingConnectionFormat	Refer to icon name.
	ExistsInCollection	Collection icon with checkmark modifier
	Exit	Circle with arrow exiting it
	ExitFullScreen	Refer to icon name.
	ExcludeScript	
	Expand	Refer to icon name.
	ExpandableContentControl	Refer to icon name.
	ExpandAll	Refer to icon name.
	ExpandDown	Refer to icon name.
	ExpandDownGroup	Refer to icon name.
	Expander	Refer to icon name.
	ExpandRight	Refer to icon name.
	ExpandRightGroup	Refer to icon name.
	ExpandScope	Used in intelliSense Go To filter toolbar to expand filter scope.
	ExplodedDoughnutChart	Refer to icon name.

Image	KnownMoniker	Description
	ExplodedPieChart	Refer to icon name.
	Export	Curved arrow means export
	ExportData	Database icon with export modifier
	ExportFilter	Filter icon with export modifier
	ExportPerformanceReport	Performance chart icon with export modifier
	ExportScript	Script icon with export modifier
	ExportSettings	
	ExportTestRunResults	
	Extend	Refer to icon name.
	ExtendedProperty	Refer to icon name.
	ExtendedPropertyError	Refer to icon name.
	ExtendedPropertyWarning	Refer to icon name.
	Extension	Extension for VSIDE or VS Code.
	ExtensionApplication	App window icon with Extension modifier
	ExtensionManifest	Extension icon and manifest icon combined
	ExtensionMethod	Refer to icon name.
	ExternalVariableValue	Refer to icon name.
	ExtractConstant	Refer to icon name.
	ExtractInterface	Refer to icon name.

Image	KnownMoniker	Description
	ExtractMethod	Refer to icon name.
	ExtraLarge	
	F1Help	Refer to icon name.
	FactTable	Refer to icon name.
	FastLineChart	Refer to icon name.
	FastPointChart	Refer to icon name.
	Favorite	Refer to icon name.
	Feedback	User suggestion.
	FeedbackFrown	Refer to icon name.
	FeedbackSmile	Refer to icon name.
	Fetch	Used for Git version control for fetch command.
	Field	
	FieldInternal	Intellisense icon
	FieldMissing	Intellisense icon
	FieldPrivate	Intellisense icon
	FieldProtected	Intellisense icon
	FieldPublic	Intellisense icon
	FieldSealed	Intellisense icon
	FieldShortcut	Intellisense icon

Image	KnownMoniker	Description
	FieldSnippet	Refer to icon name.
	FigureCaptionTag	Refer to icon name.
	FileDestination	Refer to icon name.
	FileDialogReport	Folder icon with report modifer
	FileEncodingDialog	Refer to icon name.
	FileGroupDefault	
	FileSystemDriverFile	Refer to icon name.
	FileSystemDriverPackageFile	Refer to icon name.
	FileSystemEditor	Refer to icon name.
	FileSystemWatcher	Refer to icon name.
	FileType	Refer to icon name.
	Fill	drawing tool
	FilledEllipse	drawing tool
	FilledRectangle	drawing tool
	FilledRoundedRectangle	drawing tool
	FillOpacity	drawing tool
	FillTransform	drawing tool
	Filter	Filter icon
	FilterAlphabetically	Filter icon as modifier

Image	KnownMoniker	Description
	FilterDescriptor	Filter icon as modifier
	FilterDocument	Filter icon as modifier
	FilteredTextBox	Filter icon as modifier
	FilterFolderClosed	Filter icon as modifier
	FilterFolderOpened	Filter icon as modifier
	FilterPendingChanges	Filter icon as modifier
	FilterPinnedProperties	Used in Debug for filtering pinned properties.
	FilterUser	Filter icon as modifier
	FinalState	Refer to icon name.
	FindDown	Find magnifier
	FindInFile	Document icon with find icon modifier
	FindNext	Find icon with next arrow modifier
	FindPrevious	Find icon with previous arrow modifier
	FindSymbol	Refer to icon name.
	FirstIndent	Refer to icon name.
	FirstOfFourColumns	column layout selector
	FirstOfFourRows	
	FirstOfThreeColumns	column layout selector
	FirstOfThreeRows	

Image	KnownMoniker	Description
	FirstOfTwoColumns	column layout selector
	FirstOfTwoRows	
	FitSelection	Refer to icon name.
	FitToScreen	Refer to icon name.
	FixedLayoutAppApplication	
	Flag	Refer to icon name.
	FlagBlue	Refer to icon name.
	FlagDarkBlue	Refer to icon name.
	FlagDarkGreen	Refer to icon name.
	FlagDarkPurple	Refer to icon name.
	FlagDarkRed	Refer to icon name.
	FlagGreen	Refer to icon name.
	FlagGroup	Multiple flags
	FlagOutline	Refer to icon name.
	FlagPurple	Refer to icon name.
	FlagRed	Refer to icon name.
	FlagTurquoise	Refer to icon name.
	FlatCap	Refer to icon name.
	FlatList	Refer to icon name.

Image	KnownMoniker	Description
	FlatPivot	Refer to icon name.
	FlatView	Refer to icon name.
	FlipHorizontal	drawing tool
	FlipVertical	drawing tool
	FlipZOrder	drawing tool
	FloppyDrive	Refer to icon name.
	FlowAggregation	Refer to icon name.
	FlowDecision	Refer to icon name.
	FlowLayoutPanel	Refer to icon name.
	FlowSwitch	Refer to icon name.
	FluidLayout	Refer to icon name.
	FocusUser	
	FolderBottomPanel	Refer to icon name.
	FolderBrowserDialogControl	App icon with folder modifier
	FolderClosed	Refer to icon name.
	FolderCodeAnalysis	Toggle solution wide code analysis
	FolderError	Folder with error modifier
	FolderInformation	Folder with info modifier
	FolderOffline	Folder with X modifier

Image	KnownMoniker	Description
	FolderOpened	Refer to icon name.
	FolderOpenedNoColor	
	FolderOpenedWarning	Open folder with warning modifier
	FolderSuppressed	Folder with suppressed modifier
	FolderTopPanel	Refer to icon name.
	FolderWarning	Folder with warning modifier
	Font	Refer to icon name.
	FontColor	Refer to icon name.
	FontDialogControl	Refer to icon name.
	FontFile	Used in Solution Explorer for font file type.
	FontIcon	Refer to icon name.
	FontSize	Refer to icon name.
	ForceDirectedLayout	Refer to icon name.
	ForEach	Refer to icon name.
	ForEachLoop	Refer to icon name.
	ForegroundColor	drawing tool
	ForeignKey	Key
	ForeignKeyConstraintError	Table icon with error modifier
	ForeignKeyConstraintWarning	Table icon with warning modifier

Image	KnownMoniker	Description
	ForeignKeyError	Key with error modifier
	ForeignKeyRelationship	Key with table
	ForeignKeyWarning	Key with warning modifier
	Fork	Refer to icon name.
	ForkNode	Refer to icon name.
	FormatDocument	Document with dotted guidelines
	FormatPageLeft	page with right arrow
	FormatPageRight	page with left arrow
	FormatSelection	Document with dotted guidelines and highlighted area
	FormattingToolbar	toolbar icon
	FormDigest	Refer to icon name.
	FormInstance	Refer to icon name.
	FormPostBodyParameternode	form icon with parameter modifier
	FormPostBodyStringnode	Refer to icon name.
	FormTag	Refer to icon name.
	Forwards	Navigate forward.
	ForwardSlash	Refer to icon name.
	FourColumns	Used for setting layout.
	FourRows	Used for setting layout.

Image	KnownMoniker	Description
	FourthOfFourColumns	Refer to icon name.
	FourthOfFourRows	Refer to icon name.
	Fragment	Refer to icon name.
	FrameBorder	Refer to icon name.
	FrameContainer	Refer to icon name.
	FrameSelect	Refer to icon name.
	FrameSet	Refer to icon name.
	Framework	Used in Solution Expolorer for framework node.
	FrameworkDesignStudio	Refer to icon name.
	FrameworkError	Used in Solution Expolorer for framework node with error status.
	FrameworkPrivate	Used in Solution Expolorer for private framework node.
	FrameworkWarning	Used in Solution Expolorer for framework node with warning status.
	FreezeRow	Refer to icon name.
	FSApplication	F# file
	FSBlankApplication	F# file
	FSBlankWebSite	F# file
	FSClassCollection	F# file
	FSClassLibrary	F# file
	FSCodeFile	F# file

Image	KnownMoniker	Description
	FSConsole	F# file
	FSConsoleTest	F# file
	FSFileNode	F# file
	FSHelpApplication	F# file
	FSInteractiveWindow	F# file
	FSInterfaceCollection	F# file
	FSProjectNode	
	FSScript	F# file
	FSSignatureFile	F# file
	FSSilverlightLibrary	F# file
	FSTestApplication	F# file
	FSWCF	F# file
	FSWebApplication	F# file
	FSWindowsFormLibrary	F# file
	FSWindowsService	F# file
	FSWorkerTemplateFile	F# file
	FSWPFAplication	F# file
	FSWPFLibrary	F# file
	FSWPFUserControl	F# file

Image	KnownMoniker	Description
	FTPConnection	Refer to icon name.
	FTPSites	Refer to icon name.
	FullScreen	Refer to icon name.
	FullTextStopList	Refer to icon name.
	FunctionMissing	Refer to icon name.
	FunctionWarning	Refer to icon name.
	FunnelChart	Refer to icon name.
	FuzzyGrouping	Refer to icon name.
	FuzzyLookup	Refer to icon name.
	FXGFile	Refer to icon name.
	Gallery	Refer to icon name.
	GanttChart	Refer to icon name.
	GaugeLinear	Refer to icon name.
	GaugeRound	Refer to icon name.
	GeminiEntryPoint	Refer to icon name.
	GenerateAllFromTemplate	Right arrow modifier means generate
	GenerateAndRecordCode	Right arrow modifier means generate
	GenerateChangeScript	Right arrow modifier means generate
	GenerateCodeFromRecording	Right arrow modifier means generate

Image	KnownMoniker	Description
	GenerateDependancies	Right arrow modifier means generate
	GenerateFile	Right arrow modifier means generate
	GenerateMethod	Right arrow modifier means generate
	GenerateResource	Right arrow modifier means generate
	GenerateTable	Right arrow modifier means generate
	GenerateThumbnail	Right arrow modifier means generate
	GenericChart	Refer to icon name.
	GenericOnlineTemplate	Refer to icon name.
	GenericTask	Refer to icon name.
	GetAccessFormat	Refer to icon name.
	GetDatabaseFormat	Refer to icon name.
	GetDataFeedFormat	Refer to icon name.
	GetDictionary	Refer to icon name.
	GetDocumentFormat	Refer to icon name.
	GetDynamicValueProperty	Refer to icon name.
	GetDynamicValuePropertyGroup	Refer to icon name.
	GetExcelFormat	Refer to icon name.
	GetFromCollection	Refer to icon name.
	GetLatestVersion	Refer to icon name.

Image	KnownMoniker	Description
	GetPerformanceData	Refer to icon name.
	GetReportFormat	Refer to icon name.
	GetSpecificVersion	Refer to icon name.
	GetTextFormat	Refer to icon name.
	GetWebSite	Refer to icon name.
	GlobalCalendar	Refer to icon name.
	GlobalVariable	Refer to icon name.
▼	GlyphDown	Refer to icon name.
◀	GlyphLeft	Refer to icon name.
▶	GlyphRight	Refer to icon name.
▲	GlyphUp	Refer to icon name.
	GoOutAvailability	
	GoOutDashboard	
	GoOutPerformanceTrend	
	GoOutUsage	
	GoToBottom	Refer to icon name.
	GoToCurrentLine	Refer to icon name.
	GoToDeclaration	Refer to icon name.
	GoToDefinition	Refer to icon name.

Image	KnownMoniker	Description
	GoToEvent	Refer to icon name.
	GoToField	Refer to icon name.
	GoToFirst	Refer to icon name.
	GoToHotSpot	Refer to icon name.
	GoToLast	Refer to icon name.
	GoToMethod	Refer to icon name.
	GoToNext	Used in diff view for navigating code changes.
	GoToNextComment	Refer to icon name.
	GoToNextInList	Refer to icon name.
	GoToNextModified	Refer to icon name.
	GoToNextUncovered	Refer to icon name.
	GoToPrevious	Used in diff view for navigating code changes.
	GoToPreviousComment	Refer to icon name.
	GoToPreviousInList	Refer to icon name.
	GoToPreviousModified	Refer to icon name.
	GoToPreviousUncovered	Refer to icon name.
	GoToProperty	Refer to icon name.
	GoToRecordedTestSession	Refer to icon name.
	GoToReference	Refer to icon name.

Image	KnownMoniker	Description
	GotoRow	Refer to icon name.
	GoToSourceCode	Refer to icon name.
	GoToTop	Refer to icon name.
	GoToTypeDefinition	Refer to icon name.
	GotoWebTest	Refer to icon name.
	GoToWorkItem	Refer to icon name.
	GraphBottomToTop	Refer to icon name.
	GraphLeftToRight	Refer to icon name.
	GraphRightToLeft	Refer to icon name.
	GraphTopToBottom	Refer to icon name.
	GreenChannel	Refer to icon name.
	Grid	Refer to icon name.
	GridApplication	Refer to icon name.
	GridDark	Refer to icon name.
	GridDetailView	Refer to icon name.
	GridGuide	Refer to icon name.
	GridLayoutDiv	Refer to icon name.
	GridLight	Refer to icon name.
	GridSplitter	Refer to icon name.

Image	KnownMoniker	Description
	GridViewMoCo	Refer to icon name.
	Group	Refer to icon name.
	GroupBox	Refer to icon name.
	GroupBy	Refer to icon name.
	GroupByAccess	Refer to icon name.
	GroupByClause	
	GroupByType	Refer to icon name.
	GroupedGridViewMoCo	Refer to icon name.
	HanCharacter	Refer to icon name.
	HardDrive	Refer to icon name.
	HeadingFive	Refer to icon name.
	HeadingFour	Refer to icon name.
	HeadingOne	Refer to icon name.
	HeadingThree	Refer to icon name.
	HeadingTwo	Refer to icon name.
	HelpApplication	Refer to icon name.
	HelpIndexFile	
	HelpLibraryManager	Refer to icon name.
	HelpTableOfContents	

Image	KnownMoniker	Description
	Hexagon	
	HiddenField	Refer to icon name.
	HiddenFile	Dotted version of document means template
	HiddenFolderClosed	Refer to icon name.
	HiddenFolderOpened	Refer to icon name.
	HiddenInput	Refer to icon name.
	HideCommentGroup	Refer to icon name.
	HideMember	Refer to icon name.
	HideRedundantMerges	Refer to icon name.
	HideSelectedThreads	Refer to icon name.
	HideUnselectedThreads	Refer to icon name.
	Hierarchy	Refer to icon name.
	HierarchyTracking	Refer to icon name.
	HierarchyVariable	Refer to icon name.
	HighContrast	Refer to icon name.
	Highlighter	Refer to icon name.
	HighlightText	Refer to icon name.
	HistogramVisualizer	Refer to icon name.
	HistoricCallReturn	Refer to icon name.

Image	KnownMoniker	Description
	HistoricInstructionPointer	Refer to icon name.
	History	Refer to icon name.
	HistoryListId	
	Home	Refer to icon name.
	HorizontalLine	
	HorizontalScrollBar	Refer to icon name.
	HorizontalScrollView	Refer to icon name.
	HorizontalSlicers	
	HotReload	
	HotSpot	Refer to icon name.
	HoverMenu	Refer to icon name.
	HPCPerformanceSessionWizard	Refer to icon name.
	HTMLDesignView	Refer to icon name.
	HTMLEndTag	Refer to icon name.
	HTMLError	Refer to icon name.
	HTMLFile	Refer to icon name.
	HTMLTag	Refer to icon name.
	HTMLTagBDI	Refer to icon name.
	HTMLTagBDO	Refer to icon name.

Image	KnownMoniker	Description
	HTMLTagBR	Refer to icon name.
	HTMLTagComment	Refer to icon name.
	HTTPConnection	Refer to icon name.
	HttpSend	Refer to icon name.
	Hub	
	HubPageTemplate	Refer to icon name.
	HyperLink	Refer to icon name.
	HyperlinkBack	Refer to icon name.
	HyperlinkFollow	Refer to icon name.
	HyperlinkForward	Refer to icon name.
	IconFile	Refer to icon name.
	IconView	Refer to icon name.
	IdBadge	
	IDRLibraryFile	Refer to icon name.
	If	Refer to icon name.
	IFrame	Refer to icon name.
	IgnoreTrimWhiteSpace	Refer to icon name.
	Image	Refer to icon name.
	ImageButton	Refer to icon name.

Image	KnownMoniker	Description
	ImageChisel	Refer to icon name.
	ImageCrop	Refer to icon name.
	ImageGenerator	Refer to icon name.
	ImageGroup	Refer to icon name.
	ImageIcon	Refer to icon name.
	ImageLoader	Refer to icon name.
	ImageMap	Refer to icon name.
	ImageMapFile	Refer to icon name.
	ImageTest	Refer to icon name.
	ImmediateWindow	Refer to icon name.
	Implemented	Used in editor margin.
	ImplementedOverridden	
	Implementing	Used in editor margin.
	ImplementingImplemented	
	ImplementingOverridden	
	ImplementingOverriding	
	ImplementInterface	Refer to icon name.
	Import	Refer to icon name.
	ImportCatalogPart	Refer to icon name.

Image	KnownMoniker	Description
	ImportFilter	Refer to icon name.
	ImportSettings	
	Include	Refer to icon name.
	IncreaseBrightness	Refer to icon name.
	IncreaseContrast	Refer to icon name.
	IncreaseDecimals	Refer to icon name.
	IncreaseFontSize	Refer to icon name.
	IncreaseHorizontalSpacing	Refer to icon name.
	IncreaseIndent	
	IncreaseVerticalSpacing	Refer to icon name.
	Infinity	Refer to icon name.
	InfraredDevice	Refer to icon name.
	Inheritance	Refer to icon name.
	InheritedForm	Refer to icon name.
	InheritedUserControl	Refer to icon name.
	InitializeCorrelation	Refer to icon name.
	InitialNode	Refer to icon name.
	InkCanvas	Refer to icon name.
	InkPresenter	Refer to icon name.

Image	KnownMoniker	Description
	Inline	Refer to icon name.
	Input	Often used together with Output.
	InputParameter	Refer to icon name.
	InputPin	Refer to icon name.
	InsertClause	Refer to icon name.
	InsertLayer	Refer to icon name.
	InsertMark	Refer to icon name.
	InsertOWSListField	Refer to icon name.
	InsertPage	Refer to icon name.
	InsertPanel	Refer to icon name.
	InsertParameter	Refer to icon name.
	InsertSharedStep	Refer to icon name.
	InsertSpan	Refer to icon name.
	InsertStep	Refer to icon name.
	InsideBorder	
	InsideHorizontalBorder	
	InsideVerticalBorder	
	Inspect	Refer to icon name.
	InspectMode	Refer to icon name.

Image	KnownMoniker	Description
	Install	Refer to icon name.
	InstallerClass	Refer to icon name.
	InstallShield	Refer to icon name.
	Instance	Refer to icon name.
	IntelliCode	
	IntellicodeModelManagement	Used for managing IntelliCode training models.
	IntelliSenseDatabase	Refer to icon name.
	IntelliSenseKeyword	Refer to icon name.
	IntellisenseLightBulb	Refer to icon name.
	IntellisenseLightBulbError	Refer to icon name.
	IntellisenseWarning	
	IntellitraceCurrentStack	Refer to icon name.
	IntelliTraceEvent	Refer to icon name.
	IntellitraceGoLive	
	IntellitraceLog	Refer to icon name.
	IntellitraceStepBack	
	IntellitraceStepInto	
	IntellitraceStepOut	
	IntellitraceStepOver	Refer to icon name.

Image	KnownMoniker	Description
	IntellitraceTracepoint	
	InteractionUse	Refer to icon name.
	InteractiveMode	Refer to icon name.
	Interface	
	InterfaceFile	Refer to icon name.
	InterfaceInternal	Refer to icon name.
	InterfacePrivate	Refer to icon name.
	InterfaceProtected	Refer to icon name.
	InterfacePublic	Refer to icon name.
	InterfaceSealed	Refer to icon name.
	InterfaceShortcut	Refer to icon name.
	InterfaceSnippet	Refer to icon name.
	InternalInfoFile	
	InterOp	Refer to icon name.
	IntersectPath	Refer to icon name.
	InUseByOtherUser	Refer to icon name.
	InvokeDelegate	Refer to icon name.
	InvokeMethod	Refer to icon name.
	InvokeTable	Refer to icon name.

Image	KnownMoniker	Description
	IPAddressControl	Refer to icon name.
	IrregularSelection	Refer to icon name.
	ISCatalog	Refer to icon name.
	IsEmptyDynamicValue	Refer to icon name.
	Italic	Refer to icon name.
	Item	Refer to icon name.
	ItemAddedAssociation	Refer to icon name.
	ItemId	Refer to icon name.
	ItemListview	Refer to icon name.
	ItemUpdatedAssociation	Refer to icon name.
	JARFile	Refer to icon name.
	JavaSource	Refer to icon name.
	Join	Refer to icon name.
	JoinNode	Refer to icon name.
	JournalMessage	Refer to icon name.
	JSAPI	
	JSBlankApplication	Blank app icon with JS modifier
	JSCoffeeScript	Cup icon with JS modifier
	JSConsole	Console icon in JS orange

Image	KnownMoniker	Description
	JSCordovaMultiDevice	Cube in a cube in JS orange
	JSFixedLayoutApplication	App icon with ruler modifer in JS orange
	JSGridApplication	App icon with grid modifer in JS orange
	JSHubApplication	App icon with hub modifer in JS orange
	JSInteractiveWindow	App icon in JS orange with code lines
	JSNavigationApplication	App icon with button arrow modifer in JS orange
	JSONScript	*.json file.
	JSPhone	Mobile phone icon in JS orange
	JSPhoneError	Mobile phone icon in JS orange and error modifer
	JSProjectNode	Used in Solution Explorer for *.jsproj project node.
	JSScript	JavaScript file.
	JSSharedProject	Double diamond in JS orange
	JSplitApplication	App icon with split window modifier
	JSTablet	Tablet icon in JS orange
	JSWebScript	Globe icon with JS orange script modifer
	JSXScript	Used in Solution Explorer for *.jsx file node.
	JustMyCode	User icon inside curly braces
	KagiChart	Refer to icon name.
	KeepTargetVersion	template with arrow pointing to document

Image	KnownMoniker	Description
	Key	
	Keyboard	
	KeyColumn	
	KeyVault	
	KeyVertical	
	KeywordSnippet	Refer to icon name.
	KPI	Horizontal bar graph
	KPIBrowserView	KPI icon with magnifying glass
	KPIWarning	KPI icon with warning modifier
	Label	The letter A, sans serif
	LandingPage	Refer to icon name.
	LanguagePackage	
	Large	Refer to icon name.
	LastHistoryCommand	Retrieve history command, same as pressing keyboard up.
	LaunchConditionsEditor	Editor icon with filter modifier
	LaunchInstrumentationTargetBinary	binary icon with green cursor arrow modifier
	LaunchSamplingTarget	sample icon with green play arrow modifier
	Layer	drawing tool
	LayerDiagram	Refer to icon name.

Image	KnownMoniker	Description
	LayerFillSlider	drawing tool
	LayoutEditorPart	Refer to icon name.
	LayoutPanel	
	LayoutPoints	
	LayoutTransform	drawing tool
	LeftArrowAsterisk	Refer to icon name.
	LeftBorder	
	LeftCarriageReturn	Refer to icon name.
	LeftColumnOfTwoColumnsRightSplit	column layout selector
	LeftSideOnly	Refer to icon name.
	LegacyPackage	Document with 3D cube
	Legend	Refer to icon name.
	LessStyleSheet	Stylesheet icon with LESS modifier
	LevelAll	Refer to icon name.
	LevelEight	Refer to icon name.
	LevelEleven	Refer to icon name.
	LevelFive	Refer to icon name.
	LevelFour	Refer to icon name.
	LevelNine	Refer to icon name.

Image	KnownMoniker	Description
	LevelOne	Refer to icon name.
	LevelSeven	Refer to icon name.
	LevelSix	Refer to icon name.
	LevelTen	Refer to icon name.
	LevelThree	Refer to icon name.
	LevelTwelve	Refer to icon name.
	LevelTwo	Refer to icon name.
	LibaryApplication	
	Library	Library books icon
	LibraryEnvironment	Environment icon with library modifier
	LibrarySettings	Library icon with settings (gear) modifier
	LibraryWarning	Used in Solution Explorer for library node with warning status.
	Lifeline	Refer to icon name.
	LightSwitch	Refer to icon name.
	LightSwitchLibrary	Lightbulb icon with library modifier
	LinearAxis	Axis icon with 123 meaning linear
	LinearCarousel	Refer to icon name.
	LineArrow	Curved arrow pointing down
	LineChart	line chart

Image	KnownMoniker	Description
	LineMarker	Refer to icon name.
	LineSeparator	
	Link	Refer to icon name.
	LinkAlert	Link icon with alert modifier
	LinkButton	Refer to icon name.
	LinkedDatabase	
	LinkedDimension	Dimension icon with a link icon modifier
	LinkedFolderClosed	Folder with shortcut icon modifier
	LinkedFolderOpened	Open folder with shortcut icon modifier
	LinkedMeasureGroup	Measure group icon with link modifier
	LinkedObjectWizard	3D cube with link modifier
	LinkedServer	Server icon with link modifier
	LinkFile	Document icon with link modifier
	LinkValidator	Checkmark icon with link modifier
	LinkVertical	Used in designer view to lock scale proportion vertically.
	ListBox	List box
	ListBoxSearch	Listbox icon with magnifier
	ListDefinition	Refer to icon name.
	ListID	Datasheet icon with key icon modifier for ID

Image	KnownMoniker	Description
	ListMembers	Retrieve history command, same as pressing keyboard down.
	ListProperty	Datasheet icon with curved arrow modifier pointing at it
	ListTimePicker	
	ListView	Refer to icon name.
	ListViewMoCo	Refer to icon name.
	ListViewTable	Table icon with list view modifier
	Literal	Refer to icon name.
	LiveDatasource	Database icon sitting on a connector icon
	LiveShare	
	LiveShareReadOnly	
	Loading	Refer to icon name.
	LoadTest	Test icon with down arrow modifier
	LoadTestPlugin	Test icon with down arrow modifier and add (plus sign) modifier
	LOBSystemInstance	Refer to icon name.
	LocallIISSite	Refer to icon name.
	Localize	Refer to icon name.
	LocalResources	Refer to icon name.
	LocalServer	White Server icon
	LocalServerAudit	

Image	KnownMoniker	Description
	LocalServerWarning	
	LocalsWindow	Class icon inside straight brackets
	LocalTest	Server icon with test modifier
	LocalVariable	Variable (or field) icon inside straight brackets
	LocateAll	
	LocateControl	Control icon (rectangle) with magnifying glass modifier
	Lock	Refer to icon name.
	LockedLink	
	LockXAxis	X with lock modifier
	LockYAxis	Y with lock modifier
	LockZAxis	Z with lock modifier
	Log	Notebook
	.LogError	Refer to icon name.
	LoginName	textbox with lock icon modifier
	LoginScreen	App icon with password xs and lock modifer
	LoginStatus	Lock with generic status icon modifier
	LoginUser	
	LoginWindowsAuthentication	Server icon with double user modifier
	LogPopulation	Refer to icon name.

Image	KnownMoniker	Description
	LogPopulationError	Refer to icon name.
	LogPopulationWarning	Refer to icon name.
	LogProperty	Refer to icon name.
	LogProvider	Log icon with left arrow modifier
	LogWarning	Refer to icon name.
	LookupChoiceFieldIndex	Refer to icon name.
	LookupGroup	User in a box icon with magnifier modifier
	LookupGroupMembers	Double user icon with magnifier modifier
	LookupList	datasheet icon with magnifier modifier
	LookupListItem	List item icon with magnifier modifier
	LookupListItemId	List item icon with magnifier modifier and key modifier for ID
	LookupPrincipal	User in a box icon with user modifier
	LookupPrincipalId	User in a box icon with user modifier and key modifier for ID
	LookupPrincipalProperty	User in a box icon with user modifier and wrench modifier for property
	LookupUser	User icon with magnifier modifier
	LookupUserProperty	User icon with magnifier modifier and wrench modifier for property
	LookupWorkflowContextProperty	Workflow icon with wrench modifier
	MachineLearningModel	Machine learning model file type.
	MacroInternal	Used in intelliSense

Image	KnownMoniker	Description
	MacroPrivate	Used in intelliSense
	MacroProtected	Used in intelliSense
	MacroPublic	Automated actions. Also used for Macro symbol in intelliSense.
	MacroSealed	Used in intelliSense
	MacroShortcut	Used in intelliSense
	MageProduct	
	MagicWand	Refer to icon name.
	MainMenuControl	Refer to icon name.
	MakeFile	Refer to icon name.
	MakefileApplication	
	MakeSameHeight	Refer to icon name.
	ManageCounterSets	Refer to icon name.
	ManifestFile	Refer to icon name.
	ManualTest	Refer to icon name.
	ManyToMany	Refer to icon name.
	MapInternal	Refer to icon name.
	MapItemInternal	Refer to icon name.
	MapItemPrivate	Refer to icon name.
	MapItemProtected	Refer to icon name.

Image	KnownMoniker	Description
	MapItemPublic	Refer to icon name.
	MapItemSealed	Refer to icon name.
	MapItemShortcut	Refer to icon name.
	MapLayerWizard	Refer to icon name.
	MapLineLayer	Refer to icon name.
	MappedBreakpointDisabled	
	MappedBreakpointEnabled	
	MappedTracepointDisabled	
	MappedTracepointEnabled	
	MapPolygonLayer	Refer to icon name.
	MapPrivate	Refer to icon name.
	MapProtected	Refer to icon name.
	MapPublic	Skeleton key
	MapSealed	Refer to icon name.
	MapShortcut	Refer to icon name.
	MapTileLayer	Refer to icon name.
	MapToFolder	Refer to icon name.
	MapWizard	Refer to icon name.
	MarginPadding	Refer to icon name.

Image	KnownMoniker	Description
	MarkdownFile	Refer to icon name.
	MarkupTag	Refer to icon name.
	MarkupWPF	Refer to icon name.
	MarkupXML	Refer to icon name.
	MaskedTextBox	Refer to icon name.
	MasterPage	Refer to icon name.
	MatchBrace	Refer to icon name.
	MatchTag	Refer to icon name.
	MatchType	Refer to icon name.
	MaterialDiffuse	Refer to icon name.
	MaterialEmissive	Refer to icon name.
	MaterialSpecular	Refer to icon name.
	Matrix	Refer to icon name.
	MDIParent	Refer to icon name.
	MDXQuery	Refer to icon name.
	Measure	Refer to icon name.
	MeasureCalculate	Refer to icon name.
	MeasureExpression	Refer to icon name.
	MeasureTree	Refer to icon name.

Image	KnownMoniker	Description
	MeasureWH	
	Media	Refer to icon name.
	MediaZoom	Refer to icon name.
	Medium	Refer to icon name.
	MeesageGroupError	
	Megaphone	Communicate dynamic or targeted promotional messages using the Promobar service.
	Member	Refer to icon name.
	MemberData	Refer to icon name.
	MemberError	Refer to icon name.
	MemberFilter	Filter icon as modifier
	MemberFolderClosed	Refer to icon name.
	MemberFolderOpened	Refer to icon name.
	MemberFormula	Refer to icon name.
	MemberVariable	Refer to icon name.
	Memory	Refer to icon name.
	MemoryArray	Refer to icon name.
	MemoryConfiguration	
	MemoryWindow	
	MenuItem	Refer to icon name.

Image	KnownMoniker	Description
	MenuItemCustomAction	Refer to icon name.
	MenuSeparator	Refer to icon name.
	Merge	Refer to icon name.
	MergeChangeswithTool	Accept merge result.
	MergeModule	Refer to icon name.
	MergeModuleExcluded	
	MergeModuleReference	Refer to icon name.
	MergeModuleReferenceExcluded	
	Message	Refer to icon name.
	MessageBubble	Refer to icon name.
	MessageError	Refer to icon name.
	MessageLogTrace	Refer to icon name.
	MessageOK	
	MessageQueue	Refer to icon name.
	MessageQueueError	Refer to icon name.
	MessageQueueWarning	Refer to icon name.
	MessageType	Refer to icon name.
	MessageTypeError	Refer to icon name.
	MessageTypeWarning	Refer to icon name.

Image	KnownMoniker	Description
	Metadata	Refer to icon name.
	MetaTag	Refer to icon name.
	Method	
	MethodInstance	Refer to icon name.
	MethodInternal	Refer to icon name.
	MethodMissing	Refer to icon name.
	MethodPrivate	Refer to icon name.
	MethodProtected	Refer to icon name.
	MethodPublic	Refer to icon name.
	MethodSealed	Refer to icon name.
	MethodSet	Refer to icon name.
	MethodShortcut	Refer to icon name.
	MethodSnippet	Refer to icon name.
	MFC	Refer to icon name.
	MFCActiveX	Refer to icon name.
	MFCApplication	Refer to icon name.
	MFCClass	Refer to icon name.
	MFCClassWizard	
	MFCDatabase	

Image	KnownMoniker	Description
	MFCDynamicLibrary	
	MFCLibrary	Refer to icon name.
	MicrophoneTalking	Used to indicate audio input is active.
	Minimap	Refer to icon name.
	MissingFile	Used in Solution Explorer to indicate missing file.
	MissingFolderClosed	Used in Solution Explorer to indicate missing folder closed.
	MissingFolderOpened	Used in Solution Explorer to indicate missing folder opened.
	MiterJoint	Refer to icon name.
	MockupComponentGreen	Refer to icon name.
	ModalPicker	Refer to icon name.
	ModalPopup	Refer to icon name.
	ModelThreeD	
	ModifyClass	Refer to icon name.
	ModifyClassTrivial	Refer to icon name.
	ModifyEvent	intellisense icon
	ModifyField	Intellisense icon
	ModifyFieldTrivial	Intellisense icon
	ModifyMethod	Refer to icon name.
	ModifyMethodTrivial	Refer to icon name.

Image	KnownMoniker	Description
	ModifyProperty	Refer to icon name.
	ModifyPropertyTrivial	Refer to icon name.
	ModifyQueryDelete	Refer to icon name.
	ModifyQueryInsertResults	Refer to icon name.
	ModifyQueryInsertValues	Refer to icon name.
	ModifyQueryUpdate	Refer to icon name.
	ModifyWorkflow	
	Module	
	ModuleError	Refer to icon name.
	ModuleFile	Refer to icon name.
	ModuleInternal	Refer to icon name.
	ModulePrivate	Refer to icon name.
	ModuleProtected	Refer to icon name.
	ModulePublic	Refer to icon name.
	ModuleSealed	Refer to icon name.
	ModuleShortcut	Refer to icon name.
	ModulesWindow	
	MoneyEditor	Refer to icon name.
	Monitor	Refer to icon name.

Image	KnownMoniker	Description
	MonthCalendar	Refer to icon name.
	Motherboard	
	MoveClass	Refer to icon name.
	MoveDown	
	MoveEvent	intellisense icon
	MoveField	Refer to icon name.
	MoveGlyph	Refer to icon name.
	MoveMethod	Refer to icon name.
	MoveProperty	Refer to icon name.
	MoveToFolder	Refer to icon name.
	MoveUp	
	MSMQConnection	Refer to icon name.
	MTLFile	
	MultiFileConnection	Refer to icon name.
	MultiFlatFileConnection	Refer to icon name.
	MultipleOutputExcluded	
	MultiplyMember	Refer to icon name.
	MultiplyMemberFormula	Refer to icon name.
	MultiScaleImage	Refer to icon name.

Image	KnownMoniker	Description
	MultiView	Refer to icon name.
	MuteMicrophone	Used in Live Share for muting microphone.
	MutuallyExclusiveCheckbox	Refer to icon name.
	NaiveBayes	Refer to icon name.
	NamedSet	Refer to icon name.
	Namespace	
	NamespaceInternal	Refer to icon name.
	NamespacePrivate	Refer to icon name.
	NamespaceProtected	Refer to icon name.
	NamespacePublic	Refer to icon name.
	NamespaceSealed	Refer to icon name.
	NamespaceShortcut	Refer to icon name.
	NamespaceSnippet	Refer to icon name.
	NavigateElement	Refer to icon name.
	NavigateExternalInlineNoHalo	Used inline at the end of hyperlink to indicate the link will go to external website or out of VS.
	NavigateMenu	Refer to icon name.
	NavigationApplication	
	NavigationPath	Refer to icon name.
	NavigationProperty	Refer to icon name.

Image	KnownMoniker	Description
	NeighborhoodBrowseMode	Refer to icon name.
	NestedTable	Refer to icon name.
	NestedTreeView	Used in nesting profiles toolbar.
	NestSelectedTreeView	Used in nesting profiles toolbar for nesting selected items.
	Network	Refer to icon name.
	NetworkAdapter	Refer to icon name.
	NetworkAdapterConfiguration	Refer to icon name.
	NetworkNDISDriver	Refer to icon name.
	NetworkNDISDriverPackage	Refer to icon name.
	NeuralNetwork	Refer to icon name.
	New	Refer to icon name.
	NewAggregation	Refer to icon name.
	NewAttachedDocument	
	NewAttribute	Refer to icon name.
	NewAttributeRelationship	Refer to icon name.
	NewAvailability	Refer to icon name.
	NewBottomFrame	Refer to icon name.
	NewBranch	Used in Git tool window for creating a new branch.
	NewBug	Refer to icon name.

Image	KnownMoniker	Description
	NewCalculatedColumn	Refer to icon name.
	NewCalculatedMember	Refer to icon name.
	NewChangeset	Refer to icon name.
	NewClass	Refer to icon name.
	NewConnection	Refer to icon name.
	NewConsoleApplication	
	NewConstant	Refer to icon name.
	NewCounterSet	Refer to icon name.
	NewCubeSlice	Refer to icon name.
	NewCustomExpression	Refer to icon name.
	NewDashboard	Refer to icon name.
	NewDataComparison	
	NewDataMiningDimension	Refer to icon name.
	NewDeploymentManifest	Refer to icon name.
	NewDeploymentPackage	Refer to icon name.
	NewDiagram	Refer to icon name.
	NewDimensionTranslation	Refer to icon name.
	NewDocument	
	NewDocumentCollection	Refer to icon name.

Image	KnownMoniker	Description
	NewDrillThroughAction	Refer to icon name.
	NewEnumerator	Refer to icon name.
	NewEnvironmentLibrary	Refer to icon name.
	NewEvent	Refer to icon name.
	NewField	Refer to icon name.
	NewFilter	Refer to icon name.
	NewFolder	Refer to icon name.
	NewGraph	Refer to icon name.
	NewHeaderFile	Refer to icon name.
	NewImage	Refer to icon name.
	NewImageType	Refer to icon name.
	NewItem	Refer to icon name.
	NewKey	Refer to icon name.
	NewKPI	Refer to icon name.
	NewLayerDiagram	New Dependency Validation Diagram menu item icon.
	NewLeftFrame	Refer to icon name.
	NewLinkedTable	Refer to icon name.
	NewLinkedWorkItem	Refer to icon name.
	NewLinkFile	Refer to icon name.

Image	KnownMoniker	Description
	NewListItem	Refer to icon name.
	NewListQuery	Refer to icon name.
	NewLoadTestPlugin	Refer to icon name.
	NewLog	
	NewManualTest	Refer to icon name.
	NewManualTestMHTformat	Refer to icon name.
	NewMasterPage	
	NewMeasure	Refer to icon name.
	NewMeasureGroup	Refer to icon name.
	NewMethod	
	NewNamedSet	
	NewOneHopQuery	Refer to icon name.
	NewOrderedList	Refer to icon name.
	NewPackage	Refer to icon name.
	NewParameter	Refer to icon name.
	NewPartition	Refer to icon name.
	NewPerformanceReport	Refer to icon name.
	NewPerformanceTrend	Refer to icon name.
	NewPerspectiveView	Refer to icon name.

Image	KnownMoniker	Description
	NewPhysicalEnvironment	Refer to icon name.
	NewPluginDocument	
	NewProperty	Refer to icon name.
	NewPullRequest	Submit a new pull request. A pull request is a merge request that asks the remote branch to accept changes from the local repository.
	NewQuery	Refer to icon name.
	NewQueryResultsRow	
	NewRecording	Refer to icon name.
	NewRelationship	Refer to icon name.
	NewRelationshipMenu	Refer to icon name.
	NewReportingAction	Refer to icon name.
	NewRightFrame	Refer to icon name.
	NewRow	Refer to icon name.
	NewRule	Refer to icon name.
	NewRuleWarning	Refer to icon name.
	NewRunSettings	
	NewSchema	Refer to icon name.
	NewScript	Refer to icon name.
	NewSharedSteps	Refer to icon name.
	NewSigningKey	Refer to icon name.

Image	KnownMoniker	Description
	NewSmartTag	
	NewStyleSheet	Refer to icon name.
	NewTable	Refer to icon name.
	NewTeamProject	Refer to icon name.
	NewTest	Refer to icon name.
	NewTestConfiguration	Refer to icon name.
	NewTestConfigurationVariable	
	NewTestGroup	Refer to icon name.
	NewTestList	Refer to icon name.
	NewTestPlan	Refer to icon name.
	NewTextAnnotation	Refer to icon name.
	NewToolWindow	Refer to icon name.
	NewTopFrame	Refer to icon name.
	NewTransaction	Refer to icon name.
	NewTranslation	Refer to icon name.
	NewTreeQuery	Refer to icon name.
	NewType	
	NewUser	
	NewValidationRule	Refer to icon name.

Image	KnownMoniker	Description
	NewVideo	Refer to icon name.
	NewVirtualEnvironment	Refer to icon name.
	NewWebMethodAction	Refer to icon name.
	NewWebSite	
	NewWebTest	Refer to icon name.
	NewWebTestPlugin	Refer to icon name.
	NewWindow	Refer to icon name.
	NewWorkItem	Refer to icon name.
	Next	Refer to icon name.
	NextBookmark	Refer to icon name.
	NextBookmarkInFile	Refer to icon name.
	NextBookmarkInFolder	Refer to icon name.
	NextDocument	Refer to icon name.
	NextError	Refer to icon name.
	NextFrame	
	NextPause	Refer to icon name.
	NoBorder	
	NoncompilableFile	Refer to icon name.
	None	Refer to icon name.

Image	KnownMoniker	Description
	NoPersistScope	Refer to icon name.
	NoStroke	Refer to icon name.
	Note	Refer to icon name.
	NotExecuted	Refer to icon name.
	NotificationAlert	Can also be used for push notifications.
	NotificationAlertMute	Refer to icon name.
	NotificationAlertNoColor	
	NotificationAlertNoColorMute	
	NotificationHub	Refer to icon name.
	NotificationHubError	Refer to icon name.
	NotificationHubGroup	Refer to icon name.
	NotificationHubGroupError	Refer to icon name.
	NotInstalled	Refer to icon name.
	Numeric	Refer to icon name.
	NumericListBox	Refer to icon name.
	ObjectInternal	Refer to icon name.
	ObjectLifetimeView	Refer to icon name.
	ObjectPrivate	Refer to icon name.
	ObjectProtected	Refer to icon name.

Image	KnownMoniker	Description
	ObjectPublic	Refer to icon name.
	ObjectSealed	Refer to icon name.
	ObjectShortcut	Refer to icon name.
	OData	Refer to icon name.
	ODBC	Refer to icon name.
	OneLevelUp	Refer to icon name.
	OneWayBridge	Refer to icon name.
	OneWayRelay	Refer to icon name.
	OneX	100% scale
	Online	
	OnlineItemTemplate	Refer to icon name.
	OnlineStatusAvailable	Used for representing user online status.
	OnlineStatusAway	Used for representing user online status.
	OnlineStatusBusy	Used for representing user online status.
	OnlineStatusOffline	Used for representing user online status.
	OnlineStatusPresenting	Used for representing user online status.
	OnlineStatusUnknown	Used for representing user online status.
	OnPremisesDatabase	
	OpaqueBackground	Refer to icon name.

Image	KnownMoniker	Description
	Open	Refer to icon name.
	OpenAttachment	Refer to icon name.
	OpenDocumentFromCollection	Refer to icon name.
	OpenDocumentGroup	
	OpenFile	Open file
	OpenFileDialog	Refer to icon name.
	OpenFolder	Refer to icon name.
	OpenInvokeTable	Refer to icon name.
	OpenLink	Refer to icon name.
	OpenPerformanceResult	
	OpenProjectFolder	Refer to icon name.
	OpenQuery	
	OpenTopic	Refer to icon name.
	OpenVirtualEnvironment	Refer to icon name.
	OpenVirtualMachine	
	OpenWebPortal	
	OpenWebSite	
	Operator	Refer to icon name.
	OperatorInternal	

Image	KnownMoniker	Description
	OperatorPrivate	Refer to icon name.
	OperatorProtected	
	OperatorPublic	
	OperatorSealed	Refer to icon name.
	OperatorShortcut	Refer to icon name.
	OptimizePivotTable	Refer to icon name.
	OrderAscending	
	OrderDescending	
	OrderedList	Refer to icon name.
	OrderedTest	Refer to icon name.
	OrientPathNone	Refer to icon name.
	OrientPathNormal	Refer to icon name.
	OrthographicCamera	Refer to icon name.
	OutGoingCodeReview	Refer to icon name.
	OutlinedRectangle	
	OutlinedRoundedRectangle	
	Output	Refer to icon name.
	OutputColumn	Refer to icon name.
	OutputExcluded	

Image	KnownMoniker	Description
	OutputParameter	Refer to icon name.
	OutputPin	
	OverlayAlert	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayError	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayExcluded	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayFriend	Used in IntelliSense for representing Internal.
	OverlayLock	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayLoginDisabled	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayNo	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayNotLoaded	
	OverlayOffline	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayOK	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayOnline	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayPaused	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayPolicy	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayProperty	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayProtected	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayRemote	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayRunning	Used in Solution Explorer as overlay for other file or project node icons.

Image	KnownMoniker	Description
	OverlaySealed	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayShortcut	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayStatic	Refer to icon name.
	OverlayStopped	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayTimelineMarkBlack	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayTimelineMarkGray	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayTimelineMarkPurple	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayTimelineMarkRed	Used in Solution Explorer as overlay for other file or project node icons.
	OverlayUnknown	
	OverlayWarning	Used in Solution Explorer as overlay for other file or project node icons.
	OverloadBehavior	Refer to icon name.
	Overridden	Used in editor margin.
	Overriding	Used in editor margin.
	OverridingOverridden	
	Package	Refer to icon name.
	PackageDeployment	Refer to icon name.
	PackageFolderClosed	Refer to icon name.
	PackageFolderOpened	Refer to icon name.
	PackageLayout	

Image	KnownMoniker	Description
	PackageProperty	Refer to icon name.
	PackageReference	
	PageBody	Refer to icon name.
	PageBodyGroup	Refer to icon name.
	PageBreak	Refer to icon name.
	PageCatalogPart	Refer to icon name.
	PageContent	Refer to icon name.
	PageFile	Refer to icon name.
	PageFooter	Refer to icon name.
	PageFooterGroup	Refer to icon name.
	PageGuide	Refer to icon name.
	PageHeader	Refer to icon name.
	PageHeaderGroup	Refer to icon name.
	PageInspector	Refer to icon name.
	PageLayout	Refer to icon name.
	PageLock	Used for secret.json file
	PageSize	
	PageStyle	Refer to icon name.
	PageTemplate	Refer to icon name.

Image	KnownMoniker	Description
	PageTransition	Refer to icon name.
	Paginator	Refer to icon name.
	Paging	Refer to icon name.
	PagingBulletedList	Refer to icon name.
	Panel	Refer to icon name.
	PanelDragDropTarget	Refer to icon name.
	PanTool	Refer to icon name.
	ParagraphHardReturn	Refer to icon name.
	Parallel	Refer to icon name.
	ParallelCallStack	Refer to icon name.
	ParallelExecution	Run tests in parallel.
	ParallelForEach	Refer to icon name.
	ParallelPort	Refer to icon name.
	Parameter	Refer to icon name.
	ParameterError	Refer to icon name.
	ParameterWarning	Refer to icon name.
	ParentChild	
	ParentChildAttribute	
	ParentChildAttributeDisabled	

Image	KnownMoniker	Description
	ParseDynamicValue	Refer to icon name.
	Part	
	PartiallyComplete	A progress bar filled half way.
	Partition	Refer to icon name.
	PartitionFunction	Refer to icon name.
	PartitionFunctionError	Refer to icon name.
	PartitionFunctionWarning	Refer to icon name.
	PartitionScheme	Refer to icon name.
	PartitionSchemeError	Refer to icon name.
	PartitionSchemeWarning	Refer to icon name.
	PartWarning	
	PassThroughBridge	Refer to icon name.
	PasswordBox	Refer to icon name.
	PasswordRecovery	Refer to icon name.
	PasswordStrength	Refer to icon name.
	Paste	Refer to icon name.
	PasteAppend	Refer to icon name.
	PasteReplace	Refer to icon name.
	PasteTable	Refer to icon name.

Image	KnownMoniker	Description
	PatchPackage	Refer to icon name.
	Path	Refer to icon name.
	PathIcon	Refer to icon name.
	PathListBox	Refer to icon name.
	PathListBoxItem	Refer to icon name.
	PathMany	Refer to icon name.
	PathOne	Refer to icon name.
	Pause	Refer to icon name.
	PausePhoneLandscape	Refer to icon name.
	PDBFile	
	PDWDestination	
	Pencil	
	PendingAdd	Used in Solution Explorer as adorner for pending add items.
	PendingAddNode	Used in Solution Explorer as adorner for pending add items.
	PendingBranch	Used in Solution Explorer as adorner for pending branch items.
	PendingBranchNode	Used in Solution Explorer as adorner for pending branch items.
	PendingChange	Used in Solution Explorer as adorner for pending branch items.

Image	KnownMoniker	Description
	PendingChangeNode	Used in Solution Explorer as adorner for file or folder node icon to indicate source control status.
	PendingCodeMap	Refer to icon name.
	PendingDelete	Used in Solution Explorer as adorner for pending add items.
	PendingDeleteNode	Used in Solution Explorer as adorner for file or folder node icon to indicate source control status.
	PendingMerge	Used in Solution Explorer as adorner for file or folder node icon to indicate source control status.
	PendingMergeNode	Used in Solution Explorer as adorner for file or folder node icon to indicate source control status.
	PendingRename	Used in Solution Explorer as adorner for file or folder node icon to indicate source control status.
	PendingRenameNode	Used in Solution Explorer as adorner for file or folder node icon to indicate source control status.
	PendingUndelete	Used in Solution Explorer as adorner for file or folder node icon to indicate source control status.
	PendingUndeleteNode	Used in Solution Explorer as adorner for file or folder node icon to indicate source control status.
	PenFour	Refer to icon name.
	PenOne	Refer to icon name.
	Pentagon	
	PenThree	Refer to icon name.
	PenTool	Refer to icon name.

Image	KnownMoniker	Description
	PenTwo	Refer to icon name.
	Percentage	Refer to icon name.
	Performance	Refer to icon name.
	PerformanceError	Refer to icon name.
	PerformanceGroup	Refer to icon name.
	PerformanceLog	Refer to icon name.
	PerformanceMethod	Refer to icon name.
	PerformanceReport	Refer to icon name.
	PerformanceWaring	
	PerformanceWizard	Refer to icon name.
	Permission	
	Persist	Refer to icon name.
	PerspectiveCamera	Refer to icon name.
	PerspectivesView	Refer to icon name.
	PerspectiveTableGroup	Refer to icon name.
	Phone	Refer to icon name.
	PhoneClass	
	PhoneComponent	
	PhoneDarkTheme	Refer to icon name.

Image	KnownMoniker	Description
	PhoneDirectThreeD	
	PhoneGroup	
	PhoneHighResolution	Refer to icon name.
	PhoneHorizontalPage	Refer to icon name.
	PhoneLandscape	Refer to icon name.
	PhoneLandscapeFlipped	
	PhoneLibrary	Refer to icon name.
	PhoneLightTheme	Refer to icon name.
	PhoneLowResolution	Phone with large shapes to show low resolution
	PhoneMediumResolution	Refer to icon name.
	PhoneNumberEditor	Refer to icon name.
	PhoneNumberViewer	Refer to icon name.
	PhonePanorama	Refer to icon name.
	PhonePortraitFlipped	
	PhonePreviewThumbnail	Refer to icon name.
	PhoneRotateToLandscapeLeft	
	PhoneRotateToLandscapeRight	
	PhoneRotateToPortraitLeft	
	PhoneService	

Image	KnownMoniker	Description
	PhoneSimulation	Refer to icon name.
	PhoneTool	Refer to icon name.
	PhoneUserControl	
	PhoneVerticalPage	Refer to icon name.
	PhoneWarning	Refer to icon name.
	PhoneWebConfig	
	PhoneWebSite	
	PhoneXAML	Refer to icon name.
PHP	PHPFile	Refer to icon name.
	PickBranch	Refer to icon name.
	PickCursor	Refer to icon name.
	Picker	Refer to icon name.
	PickerContract	Refer to icon name.
	PickNode	Refer to icon name.
	PictureAndText	Refer to icon name.
	PieChart	Refer to icon name.
	Pin	Refer to icon name.
	PinPropertyName	Used in Debug for pinning property names.
	Pipeline	Refer to icon name.

Image	KnownMoniker	Description
	PipelineView	Refer to icon name.
	PivotChart	Refer to icon name.
	PivotControl	Refer to icon name.
	PivotProject	Refer to icon name.
	PivotTable	Refer to icon name.
	PixelRunFile	Refer to icon name.
	Placeholder	Refer to icon name.
	Plan	Refer to icon name.
	PlanePreview	Refer to icon name.
	Play	
	PlaybackPreview	Refer to icon name.
	PlayDataGenerator	Refer to icon name.
	PlayStep	Refer to icon name.
	PlayStepGroup	Refer to icon name.
	PlayVideo	Refer to icon name.
	PNPEntity	Refer to icon name.
	PointAndFigureChart	Refer to icon name.
	PointChart	Refer to icon name.
	PolarChart	Refer to icon name.

Image	KnownMoniker	Description
	Policy	Refer to icon name.
	PolicyApplication	Refer to icon name.
	PolicyFile	Refer to icon name.
	PolicyFileWarning	Refer to icon name.
	Polygon	Refer to icon name.
	PopBrowseContext	Refer to icon name.
	PopIn	Refer to icon name.
	PopOut	Refer to icon name.
	PopupControl	Refer to icon name.
	Port	
	PositionPage	Refer to icon name.
	PostDeploymentScript	Refer to icon name.
	PostDeploymentScriptError	Refer to icon name.
	PostDeploymentScriptWarning	Refer to icon name.
	PotentialAttribute	Refer to icon name.
	PotsModem	Refer to icon name.
	Power	Refer to icon name.
	PowershellFile	Refer to icon name.
	PowerShellInteractiveWindow	Refer to icon name.

Image	KnownMoniker	Description
	PowerSupply	Refer to icon name.
	PrecedenceConstraint	Refer to icon name.
	PredictFunction	Refer to icon name.
	PredictQueryBuilder	Refer to icon name.
	PreviewAnimatedTransition	Refer to icon name.
	PreviewCode	
	PreviewTab	Refer to icon name.
	Previous	Refer to icon name.
	PreviousBookmark	Refer to icon name.
	PreviousBookmarkInFile	Refer to icon name.
	PreviousBookmarkInFolder	Refer to icon name.
	PreviousError	Refer to icon name.
	PreviousFrame	Refer to icon name.
	PrimaryKeyError	Skeleton key with error modifier
	PrimaryKeyWarning	House key with warning modifier
	Print	Refer to icon name.
	PrintDialog	Refer to icon name.
	PrintDirect	Refer to icon name.
	PrintDocument	Refer to icon name.

Image	KnownMoniker	Description
	PrintPreview	Refer to icon name.
	PrintPreviewDialog	Refer to icon name.
	PrintPreviewFourPages	Refer to icon name.
	PrintPreviewMaxPages	Refer to icon name.
	PrintPreviewOnePage	Refer to icon name.
	PrintPreviewSixPages	Refer to icon name.
	PrintPreviewThreePages	Refer to icon name.
	PrintPreviewTwoPages	Refer to icon name.
	PrintSetup	Refer to icon name.
	PrivateBuildInstance	Refer to icon name.
	PrivateMessageQueue	Refer to icon name.
	Procedure	Refer to icon name.
	ProcedureMissing	Refer to icon name.
	ProcedureSettings	Refer to icon name.
	ProcedureWarning	Refer to icon name.
	Process	Refer to icon name.
	ProcessError	Refer to icon name.
	ProcessModel	Refer to icon name.
	ProcessOk	Refer to icon name.

Image	KnownMoniker	Description
	Processor	Refer to icon name.
	ProductionBreakpointAlert	Debug breakpoint icon used in editor margin.
	ProductionBreakpointAvailable	
	ProductionBreakpointDashed	Debug breakpoint icon used in editor margin.
	ProductionBreakpointError	Debug breakpoint icon used in editor margin.
	ProductionBreakpointOff	Debug breakpoint icon used in editor margin.
	ProductionBreakpointOK	Debug breakpoint icon used in editor margin.
	ProductionBreakpointOn	Debug breakpoint icon used in editor margin.
	ProductionBreakpointWarning	Debug breakpoint icon used in editor margin.
	ProductionTracePointAlert	Debug breakpoint icon used in editor margin.
	ProductionTracepointDashed	Debug breakpoint icon used in editor margin.
	ProductionTracepointError	Debug breakpoint icon used in editor margin.
	ProductionTracePointOff	Debug breakpoint icon used in editor margin.
	ProductionTracePointOn	Debug breakpoint icon used in editor margin.
	ProductionTracepointWarning	Debug breakpoint icon used in editor margin.
	ProgressBar	Refer to icon name.
	ProgressivePopUp	Refer to icon name.
	ProgressiveSort	Refer to icon name.
	ProjectAlerts	Refer to icon name.

Image	KnownMoniker	Description
	ProjectFilterFile	Refer to icon name.
	ProjectImports	Used in Solution Explorer for imports node.
	PromoteVariable	
	PropertyBrushGroup	
	PropertiesFolderClosed	Used in Solution Explorer for properties folder.
	PropertiesFolderOpen	Used in Solution Explorer for properties folder.
	Property	Refer to icon name.
	PropertyGridEditorPart	Refer to icon name.
	PropertyInternal	Refer to icon name.
	PropertyKey	Refer to icon name.
	PropertyMissing	Refer to icon name.
	PropertyPrivate	Refer to icon name.
	PropertyProtected	Refer to icon name.
	PropertyPublic	Refer to icon name.
	PropertySealed	Refer to icon name.
	PropertyShortcut	Refer to icon name.
	PropertySnippet	Refer to icon name.
	ProvidedInterface	Refer to icon name.
	ProxyWebPartManager	Refer to icon name.

Image	KnownMoniker	Description
	PublicMessageQueue	
	PublishAllWebsites	Refer to icon name.
	PublishCurrentWebsite	Refer to icon name.
	PublishOnDemand	Used in connected services for publishing on demand.
	Pull	Used for Git version control for pull command.
	PullRequest	Pull Request command for distributed version control like Git
	Push	Used for Git version control for push command.
	PushNotification	Refer to icon name.
	PushNotificationError	Refer to icon name.
	PushNotificationGroup	Refer to icon name.
	PushPin	
	PYApplication	Refer to icon name.
	PYBlankApplication	Refer to icon name.
	PYBlankWebSite	
	PYClassFile	Refer to icon name.
	PYClassLibrary	Refer to icon name.
	PYConsole	Refer to icon name.
	PYConsoleApplication	
	PYDebugInteractiveWindow	Refer to icon name.

Image	KnownMoniker	Description
	PYFile	Refer to icon name.
	PYFileNode	
	PYInteractiveWindow	Refer to icon name.
	PYMPI	
	PYProjectNode	
	PyramidChart	Refer to icon name.
	PYSilverlight	Refer to icon name.
	PYSourceFile	Refer to icon name.
	PythonPackage	
	PYWebApplication	Refer to icon name.
	PYWebService	Refer to icon name.
	PYWebSite	
	PYWorker	
	PYWPFApplication	Refer to icon name.
	QueryExtender	Refer to icon name.
	QueryStringParameter	Refer to icon name.
	QueryView	Refer to icon name.
	QueryViewError	Refer to icon name.
	QueryViewMissing	Refer to icon name.

Image	KnownMoniker	Description
	QueryViewWarning	Refer to icon name.
	QuestionMark	
	QuickFind	Refer to icon name.
	QuickRefresh	Refer to icon name.
	QuickReplace	Refer to icon name.
	Quote	Refer to icon name.
	RadarChart	Refer to icon name.
	RadioButton	Refer to icon name.
	RadioButtonList	Refer to icon name.
	RangeChart	Refer to icon name.
	RangeColumnChart	Refer to icon name.
	RangeValidator	Refer to icon name.
	Rating	Refer to icon name.
	RawCodeCoverageDataFile	Refer to icon name.
	RBFileNameNode	
	RBNotSupported	
	RBProjectNode	
	ReadOnlyDatabase	Refer to icon name.
	Reason	Refer to icon name.

Image	KnownMoniker	Description
	Rebase	Git command Rebase means reapply commits from other branch and merge to the top branch
	RecalculatePageBreaks	Refer to icon name.
	Receive	
	ReceiveAndSendReply	Refer to icon name.
	ReceiveReply	Refer to icon name.
	RecommendedTest	Refer to icon name.
	Record	Refer to icon name.
	RecordAlert	Refer to icon name.
	RecordDot	Refer to icon name.
	RecordingNotStarted	
	RecordKeyframe	Refer to icon name.
	RecordScreen	Refer to icon name.
	RecordScreenAndVoice	
	RecordStep	Refer to icon name.
	Rectangle	Refer to icon name.
	RectangleSelection	
	RectangularScreenshot	Refer to icon name.
	RectangularSelection	Refer to icon name.
	Recursion	Refer to icon name.

Image	KnownMoniker	Description
	RecursivelyCheckAll	Refer to icon name.
	RecursivelyUncheckAll	Refer to icon name.
	RedChannel	Refer to icon name.
	RedirectedRequest	Refer to icon name.
	Redo	Refer to icon name.
	RedoMerge	Refer to icon name.
	RedoNoColor	Opposite of Undo
	ReduceBrightness	Refer to icon name.
	ReduceContrast	Refer to icon name.
	Refactoring	Refer to icon name.
	Reference	Refer to icon name.
	ReferencedDimension	Refer to icon name.
	ReferencedElement	Refer to icon name.
	ReferenceFolderClosed	Used in Solution Explorer for reference wrapper folder node.
	ReferenceFolderOpened	Used in Solution Explorer for reference wrapper folder open state node.
	ReferenceGroup	Used in Solution Explorer for reference parent node.
	ReferenceGroupError	Used in Solution Explorer for reference parent node with error status.
	ReferenceGroupWarning	Used in Solution Explorer for reference parent node with warning status.
	ReferencePrivate	Used in Solution Explorer for private reference node.

Image	KnownMoniker	Description
	ReferenceWarning	Refer to icon name.
	Refetch	Refer to icon name.
	ReformatSelection	Refer to icon name.
	Refresh	Refer to icon name.
	RefreshPhoneUI	Used in Android development for refreshing UI.
	RefreshScript	Refer to icon name.
	RegistersWindow	Refer to icon name.
	RegistrationScript	Refer to icon name.
	Registry	Refer to icon name.
	RegularExpression	Refer to icon name.
	RegularExpressionBuilder	Refer to icon name.
	RegularExpressionValidator	Refer to icon name.
	Relationship	Refer to icon name.
	ReloadXML	Refer to icon name.
	RemoteDebugger	
	RemoteDesktop	Refer to icon name.
	RemoteFolder	Repository not yet cloned to desktop.
	RemoteFolderOpen	Repository not yet cloned to desktop.
	RemoteServer	Refer to icon name.

Image	KnownMoniker	Description
	RemoteServerAudit	
	RemoteServiceBinding	Refer to icon name.
	RemoteServiceBindingError	Refer to icon name.
	RemoteServiceBindingWarning	Refer to icon name.
	Remove	Remove in contrary to Add.
	RemoveCommand	Refer to icon name.
	RemoveFromCollection	Refer to icon name.
	RemoveFromDictionary	Refer to icon name.
	RemoveGuides	
	RemoveHorizontalSpacing	
	RemoveLink	Refer to icon name.
	RemoveMapping	Refer to icon name.
	RemoveNamespace	Refer to icon name.
	RemoveNoColor	Opposite of Add. Use Remove for non-destructive action.
	RemoveTest	
	RemoveTestGroup	
	RemoveVerticalSpacing	
	Rename	Refer to icon name.
	RenameClass	Refer to icon name.

Image	KnownMoniker	Description
	RenameEvent	intellisense icon
	RenameField	Intellisense icon
	RenameLocalServer	Refer to icon name.
	RenameMethod	Refer to icon name.
	RenameProperty	Refer to icon name.
	RenameRemoteServer	Refer to icon name.
	RenkoChart	Refer to icon name.
	ReorderList	Refer to icon name.
	ReorderParameters	Refer to icon name.
	Reorder TableColumn	Refer to icon name.
	Repair	Refer to icon name.
	ReparentBranch	Refer to icon name.
	Repeater	
	RepeatLastRun	
	RepeatUntilFailure	
	ReplaceAll	Refer to icon name.
	ReplaceInFolder	Refer to icon name.
	Report	Refer to icon name.
	ReportDesign	

Image	KnownMoniker	Description
	ReportImage	Refer to icon name.
	ReportingAction	Refer to icon name.
	ReportParameter	Refer to icon name.
	ReportProjectWizard	Refer to icon name.
	ReportWarning	Refer to icon name.
	Repository	Repository for version control
	RepositoryUploaded	
	RequestBridge	Refer to icon name.
	RequiredFieldValidator	Refer to icon name.
	RequiredInterface	Refer to icon name.
	Rerun	Refer to icon name.
	ResamplePicture	
	ResizableControl	Refer to icon name.
	Resize	Refer to icon name.
	ResizeGrip	Refer to icon name.
	ID:	ResourceSymbol
	ResourceTemplate	Refer to icon name.
	ResourceType	Refer to icon name.
	ResourceView	Refer to icon name.

Image	KnownMoniker	Description
	Restart	Refer to icon name.
	RestoreDefaultView	Refer to icon name.
	RestoreImage	Refer to icon name.
	RestoreLocalServer	Refer to icon name.
	RestoreMTR	Refer to icon name.
	RestoreServiceDependencies	Used in Web Tools for restoring service dependencies.
	RestoreServiceDependenciesWarning	Used in Web Tools for restoring service dependencies with warning.
	RestoreSnapshot	Refer to icon name.
	ResultsToGrid	
	ResultsToRuleFile	
	ResultsToFile	
	ResumePhone	Refer to icon name.
	Rethrow	Refer to icon name.
	Retrieve	Refer to icon name.
	Return	Refer to icon name.
	ReturnApplicationInsights	Refer to icon name.
	ReturnParameter	Refer to icon name.
	ReturnValue	Refer to icon name.
	ReturnValueCollapsed	Refer to icon name.

Image	KnownMoniker	Description
	ReturnValueExpanded	Refer to icon name.
	ReuseExistingProps	Refer to icon name.
	Reverse	Refer to icon name.
	ReverseGradient	Refer to icon name.
	ReverseRun	Refer to icon name.
	RGSGistrationScript	
	RibbonMenu	Refer to icon name.
	RibbonMenuAction	Refer to icon name.
	RichTextBox	Refer to icon name.
	RichTooltip	Refer to icon name.
	RightArrowAsterisk	Refer to icon name.
	RightBorder	
	RightCarriageReturn	Refer to icon name.
	RightColumnOfTwoColumnsLeftSplit	Refer to icon name.
	RightSideOnly	
	RigidRelationshipError	Refer to icon name.
	RigidRelationshipInformation	
	RigidRelationshipWarning	Refer to icon name.
	Rotate	Refer to icon name.

Image	KnownMoniker	Description
A black icon showing a white triangle pointing left with a blue curved arrow above it.	RotateLeft	Refer to icon name.
A black icon showing a white triangle pointing right with a blue curved arrow above it.	RotateRight	Refer to icon name.
A black icon showing a white circle with a black square at the top.	RoundCap	Refer to icon name.
A black icon showing a white rounded rectangle with a black corner highlighted.	RoundedCorner	
A black icon showing a white rounded rectangle.	RoundedRectangle	
A black icon showing a white rectangle with a small black square at each corner.	RoundJoint	Refer to icon name.
A black icon showing a blue curved arrow pointing up next to a gear icon.	RouteService	Refer to icon name.
A black icon showing a blue curved arrow pointing up next to a red circle with a white 'X'.	RouteServiceError	Refer to icon name.
A black icon showing a blue curved arrow pointing up next to a yellow warning sign icon.	RouteServiceWarning	Refer to icon name.
A black icon showing two rows of three squares each, with the top row having a blue bar across its middle.	RowGroups	Refer to icon name.
A black icon showing two rows of three squares each, with the bottom row having a blue bar across its middle.	RowLabels	Refer to icon name.
An orange icon showing the RSS feed symbol.	RSS	Refer to icon name.
A black icon showing a white square with a blue RSS feed symbol inside.	RSSLink	Refer to icon name.
A black icon showing a white square with a blue '2i' and a red Chinese character '字' inside.	RTTag	Refer to icon name.
A black icon showing a white square with a blue bookmark icon inside.	Rule	Refer to icon name.
A black icon showing a white square with a blue bookmark icon and a red circle with a white 'X' inside.	RuleError	Refer to icon name.
A black icon showing a yellow ruler icon.	Ruler	Refer to icon name.
A black icon showing a yellow ruler icon with a blue arrow pointing down.	RulerMeasure	Refer to icon name.
A black icon showing a white square with a blue bookmark icon and a yellow warning sign icon inside.	RuleWarning	Refer to icon name.

Image	KnownMoniker	Description
	Run	Refer to icon name.
	RunAll	
	RunChecked	Refer to icon name.
	RunFailedTest	Refer to icon name.
	RunFilter	Refer to icon name.
	RunLiveUnitTest	
	RunMemorySampling	Refer to icon name.
	RunOutline	
	RunOutlineNoColor	
	RunPaused	
	RunPerformance	Refer to icon name.
	RunPerformanceWithoutDebugging	
	RunQuery	Refer to icon name.
	RunTest	Refer to icon name.
	RunTestDialog	Refer to icon name.
	RunThread	Refer to icon name.
	RunUpdate	Refer to icon name.
	S	Refer to icon name.
	SamplesFolder	Refer to icon name.

Image	KnownMoniker	Description
	SAPDestination	Refer to icon name.
	SAPOData	Refer to icon name.
	SAPSource	Refer to icon name.
	SassStyleSheet	Refer to icon name.
	Save	Refer to icon name.
	SaveAll	Refer to icon name.
	SaveAndClose	
	SaveAs	Refer to icon name.
	SaveFileDialog	
	SaveTable	Refer to icon name.
	Scaffold	Refer to icon name.
	ScalarFunction	Refer to icon name.
	ScalarFunctionError	Refer to icon name.
	ScalarFunctionWarning	Refer to icon name.
	Scale	Refer to icon name.
	ScatterChart	Refer to icon name.
	ScatterLineChart	Refer to icon name.
	ScatterSmoothLineChart	
	ScatterView	Refer to icon name.

Image	KnownMoniker	Description
	Schema	Refer to icon name.
	SchemaError	Refer to icon name.
	SchemaProperty	
	SchemaWarning	Refer to icon name.
	ScissorTest	Refer to icon name.
	Scope	
	ScopeRoot	Refer to icon name.
	Screenshot	Refer to icon name.
	Screwdriver	
	Script	Refer to icon name.
	ScriptError	Refer to icon name.
	ScriptGroup	Refer to icon name.
	ScriptLink	Refer to icon name.
	ScriptManager	Refer to icon name.
	ScriptPreview	Refer to icon name.
	ScriptWarning	Refer to icon name.
	ScrollbarArrowCollapsed	
	ScrollbarArrowDownRight	
	ScrollBox	Refer to icon name.

Image	KnownMoniker	Description
	ScrollViewer	
	ScsiController	Refer to icon name.
	SDK	Refer to icon name.
	SDKError	Used in Solution Explorer for SDK node with error status.
	SDKPrivate	Used in Solution Explorer to represent private SDK node.
	SDKWarning	Used in Solution Explorer to represent SDK node with warning.
	Search	Refer to icon name.
	SearchContract	Refer to icon name.
	SearchFolderClosed	Folder icon with find magnifier modifier
	SearchFolderOpened	Folder icon with find magnifier modifier
	SearchGo	Refer to icon name.
	SearchMember	Refer to icon name.
	SearchProperty	Refer to icon name.
	SecondOfFourColumns	Used for setting layout.
	SecondOfFourRows	Used for setting layout.
	SecondOfThreeColumns	
	SecondOfThreeRows	
	SecondOfTwoColumns	Refer to icon name.
	SecondOfTwoRows	Refer to icon name.

Image	KnownMoniker	Description
	Select	Refer to icon name.
	SelectAll	Refer to icon name.
	SelectAllRowsFromLeftTable	Refer to icon name.
	SelectAllRowsFromRightTable	Refer to icon name.
	SelectCell	Refer to icon name.
	SelectColumn	Refer to icon name.
	SelectColumns	
	SelectDocumentGroup	
	SelectedClass	Refer to icon name.
	SelectEdge	Refer to icon name.
	SelectFace	Refer to icon name.
	SelectFrame	
	SelectObject	Refer to icon name.
	SelectPoint	Refer to icon name.
	SelectRows	
	SelectTable	Refer to icon name.
	SelectWindowProcess	
	SelectXY	
	SemanticZoom	Refer to icon name.

Image	KnownMoniker	Description
	Send	Refer to icon name.
	SendAndReceiveReply	
	SendBackward	Refer to icon name.
	SendReply	Refer to icon name.
	SendSignalAction	
	SendTest	
	SendtoBack	Refer to icon name.
	SendtoFSI	Refer to icon name.
	Sequence	Refer to icon name.
	SequenceCluster	Refer to icon name.
	SequenceDiagram	Refer to icon name.
	SequenceFile	Refer to icon name.
	SerialKey	Refer to icon name.
	SerialPort	Refer to icon name.
	ServerDatabase	Refer to icon name.
	ServerMethod	Refer to icon name.
	ServerReport	Refer to icon name.
	ServerRoleMembership	Refer to icon name.
	ServerRunTest	Refer to icon name.

Image	KnownMoniker	Description
	ServerSettings	Refer to icon name.
	ServerTest	Refer to icon name.
	ServiceBusQueueListTrid	Refer to icon name.
	ServiceBusQueueTrid	Refer to icon name.
	ServiceBusSubscriptionListTrid	Refer to icon name.
	ServiceBusSubscriptionTrid	Refer to icon name.
	ServiceBusTopic	
	ServiceBusTopicTridList	Refer to icon name.
	ServiceBusWorker	Refer to icon name.
	ServiceController	Refer to icon name.
	ServiceOperation	Refer to icon name.
	ServiceQueueDestination	Refer to icon name.
	ServiceQueueSource	Refer to icon name.
	Services	Refer to icon name.
	SetField	Refer to icon name.
	SetIterationCount	Refer to icon name.
	SetLanguage	
	SetListitem	Refer to icon name.
	SetProactiveCaching	Refer to icon name.

Image	KnownMoniker	Description
	Settings	Refer to icon name.
	SettingsFile	Refer to icon name.
	SettingsFileError	Refer to icon name.
	SettingsGroup	Refer to icon name.
	SettingsGroupError	Refer to icon name.
	SettingsGroupWarning	Refer to icon name.
	SettingsPanel	Refer to icon name.
	SetWorkflowState	Refer to icon name.
	SFTPDestination	Refer to icon name.
	SFTPSource	Refer to icon name.
	Shader	Refer to icon name.
	ShaderKill	Refer to icon name.
	ShaderOthers	Refer to icon name.
	ShaderSpot	Refer to icon name.
	ShaderUnit	Refer to icon name.
	Shape	
	Share	Refer to icon name.
	ShareContract	Refer to icon name.
	SharedDataSource	Refer to icon name.

Image	KnownMoniker	Description
	SharedProject	Used in Solution Explorer to represent shared non-language specific project node.
	SharedProjectError	Used in Solution Explorer for shared project node.
	SharedProjectPrivate	Used in Solution Explorer to represent private shared project node.
	SharedProjectWarning	Used in Solution Explorer to represent private shared project node with warning.
	SharedStepSet	Refer to icon name.
	ShareLink	Refer to icon name.
	ShareSnapshot	Refer to icon name.
	ShelvePendingChanges	Refer to icon name.
	Shortcut	Refer to icon name.
	ShowAllAttributes	Refer to icon name.
	ShowAllCode	Refer to icon name.
	ShowAllConfigurations	Refer to icon name.
	ShowAllFiles	Refer to icon name.
	ShowAllThreads	
	ShowAssignedConfigurations	
	ShowBuiltIns	
	ShowCallerGraph	
	ShowCallGraph	Refer to icon name.
	ShowConflicts	Show git merge conflicts.

Image	KnownMoniker	Description
	ShowDataPreview	Refer to icon name.
	ShowDetailsPane	Refer to icon name.
	ShowDiagramPane	Refer to icon name.
	ShowEmptyCells	Refer to icon name.
	ShowFullHistory	A clock with back arrow represents History. The extra lines represent more rows of history entries.
	ShowGrid	Refer to icon name.
	ShowHiddenElements	
	ShowHotLines	Refer to icon name.
	ShowLayout	Refer to icon name.
	ShowMemberTypes	Refer to icon name.
	ShowMethodPane	Refer to icon name.
	ShowOrHideComparisonData	Refer to icon name.
	ShoworHideDeletedItems	Refer to icon name.
	ShowOrHideFolder	Refer to icon name.
	ShowParentNodeOnly	Matches the actual Git version control history tree graph. The filled nodes represent top parent level.
	ShowPropertiesOnTop	Refer to icon name.
	ShowReferencedElements	Refer to icon name.
	ShowReflexiveView	Refer to icon name.
	ShowRelationshipLabels	Refer to icon name.

Image	KnownMoniker	Description
	ShowResultsPane	Refer to icon name.
	ShowStartPage	Refer to icon name.
	ShowStartWindow	This icon should replace ShowStartPage as the start page feature is now deprecated, and replaced with Get To Code dialog.
	ShowTemplateRegionLabel	Refer to icon name.
	ShowTrimmedCallTree	Refer to icon name.
	ShowVisualAids	Refer to icon name.
	ShowWordDiff	Show git word diff.
	ShutDown	Refer to icon name.
	SidebySide	Compare version differences side by side.
	SignatureFile	
	SigningKey	Refer to icon name.
	SiteDefinition	Refer to icon name.
	SiteMap	Refer to icon name.
	SixX	600% scale
	SketchflowAnnotation	Refer to icon name.
	SketchflowCompDim	Refer to icon name.
	SketchflowNavDim	Refer to icon name.
	SketchflowRemoveScreen	Refer to icon name.
	SketchflowTransitionEffect	

Image	KnownMoniker	Description
	SkinFile	Refer to icon name.
	Slider	Refer to icon name.
	Slideshow	
	Small	
	SmartTag	Refer to icon name.
	SMTPConnection	Refer to icon name.
	SnapToGrid	Indicates the default state of artboard snap lines.
	Snippet	Refer to icon name.
	SnippetChecked	Refer to icon name.
	SoftwareDefinitionModel	Refer to icon name.
	SolutionFolderSwitch	Used in Solution Explorer toolbar to switch between Solution view and Folder view.
	SortAscending	Refer to icon name.
	SortByColumn	Refer to icon name.
	SortByNamespace	
	SortByType	Refer to icon name.
	SortDescending	Refer to icon name.
	SortingByGrouping	
	Sound	
	SourceBrowserDatabase	Refer to icon name.

Image	KnownMoniker	Description
	SourceControl	Intentional duplicate of SourceControlExplorer as we cannot delete existing moniker.
	SourceControlEditable	
	SourceControlEditableNode	Used in Solution Explorer as adorner for file or folder node icon to indicate source control status.
	SourceControlExcluded	
	SourceControlExcludedNode	Used in Solution Explorer as adorner for file or folder node icon to indicate source control status.
	SourceControlExplorer	Refer to icon name.
	SourceControlManager	Refer to icon name.
	SourceControlOrphaned	
	SourceControlOrphanedNode	Used in Solution Explorer as adorner for file or folder node icon to indicate source control status.
	SourceControlSites	Refer to icon name.
	SourceFileGroup	Refer to icon name.
	Space	Refer to icon name.
	SpaceAcross	Refer to icon name.
	SpaceDown	Refer to icon name.
	Span	Refer to icon name.
	SpecialFolderClosed	Refer to icon name.
	SpecialFolderOpened	Refer to icon name.

Image	KnownMoniker	Description
	SpellCheck	
	SpherePreview	Refer to icon name.
	Spinner	Refer to icon name.
	SplashScreen	Refer to icon name.
	SplineAreaChart	Refer to icon name.
	SplineChart	Refer to icon name.
	SplineRangeChart	Refer to icon name.
	Split	Refer to icon name.
	SplitApplication	Refer to icon name.
	SplitButton	Refer to icon name.
	SplitDocument	
	SplitKeyValuePair	Refer to icon name.
	SplitPageItem	Refer to icon name.
	SplitScreenHorizontally	Refer to icon name.
	SplitScreenVertically	Refer to icon name.
	Splitter	Refer to icon name.
	SplitTree	Refer to icon name.
	Spotlight	Refer to icon name.
	Spy	Refer to icon name.

Image	KnownMoniker	Description
	SQLDatabase	Refer to icon name.
	SQLQueryChecked	Refer to icon name.
	SQLQueryUnchecked	
	SQLServerObjectExplorer	Refer to icon name.
	SquareCap	Refer to icon name.
	SSlash	Refer to icon name.
	StackedAreaChart	Refer to icon name.
	StackedAreaDashLineChart	Refer to icon name.
	StackedBarChart	Refer to icon name.
	StackedBarDashLineChart	Refer to icon name.
	StackedColumnChart	Refer to icon name.
	StackedColumnDashLineChart	Refer to icon name.
	StackedLineChart	Refer to icon name.
	StackPanel	Refer to icon name.
	StartGraphicDiagnostics	Refer to icon name.
	StartHierarchy	Refer to icon name.
	StartLogging	
	StartPoint	Refer to icon name.
	StartTestGroupWithDebugger	

Image	KnownMoniker	Description
	StartTestWithoutDebugger	
	StartTime	Refer to icon name.
	StartupApplication	
	StartWebSite	
	StartWithPerformanceProfilingPaused	
	Stash	Used for Git version control for stash command.
	State	Refer to icon name.
	StateIndicator	Refer to icon name.
	StateMachine	Refer to icon name.
	Statistics	
	StatisticsError	
	StatisticsWarning	Refer to icon name.
	StatusAlert	Refer to icon name.
	StatusAlertOutline	
	StatusError	Refer to icon name.
	StatusErrorNew	New test generated with test result being failed.
	StatusErrorNoColor	Grey version of StatusError.
	StatusErrorOutline	
	StatusExcluded	Refer to icon name.

Image	KnownMoniker	Description
	StatusExcludedOutline	Refer to icon name.
	StatusHelp	Refer to icon name.
	StatusHelpOutline	
	StatusHidden	Refer to icon name.
	StatusInformation	Refer to icon name.
	StatusInformationNoColor	
	StatusInformationOutline	Refer to icon name.
	StatusInformationOutlineNoColor	
	StatusInvalid	Usually used for form field validation, test result or status indication.
	StatusInvalidOutline	
	StatusInvalidOutlineNoColor	
	StatusNo	Refer to icon name.
	StatusNoNoColor	Grey version of StatusNo.
	StatusNotStarted	Refer to icon name.
	StatusOffline	Refer to icon name.
	StatusOK	Refer to icon name.
	StatusOKNew	New test generated with test result being passed.
	StatusOKNoColor	
	StatusOKOutline	

Image	KnownMoniker	Description
	StatusPaused	Used for indicating paused status. Can be resumed.
	StatusPausedOutline	Used for indicating Paused status. Can be resumed. Outline version of StatusPaused.
	StatusReady	Refer to icon name.
	StatusRequired	Refer to icon name.
	StatusRequiredOutline	
	StatusRunning	Refer to icon name.
	StatusRunningNoColor	Grey version of StatusRunning.
	StatusSecurityCritical	Refer to icon name.
	StatusSecurityOK	Refer to icon name.
	StatusSecurityWarning	Refer to icon name.
	StatusStopped	Used for indicating stopped status. Cannot be resumed. Need to restart.
	StatusStoppedOutline	Used for indicating stopped status. Cannot be resumed. Outline version of StatusStopped.
	StatusStrip	Refer to icon name.
	StatusSuppressed	Refer to icon name.
	StatusSuppressedOutline	
	StatusUpdateAvailable	
	StatusWarning	Refer to icon name.
	StatusWarningNoColor	
	StatusWarningOutline	

Image	KnownMoniker	Description
	StencilTest	Refer to icon name.
	Step	Refer to icon name.
	StepBackInto	Refer to icon name.
	StepBackOut	Refer to icon name.
	StepBackOver	Refer to icon name.
	StepBackward	Only step backwards once, used in Diagnostics hub.
	StepForward	Only step forward once, used in Diagnostics hub.
	StepInto	Refer to icon name.
	StepLineChart	Refer to icon name.
	StepOut	Refer to icon name.
	StepOver	Refer to icon name.
	StockChart	Refer to icon name.
	Stop	Refer to icon name.
	StopApplyingCodeChanges	
	StopFilter	Refer to icon name.
	StopLogging	
	StopPhoneLandscape	Refer to icon name.
	StopQuery	Refer to icon name.
	StopTime	Refer to icon name.

Image	KnownMoniker	Description
	StorageContainer	Refer to icon name.
	StorageContainerGroup	Refer to icon name.
	StorageDriver	Refer to icon name.
	StorageDriverPackage	Refer to icon name.
	Stored	Refer to icon name.
	StoredPackage	Refer to icon name.
	StoredProcedure	
	.StoredProcedureChecked	Refer to icon name.
	.StoredProcedureError	Refer to icon name.
	.StoredProcedureScript	Refer to icon name.
	.StoredProcedureWarning	
	StoreVirtualMachine	Refer to icon name.
	StreamingSyncing	
	StreamingWarning	
	StrikeThrough	Refer to icon name.
	String	Refer to icon name.
	StringData	Refer to icon name.
	StringQuote	Refer to icon name.
	StringRegistryValue	

Image	KnownMoniker	Description
	Stroke	Refer to icon name.
	StrokeOpacity	Refer to icon name.
	StrongHierarchy	Refer to icon name.
	StrongNameKey	Refer to icon name.
	Structure	
	StructureCollection	
	StructureInternal	Refer to icon name.
	StructurePrivate	Refer to icon name.
	StructureProtected	Refer to icon name.
	StructurePublic	Refer to icon name.
	StructureSealed	Refer to icon name.
	StructureShortcut	Refer to icon name.
	StyleBlock	Refer to icon name.
	StyleSheet	Refer to icon name.
	SubReport	Refer to icon name.
	SubReportParamater	Refer to icon name.
	Subscript	Refer to icon name.
	Substitution	Refer to icon name.
	SubtractFront	Refer to icon name.

Image	KnownMoniker	Description
	SubtractMember	Refer to icon name.
	SubtractMemberFormula	Refer to icon name.
	SuggestedActionsExpander	
	Summary	Refer to icon name.
	SummaryView	Refer to icon name.
	Superscript	Refer to icon name.
	SwitchFolders	
	SwitchSourceOrTarget	Refer to icon name.
	SwitchToDataGridView	Refer to icon name.
	SwitchToDesignMode	Refer to icon name.
	SwitchToPreview	Refer to icon name.
	SymlinkFile	Refer to icon name.
	SymmetricKey	Refer to icon name.
	SymmetricKeyError	Refer to icon name.
	SymmetricKeyWarning	Refer to icon name.
	Sync	Refer to icon name.
	SyncContent	Refer to icon name.
	SyncDatabase	
	SynchronousMessage	Refer to icon name.

Image	KnownMoniker	Description
	SyncServer	Refer to icon name.
	Synonym	Refer to icon name.
	SynonymError	Refer to icon name.
	SynonymWarning	Refer to icon name.
	SystemDiagram	Refer to icon name.
	SystemInfo	Refer to icon name.
	SystemResources	Refer to icon name.
	Tab	Refer to icon name.
	Table	Refer to icon name.
	TableAdapter	Refer to icon name.
	TableAlignBottom	Refer to icon name.
	TableAlignMiddle	Refer to icon name.
	TableAlignTop	Refer to icon name.
	TableError	Refer to icon name.
	TableFillDown	Refer to icon name.
	TableFillLeft	Refer to icon name.
	TableFillRight	Refer to icon name.
	TableFunction	Refer to icon name.
	TableFunctionError	Refer to icon name.

Image	KnownMoniker	Description
	TableFunctionWarning	Refer to icon name.
	TableGroup	Refer to icon name.
	TableGroupError	Refer to icon name.
	TableHeader	Refer to icon name.
	TableKey	
	TableMissing	Refer to icon name.
	TableOK	Refer to icon name.
	TableScript	Refer to icon name.
	TabletSettings	Refer to icon name.
	TabletWarning	Refer to icon name.
	TableViewNameOnly	Refer to icon name.
	TableWarning	Refer to icon name.
	TableWizard	Refer to icon name.
	Tag	Used to attach tags to item for description and searching.
	TagSnippet	Refer to icon name.
	TakeSnapshot	Refer to icon name.
	TakeSourceVersion	Refer to icon name.
	TapeDrive	Refer to icon name.
	TargetFile	MSBuild target file type.

Image	KnownMoniker	Description
	TargetFileError	Used in Solution Explorer for target file node with error status.
	TargetFilePrivate	Used in Solution Explorer to represent private build target file node.
	TargetFileWarning	Used in Solution Explorer for target file node with warning status.
	Task	Refer to icon name.
	TaskContentType	Refer to icon name.
	TaskList	Refer to icon name.
	TaskListId	Refer to icon name.
	Team	Refer to icon name.
	TeamFoundationServer	Refer to icon name.
	TeamProject	Team project in TFVC.
	TeamProjectCollection	Refer to icon name.
	TeamProjectCollectionOffline	Refer to icon name.
	TeamProjectRepositoryFolder	Refer to icon name.
	TeapotPreview	Refer to icon name.
	Template	
	TemplateColumn	
	TemplateInternal	Refer to icon name.
	TemplatePrivate	Refer to icon name.
	TemplateProtected	Refer to icon name.

Image	KnownMoniker	Description
<T>	TemplatePublic	Refer to icon name.
<T> ⊗	TemplateSealed	Refer to icon name.
<T> ☒	TemplateShortcut	Refer to icon name.
➡	TermExtraction	Refer to icon name.
☒	TerminalReadOnly	
☒	TerminalReadWrite	
ⓧ	TerminateProcess	Refer to icon name.
🧪	Test	Refer to icon name.
🧪	TestApplication	
🧪	TestController	Refer to icon name.
✗!	TestCoveredException	Status icon shown in Code Editor to indicate this line of code will throw exception.
✗	TestCoveredFailing	Used in Live Unit Test to show test result in code editor margin to indicate this line of code is failing tests.
✗!	TestCoveredFailingException	
✗⌚	TestCoveredFailingStale	
✓	TestCoveredPassing	Used in Live Unit Test to show test result in code editor margin to indicate this line of code is passing tests.
✓⌚	TestCoveredPassingStale	
🧪	TestGroup	Refer to icon name.
🧪	TestList	
🧪🔍	TestManager	Refer to icon name.

Image	KnownMoniker	Description
	TestMethodExcluded	
	TestMethodExcludedStale	
	TestMethodFailing	
	TestMethodNotCovered	
	TestMethodPassing	
	TestMethodStale	
	TestNotCovered	Used in Live Unit Test to show test result in code editor margin to indicate this line is not covered by test.
	TestNotCoveredStale	
	TestNotInList	Refer to icon name.
	TestPass	Refer to icon name.
	TestPlan	Refer to icon name.
	TestPlanProperty	Refer to icon name.
	TestPlans	Test plans folder.
	TestProperty	
	TestResult	Refer to icon name.
	TestResultDetails	
	TestRun	Refer to icon name.
	TestRunner	Refer to icon name.
	TestRunProperty	

Image	KnownMoniker	Description
	TestSettings	Refer to icon name.
	TestSuite	
	TestSuiteRequirement	Refer to icon name.
	TestVariable	
	TextAndImage	
	TextArea	Refer to icon name.
	TextBlock	Refer to icon name.
	TextBox	Refer to icon name.
	TextCenter	Refer to icon name.
	TextElement	Refer to icon name.
	TextFile	Refer to icon name.
	TextJustify	Refer to icon name.
	TextLeft	Refer to icon name.
	TextLineHeight	Refer to icon name.
	TextRight	Refer to icon name.
	TextSpaceAfter	Refer to icon name.
	TextSpaceBefore	Refer to icon name.
	TexturePicker	Refer to icon name.
	TFSServer	Refer to icon name.

Image	KnownMoniker	Description
	ThirdOfFourColumns	Used for setting layout.
	ThirdOfFourRows	Used for setting layout.
	ThirdOfThreeColumns	Refer to icon name.
	ThirdOfThreeRows	Refer to icon name.
	ThisLine	Used in Go To... feature to indicate line number type of filter.
	Thread	Refer to icon name.
	ThreadStopped	
	ThreeColumns	Used for setting layout.
	ThreeDExtrude	Used in graphics tools for creating 3D extrude objects.
	ThreeDPolygonSubdivision	Used in graphics tools for subdividing 3D polygon objects.
	ThreeDScene	Represents 3D scene
	ThreeLineBreakChart	Refer to icon name.
	ThreeRows	Used for setting layout.
	ThresholdRule	Refer to icon name.
	Throw	Refer to icon name.
	TIFFFile	
	Time	Refer to icon name.
	Timeline	Refer to icon name.
	TimelineMarkBlack	

Image	KnownMoniker	Description
	TimelineMarkGray	
	TimelineMarkPurple	
	TimelineMarkRed	
	Timeout	Refer to icon name.
	TimePicker	Refer to icon name.
	TimePickerList	Refer to icon name.
	TimePickerScroller	
	Timer	Refer to icon name.
	TitleTag	Refer to icon name.
	ToggleAllBreakpoints	Refer to icon name.
	ToggleButton	Refer to icon name.
	ToggleGuides	Refer to icon name.
	TogglePivot	Refer to icon name.
	TogglePivotFreeForm	Refer to icon name.
	ToggleStackView	Refer to icon name.
	ToggleViewBySchema	
	ToggleWireframe	Refer to icon name.
	ToggleWorld	Refer to icon name.
	ToolBar	Refer to icon name.

Image	KnownMoniker	Description
	ToolBarPanel	
	ToolBarTray	
	Toolbox	Refer to icon name.
	ToolStripAlignment	Refer to icon name.
	ToolStripContainer	Refer to icon name.
	ToolStripPanelBottom	Refer to icon name.
	ToolStripPanelLeft	Refer to icon name.
	ToolStripPanelRight	Refer to icon name.
	ToolStripPanelTop	Refer to icon name.
	ToolTip	Refer to icon name.
	ToolWindow	Refer to icon name.
	TopBorder	
	TopicDestination	Refer to icon name.
	TopicSource	Refer to icon name.
	TopLeftOfTwoColumnsLeftSplit	
	TopLeftOfTwoRowsTopSplit	
	TopLeftOfTwoRowsTwoColumns	
	TopRightOfTwoRowsTopSplit	
	TopRightOfTwoRowsTwoColumns	

Image	KnownMoniker	Description
	TopRightTwoColumnsRightSplit	
	TopRowOfTwoRowsBottomSplit	
	TouchableDevice	Refer to icon name.
	TracepointDependent	
	TracepointDependentDisabled	
	TracepointDependentError	
	TracepointDependentWarning	
	TracepointDisabled	
	TracepointEnabled	
	TracepointError	
	TracepointWarning	Tracepoint will not be invoked.
	TraceTransferInto	
	TraceTransferOut	Refer to icon name.
	TransactedReceiveScope	Refer to icon name.
	TransactionalComponent	Refer to icon name.
	TransactionNode	Refer to icon name.
	TransactionScope	Refer to icon name.
	TransferDatabaseObject	
	TransferErrorMessage	Refer to icon name.

Image	KnownMoniker	Description
	TransferJob	Refer to icon name.
	TransferLogin	Refer to icon name.
	TransferStoredProcedure	Refer to icon name.
	Transform	Refer to icon name.
	TransformListItem	Refer to icon name.
	TransformPositionCursor	Refer to icon name.
	TransformRelative	Refer to icon name.
	TransitioningContent	
	Translate	
	TranslationView	
	TransparentBackground	Refer to icon name.
	TreeList	
	Tremap	Refer to icon name.
	TreeView	Refer to icon name.
	Triangle	Refer to icon name.
	Trigger	
	TriggerActionListActive	Refer to icon name.
	TriggerActionListInactive	Refer to icon name.
	TriggerDisabled	Refer to icon name.

Image	KnownMoniker	Description
	TriggerError	Refer to icon name.
	TriggersActiveWhenOn	Refer to icon name.
	TriggerScript	Refer to icon name.
	TriggerWarning	Refer to icon name.
	TryCatch	Refer to icon name.
	TSAplication	Refer to icon name.
	TSCordovaMultiDevice	Refer to icon name.
	TSFileNotFoundException	Refer to icon name.
	TSProjectNode	Refer to icon name.
	TSSourceFile	Refer to icon name.
	TurnOffTableWidth	Refer to icon name.
	TwoColumns	Used for setting layout.
	TwoColumnsLeftSplit	Used for setting layout.
	TwoColumnsRightSplit	Used for setting layout.
	TwoRows	Used for setting layout.
	TwoRowsBottomSplit	Used for setting layout.
	TwoRowsTopSplit	Used for setting layout.
	TwoRowsTwoColumns	Used for setting layout.
	TwoWayDataBinding	Refer to icon name.

Image	KnownMoniker	Description
	TwoWayEndPoint	Refer to icon name.
	TwoWayRelay	Refer to icon name.
	TwoX	200% scale
	TxLineage	Refer to icon name.
	TXMergeJoin	Refer to icon name.
	TxPercentageSampling	Refer to icon name.
	TxRowCount	Refer to icon name.
	TxRowSampling	Refer to icon name.
	Type	
	TypeDefinition	Refer to icon name.
	TypeDefinitionInternal	Refer to icon name.
	TypeDefinitionPrivate	Refer to icon name.
	TypeDefinitionProtected	Refer to icon name.
	TypeDefinitionPublic	
	TypeDefinitionSealed	Refer to icon name.
	TypeDefinitionShortcut	Refer to icon name.
	TypeInternal	Refer to icon name.
	TypePrivate	Refer to icon name.
	TypeProtected	Refer to icon name.

Image	KnownMoniker	Description
	TypePublic	Refer to icon name.
	TypeSealed	Refer to icon name.
	TypeShortcut	Refer to icon name.
	UacShield	Refer to icon name.
	UI	Refer to icon name.
	UIEditor	Refer to icon name.
	UIExplorer	Refer to icon name.
	UMLModel	Refer to icon name.
	UnblockingStack	Refer to icon name.
	UnComment	Refer to icon name.
	UncommentCode	Refer to icon name.
	Underline	Refer to icon name.
	Undo	Undo last change.
	UndoCheckboxList	Refer to icon name.
	UndoCheckedOutItem	
	Undock	Refer to icon name.
	UndoNoColor	Undo last change. Grey version of Undo.
	UnfreezeColumn	Refer to icon name.
	Ungroup	Refer to icon name.

Image	KnownMoniker	Description
	UngroupClause	Refer to icon name.
	Uninstall	Refer to icon name.
	Union	
	UnionInternal	Refer to icon name.
	UnionPrivate	Refer to icon name.
	UnionProtected	Refer to icon name.
	UnionPublic	Refer to icon name.
	UnionSealed	Refer to icon name.
	UnionShortcut	Refer to icon name.
	UniqueKey	Refer to icon name.
	UniqueKeyError	Refer to icon name.
	UniqueKeyWarning	Refer to icon name.
	UnitePath	Refer to icon name.
	UnitOfMeasure	
	UniversalPlatform	Refer to icon name.
	UnknownApplication	
	UnknownMember	
	Unlink	Refer to icon name.
	UnlinkVertical	

Image	KnownMoniker	Description
	Unlock	Refer to icon name.
	UnnestRelatedDocuments	
	UnnestTreeView	Used in nesting profiles toolbar for unnesting selected items.
	Unpin	Refer to icon name.
	UnshelvePendingChanges	Refer to icon name.
	Unsubscribe	Refer to icon name.
	UnsyncedCommits	Refer to icon name.
	UpdateAnimation	Refer to icon name.
	UpdateDatabase	Refer to icon name.
	UpdateDatabaseError	
	UpdateDatabaseOK	
	UpdateListItem	Refer to icon name.
	UpdatePanel	Refer to icon name.
	UpdateScript	
	Upload	Refer to icon name.
	UploadDatabase	Refer to icon name.
	UploadDocument	
	UploadNoColor	
	UploadParameter	Refer to icon name.

Image	KnownMoniker	Description
	URLInputBox	Refer to icon name.
	UsageBasedOptimization	Refer to icon name.
	USB	Refer to icon name.
	UseCase	Refer to icon name.
	User	Refer to icon name.
	UserApplication	Refer to icon name.
	UserBuild	Refer to icon name.
	UserControl	Refer to icon name.
	UserDataType	Refer to icon name.
	UserDefinedDataType	Refer to icon name.
	UserDefinedDataTypeError	Refer to icon name.
	UserDefinedDataTypeWarning	Refer to icon name.
	UserDefinedTableType	Refer to icon name.
	UserDefinedTypeError	Refer to icon name.
	UserDefinedTypeWarning	Refer to icon name.
	UserError	Refer to icon name.
	UserFeedback	
	UserFunction	Refer to icon name.
	UserItemTemplate	

Image	KnownMoniker	Description
	UserProjectTemplate	
	UserTask	Refer to icon name.
	UserWarning	Refer to icon name.
	UserWizard	Refer to icon name.
	Utility	Refer to icon name.
	ValidateAggregation	Refer to icon name.
	ValidateDocument	Refer to icon name.
	ValidatedScript	Refer to icon name.
	ValidatedScriptError	Refer to icon name.
	ValidatedScriptExcluded	Refer to icon name.
	ValidatedScriptWarning	Refer to icon name.
	ValidateModel	Refer to icon name.
	ValidateShelveset	Refer to icon name.
	ValidateTestStep	Refer to icon name.
	ValidateWarning	Refer to icon name.
	ValidationRule	Refer to icon name.
	ValidationSummary	Refer to icon name.
	ValueType	Refer to icon name.
	ValueTypeInternal	Refer to icon name.

Image	KnownMoniker	Description
	ValueTypePrivate	Refer to icon name.
	ValueTypeProtected	Refer to icon name.
	ValueTypePublic	
	ValueTypeSealed	Refer to icon name.
	ValueTypeShortcut	Refer to icon name.
	VariableProperty	Refer to icon name.
	VBAApplication	Refer to icon name.
	VBAApplication	Refer to icon name.
	VBAAssemblyInfoFile	Refer to icon name.
	VBBDCModel	
	VBBlankApplication	Refer to icon name.
	VBBlankFile	Refer to icon name.
	VBBlankPhone	Refer to icon name.
	VBBlankWebSite	
	VBClassCollection	Refer to icon name.
	VBClassFile	Refer to icon name.
	VBClassLibrary	Refer to icon name.
	VBCloudBusinessApp	Refer to icon name.
	VBCodTest	

Image	KnownMoniker	Description
	VBColumn	Refer to icon name.
	VBConsole	Refer to icon name.
	VBConsoleTest	Refer to icon name.
	VBContentType	Refer to icon name.
	VBDatabaseLibrary	
	VBDeploymentModule	Refer to icon name.
	VBDeviceTest	Refer to icon name.
	VBDynamicWebSite	
	VBEVENTRECEIVER	Refer to icon name.
	VBExtension	Refer to icon name.
	VBFILENODE	
	VBFixedLayoutApplication	Refer to icon name.
	VBGridApplication	Refer to icon name.
	VBHubApplication	Refer to icon name.
	VBInteractiveWindow	VB Interactive Window Interactive can be used to write code at the console or in a window in Visual Studio.
	VBInterfaceCollection	Refer to icon name.
	VBInterOp	Refer to icon name.
	VBLibrary	Refer to icon name.
	VBLightSwitch	Refer to icon name.

Image	KnownMoniker	Description
	VBLightSwitchLibrary	Refer to icon name.
	VBListDefinition	Refer to icon name.
	VBMenuItemCustomAction	Refer to icon name.
	VBNavigationApplication	
	VBPackage	Refer to icon name.
	VBPhone	Refer to icon name.
	VBPhoneHub	Refer to icon name.
	VBPhoneLibrary	Refer to icon name.
	VBPhonePivot	Refer to icon name.
	VBPhoneTest	Refer to icon name.
	VBPhoneWebSite	
	VBProjectNode	
	VBRazorFile	Refer to icon name.
	VBReport	Refer to icon name.
	VBRibbonCustomAction	Refer to icon name.
	VBServiceBusWorker	Refer to icon name.
	VBSharedProject	Refer to icon name.
	VBSilverlight	Refer to icon name.
	VBSilverlightLibrary	Refer to icon name.

Image	KnownMoniker	Description
	VBSilverlightPhone	Refer to icon name.
	VBSilverlightTest	Refer to icon name.
	VBSilverlightWebSite	
	VBSITEDEFINITION	Refer to icon name.
	VBSourceFile	Refer to icon name.
	VBSplitApplication	Refer to icon name.
	VBTablet	Refer to icon name.
	VBTest	Refer to icon name.
	VBTESTAPPLICATION	
	VBTestLibrary	Refer to icon name.
	VBWCF	Refer to icon name.
	VBWebApplication	Refer to icon name.
	VBWebPart	Refer to icon name.
	VBWebService	Refer to icon name.
	VBWebsiteTemplate	Refer to icon name.
	VBWF	
	VBWindowsLibrary	Refer to icon name.
	VBWindowsService	Refer to icon name.
	VBWorkerTemplate	Refer to icon name.

Image	KnownMoniker	Description
	VBWorkflow	Refer to icon name.
	VBWorkflowActivity	Refer to icon name.
	VBWorkflowAssociationForm	Refer to icon name.
	VBWorkflowDiagram	Refer to icon name.
	VBWorkflowInitiationForm	Refer to icon name.
	VBWorkflowManagerActivity	Refer to icon name.
	VBWPFApplication	Refer to icon name.
	VBWPFLibrary	Refer to icon name.
	VBWPFUserControl	Refer to icon name.
	VBWPFWebSite	
	VerifiedPublisher	
	Version	Refer to icon name.
	VersionInformation	Refer to icon name.
	VerticalScrollBar	
	VerticalSlicers	
	VideoCamera	Refer to icon name.
	VideoCard	
	VideoRecording	Refer to icon name.
	View	Refer to icon name.

Image	KnownMoniker	Description
	ViewBack	Refer to icon name.
	ViewBottom	Refer to icon name.
	ViewBox	Refer to icon name.
	ViewBySchema	
	ViewDefinition	Refer to icon name.
	ViewDock	Refer to icon name.
	ViewError	Refer to icon name.
	ViewFront	Refer to icon name.
	ViewFull	Refer to icon name.
	ViewInBrowser	Refer to icon name.
	ViewLandscape	Refer to icon name.
	ViewLeft	Refer to icon name.
	ViewPortrait	Refer to icon name.
	ViewRemoteSite	Refer to icon name.
	ViewRemove	Refer to icon name.
	ViewRight	Refer to icon name.
	ViewTop	Refer to icon name.
	ViewWarning	Refer to icon name.
	VirtualMachine	Refer to icon name.

Image	KnownMoniker	Description
	VirtualMachineError	Refer to icon name.
	VirtualMachineGroup	Refer to icon name.
	VirtualMachineGroupError	Refer to icon name.
	VirtualMachineLibrary	Virtual machine icon with library book modifier
	VirtualMachineOK	Refer to icon name.
	VirtualMachineRefresh	Refer to icon name.
	VirtualMachineStopped	
	Visible	Refer to icon name.
	VisibleBorders	Refer to icon name.
	VisualAidsDisabled	
	VisualStudioShell	
	VisualStudioToolsAboutBox	
	VisualTotals	Refer to icon name.
	VocabularyFile	Refer to icon name.
	Volume	Refer to icon name.
	WaitForCustomEvent	Refer to icon name.
	WaitForFieldChange	Refer to icon name.
	WaitForItemEvent	Refer to icon name.
	Watch	Refer to icon name.

Image	KnownMoniker	Description
	WCF	Refer to icon name.
	WCFData	
	WeakHierarchy	Refer to icon name.
	Web	Refer to icon name.
	WebAdmin	Refer to icon name.
	WebAPI	Refer to icon name.
	WebApplication	Refer to icon name.
	WebBrowserItem	
	WebConfiguration	Refer to icon name.
	WebContract	
	WebControlLibrary	Refer to icon name.
	WebCustomASCXControl	
	WebCustomControl	Refer to icon name.
	WebDestination	Refer to icon name.
	WebFile	Refer to icon name.
	WebFileError	
	WebFolderOpened	wwwroot folder for a web app project.
	WebLog	Refer to icon name.
	WebMethodAction	Refer to icon name.

Image	KnownMoniker	Description
	WebPart	Refer to icon name.
	WebPartManager	Refer to icon name.
	WebPartPageMenu	Refer to icon name.
	WebPartZone	Refer to icon name.
	WebPhone	Refer to icon name.
	WebProperty	
	WebReferenceFolder	Refer to icon name.
	WebScript	Refer to icon name.
	WebServer	Refer to icon name.
	WebService	Refer to icon name.
	WebSetupProject	Refer to icon name.
	WebSubfolder	Refer to icon name.
	WebTest	Refer to icon name.
	WebTestPlugin	Refer to icon name.
	WebURL	Refer to icon name.
	WebUserControl	Refer to icon name.
	WebWarning	Refer to icon name.
	WeightedMember	
	WeightedMemberFormula	

Image	KnownMoniker	Description
	WelcomeUserGuide	Refer to icon name.
	WelcomeWebOnline	
	WelcomeWebTutorial	
	WF	Refer to icon name.
	WFC	Refer to icon name.
	WFSERVICE	Refer to icon name.
	While	Refer to icon name.
	Win32Application	
	WindowScreenshot	Refer to icon name.
	WindowsForm	Refer to icon name.
	WindowsFormLibrary	Refer to icon name.
	WindowsFormToolBox	
	WindowsService	Refer to icon name.
	WindowsServiceStop	Refer to icon name.
	WindowsServiceWarning	Refer to icon name.
	WireframeView	Refer to icon name.
	Wizard	Refer to icon name.
	WMICONNECTION	Refer to icon name.
	WordWrap	Refer to icon name.

Image	KnownMoniker	Description
	WorkAsSomeoneElse	Refer to icon name.
	WorkerServiceFile	Refer to icon name.
	WorkflowAssociationForm	Refer to icon name.
	WorkflowInitiationForm	Refer to icon name.
	WorkflowInterop	Refer to icon name.
	WorkflowStartAssociation	Refer to icon name.
	WorkItem	Refer to icon name.
	WorkItemGroup	Refer to icon name.
	WorkItemQuery	Refer to icon name.
	WorldLocal	Refer to icon name.
	WPFAplication	Refer to icon name.
	WPFCustomControl	Refer to icon name.
	WPFDesigner	Refer to icon name.
	WPFFile	Refer to icon name.
	WPFFlowFile	
	WPFLibrary	Refer to icon name.
	WPFFPageFunction	Refer to icon name.
	WPFRsourceDictionary	Refer to icon name.
	WPFToolBox	

Image	KnownMoniker	Description
	WPFUserControl	Refer to icon name.
	WPFWebSite	
	WrapPanel	Refer to icon name.
	Writeable	Refer to icon name.
	WriteBackPartition	Refer to icon name.
	WriteToConsole	
	WriteToDatabase	Refer to icon name.
	WriteToHistory	Refer to icon name.
	WWAProject	Refer to icon name.
	XamlBindingError	
	XamlBindingErrorNoColor	
	XamlBindingOK	
	XmlAttribute	Refer to icon name.
	XmlAttributeHighConfidence	Refer to icon name.
	XmlAttributeLowConfidence	Refer to icon name.
	XMLCDataTag	
	XMLCommentTag	Refer to icon name.
	XMLDescendant	Refer to icon name.
	XMLDescendantHighConfidence	Refer to icon name.

Image	KnownMoniker	Description
	XMLDescendantLowConfidence	Refer to icon name.
	XMLDocumentTypeDefinitionFile	Refer to icon name.
	XMLElement	Refer to icon name.
	XMLElementHighConfidence	Refer to icon name.
	XMLElementLowConfidence	Refer to icon name.
	XMLFile	Refer to icon name.
	XMLNamespace	Refer to icon name.
	XMLProcessInstructionTag	Refer to icon name.
	XMLSchema	Refer to icon name.
	XMLSchemaError	Refer to icon name.
	XMLSchemaWarning	Refer to icon name.
	XMLTransformation	Refer to icon name.
	XPath	Refer to icon name.
	XrayView	Refer to icon name.
	XSLTransform	
	XSLTTemplate	Refer to icon name.
	xWorldFile	Refer to icon name.
	YamlFile	Refer to icon name.
	Yield	Refer to icon name.

Image	KnownMoniker	Description
	Zoom	Refer to icon name.
	ZoomControl	Refer to icon name.
	ZoomControlLock	Refer to icon name.
	ZoomIn	Refer to icon name.
	ZoomLock	Refer to icon name.
	ZoomOriginalSize	Refer to icon name.
	ZoomOut	Refer to icon name.
	ZoomToFit	Refer to icon name.
	ZoomToggle	Refer to icon name.
	ZoomToWidth	Refer to icon name.