ORACLE* Academy

Database Design

7-2

Hierarchies and Recursive Relationships





Objectives

This lesson covers the following objectives:

- Define and give an example of a hierarchical relationship
- Identify the UIDs in a hierarchical model
- Define and give an example of a recursive relationship
- Represent a recursive relationship in an ERD given a scenario
- Construct a model using both recursion and hierarchies to express the same conceptual meaning



Purpose


- Often, roles are organized by hierarchy -- at work (manager, crew chief, front-counter clerk, food preparers), or in school (headmaster or principal, assistant headmaster or assistant principal, teachers, staff).
- Hierarchical data is very common.
- Understanding it will help you model:
 - Business organizational charts
 - Building structures
 - Family trees
 - and many other hierarchies found in the real world





Relationships in an Organizational Chart

 An Organization's reporting hierarchy can be represented by this organizational chart.







Relationships in an Organizational Chart

- An organizational chart can be represented by this data model.
- We create an entity for each level, with a relationship to the next level.
- What are the UIDs for each entity?








Another Relationship Example


- Notice the barred relationships.
- Here you have a case of the cascading UIDs:
 - the UID of FLOOR is the combination of FLOOR number and the BUILDING id
 - the UID of SUITE is the combination of SUITE number and the FLOOR number and the BUILDING id
 - the UID of ROOM is the combination of ROOM id and SUITE number and FLOOR number and the BUILDING id








- Both of these models represent all employees.
- The one on the left is a hierarchical structure.
- The one on the right uses a recursive relationship.







- A relationship cannot be both hierarchical and recursive at the same time.
- Which one do you think is better?





- Hierarchical: Hierarchical structures are more explicit and are easier for most people to understand because they are very similar to an organizational chart.
- Each entity can have its own mandatory attributes and relationships, if the business requires this (instead of all optional attributes and relationships, as you would have in a recursive).
- In this way, your data model truly reflects the business rules.






- Recursive: Recursive relationships tend to be simpler because you are using only one entity.
- Your diagram will be less "busy."
- However, they are less specific you cannot have mandatory attributes or relationships unless they are mandatory in all instances of the entity.





Drawing Convention


 The ERD convention to show a recursive relationship is drawn as a loop, also known as a "pig's ear".





Automobile Manufacturing Business Scenario


- For an automobile manufacturing organization, consider all elementary parts, subassemblies, assemblies, and products as instances of an entity called COMPONENT.
- The model can be created as a simple recursive relationship.





Automobile Manufacturing Business Scenario

- Model Bill of Materials data as a many-to-many recursive relationship:
 - Each COMPONENT may be a part of one or more COMPONENTS.
 - Each COMPONENT may be made up of one or more COMPONENTS.





Terminology

Key terms used in this lesson included:

- Hierarchal relationship
- Recursive relationship



Summary

In this lesson, you should have learned how to:

- Define and give an example of a hierarchical relationship
- Identify the UIDs in a hierarchical model
- Define and give an example of a recursive relationship
- Represent a recursive relationship in an ERD given a scenario
- Construct a model using both recursion and hierarchies to express the same conceptual meaning



ORACLE* Academy