

FieldFlow

Walkthrough

FieldFlow Walkthrough

A guided tour of FieldFlow — from your first login through running real NGO operations. Read this end-to-end your first week. Refer back to specific sections as you go.

Each chapter is a self-contained exercise you can do in 5–15 minutes.

Chapter 1 — Your first login

You'll have received a welcome message from your administrator with your phone number and a temporary password (or an SMS OTP link).

Step 1. Open the FieldFlow URL in your browser (or PWA on your phone). You'll see the login screen.

Step 2. Enter your phone number. Choose your sign-in method:

- **SMS OTP** — fastest if you have your phone in front of you
- **Password** — works on shared devices

Step 3. Once verified, you land on the **Overview** tab. The left sidebar shows every tab you have permission to see.

Tip. Your **role** determines what you see — managers see more than employees, admins see everything. If a tab is missing, your admin needs to grant access in Settings → Tab Permissions.

Chapter 2 — Your dashboard at a glance

Here are the tabs in the left sidebar and what they're for:

Tab	Purpose
Overview	Today's stats, recent reports, weekly trends
Reports	All field reports submitted in your org
Media	Photos attached to reports
Impact	Aggregate progress + per-project + per-activity breakdown
ToC Analysis	Theory-of-Change distribution across reports
Analytics	Worker performance, project performance
Notebook	Upload PDFs and chat with them (RAG)
Action Plan	Multi-project target/achieved grid with editing
+ Quick Report	Submit a field report from your phone using AI
WhatsApp	Flows, contacts, broadcasts, analytics

Tab	Purpose
Settings	Org config, users, branding, permissions

Tip. Click your avatar in the top-right to switch organisations (if you belong to more than one) or to sign out.

Chapter 3 — Adding your team members

If you're an admin, this is the first thing to do. Without team members, only you can submit reports.

Step 1. Click **Settings** → **User Management**.

Step 2. Click **+ Add User**. Fill in:

- **Name** — full name as it should appear in reports
- **Phone** — international format, e.g. +919876543210
- **Role** — pick **manager** for team leads, **employee** for field staff
- **Manager** — pick the person they report to (optional)
- **Designation** — optional title like "Field Coordinator"
- **Projects** — pick the projects they work on (multi-select)
- **Password** — for sheet-login. They can also use SMS OTP.

Step 3. Click **Save**. The new user can now log in with their phone + password.

Tip. To assign someone to specific Action Plan activities, just type their first name or designation into the activity's "Responsibility" column when uploading the plan — the **My Focus** filter will surface only their rows for them.

Chapter 4 — Setting up your first project

A "project" is an Excel-uploaded Action Plan with activities × locations × monthly targets. You can have many.

4.1 Download the template

Step 1. Click **Action Plan** in the sidebar.

Step 2. Click the **■ Manage** button (top-right) → **Download template**.

Step 3. Open the downloaded **action-plan-template.xlsx** in Excel. It has 3 sheets:

Sheet	Fill with
Plan Info	Project name, year, locations
Monthly Plan	One row per activity + sub-rows per location, with monthly Target columns
README	Documentation, don't edit

4.2 Fill in your data

In **Plan Info**:

- Name — e.g. JJM Bihar 2026
- Year — 2026
- Start Month — 4 (April)
- Locations — comma-separated, e.g. Patna, Gaya, Muzaffarpur, Bhagalpur

In **Monthly Plan**, one row per activity with metadata + sub-rows for each location. Categories must be one of: capacity, livelihood, enterprise, community, technology.

4.3 Upload

Step 1. Click **Manage** → **Upload new plan**.

Step 2. Drag-drop your filled Excel file. The system parses it client-side and shows a preview: "Found X activities, Y locations".

Step 3. Click **Save**.

The new project now appears in the dropdown at the top of the Action Plan tab.

Tip. Re-uploading the same project name overwrites the previous activities. To version-track, change the year (e.g. JJM Bihar 2027).

Chapter 5 — Tracking progress on the Action Plan

Once a plan is uploaded, you can edit any cell.

Step 1. Open the **Action Plan** tab. The big grid shows activities (rows) × locations × months (columns).

Step 2. Click any cell — it's a target / achieved pair. The numbers turn editable.

- Click the left number (target) to edit the planned value
- Click the right number (achieved) to edit the actual value
- **Tab** moves to the next field

- **Enter** moves to the next location, same column

Step 3. Add a note to any cell — hover the cell, click ■, type why you're behind or ahead.

Step 4. Click **Quickfill** to bulk-update. Example: *"Set the achieved value of every cell where Location = Khagaria and Month = May to 30"*. The matching cells update in one batch.

Tip. The **Status panel** at the top tells you at a glance whether you're on track, slightly behind, or behind schedule for the year — with a "now" marker showing what you should have achieved by today's date.

The **Needs Attention** list (right side of the status panel) auto-surfaces the cells with the worst gaps. Click "Add note" to explain the situation.

Chapter 6 — Submitting a field report

Field staff submit reports two ways:

- From the dashboard via **+ Quick Report**
- From their phone via WhatsApp (after a flow is set up)

6.1 Via Quick Report (dashboard)

Step 1. Click **+ Quick Report** in the sidebar.

Step 2. Type a sentence in any language: *"Today visited Khagaria, met 30 farmers, did training on pen culture."*

Or click the ■ mic icon and dictate. Pick your language from the dropdown (Hindi, English, Marathi, Tamil, Bengali).

Step 3. Click **Extract Fields**. AI parses your text into structured fields:

- Location: Khagaria
- Project: Kosi Sahjivan
- Area of Intervention: training
- Beneficiaries: 30

Step 4. Review the fields. Edit anything that's wrong. Click **Save Report**.

Step 5. The report appears in the Reports tab. It's also counted in the Impact Dashboard.

6.2 Via WhatsApp (covered in Chapter 8 once a flow is configured)

Chapter 7 — Setting up WhatsApp

This is a one-time setup. You'll need access to a Meta Business account.

7.1 Get your Meta credentials

Step 1. Go to business.facebook.com → **WhatsApp Manager**.

Step 2. Create or pick a WhatsApp Business Account. Note down:

- **Phone Number ID** (for inbound + outbound)
- **WABA ID** (your business account)
- **App Secret** (from your Meta App → Settings → Basic)
- **Permanent access token** (System User → Generate Token)

7.2 Configure FieldFlow

Step 1. In FieldFlow, go to **WhatsApp** → **Settings**.

Step 2. Paste:

- Phone Number ID
- Access Token (stored encrypted at rest in our DB)
- App Secret (used to verify webhook signatures)
- Webhook Verify Token — set a random string, you'll use it in Meta

Step 3. Save.

7.3 Register the webhook with Meta

Step 1. In Meta App → **WhatsApp** → **Configuration**.

Step 2. Set the **Callback URL** to:

```
https://chatbot-492915.el.r.appspot.com/api/wa/webhook
```

Step 3. Set the **Verify Token** to the same random string you used in FieldFlow.

Step 4. Click **Verify and Save**. Then subscribe to `messages` field.

Tip. If signature verification is failing, check the App Secret matches exactly (Meta shows it under App → Settings → Basic, you have to click "Show").

Chapter 8 — Building your first WhatsApp flow

Now that WhatsApp is connected, you can build a flow that responds to inbound messages.

8.1 Open the flow builder

Step 1. Click **WhatsApp** → **Flows** → **+ New Flow** (or **+ Generate with AI** for a starter — see 8.4).

Step 2. Give it a name and 1–5 trigger keywords (lowercase, e.g. `start`, `hi`, `training`).

8.2 Add nodes

The flow builder is a visual canvas. Click **+ Add Node** to insert any of these:

Node	When to use
<code>send_message</code>	Plain text reply
<code>wait_input</code>	Ask a question, save the answer to a variable
<code>send_buttons</code>	Up to 3 reply buttons
<code>send_list</code>	Up to 10 list options (with descriptions)
<code>condition</code>	Branch on a variable value
<code>set_field</code>	Save a value to a session variable
<code>update_contact</code>	Save a value globally (persists across flows)
<code>add_label</code>	Tag the contact (adds to a collection)
<code>remove_label</code>	Remove from a collection
<code>webhook</code>	Call an external API
<code>call_llm</code>	Ask Gemini something mid-flow
<code>llm_router</code>	Branch based on AI classification of free text
<code>random_split</code>	A/B test paths
<code>delay</code>	Pause N seconds
<code>human_handoff</code>	Escalate to a human agent
<code>enter_flow</code>	Hand off to another flow
<code>recap_confirm</code>	Summarise all collected answers, ask YES/EDIT
<code>end</code>	Send farewell and close

Drag from a node's bottom handle to the top of another node to connect them. The visual graph lays out automatically.

8.3 Use variables in messages

Anywhere you have text (e.g. inside `send_message`), you can reference data the user has given you with `{{varname}}` syntax. Use the **Variables panel** at the bottom-right of the property editor — it lists every local variable in this flow plus every global contact field. Click a chip to insert it at your cursor.

- **Local:** variables defined by `wait_input/send_buttons` etc. — exist only during this flow run

- **Global:** written by `update_contact` or set on the contact at any point — persist forever and readable in any future flow as `{{contact.fieldname}}`

8.4 Simulate before publishing

Step 1. Click **Simulate** in the flow builder header. A phone-frame popup opens.

Step 2. Click **Start** to begin the flow. Type replies as if you were a contact. Each step shows what the flow engine is doing.

Step 3. If something's wrong, fix the node, save, simulate again.

8.5 Publish

Step 1. Click **Save** in the flow header.

Step 2. Toggle the **Publish** switch.

The next inbound WhatsApp message that matches your trigger keywords (or that AI identifies as matching your flow's description) will start this flow.

8.6 Bonus: AI Flow Generator

If you don't want to build manually, click **+ Generate with AI**. Type what you want in plain English:

> Build a WASH baseline survey for fish farmers. Ask name, village, pond size, and main crop. Then thank them and end.

Gemini generates a complete flow JSON. Review it on the canvas, tweak as needed, save, publish.

Chapter 9 — Sending a broadcast

A broadcast sends one message to many contacts at once.

Step 1. Click **WhatsApp** → **Broadcast**.

Step 2. Give it a name (e.g. *"May Health Camp Reminder"*).

Step 3. Pick the audience:

- **All opted-in contacts** — everyone
- A specific **collection** — see Chapter 10

Step 4. Type the message (max 1024 chars). The preview shows how it looks in WhatsApp.

Step 5. Click **Send**. Confirm the audience count in the dialog.

The system throttles delivery (~80 messages/sec) so it stays within Meta's rate limits. Track delivery status in **WhatsApp** → **Analytics** → **Recent Broadcasts**.

Tip. Broadcasts cap at 1000 recipients per send. For larger lists, split into multiple collections.

Chapter 10 — Organising contacts into Collections

A Collection is just a tag applied to multiple contacts.

10.1 Create a collection by adding contacts

Step 1. Click **WhatsApp** → **Contacts**.

Step 2. Tick the checkbox on multiple rows.

Step 3. A purple bar appears with "Add to Collection" — click it.

Step 4. Type a collection name (e.g. `farmers-bihar`) or pick an existing one. Save.

10.2 Manage collections

Step 1. Click **WhatsApp** → **Collections**.

Step 2. Each collection appears as a card with its member count and last-activity date.

Step 3. Click a card to see members. From the drawer you can remove individual contacts or delete the whole collection (the contacts themselves are not deleted — just untagged).

10.3 Use collections in flows

Add an `add_label` node in your flow with the collection name. When the flow runs, the contact gets tagged. They'll appear in that collection automatically and can be targeted by future broadcasts.

Chapter 11 — Live conversations & human handoff

Sometimes the bot can't handle a question. Either you set up `human_handoff` nodes in your flows, or an agent takes over manually.

11.1 The Conversations tab

Step 1. Click **WhatsApp** → **Conversations**.

Step 2. The left column shows every active or recent conversation, sorted by most recent. Filter pills at the top:

- **All** — every contact
- **■ Mine** — contacts assigned to you
- **■ Needs Reply** — handoffs waiting for human
- **■ Bot** — active sessions with the bot
- **■ Opt-in** — opted-in only

Step 3. Click any conversation. Right side shows the full message history.

11.2 Taking over from the bot

Step 1. In a conversation, click **Take Over**. The session moves to **handoff** status — the bot stops responding.

Step 2. Reply normally from the compose box at the bottom.

Step 3. AI suggests 3 reply candidates above the textarea. Click one to insert (you can still edit before sending).

Step 4. When you're done, click **Return to Bot**. The next inbound message starts a fresh flow.

Tip. If a flow uses **human_handoff** with **assign_to_users** set, those users get the conversation in their **Mine** filter automatically. Otherwise the conversation lands in the global Needs Reply queue.

Chapter 12 — Tracking impact

The **Impact** tab is your one-stop view of how the whole org is doing.

12.1 Overview sub-tab

- **Hero metrics:** Active projects · Annual target · Achieved · Beneficiaries reached
- **Overall progress bar** with a "now" marker showing where you should be by today
- **Status badge:** On track / Slightly behind / Behind schedule

12.2 Projects sub-tab

- **Per-project progress** — list of every plan with its target/achieved/% and progress bar
- **By Category** — capacity, livelihood, enterprise, community, technology — combined across all projects, plus top 3 activity names per category
- **By Location** — combined totals per location across every project
- **By Activity** — every activity in every project, filterable by category

12.3 Field Data sub-tab

The Theory of Change analysis derived from your daily reports:

- **Outcome Indicators** — what changed
 - **Theory of Change** — flow from activities to outputs to outcomes to impact
 - **SDG Progress** — which Sustainable Development Goals your work contributes to
 - **Logic Model** — inputs → activities → outputs → outcomes
 - **Data Quality Scorecard** — how reliable your data is
-

Chapter 13 — Generating reports for donors

When donors ask for a quarterly update, you don't write it by hand.

13.1 Self / Team / Project / Org / Impact reports

Step 1. Click **Overview** → **Generate Report** (or the **+ Generate** button on the Reports tab).

Step 2. Pick a report type:

- **Self** — individual staff member's activity
- **Team** — multiple staff under one manager
- **Project** — all activity for one project
- **Org** — entire org overview
- **Impact** — impact-focused narrative

Step 3. Pick filters: date range, project, location, who to include.

Step 4. Type a custom instruction if you want (e.g. *"Formal tone, 600 words, focus on women beneficiaries"*).

Step 5. Click **Generate**. Tokens stream in real-time. The full report appears in 30–60 seconds.

Step 6. Click **Download .docx** to save to disk, or **Save to Drive** to push it to your org's Google Drive folder.

13.2 Content Hub (broader content types)

For non-report content — donor letter, board deck, press release, blog post, newsletter — go to **Content Hub** and pick a content type. Same flow, same streaming AI.

13.3 Notebook (RAG over your own documents)

For deeper questions, upload your existing reports + policies as sources to **Notebook**:

Step 1. Click **Notebook** → **Add Source**. Drag-drop PDFs or paste URLs.

Step 2. Type a question. Gemini reads only the sources you added and answers with inline citations to page numbers.

Step 3. Click **Audio Overview** to get an AI-generated podcast-style audio. Or **Study Guide** for a PDF outline. Or **Slide Deck** for a PPTX.

Chapter 14 — Daily admin tasks

What you'll do regularly (weekly/monthly):

Cadence	Task
Daily	Review Needs Attention items in Action Plan; reply to Mine in Conversations
Weekly	Update achieved values in Action Plan for last week's work; check Analytics for dropped conversations
Monthly	Generate donor reports; check Impact trends; archive old plans
Quarterly	Upload new Action Plan if scope changed; sync HSM templates with Meta
Yearly	Renew Meta access tokens; review user list; rotate ENCRYPTION_KEY if compliance requires

Chapter 15 — Troubleshooting & tips

Symptom	Likely cause / fix
"Tab missing from sidebar"	Your role doesn't have access. Ask your admin to grant it in Settings → Tab Permissions.
"I can edit cells but they don't save"	Check your network. If offline, edits go to localStorage but won't sync. Refresh once you're back online.
"Quick Report doesn't extract correctly"	The AI's confidence is low. Edit fields manually. Add more context (location + numbers + crop name) in your sentence.

Symptom	Likely cause / fix
"WhatsApp messages aren't arriving"	(1) Check WhatsApp → Settings — config marked Connected? (2) Check Meta dashboard — is the webhook URL still verified? (3) Check Analytics → Dead Letter for processing errors.
"Flow doesn't trigger"	Trigger keywords are case-insensitive but must match a whole word. Try the NLU fallback by giving the flow a description Gemini can match against.
"Bulk update timed out"	Indicators exceeding 5000 are capped. Chunk client-side.
"Delete plan accidentally"	Plans are soft-deleted for 30 days. Go to Manage → look for archived list (or hit <code>/api/action-plans/archived</code> directly) → restore.
"Token expired"	Sign out and sign back in. Firebase ID tokens expire after 1 hour but most clients auto-refresh — if yours doesn't, force-refresh.

Chapter 16 — Where to go next

After completing this walkthrough you should be able to:

- Add team members and assign roles
- Upload an Action Plan for a project
- Submit field reports both via dashboard and WhatsApp
- Build and publish a WhatsApp flow
- Send broadcasts to collections
- Hand off to a human agent when needed
- Read impact data across projects
- Generate donor reports

Next reads:

- [User Manual PDF](#) — exhaustive reference (every screen, every option)
- [API.md](#) — all 140 endpoints, for developers
- [SDK.md](#) — integration patterns + sample code

If you get stuck, every error response includes a **correlation ID** (`cid`). Pass it to support and they can find the exact request in logs.

Welcome to FieldFlow.