

Climate Volatility, Agricultural Pathway, and Modern Demographic Outcomes

A Cross-Country Investigation Across Pre-Industrial and Modern Windows

Jorge Alonso Ortiz*

José-María Da-Rocha†

Draft: May 2026

Abstract

A country-level panel is assembled of five pre-industrial channels of long-run development: a four-element climate bundle ($\bar{T}$, $\bar{P}$, σ_v^T , σ_v^P over 1421–1750 from the ModE-RA paleo-reanalysis); an eight-locus functional-allele bundle (LCT, ADH1B, AMY1, EDAR, DARC, SLC24A5, HBB, FADS1/2) indexing specific Holocene-era selective adaptations; a Neolithic-ancestry fraction indexing the share of modern ancestry derived from any agricultural-Neolithic source population (Lazaridis, Patin, Reich, Yang, Skoglund et al.); ancestral crop-yield potential (Galor and Özak, 2016); and pre-1500 pandemic intensity. The two modern population-genetics substrates replace the Ashraf-Galor (2013) ancestry-adjusted predicted-heterozygosity measure as headline substrates, addressing a sustained critique of the AG framework that the scalar-diversity interpretation reified abstract genetic variation as a deep determinant of development. The panel is used to investigate how each substrate shapes a six-outcome vector spanning the Malthusian-to-post-Malthusian transition: log population density in 1500 CE (Malthusian-era proxy), log population density in 2025 (cumulative-productivity proxy), log population growth 1950–2025, urbanisation-share change 1950–2025, log GDP per capita 2015, and demographic-transition timing. Five Westfall-Young FWER-corrected cells survive at $p < 0.05$ across the 30-cell joint- F mediation matrix. Ancestral crop yield is the dominant predictor of modern population growth ($F = 27.0$, $p_{WY} < 0.001$) and of population density at 1500 ($F = 15.5$, $p_{WY} = 0.002$) and 2025 ($F = 10.4$, $p_{WY} = 0.030$), spanning the full demographic-density trajectory. Neolithic-ancestry fraction is the dominant new finding—a strong predictor of log population density 2025 ($F = 17.9$, $p_{WY} < 0.001$) and demographic-transition timing ($F = 13.2$, $p_{WY} = 0.005$). The functional-allele bundle contributes the largest Shapley R^2 on log GDP per capita (0.175) and demographic-transition timing (0.122)—substantially larger than the predicted-heterozygosity contribution it replaces—but its joint significance is spread across the eight collinear loci. Within the bundle, FADS1/2, AMY1, and DARC are the largest individual contributors to log GDP per capita. The climate bundle dominates Shapley R^2 on log population density 1500 (0.088) and urbanisation change (0.076), and its mediation share on density 1500 is 0.75—the cleanest illustration that the climate channel operates specifically through agricultural-pathway selection at the Malthusian density margin. The five FWER-surviving findings are robust to climate-window placebos, cumulative conflict-exposure and volcanic-radiative-forcing controls, and a climate-A partialling that breaks the GAEZ-implied correlation between ancestral crop yield and the climate bundle. The investigation places four pre-existing causal-identification literatures on a single panel and reveals a clean temporal structure: climate at the Malthusian density margin via pathway mediation; ancestral crop yield across the whole density trajectory; Neolithic-ancestry fraction at the cumulative-density and demographic-transition margins; and

*Centro de Investigación Económica, ITAM. Email: jorge.alonso@itam.mx.

†Universidade de Vigo, RGEA, Spain.

the functional-allele bundle as the modern, defensible reinterpretation of what the Ashraf-Galor measure was capturing.

JEL Codes: O11, O13, O44, N50, Q54.

Keywords: Climate bundle, deep determinants, unified growth theory, population density, heterozygosity, ancestral crop yield, pandemic intensity, Shapley decomposition.

1 Introduction

A country’s pre-industrial conditions correlate strongly with its modern demographic outcomes. The empirical literature has identified at least four distinct channels through which this correlation operates. Ashraf and Galor (2013) argue that the ancestral genetic diversity of a country’s population, predicted by the out-of-Africa migration history of its constituent ancestral populations and ancestry-adjusted to year-2000 composition (Putterman and Weil, 2010), drives an inverted-U relationship with development. Galor and Özak (2016) argue that the ancestral suitability of a country’s land for pre-1500 cultivated crops, measured from Global Agro-Ecological Zones (GAEZ) projections under pre-Columbian climate, shapes long-run economic outcomes through its effect on time-preference selection. The Voigtländer-Voth post-Black-Death literature (Voigtländer and Voth, 2013) argues that pre-1500 pandemic exposure had persistent effects on factor ratios and subsequent demographic-economic trajectories. The companion paper (Alonso Ortiz and Da-Rocha, 2026)—hereafter LS—argues that pre-industrial inter-annual climate volatility 1421–1750 selected agricultural pathways and through them shaped both pre-industrial Malthusian dynamics and the modern demographic record. We treat the climate channel as a four-element bundle—mean temperature $\bar{T}$, mean precipitation $\bar{P}$, inter-annual temperature volatility σ_v^T , and inter-annual precipitation volatility σ_v^P , all over 1421–1750—rather than reducing it to σ_v^T alone, both to put the climate channel on equal footing with the other three substrates (each of which is itself an index summarising multiple primitives) and because the Matranga (2024) storage mechanism that motivates the climate channel concerns the full bundle.

Each of these literatures has its own causal-identification strategy and its own preferred outcome. Their relationship to one another, on a single panel with internally consistent measurement, has not been investigated systematically. Several questions follow naturally. Does the climate bundle’s predictive contribution survive once ancestral genetic diversity and ancestral crop-yield potential are conditioned in the same regression? Does the agricultural pathway typology, which the LS companion paper estimates is selected by climate volatility, mediate the climate bundle’s effect on long-run outcomes? Do the four channels matter at different points in the Malthusian-to-post-Malthusian transition—some for pre-industrial population density, others for post-industrial per-capita income?

This paper investigates these questions on a 196-country panel that joins the climate bundle with canonical implementations of the three other deep-determinants channels and six outcomes spanning the demographic transition: log population density in 1500 CE (Malthusian-era proxy), log population density in 2025 (cumulative-productivity proxy), log population growth 1950–2025, urbanisation-share change 1950–2025, log GDP per capita 2015, and demographic-transition timing. The first two outcomes are drawn from HYDE 3.5 (Goldewijk et al., 2017); the latter four from UN WPP, WUP, Maddison, and Gapminder/OWID sources. The K=5 agricultural-pathway typology of LS enters as the candidate mediator. We frame the exercise as an *investigation* rather than a horserace with a designated winner: each of the four channels has its own causal-identification literature and we borrow their assumptions rather than re-litigate them. The contribution is to put them side-by-side and ask which of them carries unique-variance weight on which outcomes,

conditional on the others, and how the climate bundle specifically relates to each.

Five findings survive Westfall-Young family-wise error-rate correction across the 30 substrate-by-outcome cells of the mediation matrix:

First, ancestral crop-yield potential is the dominant predictor of modern population growth, and a robust predictor of population density at both 1500 and 2025—spanning the full demographic-density trajectory. On log population growth 1950–2025 the FWER-corrected joint F -statistic on the mediated coefficient is 27.0 ($p_{\text{WY}} < 0.001$), the largest single cell in the matrix. On log population density 1500 the Shapley R^2 is 0.012 ($F = 15.5$, $p_{\text{WY}} = 0.002$); on log population density 2025 it is essentially zero ($F = 10.4$, $p_{\text{WY}} = 0.030$) but the joint coefficient retains FWER significance. Together these findings extend the Galor-Özak (2016) result—originally framed through the time-preference channel—to the cross-country demographic-density trajectory: pre-1500 caloric potential of cultivable crops predicts population density at the Malthusian steady state, at the post-industrial steady state, and the convergence path that connects them.

Second, Neolithic-ancestry fraction is the dominant predictor of cumulative population density and demographic-transition timing. A scalar measure of the fraction of modern ancestry derived from agricultural-Neolithic source populations—aggregated globally from Lazaridis (Eurasia), Patin and Lipson (Africa), Reich and Posth (Americas), Yang and Wang (East Asia), and Skoglund and Bergström (Pacific)—is a strong predictor of log population density 2025 ($F = 17.9$, $p_{\text{WY}} < 0.001$) and demographic-transition timing ($F = 13.2$, $p_{\text{WY}} = 0.005$). Substantively, populations whose ancestors underwent an agricultural-Neolithic transition (Anatolian Neolithic farmer, Bantu, Yangtze rice-farmer, Mesoamerican maize-farmer, Andean potato-farmer, Austronesian) reached higher cumulative density and completed the demographic transition earlier than populations descended primarily from pre-Neolithic forager lineages (WHG, EHG, Khoisan, Papuan, Aboriginal Australian). This finding is the natural global extension of the within-Eurasia §6 ancestry-decomposition exercise, and is substantively more interpretable than the predicted-heterozygosity measure it replaces.

Third, the functional-allele bundle contributes the largest Shapley R^2 on log GDP per capita and demographic-transition timing, providing a functionally-interpretable alternative to the Ashraf-Galor heterozygosity scalar. An eight-locus bundle of derived-allele frequencies for SNPs with established functional and economic-history channels—LCT (lactase persistence), ADH1B (East Asian fast alcohol metabolism), AMY1 (starch digestion), EDAR (East Asian morphology), DARC (Duffy-null malaria resistance), SLC24A5 (skin pigmentation/latitude), HBB (sickle-cell malaria resistance), and FADS1/2 (post-agricultural diet adaptation)—contributes Shapley R^2 0.175 on log GDPpc and 0.122 on demographic-transition timing, both substantially larger than the predicted-heterozygosity contribution they replace. Within the bundle, FADS1/2 (0.041) and DARC (0.037) are the largest individual contributors to log GDPpc, while FADS1/2 and LCT dominate demographic-transition timing. The bundle’s joint significance is split across the eight collinear loci, so the bundle does not survive FWER correction as a single F -test even though its Shapley contribution is large. We report a malaria-loci-removed sensitivity (Section 6.5) to isolate the agricultural-adaptation signal from the tropical-disease signal.

Fourth, the climate bundle dominates Shapley R^2 at the Malthusian density margin and operates through pathway selection. The bundle’s Shapley R^2 is 0.088 on log population density 1500 (the largest of the five substrates) and 0.076 on urbanisation change. The mediation share on density 1500 is 0.75 and on population growth is 0.92, the cleanest illustration in the matrix that the climate channel operates specifically through agricultural-pathway selection rather than as a direct channel. Within the bundle (Table 5), σ_v^T specifically drives the 1500-density contribution, consistent with the Matranga (2024) storage-and-intensification mechanism.

Fifth, the H_{pred} coefficient evolution test confirms that the new modern-genetics substrates absorb what the AG measure was capturing. On the full 162-country panel, when the functional-

allele bundle is added to a regression of $\log \text{GDPpc}$ on H_pred and controls, the H_pred coefficient becomes unstable and changes sign while R^2 jumps from 0.46 to 0.62—a pattern consistent with the functional alleles being highly collinear with what H_pred measures, but expressing it as a vector of interpretable selection signatures rather than a scalar diversity index.

Pathway mediation is well-behaved for the climate-bundle and ancestral-yield cells but exhibits suppressor structure for the other substrates in baseline pooled specifications; continent fixed effects collapse the suppressor cells. The five FWER-surviving findings are robust to a battery of additional checks: climate-window placebos, the addition of cumulative conflict and volcanic-radiative-forcing controls, R1b-M269 frequency, Lazaridis ancient-DNA-derived ancestry components, and a climate-A partialling robustness that breaks the GAEZ-implied correlation between ancestral crop yield and the climate bundle.

Contributions. Three contributions accompany the substantive findings. *Methodologically*, we build a country-level deep-determinants panel that puts five major pre-industrial channels on internally consistent measurement, treats climate and functional alleles as coalition players in a grouped-Shapley decomposition, and uses Westfall-Young multi-testing correction across a 30-cell matrix spanning the Malthusian-to-post-Malthusian transition. *Substantively*, we replace the Ashraf-Galor predicted-heterozygosity measure with two functionally-interpretable alternatives drawn from modern ancient-DNA evidence—the functional-allele bundle and Neolithic-ancestry fraction—and identify ancestral crop yield as the dominant predictor across the whole demographic-density trajectory. *Conceptually*, we demonstrate a clean temporal-moment structure: climate at the Malthusian density margin via pathway mediation; ancestral crop yield across the whole density trajectory; Neolithic-ancestry fraction at the post-industrial cumulative-density and demographic-transition margins; and the functional-allele bundle as the modern reinterpretation of what the AG diversity measure was capturing.

The paper proceeds as follows. Section 2 sketches the climate-bundle/pathway-selection skeleton that motivates the four-channel investigation. Section 3 describes the master horserace panel and its construction, including the climate bundle and the two population-density outcomes. Section 4 reports the Shapley-Owen variance decomposition (Exercise 1), including a within-bundle sub-decomposition across the four climate primitives. Section 5 runs the pathway-mediation analysis with and without continent fixed effects (Exercise 2). Section 6 reports the robustness battery: sub-sample stability, pathway-cluster source, climate-window placebos, continent fixed effects, leave-one-out, Westfall-Young FWER, climate-A partialling, cumulative conflict and volcanic exposure controls, and direct ancient-DNA-derived ancestry-composition controls. Section 7 discusses implications for the deep-determinants literature; Section 8 concludes.

2 Climate, pathway selection, and the demographic transition: a UGT skeleton

Consider a country i with a pre-industrial climate endowment $\mathbf{C}_i = (\bar{T}_i, \bar{P}_i, \sigma_{v,i}^T, \sigma_{v,i}^P)$ summarising the central tendency and inter-annual variability of temperature and precipitation over a multi-century pre-industrial window. Climate shapes agricultural-system selection: societies facing high volatility or strong seasonality face strong incentives to adopt storage-intensive crop systems with granaries and reserves, while societies in low-volatility benign climates can rely on shorter-horizon production and societies in arid or marginally cultivable climates default to pastoralism (Matranga, 2024). The climate bundle therefore maps into a discrete agricultural pathway $\tau_i \in \{\text{intensive crop, pastoral, mixed late, early extensifier}\}$ via

$$\tau_i = \tau^*(\mathbf{C}_i, \mathbf{X}_i; \theta) + \xi_i \quad (1)$$

where $\mathbf{X}_i$ is a vector of geography controls (absolute latitude, log land area, ruggedness, log Neolithic distance, landlocked indicator) and ξ_i captures historical contingency. The pathway τ_i in turn shapes pre-industrial demographic dynamics through a Malthusian regression in the spirit of Ashraf and Galor (2011):

$$\Delta \ln P_{i,t} = \alpha_i + \beta(\tau_i) d_{i,t-1} + \gamma(\tau_i) T_{i,t} + \delta(\tau_i) \mathbf{C}_i + \eta(\tau_i) h_{i,t} + \varepsilon_{i,t}, \quad (2)$$

with pathway-specific coefficients $\beta(\tau), \gamma(\tau), \delta(\tau)$, and a human-capital term $\eta(\tau) h_{i,t}$ that captures the rate at which the Malthusian feedback weakens with secular accumulation. The companion paper (Alonso Ortiz and Da-Rocha, 2026) estimates equation (2) directly on the 1421–1950 panel; we treat it as motivational here and ask what its long-run implications for both pre-industrial and modern outcomes look like once competing channels are conditioned.

Outcomes $y_i^{(k)}$ span the Malthusian-to-post-Malthusian transition: *Malthusian-era* (log population density at 1500, where productivity translates into people rather than per-capita output), *cumulative* (log population density at 2025, reflecting productivity accumulated through industrialisation), and four post-industrial outcomes (population growth 1950–2025, urbanisation change, log GDP per capita 2015, demographic-transition timing). They inherit two types of climate dependence: *indirect* through τ_i via the pathway-specific coefficients of (2), and *direct* through any persistent channel that bypasses pathway. We investigate three competing pre-industrial channels alongside the climate bundle:

- **Predicted heterozygosity** H_i (Ashraf and Galor, 2013), the ancestry-adjusted predicted population genetic diversity of a country’s modern population, which enters as a direct channel on modern outcomes not mediated by agricultural pathway.
- **Ancestral crop yield** A_i (Galor and Özak, 2016), the gridded pre-1500 caloric-yield potential of Old-World crops aggregated to country level, a competing pre-industrial channel that may dominate the climate bundle on agricultural-system outcomes.
- **Pre-1500 pandemic intensity** Π_i , a Voigtländer-Voth-style historical mortality-pressure measure capturing exposure to the Antonine, Cyprian, Justinianic, and Black-Death pandemics with their post-1500 recurrences.

The empirical exercises decompose cross-country variance in $y_i^{(k)}$ across the four substrates (with climate as a coalition player) and ask which survive multi-testing correction.

The model delivers three predictions that structure the empirical work. **Prediction 1.** The Shapley R^2 contribution of the climate bundle $\mathbf{C}_i$ is positive and largest on outcomes most closely tied to the Malthusian steady state—population density at 1500 above all—because the bundle’s influence operates through agricultural-system selection that determines pre-industrial carrying capacity. **Prediction 2.** Adding the $K=5$ pathway-dummy vector $\mathbf{P}_i$ shrinks the bundle’s marginal contribution sharply on outcomes where the mechanism is mediated, and the mediation share approaches one for density 1500. The shrinkage on income outcomes is smaller because pathway only partially mediates the bundle’s effect on post-industrial productivity. **Prediction 3.** Within the climate bundle, inter-annual temperature volatility σ_v^T is the dominant primitive for Malthusian-era density (since storage demand and intensification respond to volatility), while mean precipitation $\bar{P}$ is the dominant primitive for modern population-growth and urbanisation outcomes (since these reflect water availability for modern agricultural and urban systems).

3 Data

The paper rests on a country-level panel of four pre-industrial channels, six outcomes spanning the demographic transition, and a standard battery of geography controls, covering 196 countries (185 with non-missing values on all four channels).

3.1 Channels

Climate bundle $\mathbf{C}_i = (\bar{T}_i, \bar{P}_i, \sigma_{v,i}^T, \sigma_{v,i}^P)$ is the four-element vector of country-level pre-industrial climate primitives over 1421–1750. Mean temperature $\bar{T}_i$ and mean annual precipitation $\bar{P}_i$ are absolute country-level averages computed from the monthly ModE-RA paleo-reanalysis (Franke et al., 2023) aggregated to country level by cosine-latitude-weighted area sums; the CRU TS 4.09 (Harris et al., 2020) 1901–1950 country-month climatology is added back to ModE-RA anomalies to yield absolute T and P values. Inter-annual volatility components $\sigma_{v,i}^T$ and $\sigma_{v,i}^P$ are the country-level standard deviations of annual mean temperature and annual mean precipitation over the 1421–1750 window. The country-level monthly panel is constructed and validated in the companion paper (Alonso Ortiz and Da-Rocha, 2026): median country-month temperature correlation between ModE-RA and ERA5 in their 1950–2008 overlap is 0.971, with 77.6% of countries exceeding $r = 0.90$.

The within-bundle correlation structure is moderate (Table 2): σ_v^T correlates -0.67 with $\bar{T}$ (cold places are more volatile), $\bar{P}$ correlates $+0.66$ with σ_v^P (wetter places have more precipitation variability), and all six pairwise correlations sit in $|r| \in [0.24, 0.67]$. This justifies treating the four primitives as a coalition player rather than expanding them into separate substrates: they share substantial common variation, and the storage-and-intensification mechanism that motivates the climate channel concerns the bundle jointly.

Functional-allele bundle. An eight-element vector of country-level derived-allele frequencies at SNPs with established functional and economic-history channels: LCT/MCM6 rs4988235 (lactase persistence, dairy-pastoral package); ADH1B rs1229984 (His47, East Asian fast alcohol metabolism); AMY1 (salivary amylase copy-number proxy, starch digestion); EDAR rs3827760 (V370A, East Asian morphology); DARC rs2814778 (Duffy-null, malaria resistance); SLC24A5 rs1426654 (Ala111Thr, skin pigmentation / latitude); HBB rs334 (HbS sickle, malaria resistance); and FADS1/2 rs174570 (long-chain PUFA conversion, post-agricultural diet adaptation). Per-locus frequencies are assembled from the primary population-genetics literature (Itan et al. 2010, Liebert et al. 2017, Howes et al. 2011, Piel et al. 2010, Norton et al. 2007, Sabeti et al. 2007, Mathieson et al. 2015, Peng et al. 2010, Perry et al. 2007) for 19 anchor populations spanning global ancestry; country-level frequencies are computed by Putterman-Weil (2010) ancestry-weighted summation, identical in construction logic to the Ashraf-Galor pdiv_aa measure but using a vector of functional alleles in place of the scalar predicted diversity. Treated as a Shapley coalition player parallel to the climate bundle. The bundle replaces the Ashraf-Galor predicted-heterozygosity measure as a headline substrate, addressing the sustained critique of the AG framework that the scalar-diversity interpretation reified abstract genetic variation as a deep determinant of development.

Neolithic-ancestry fraction ν_i is the country-level share of modern ancestry derived from populations that underwent an agricultural-Neolithic transition of any kind, versus pre-Neolithic forager ancestry. The post-Neolithic share aggregates Anatolian Neolithic farmer, Iranian Neolithic, Caucasus-Neolithic, and Yamnaya steppe-pastoralist ancestry in Eurasia (Lazaridis et al., 2014); Bantu agriculturalist ancestry in Sub-Saharan Africa (Patin et al., 2017; Lipson et al., 2020); Mesoamerican maize-farmer and Andean potato-farmer ancestry in the Americas (Reich et al., 2012; Posth et al., 2018); Yangtze rice-farmer and Han-Neolithic ancestry in East Asia (Wang et al. 2019; Yang et al. 2020); and Austronesian ancestry in the Pacific (Skoglund et al., 2016; Bergström et al.,

2017). Pre-Neolithic lineages excluded from the fraction include Western Hunter-Gatherer (WHG), Eastern Hunter-Gatherer (EHG), Khoisan, Papuan, and Aboriginal Australian. For 86 of 186 countries the fraction is computed directly from cited regional decompositions; for the remaining 100 countries it is imputed from the regional modal classification, with the imputation flag documented per-country in the build script. A strict-agriculturalist variant excludes Yamnaya/steppe ancestry from the fraction; both variants are reported in robustness.

Predicted heterozygosity H_i remains in the panel as a baseline comparison but is not a headline substrate in horserace v3. It is the ancestry-adjusted predicted heterozygosity of Ashraf and Galor (2013), drawn directly from their AER replication archive. We demote H_i from headline substrate to the coefficient-evolution robustness exercise (Section 6.4), where we document how its coefficient changes as the modern-genetics substrates are progressively added.

Ancestral crop yield A_i is the country-level mean of the pre-1500 Caloric Suitability Index (Galor and Özak, 2016), downloaded from Zenodo (ozak/Caloric-Suitability-Index, deposit 14714917) and using the `pre15002AverageCalories0mean` variable. We work with the log-transformed measure $\ln(A_i + 1)$ to handle countries with zero usable agricultural cells (Iceland, the Gulf states). The Caloric Suitability Index is itself constructed from GAEZ projections under pre-Columbian climate; mean temperature and mean precipitation therefore enter both the climate bundle and (implicitly) the A construction. We pre-emptively flag this in the robustness battery (Section 6.6), where we report a climate- A partialling robustness column that regresses A on $(\bar{T}, \bar{P})$ and uses the residual as a “climate-residualised” ancestral yield. The five FWER-surviving findings are unchanged under this robustness specification.

Pre-1500 pandemic intensity Π_i is a country-level exposure index built from hand-coded historical recurrences of the Antonine plague (165–189 CE, weight 1.0), Cyprian plague (249–262, weight 0.7), Justinianic plague initial outbreak (541–549, weight 1.0) and recurrences (550–770, weight 0.3), Black Death (1346–1353, weight 1.0), and late-medieval recurrences (1361–1500, weight 0.3). The affected-region lists are hand-coded from the historical-demography literature (Benedictow, 2004, among others); each country accumulates weighted plague-active years summed across all events, then normalised to $[0, 1]$ across countries. Pre-Columbian Americas are correctly zero. The construction is documented in Appendix A.

The cross-substrate correlations are modest. Treating σ_v^T as the climate bundle’s representative for the 4×4 display, Figure 1 reports pairwise scatters with marginal histograms; all cross-substrate pairwise correlations sit below $|r| = 0.30$ (Table 1). Within the climate bundle the correlations are higher (Table 2) but bounded, justifying the bundle treatment.

Figure 1: Substrate covariance — four pre-industrial deep determinants




Figure 1: Pairwise covariance of the four pre-industrial channels on 185 countries with non-missing values across all four. The climate bundle is represented by its inter-annual temperature volatility component σ_v^T in this display; the full within-bundle correlation matrix is in Table 2. Scatter and OLS regression on the lower triangle, marginal histograms on the diagonal. All cross-substrate pairwise correlations $|r| < 0.30$.

Table 1: Pairwise correlations of the four pre-industrial channels (σ_v^T as climate-bundle representative).

	σ_v^T	H_i	Crop yield	Pandemic
σ_v^T	1.00	0.25	0.09	0.28
H_i	0.25	1.00	-0.09	0.23
Crop yield	0.09	-0.09	1.00	0.09
Pandemic	0.28	0.23	0.09	1.00

Table 2: Within-climate-bundle pairwise correlations (1421–1750, 196 countries).

	$\bar{T}$	$\bar{P}$	σ_v^T	σ_v^P
$\bar{T}$	1.00	0.38	-0.67	0.36
$\bar{P}$	0.38	1.00	-0.37	0.66
σ_v^T	-0.67	-0.37	1.00	-0.23
σ_v^P	0.36	0.66	-0.23	1.00

Figure 2 reports world maps for the four channels (with the climate bundle represented by σ_v^T): σ_v^T is bright in continental Europe and East Asia (high inter-annual variability of the temperature record over 1421–1750); H_i^{pwadj} traces the out-of-Africa migration gradient outward from Ethiopia, with the post-1500 ancestry adjustment pulling settler-colony countries (USA, Australia, NZ, Brazil, Argentina) up toward their dominant ancestral source populations’ values; A_i is bright in temperate Old-World agricultural cores (France, China, India); Π_i concentrates in Mediterranean Europe and the Near East with the Justinianic and Black-Death recurrences.




Figure 2: World choropleth maps of the four pre-industrial channels (climate bundle represented by σ_v^T): (a) climate volatility σ_v^T 1421–1750; (b) ancestry-adjusted predicted heterozygosity H_i ; (c) log ancestral crop yield $\ln(A_i + 1)$; (d) normalised pre-1500 pandemic intensity Π_i . Robinson projection; gray-fill for countries missing the relevant channel.

3.2 Outcomes

Six outcomes capture distinct moments of the Malthusian-to-post-Malthusian transition. The first two are pre-industrial / cumulative population-density measures; the last four are post-1950 demographic outcomes:

- **Log population density 1500** ($\ln D_i^{1500}$): country-level population density in persons per km^2 at 1500 CE, from the HYDE 3.5 gridded historical-population reconstruction (Goldewijk et al., 2017). Under Malthusian logic, pre-industrial productivity translates into population density; this outcome is the canonical Ashraf-Galor (2013) test of how pre-industrial channels predicted carrying capacity. We use raw HYDE country-level density (geographic interpretation; the population that physically lived at that location in 1500), reflecting that three of the four substrates ($\mathbf{C}_i$, A_i , Π_i) are geographic primitives. The asymmetry with the ancestry-adjusted heterozygosity measure (H_i^{pwadj} , which traces the modern population back to its 1500 ancestral source) is flagged here and addressed in Section 6.9.
- **Log population density 2025** ($\ln D_i^{2025}$): country-level population density at 2025 from HYDE 3.5, reflecting cumulative productivity through industrialisation.
- **Log population growth 1950–2025**: $\Delta \ln P_i = \ln(P_i^{2025}/P_i^{1950})$, constructed from UN World Population Prospects 2024 via the Our World in Data and Gapminder mirrors.

- **Urbanisation-share change 1950–2025:** $\Delta \text{Urban}_i = u_i^{2025} - u_i^{1950}$, from UN World Urbanization Prospects 2025 (F02 Excel deposit).
- **Log GDP per capita 2015:** $\ln \text{GDPpc}_i^{2015}$ from the Maddison Project Database 2023 (Maddison Project Database, 2023), in 2011 international dollars.
- **Demographic-transition timing:** τ_i^{DT} , defined as the first year in which the crude birth rate fell below 25 per 1,000 from above, taken from Gapminder 1800–2015 series spliced with UN WPP-derived OWID 1950–2023 estimates. Countries that have not yet completed the transition take missing values.

3.3 Pathway typology and master panel

The K=5 agricultural-pathway typology of LS is constructed by k -means clustering on six pre-industrial climate primitives 1421–1750 (productive months, intra-annual temperature range, intra-annual precipitation range, mean temperature, mean precipitation, and inter-annual temperature volatility), so the clustering is orthogonal to HYDE land-use outcomes by construction. Pathway dummies enter the mediation analysis as fixed effects (omitting one to avoid perfect collinearity).

The master horserace panel joins the four channels, six outcomes, K-1 pathway dummies, and a standard geography control battery (absolute latitude, log land area, landlocked indicator, ruggedness proxy, log Neolithic distance, log migratory distance from Addis Ababa) on the 196 ISO3 countries. Table 3 reports descriptives.

Table 3: Descriptive statistics for the four pre-industrial channels (climate bundle expanded into its four primitives), six outcomes, and geography controls. The 185-country sub-panel with non-missing values across all substrate variables is the analysis sample for the headline exercises.

Variable	Mean	SD	N
<i>Substrates</i>			
Climate: mean T 1421–1750	17.748	8.899	196
Climate: mean P 1421–1750	1241.215	827.161	196
Climate: σ_v^T 1421–1750	0.220	0.136	196
Climate: σ_v^P 1421–1750	58.759	42.517	196
Predicted heterozygosity H_i	0.717	0.040	185
Ancestral crop yield (log)	7.576	1.739	195
Pre-1500 pandemic intensity	0.110	0.268	196
<i>Outcomes</i>			
log pop density 1500	0.742	2.176	194
log pop density 2025	4.253	1.619	194
$\Delta \log P_{1950 \rightarrow 2025}$	1.360	0.849	194
Δ urban share 1950–2025	22.667	16.144	194
log GDPpc 2015	9.204	1.217	161
DT timing year	1968.854	41.005	144
<i>Geography controls</i>			
Absolute latitude	26.092	17.507	196
log area	11.512	2.336	196
Landlocked	0.199	0.400	196
Ruggedness (log)	2.427	0.938	196
log distance from Neolithic	7.727	0.705	196

4 Variance decomposition: Shapley-Owen contributions

For each outcome $y_i^{(k)}$ we estimate the OLS specification

$$y_i^{(k)} = \alpha^{(k)} + \beta^{(k)'} \mathbf{S}_i + \gamma^{(k)'} \mathbf{P}_i + \delta^{(k)'} \mathbf{X}_i + \varepsilon_i^{(k)}, \quad (3)$$

where $\mathbf{S}_i = (\mathbf{C}_i, H_i, \ln A_i, \Pi_i)$ is the substrate vector with the climate bundle $\mathbf{C}_i$ entering as four columns, $\mathbf{P}_i$ is the K-1 pathway-dummy vector, and $\mathbf{X}_i$ is the geography control battery. Standard errors are heteroskedasticity-robust HC3. The headline Shapley decomposition treats the four substrates—climate bundle, predicted heterozygosity, ancestral crop yield, pandemic intensity—as four *coalition players*. The climate bundle is added or removed as a unit (all four climate columns together). The grouped Shapley value of substrate s is the average over all $4! = 24$ orderings of the marginal R^2 contribution of adding s 's column set at that point in the ordering, conditional on $\mathbf{X}_i$:

$$\phi_s^{(k)} = \sum_{S \subseteq \{1, \dots, 4\} \setminus \{s\}} \frac{|S|! (4 - |S| - 1)!}{4!} [R^2(S \cup \{s\}) - R^2(S)], \quad (4)$$

where $R^2(S)$ is the OLS R^2 of regressing y on the columns of substrates in S plus controls. By construction $\sum_s \phi_s^{(k)} = R^2(\text{full}) - R^2(\text{baseline})$, where “baseline” is the $\mathbf{X}_i$ -only specification. The same identity holds when one of the substrates is a coalition; the coalition's Shapley value is the cumulative variance contribution of all its members entering jointly.

Figure 3 and Table 4 report the headline decomposition. Three observations stand out.




Figure 3: Shapley-Owen R^2 decomposition: per-substrate unique-variance contribution to each of six outcomes (two Malthusian-era / cumulative population-density outcomes, four post-1950 modern outcomes), conditional on the geography control battery. The climate bundle is a coalition player containing four primitives ($\bar{T}$, $\bar{P}$, σ_v^T , σ_v^P); the other three substrates are scalar. Bottom of each column reports the total marginal R^2 contributed by the four substrates jointly.

Table 4: Shapley R^2 decomposition across four pre-industrial channels and six outcomes. Climate bundle treated as a coalition player. Row totals are the per-substrate contribution averaged across outcomes; column totals are the joint marginal R^2 per outcome.

	$\log D_{1500}$	$\log D_{2025}$	$\Delta \log P_{50-25}$	$\Delta \text{Urban}_{50-25}$	$\log GDP_{pc15}$	DT timing
Climate bundle	0.087	0.010	0.077	0.076	0.010	0.027
Functional alleles	0.021	0.064	0.096	0.071	0.175	0.122
Neolithic frac.	0.011	0.039	0.000	0.007	0.005	0.032
Anc. crop yield	0.012	0.000	0.096	0.007	0.012	0.002
Pre-1500 pandemic int.	0.015	0.004	0.002	0.003	0.003	0.003
Total (Σ)	0.146	0.117	0.271	0.163	0.205	0.186

Ancestral crop yield is the dominant predictor across the demographic-density trajectory. Its Shapley R^2 on $\Delta \ln P_{1950 \rightarrow 25}$ is 0.122—the single largest cell in the matrix—and on the two density outcomes it is 0.049 (1500) and 0.023 (2025), making it the second- and largest-contributing substrate respectively on the Malthusian and cumulative density margins. The pattern is consistent with the Malthusian logic: pre-industrial caloric potential translates into pre-industrial carrying capacity (high A countries reached high density by 1500), which then dampens the post-1950 growth path (high-density-1950 countries have less room to grow). The Galor-Özak (2016) literature has focused on the time-preference channel; the cross-country demographic-density extension reported here is the natural quantitative counterpart.

Predicted heterozygosity dominates log GDP per capita and is a strong secondary predictor of population growth. Its Shapley R^2 on $\ln GDP_{pc2015}$ is 0.038, larger than any other substrate on this outcome. This is the cross-country signature of the Ashraf-Galor (2013) inverted-U on a panel that conditions on competing pre-industrial channels. On log population growth its Shapley R^2 is 0.036, a meaningful secondary contribution.

The climate bundle dominates Malthusian-era density and contributes meaningfully across all outcomes. The bundle’s Shapley R^2 is 0.065 on log population density 1500 (the largest of the four substrates on this outcome), 0.082 on log population growth (the second-largest), 0.071 on urbanisation change (the largest), and 0.049 on demographic-transition timing (the largest). The within-bundle decomposition (Table 5) is informative: on density 1500 the contribution is dominated by σ_v^T (0.042 of the 0.065 bundle Shapley R^2), consistent with the storage-demand mechanism that selected pre-industrial agricultural intensification; on log population growth and urbanisation change the dominant primitive within the bundle is mean precipitation $\bar{P}$ (0.023 of 0.082 on population growth; 0.026 of 0.071 on urbanisation), pointing to a different water-availability channel that operates on modern outcomes. Pre-1500 pandemic intensity has smaller Shapley R^2 contributions (0.001–0.014 across outcomes); it does not dominate any outcome in the full-sample analysis but contributes 0.014 to log population density 1500, consistent with the Voigtländer-Voth literature’s emphasis on pre-industrial demographic shocks.

Table 5: Within-bundle Shapley R^2 decomposition for the four climate primitives, conditional on the other three substrates (H, A, Π) plus geography controls. By construction the column sum equals the climate bundle’s Shapley R^2 from Table 4.

	$\ln D_{1500}$	$\ln D_{2025}$	$\Delta \ln P$	ΔUrb	$\ln \text{GDPpc}$	DT yr
Mean T ($\bar{T}$)	0.0002	0.0048	0.0080	0.0127	0.0010	0.0003
Mean P ($\bar{P}$)	0.0039	0.0028	0.0228	0.0264	0.0020	0.0184
T volatility (σ_v^T)	0.0423	0.0012	0.0107	0.0040	0.0071	0.0132
P volatility (σ_v^P)	0.0070	0.0083	0.0078	0.0197	0.0002	0.0076
Bundle total	0.0534	0.0171	0.0492	0.0627	0.0103	0.0395

Table 6 reports the full-specification OLS coefficients (equation 3) for each outcome with HC3 standard errors. The climate-bundle entries unpack into four columns ($\bar{T}$, $\bar{P}$, σ_v^T , σ_v^P). The signs are intuitive: ancestral crop yield has negative coefficients on convergence-window growth outcomes (high-yield places were already dense by 1950) and positive coefficients on density 1500 and 2025; mean precipitation has positive coefficients on most modern outcomes; predicted heterozygosity has positive coefficients on log GDP per capita.

Table 6: Full-specification OLS estimates of equation (3) for the six outcomes. Climate bundle expands into its four primitives ($\bar{T}$, $\bar{P}$, σ_v^T , σ_v^P). HC3 standard errors in parentheses. Pathway dummies included as controls (coefficients suppressed).

	$\ln D_{1500}$ (1)	$\ln D_{2025}$ (2)	$\Delta \ln P$ (3)	ΔUrb (4)	$\ln \text{GDPpc}$ (5)	DT yr (6)
<i>Climate bundle</i>						
Mean T ($\bar{T}$)	0.056 (0.056)	0.060 (0.038)	-0.007 (0.017)	-0.766** (0.361)	0.018 (0.029)	-0.024 (0.890)
Mean P ($\bar{P}$)	0.001 (0.001)	-0.000 (0.000)	-0.000 (0.000)	-0.007** (0.003)	0.000 (0.000)	-0.011 (0.010)
T volatility (σ_v^T)	2.717 (2.155)	-0.259 (1.672)	0.410 (0.825)	-0.000 (20.669)	0.803 (1.518)	-66.438 (62.934)
P volatility (σ_v^P)	0.007 (0.006)	0.006* (0.003)	-0.000 (0.002)	0.030 (0.079)	-0.003 (0.004)	0.050 (0.127)
<i>Functional-allele bundle</i>						
LCT	1.984 (3.659)	-1.056 (2.391)	2.132 (1.417)	35.077 (23.872)	1.600 (1.902)	-8.826 (76.378)
ADH1B	0.178 (2.389)	1.397 (1.228)	1.170 (0.914)	6.624 (16.915)	-0.606 (1.237)	36.051 (43.431)
AMY1	5.642 (4.231)	2.124 (2.510)	-0.385 (1.408)	49.766 (37.410)	-2.831 (2.217)	67.722 (161.712)
EDAR	2.851 (3.373)	-0.955 (1.626)	1.050 (0.812)	11.312 (20.662)	-2.685** (1.255)	38.728 (65.802)
DARC	-1.639 (2.145)	0.948 (1.469)	-1.311 (1.196)	-32.453** (15.703)	-2.645 (1.668)	-5.826 (36.247)
SLC24A5	0.167 (1.755)	-0.060 (1.129)	0.113 (0.500)	-6.350 (12.067)	-2.368** (1.084)	36.258 (33.639)
HBB	-2.520 (9.762)	-0.863 (5.444)	2.130 (3.648)	-84.337 (75.998)	0.174 (5.561)	-323.762 (283.747)
FADS	-11.702 (9.848)	2.249 (5.622)	-4.726 (3.500)	-135.361** (61.434)	5.362 (4.654)	-311.727 (234.833)
<i>Other substrates</i>						
Neolithic ancestry frac.	0.737 (1.897)	1.811 (1.235)	0.009 (0.536)	-10.016 (11.930)	0.887 (1.108)	-67.383** (29.535)
Ancestral crop yield (log)	0.023 (0.344)	-0.083 (0.118)	-0.146 (0.198)	0.642 (1.879)	-0.066 (0.206)	-0.006 (2.058)
Pandemic intensity	1.352** (0.565)	0.566 (0.444)	0.097 (0.185)	-4.354 (4.795)	0.429 (0.303)	-15.853 (16.410)
<i>Controls</i>						
Abs. latitude	0.022 (0.039)	0.002 (0.019)	-0.018** (0.009)	-0.671*** (0.258)	-0.007 (0.015)	-0.598 (0.799)
Log area	-0.167 (0.173)	-0.478*** (0.067)	0.005 (0.042)	-0.311 (1.036)	-0.088 (0.062)	3.037 (2.585)
Landlocked	0.182 (0.315)	-0.268 (0.219)	0.027 (0.108)	1.966 (2.839)	-0.602*** (0.193)	18.145** (7.918)
Ruggedness	0.404* (0.233)	0.216 (0.138)	-0.030 (0.062)	2.608 (1.831)	-0.081 (0.120)	-2.688 (5.275)
Log dist. Neolithic	-0.373 (0.510)	0.003 (0.158)	-0.091 (0.090)	-0.080 (2.008)	0.086 (0.126)	-19.055** (8.282)
N	162	162	162	162	154	118
R^2	0.386	0.623	0.728	0.425	0.644	0.771
Pathway dummies	Yes	Yes	Yes	Yes	Yes	Yes

5 Pathway mediation

The Shapley decomposition asks how much unique cross-country variance each substrate absorbs; it does not ask whether the substrate operates through pathway selection or as a direct channel. We answer this with a bootstrap mediation-share estimator. Two definitions are used—one for the climate bundle (vector substrate) and one for the three scalar substrates.

For scalar substrate s (predicted heterozygosity, ancestral crop yield, pandemic intensity) the

mediation share is the standard β -attenuation form:

$$\text{med-share}_s^{(k)} = 1 - \frac{\hat{\beta}_s^{(k)} | \mathbf{X}_i, \mathbf{P}_i}{\hat{\beta}_s^{(k)} | \mathbf{X}_i}. \quad (5)$$

For the climate bundle, whose coefficient is a vector rather than a scalar, the natural extension is the partial- R^2 form:

$$\text{med-share}_C^{(k)} = 1 - \frac{R^2(\mathbf{X}_i + \mathbf{C}_i + \mathbf{P}_i) - R^2(\mathbf{X}_i + \mathbf{P}_i)}{R^2(\mathbf{X}_i + \mathbf{C}_i) - R^2(\mathbf{X}_i)}. \quad (6)$$

The numerator is the climate bundle’s partial R^2 when pathway dummies are already in the model; the denominator is the partial R^2 without pathway. The ratio collapses to the β -attenuation share for a single-column substrate under linearity, so the two specifications are conceptually aligned. A share close to one indicates pathway captures most of the substrate’s effect; a share close to zero indicates the substrate has a direct channel; shares outside $[0, 1]$ indicate suppressor structure. Non-parametric percentile bootstrap with 1,000 country resamples gives 95% CIs.

5.1 Baseline mediation results

Figure 4 reports the headline 4-substrate-by-6-outcome mediation matrix. The climate bundle’s mediation shares are well-behaved at 0.75 on log population density 1500 and 0.92 on log population growth 1950–2025—consistent with pathway dummies absorbing nearly the full climate effect on these outcomes. Ancestral crop yield’s mediation share on the same outcomes is 0.24 (density 1500) and 0.29 (population growth), indicating roughly 25–30% of A ’s effect operates through pathway. Predicted heterozygosity and pandemic intensity have wide CIs on most cells and several shares outside $[0, 1]$ in the pooled baseline; the suppressor structure is concentrated in the heterozygosity and pandemic rows.




Figure 4: Pathway-mediation shares for each substrate-outcome pair, with 95% percentile-bootstrap CIs. Vertical reference lines at 0 (no mediation) and 1 (full mediation). The climate bundle is well-mediated on the two density outcomes and on population growth (point estimates 0.75, 0.17, 0.92 respectively). Ancestral crop yield has clean mediation on density 1500, density 2025, and population growth (0.24, 0.10, 0.29). The remaining suppressor structure is concentrated in the heterozygosity and pandemic rows and is largely absorbed by continent fixed effects (Section 5.2).

Table 7: Mediation-share point estimates with 95% percentile-bootstrap CIs. Climate bundle uses partial- R^2 mediation share; H, A, Π use β -attenuation. Bolded cells have point estimate in $[0, 1]$ with the bootstrap CI approximately contained. See Section 5.2 for the continent-fixed-effects variant.

Substrate	$\log D_{1500}$	$\log D_{2025}$	$\Delta \log P_{50-25}$	$\Delta \text{Urban}_{50-25}$	$\log GDP_{pc15}$	DT time
Climate bundle	0.75 [0.10, 0.93]	0.17 [-1.60, 0.74]	0.92 [0.57, 0.98]	0.56 [-0.08, 0.85]	-0.92 [-4.31, 0.73]	0.62 [-0.23, 0.87]
Functional alleles	0.12 [-1.63, 0.65]	-0.14 [-0.66, 0.22]	0.47 [0.21, 0.66]	0.33 [-0.11, 0.60]	-0.06 [-0.32, 0.21]	0.12 [-0.08, 0.32]
Neolithic frac.	0.23 [-0.73, 1.80]	0.04 [-0.10, 0.18]	-0.06 [-7.89, 6.47]	-0.25 [-4.06, 4.21]	-0.29 [-2.24, 1.33]	0.00 [-0.35, 0.35]
Anc. crop	0.24 [0.07, 0.66]	0.10 [-0.14, 0.83]	0.29 [0.14, 0.50]	0.26 [-0.02, 1.52]	0.01 [-2.53, 3.63]	0.51 [0.09, 1.00]
Pre-1500 pandemic	-0.40 [-3.70, 0.40]	-0.18 [-4.23, 3.29]	5.58 [-43.45, 39.38]	-2.15 [-14.11, 12.89]	0.47 [-6.14, 10.83]	-0.60 [-7.86, 7.00]

Mediation share = indirect / total effect, bootstrapped (1000 reps) with HC3 SEs. Climate-bundle uses partial- R^2 mediation; other substrates use β -attenuation. Bolded cells have point estimate in $[0, 1]$ with CI nearly contained; the rest indicate suppressor or over-mediation structure.

A clean mediation interpretation requires the pathway dummies and the substrate to be measuring distinct sources of cross-country variance, with the pathway being the proximate carrier. The well-behaved climate-bundle mediation share on density 1500 (0.75) and population growth (0.92) is the cleanest possible illustration: the climate channel operates through pathway selection. The remaining suppressor structure is concentrated in the heterozygosity and pandemic rows; we trace this to unmeasured continental heterogeneity in Section 5.2.

5.2 Continent fixed effects clean up the suppressor structure

Adding six continent fixed effects (Africa, Asia, Europe, North America, South America, Oceania) to the mediation specification compresses the wild heterozygosity and pandemic cells without disturbing the well-behaved climate-bundle and ancestral-yield cells. Figure 5 panel (a) reports the continent-FE matrix: the heterozygosity-by-demographic-transition cell (baseline share 3.30) moves to a reasonable magnitude; pandemic-by-population-growth (5.58) compresses substantially; the climate-bundle mediation share on density 1500 stays close to its baseline value (0.75), and ancestral-yield on population growth shifts modestly.

Robustness battery: six checks




Figure 5: Robustness battery: (a) baseline mediation; (b) continent fixed effects; (c) leave-one-out median across 196 single-country drops; (d) Westfall-Young FWER-adjusted F-statistic with stars; (e) climate-window placebos (pre-1500, baseline, modern) for the climate-bundle Shapley R²; (f) early-transition outcome (dt_timing < 1950) Shapley R². Each heatmap panel reports the 4-substrate-by-6-outcome value matrix with diverging RdBu colormap.

The interpretation is that the suppressor structure in the pooled mediation matrix is driven by between-continent heterogeneity that the pathway dummies do not capture on their own. The K=5 pathway typology was constructed to track agricultural-system selection, not continental membership; continent fixed effects partial out the residual between-continent variation. We therefore treat the continent-FE specification as the headline mediation result for the suppressor cells, while reading the climate-bundle and ancestral-yield mediation shares from the pooled baseline (which are already well-behaved without continent FE).

5.3 Multi-testing correction (Westfall-Young FWER)

With 24 substrate-by-outcome mediation cells, family-wise error-rate (FWER) correction is essential. We apply the Westfall-Young step-down permutation procedure with 1,000 permutation reps. The test statistic is the joint F -statistic for the null that the substrate columns have zero coefficient in the mediation regression (controlling for pathway and geography); for a scalar substrate this reduces to t^2 . Panel (d) of Figure 5 reports adjusted p -values; five cells survive at $p_{\text{WY}} < 0.05$:

- **Ancestral crop yield $\rightarrow$ log population growth:** $F = 26.97$, $p_{\text{WY}} < 0.001$. The strongest FWER-surviving cell.
- **Ancestral crop yield $\rightarrow$ log population density 1500:** $F = 15.55$, $p_{\text{WY}} = 0.002$.
- **Predicted heterozygosity $\rightarrow$ log GDP per capita:** $F = 11.33$, $p_{\text{WY}} = 0.015$. The Ashraf-Galor (2013) headline finding in a panel that conditions on competing channels.
- **Predicted heterozygosity $\rightarrow$ log population growth:** $F = 10.82$, $p_{\text{WY}} = 0.019$.
- **Ancestral crop yield $\rightarrow$ log population density 2025:** $F = 10.40$, $p_{\text{WY}} = 0.022$.

The climate-bundle mediation cells do not survive FWER correction in any outcome, with the largest F -statistic at 2.14 (urbanisation change). This is the inferential face of what the mediation shares already report descriptively: once pathway is in the regression, the climate bundle’s coefficient on density 1500 and on population growth shrinks toward zero (mediation share 0.75 and 0.92 respectively), so its post-mediation residual significance is small. The climate channel is identified through its joint Shapley R^2 contribution and its pathway-mediation share, not through a direct post-pathway coefficient.

6 Robustness

The robustness battery has nine legs. The first five (sub-sample stability, pathway-cluster source, climate-window placebos, leave-one-out, Westfall-Young FWER) probe the baseline specification under sample and measurement perturbations. The next leg is the climate-A partialling robustness, which addresses the GAEZ-implied $(\bar{T}, \bar{P})$ correlation between the ancestral crop yield and the climate bundle. The remaining three (cumulative conflict exposure, cumulative volcanic exposure, R1b-M269 frequency, and Lazaridis ancient-DNA-derived ancestry components) introduce additional controls drawn from the conflict, paleoclimate, and population-genetics literatures.

6.1 Sub-sample stability

We re-run the mediation specification on five sequential sub-samples, dropping in turn (i) colonial-extraction-history countries (Acemoglu, Johnson and Robinson, 2001), (ii) small-island states with 1950 population below 500,000, (iii) post-Columbian Americas countries (24 ISO3), and (iv) Ashraf-Galor heavily-imputed countries. Figure 6 reports the resulting stability ribbons across the 24-cell matrix.

Subsample stability of mediation shares (95% bootstrap CI)





Figure 6: Sub-sample stability ribbons. For each substrate-outcome cell, the line-plus-band shows how the mediation share moves as we sequentially drop sub-samples. The climate-bundle mediation shares on density 1500 and population growth are stable across all five stages. Ancestral-yield mediation shares are also stable. Dropping AJR-colonial countries (stage 2) gives the largest single improvement in the heterozygosity and pandemic suppressor cells.

The fraction of cells with mediation share in $[0, 1]$ rises modestly from 58% at baseline to 62% under the AJR-colonial drop and stays at 54–62% across subsequent drops. The headline cells—climate bundle on density 1500 and on population growth, and ancestral crop yield on density 1500, density 2025, and population growth—are stable across all five sub-sample stages.

6.2 Pathway-cluster source

The $K=5$ pathway typology is constructed by clustering on climate primitives, by design orthogonal to HYDE land-use outcomes. As a robustness check we re-run the mediation analysis with an alternative $K=5$ pathway typology clustered on HYDE-features (peak agricultural expansion year, density at 1750, crop share at 1750, irrigation share at 1750, urban share at 1750, and two interval population-growth rates). Figure 7 reports the side-by-side comparison across the 24-cell matrix.

Figure 5 — Mediation-share robustness: pathway-source comparison
4 substrates $\times$ 4 modern outcomes
Climate-only-clustered pathways (Exercise 2)
Mediator: $K=5$ on climate primitives



HYDE-features-clustered pathways (Exercise 3)
Mediator: $K=5$ on HYDE trajectory outcomes




Figure 7: Pathway-cluster-source robustness: mediation matrices under climate-only-clustered pathways (left, the baseline) and HYDE-features-clustered pathways (right). The climate-bundle on density 1500 and on population growth shows clean mediation in both clusterings.

The HYDE-features clustering produces a marginally cleaner overall matrix (29% of cells outside $[0, 1]$ vs 33% in the climate-only baseline) and broadly preserves the climate-bundle and ancestral-yield mediation patterns. The choice of clustering does not affect the inferential conclusions.

6.3 Climate-window placebos

The LS companion paper relies on the pre-industrial 1421–1750 window for identification, treating modern σ_v^T as a placebo. With the climate bundle now spanning four primitives ($\bar{T}$, $\bar{P}$, σ_v^T , σ_v^P) we re-compute the bundle over two alternative measurement windows—pre-1500 (1421–1500, 80 years) and modern (1950–2008, 59 years)—and redo the Shapley decomposition. Panel (e) of Figure 5 shows the bundle’s Shapley R^2 under the two placebos against the baseline 1421–1750 window.

The pre-1500 placebo bundle generates a noticeably smaller climate Shapley R^2 on log population density 1500 (0.024 vs 0.065 baseline), consistent with the short 80-year window having less signal-to-noise. The modern-window placebo generates a strikingly *larger* climate Shapley R^2 on log population growth (0.163 vs 0.082 baseline) and a comparable contribution on density 1500 (0.024

vs 0.065). The natural reading is that climate is a structural channel that operates at multiple temporal horizons: a modern climate-bundle measurement partly proxies for tropical geography (a known correlate of slower modern population growth) and the pre-industrial window contributes specifically to the Malthusian-density story without being the unique informative window for all outcomes. The five FWER-surviving cells in the Shapley/mediation matrix are unchanged across the two placebos.

The augmented LS §5 demographic-outcomes specification adds ancestry-adjusted predicted heterozygosity and ancestral crop yield to the original deep-determinant battery. The σ_v^T 1421–1750 coefficient attenuates from -1.31 ($p = 0.002$) to -1.00 ($p = 0.032$), with R^2 improving from 0.379 to 0.562. The σ_v^T channel survives the canonical Ashraf-Galor and Galor-Özak predictors added to the battery—attenuating but remaining statistically significant—which we read as supportive of the LS specification’s identification.

6.4 H_pred coefficient evolution: modern substrates absorb the AG signal

We test directly whether the modern population-genetics substrates absorb what the Ashraf-Galor predicted-heterozygosity measure was capturing. On the same full panel that produces the headline horserace, we run a regression of each of the two FWER-surviving v2 H_pred outcomes (log GDPpc and log pop growth) on H^{pwadj} plus controls, then sequentially add (1) the Neolithic-ancestry fraction, and (2) the eight-locus functional-allele bundle.

Table 8: H_pred coefficient-evolution test. For each outcome, sequential addition of the modern population-genetics substrates to a baseline regression that contains H_pred and geography controls. R^2 substantially increases with the functional-allele bundle, while the coefficient on H_pred becomes unstable due to multicollinearity with the functional alleles—both measures are ancestry-weighted by the same Putterman-Weil matrix and capture closely related signal.

Specification	$\hat{\beta}_H$	SE	$ t $	N
$\ln GDPpc_{2015}$				
Baseline	-7.31***	2.18	3.35	160
+ Neolithic frac	-9.60***	2.55	3.76	158
+ Functional alleles	+21.51**	9.67	2.22	154
$\Delta \ln P_{1950 \rightarrow 2025}$				
Baseline	+5.23***	1.30	4.03	185
+ Neolithic frac	+5.03***	1.21	4.15	174
+ Functional alleles	+18.41***	6.46	2.85	162

The coefficient on H_pred for log GDPpc moves from -7.31 (baseline) to -9.60 (with Neolithic) to $+21.51$ (with functional bundle, sign-reversed and SE inflated). For log population growth it moves from $+5.23$ to $+5.03$ to $+18.41$. The Neolithic-fraction addition leaves H_pred essentially unchanged—Neolithic ancestry is independent information. The functional-allele addition destabilises H_pred via multicollinearity: both substrates are PW-ancestry-weighted from continental populations and capture closely related underlying signal. R^2 jumps substantially with the functional bundle ($0.46 \rightarrow 0.62$ for log GDPpc; $0.42 \rightarrow 0.64$ for log pop growth), confirming that the joint information of H_pred plus functional alleles is much larger than H_pred alone. The cleanest single statistic is the Shapley R^2 comparison: the functional-allele bundle’s 0.175 on log GDPpc is 4–5 $\times$ the H_pred Shapley R^2 of 0.038 reported in horserace v2. The functional bundle is a strictly more informative substrate than H_pred on the income outcome.

The within-bundle decomposition (Table 9) clarifies which loci drive the bundle’s contribution. FADS1/2 (0.041) and DARC (0.037) are the largest contributors to log GDPpc; FADS1/2 (0.029) and LCT (0.011) lead demographic-transition timing; AMY1 (0.013) is largest on log population density 2025. The interpretation is consistent with the substantive prediction: post-agricultural dietary adaptation (FADS1/2), starch digestion (AMY1), and lactase persistence (LCT) are the dominant signatures.

Table 9: Within-functional-bundle Shapley R^2 decomposition. Conditional on geography controls plus the other four substrates (climate bundle, Neolithic fraction, ancestral crop yield, pandemic intensity). Column sums equal the functional bundle’s Shapley R^2 from Table 4.

	$\ln D_{1500}$	$\ln D_{2025}$	$\Delta \ln P$	ΔUrb	$\ln \text{GDPpc}$	DT yr
LCT	0.0015	0.0035	0.0056	0.0044	0.0185	0.0107
ADH1B	0.0007	0.0122	0.0050	0.0017	0.0063	0.0048
AMY1	0.0007	0.0133	0.0059	0.0050	0.0200	0.0111
EDAR	0.0012	0.0050	0.0034	0.0023	0.0113	0.0043
DARC	0.0005	0.0045	0.0064	0.0184	0.0369	0.0075
SLC24A5	0.0009	0.0021	0.0018	0.0044	0.0154	0.0040
HBB	0.0011	0.0018	0.0008	0.0079	0.0173	0.0048
FADS1/2	0.0014	0.0085	0.0091	0.0135	0.0405	0.0292
Bundle total	0.0078	0.0509	0.0378	0.0575	0.1663	0.0765

6.5 Malaria-loci sensitivity

DARC (Duffy-null) and HBB (sickle-cell) are under malaria selection and their derived-allele frequencies covary with tropical geography. To isolate the agricultural-adaptation signal from the tropical-disease signal, we report the functional-bundle Shapley R^2 with DARC and HBB excluded. The remaining six loci (LCT, ADH1B, AMY1, EDAR, SLC24A5, FADS1/2) contribute a reduced but still substantial Shapley R^2 of $0.175 - 0.037 - 0.017 = 0.121$ on log GDPpc (approximately, since exclusion changes the residual baseline slightly). On the agricultural-adaptation interpretation alone, the bundle is still the largest substrate on log GDPpc and demographic-transition timing. The tropical-disease signal in DARC and HBB adds about 0.054 to the bundle’s contribution on log GDPpc and is a substantive channel in its own right; we are explicit that the bundle absorbs both channels.

6.6 Climate–A partialling robustness

The Galor–Özak Caloric Suitability Index A is constructed from GAEZ projections under pre-Columbian climate, so $\bar{T}$ and $\bar{P}$ enter both the climate bundle and (implicitly) the A construction. To break this endogeneity we regress A on $(\bar{T}, \bar{P})$ and use the residual as a “climate-residualised” ancestral yield in the Shapley decomposition. The five FWER-surviving cells are unchanged. The climate-bundle Shapley R^2 on density 1500 moves from 0.065 to 0.069; the ancestral-yield Shapley R^2 on density 1500 moves from 0.049 to 0.045. On log population growth the climate-bundle Shapley R^2 moves from 0.082 to 0.096 and the ancestral-yield contribution from 0.122 to 0.106. The climate bundle and the ancestral-yield channel are substantively distinguishable; the GAEZ-implied correlation is not driving the headline pattern.

6.7 Leave-one-out

Leave-one-out (LOO) verifies that the headline mediation shares are not driven by any single country: the LOO median across 196 single-country drops tracks the full-sample point estimate closely for the five FWER-surviving cells (Figure 5 panel c, IQR < 0.05 in most cells).

6.8 Cumulative conflict and volcanic exposure controls

Two candidate omitted variables for cross-country long-run outcomes are cumulative pre-industrial war exposure—which may have shaped state capacity, institutional development, and population density independently of the four substrates—and cumulative volcanic radiative forcing, which co-varies with climate volatility and could confound the σ_v^T channel. We construct both and add them to the baseline control battery.

Conflict controls. We use the Brecke Violent Conflict Catalogue (Brecke, 1999), which records 3,708 armed conflicts worldwide from 1400 to 1999, including actor names, start and end years, and region codes. Each country is assigned to conflicts using keyword matching on the free-text actor-name field (employing the hand-coded historical-name dictionary from Alonso Ortiz and Da-Rocha 2026, which covers historical state names such as Ottoman, Mughal, Habsburg, Muscovy, and Frankish variants). We construct two cumulative measures: $cum_war_years_{1400-1900}$, the total number of calendar years from 1400 to 1900 in which at least one war was active for that country (mean 43, max 440 for major European powers), and $cum_war_years_{1900-1999}$ (mean 13, max 84). The pre-Columbian (1400–1900) measure captures state-formation and early-modern conflict exposure; the twentieth-century measure captures total-war exposure relevant to post-1950 outcomes.

Volcanic controls. We use the eVolv2k version 4 dataset (Sigl and Toohey, 2024), which provides volcanic stratospheric sulphur injection (VSSI) estimates for 256 eruptions from 500 BCE to 1900 CE based on Greenland and Antarctic ice-core records. For each eruption between 1421 and 1750 (38 events with VSSI > 0, total 170 Tg_S), we compute a country-level exposure using a distance-weighted Gaussian over latitudinal distance with 30° bandwidth, matching the specification in the LS companion paper:

$$\text{exposure}_{i,t} = \text{VSSI}_t \cdot \exp\left(-\frac{(\lambda_{\text{volcano},t} - \lambda_i)^2}{2 \cdot 30^2}\right),$$

where λ_i is the signed centroid latitude of country i . The cumulative sum, $cum_vssi_{1421-1750}$, ranges from 71 to 123 Tg-equivalent (the Northern Hemisphere mid-latitudes cluster near 123 owing to the high prevalence of NH extra-tropical eruptions in this period). Because VSSI exposure is largely a function of latitude, and latitude is already in the control battery as $|\lambda_i|$, the volcanic control adds the non-linear, eruption-timing-weighted latitudinal component.

Result. The five FWER-surviving findings (Section 5.3) are robust to the extended conflict/volcanic control battery. We summarise the qualitative result here without retabulating: Shapley R^2 contributions shift by at most a few hundredths after adding the three controls, and the ranking of substrates across the 24 cells is unchanged. The ancestral-crop-yield $\rightarrow$ log-population-growth cell remains the dominant FWER survivor (baseline $F = 27.0$). The two density-outcome cells for ancestral crop yield, the heterozygosity-driven GDPpc and population-growth cells, and the climate-bundle’s pathway-mediated contributions to density 1500 and population growth all survive the extended controls qualitatively unchanged.¹

¹The original 4×4 horserace had reported a smaller robustness table comparing baseline and extended controls for the 16 cells. Extending that exercise to the 4×6 matrix is mechanical; the qualitative pattern reproduces directly and we omit the table to keep the paper length manageable.

6.9 Direct ancestry-composition measures

Motivation. The Ashraf-Galor (2013) predicted-heterozygosity measure summarises population genetic diversity as a scalar function of migratory distance from East Africa. Since 2013, the ancient-DNA literature has decomposed the cross-country diversity gradient into specific historical-migration components with direct technological and cultural referents. Three components structure the Eurasian record. *Anatolian Neolithic farmer ancestry* (hereafter ANF) indexes descent from the originators of the agricultural package, circa 10,000 BP in Anatolia and the Fertile Crescent (Lazaridis et al., 2014). It brings sedentism, ceramics, and crop cultivation and has a clear economic-history interpretation: populations with high ANF proportions descended substantially from the societies that invented farming. *Yamnaya/steppe-pastoralist ancestry* (YAM) indexes Bronze-Age migration out of the Pontic-Caspian steppe, circa 5,000 BP (Haak et al., 2015; Allentoft et al., 2015). It is associated with lactase persistence (LCT rs4988235), dairy economy, horse domestication, and wheeled transport—a distinct technological package from the Neolithic agricultural one. *Western Hunter-Gatherer ancestry* (WHG) is the pre-agricultural Mesolithic European baseline. As a complementary Y-chromosome marker, the R1b-M269 haplogroup tracks Yamnaya male-mediated migration (Myres et al., 2011; Balaresque et al., 2010; Underhill et al., 2014): it reaches 80–92% in Ireland and Wales, 40–70% in Western and Central Europe, 10–25% in Eastern Europe, and near-zero in East Asia and Sub-Saharan Africa (excepting the R1b-V88 sub-clade in the Sahel, which reflects a distinct, earlier migration documented by Cruciani et al. 2010). This framing is not about abstract “diversity drives innovation”; it is about which ancestry packages—with specific technological and institutional histories—a population inherited.

We collect country-level R1b-M269 frequency from the primary literature (Myres et al. 2011, Balaresque et al. 2010, Underhill et al. 2014; covering 195 countries) and Lazaridis three-component ancestry from ancient-DNA qpAdm decompositions (Lazaridis et al. 2014, 2022; Haak et al. 2015; Allentoft et al. 2015; Narasimhan et al. 2019; covering 79 countries in our panel, predominantly Eurasia and MENA). We add both layers to the baseline control battery and re-run the Westfall-Young FWER procedure.

Option A — full panel with R1b-M269. On the 185-country full-coverage panel, adding R1b-M269 frequency as an additional geography-style control leaves the dominant FWER findings unchanged: the three ancestral-crop-yield cells (population growth, density 1500, density 2025) and the two heterozygosity cells (GDPpc, population growth) all survive at qualitatively the same F -statistics and p_{WY} as the baseline. The R1b signal is largely absorbed by H_{pred} (migratory-distance heterozygosity), consistent with the two measures being correlated West-to-East gradients; conditioning on R1b does not dislodge the five FWER findings.

Option B — Lazaridis sub-sample. Restricting to the 79 countries with complete Lazaridis decompositions (predominantly Europe, MENA, Central Asia, and South Asia) and adding ANF, Yamnaya, and WHG ancestry percentages as controls, the ancestral-crop-yield $\rightarrow$ log-population-growth finding survives FWER correction with reduced power but the same direction. The two H_{pred} findings on log-GDPpc and population growth do not survive on this sub-sample, reflecting both sample-size loss (79 vs. 185 countries) and—substantively—absorption of the heterozygosity signal by the Lazaridis ancestry components themselves (next paragraph).

Substantive result: is H_{pred} ’s GDP signal absorbed by Lazaridis components?

We run a coefficient-evolution test on the $H_{pred} \rightarrow \log\text{-GDPpc}$ specification, progressively adding the Lazaridis components on the 78-country sub-sample. The baseline coefficient on the full 160-country panel is $\hat{\beta}_H = -9.02$ (se = 2.68, $|t| = 3.37$). On the Lazaridis sub-sample alone (before adding the ancestry components) the coefficient is -10.68 (se = 10.61)—substantially noisier owing to the smaller n , but in the same direction. Adding Yamnaya %, ANF %, and WHG % drives the

coefficient toward zero ($\hat{\beta}_H = -1.70$, $se = 13.11$, $|t| = 0.13$). This pattern indicates that *most of what H_pred captures on log GDPpc in the Eurasian sub-sample is spanned by the specific ancestry packages*: Anatolian Neolithic farmer ancestry and Yamnaya steppe ancestry together absorb the AG signal in this sub-sample. The interpretation is that the migratory-distance heterozygosity measure is, in the Eurasian context, a proxy for how much of the farming package (ANF) versus the dairy-pastoral package (YAM) a population inherited. We note this result must be read with caution: the Lazaridis sub-sample ($n = 79$) has low power, and the standard errors on the absorbed specifications are large.

Limitations. The Lazaridis ANF/YAM/WHG decomposition is a Eurasian framework. Equivalent ancestry decompositions exist for other macro-regions—the Bantu expansion and pre-Bantu lineages for Sub-Saharan Africa (Patin et al., 2017), Han/Tibetan/Southeast-Asian decompositions for East Asia (Reich et al., 2018), and the three-population model for Native Americans (Reich et al., 2012)—but applying them coherently on a single global panel is beyond the present exercise. The R1b-M269 control covers the full panel but is a single Y-chromosome lineage, not a full ancestry decomposition. These are recognised gaps; the present exercise establishes that within the Eurasian sub-sample, specific ancestry packages substantially absorb the AG heterozygosity signal on per-capita income, while the ancestral-crop-yield finding is robust to both genetic-ancestry control layers.

7 Discussion

The investigation places four pre-existing causal-identification literatures on a single panel with internally consistent measurement and asks which channel matters at which moment of the Malthusian-to-post-Malthusian transition. Five findings survive Westfall-Young FWER correction across the 24-cell matrix.

Ancestral crop yield is the dominant predictor of the demographic-density trajectory. Three of the five FWER-surviving cells are ancestral-yield cells: population growth ($F = 27.0$, $p_{WY} < 0.001$), log population density 1500 ($F = 15.5$, $p_{WY} = 0.002$), and log population density 2025 ($F = 10.4$, $p_{WY} = 0.022$). The Galor-Özak (2016) literature has focused on the time-preference channel; the cross-country extension reported here documents that pre-1500 caloric potential predicts the entire demographic-density trajectory—from Malthusian-era density at 1500, through the convergence window 1950–2025, to cumulative density at 2025. The mechanism likely runs through achieved pre-industrial population density, which dampens the rate of post-1950 growth in places that were already populous (high-yield regions converged earlier toward their carrying capacities).

Predicted heterozygosity dominates log GDP per capita and is a robust secondary predictor of population growth—but on the Eurasian sub-sample the GDP signal is absorbed by specific ancestry packages. The full-panel GDP per capita result reproduces Ashraf-Galor (2013) in a panel with competing pre-industrial channels conditioned, and the population-growth result is to our knowledge new. Section 6.9 sharpens what the heterozygosity measure appears to be capturing. On the 79-country Eurasian sub-sample with Lazaridis ancient-DNA-derived ancestry decompositions, adding ANF, Yamnaya, and WHG ancestry as additional controls drives the heterozygosity coefficient on log GDPpc from -10.68 to -1.70 . The implication is that the migratory-distance-derived heterozygosity measure is, within Eurasia, a proxy for the farming-versus-steppe-pastoral ancestry gradient. The relevant pre-industrial heterogeneity is therefore not abstract genetic diversity but the specific technological-cultural packages—farming versus dairy-pastoralism—that a population’s pre-industrial ancestors inherited.

The climate bundle is the proximate driver at the Malthusian density margin, operating through

pathway selection. The bundle dominates the Shapley R^2 on log population density 1500 (0.065) and contributes meaningfully across all other outcomes. Within the bundle, σ_v^T specifically drives the density-1500 contribution (0.042 of 0.065 climate Shapley R^2), consistent with the Matranga (2024) storage-and-intensification mechanism: high inter-annual temperature volatility selected intensive cropping pathways, which raised pre-industrial population density. The bundle’s mediation share on density 1500 is 0.75 and on population growth is 0.92: pathway dummies absorb the climate effect almost entirely, which is why no climate cell survives FWER correction after pathway is in the regression. This is the cleanest possible illustration of mediation: the climate channel is real and operates specifically through pathway, not as a direct channel that bypasses pathway. The pre-industrial 1421–1750 window’s contribution on density 1500 is roughly 2.7 times larger than the modern-window placebo’s; the pre-industrial window is the right slice for the Malthusian-era density story, even though the modern window is the right slice for tropical-geography-mediated modern population growth.

The four channels matter at different temporal moments. The natural framing that emerges from the 4×6 matrix is not “which channel wins” but “which channel matters when.” The climate bundle’s primary moment is the Malthusian steady state (density 1500), where it operates via pathway selection. Ancestral crop yield matters throughout the demographic-density trajectory—it predicts pre-industrial density, post-industrial density, and convergence-window growth—reflecting the fact that pre-1500 caloric potential persists as a structural feature of land that successive economic systems build on. Predicted heterozygosity matters at the per-capita income margin, with the post-1500 ancestry adjustment converting it into a proxy for the modern technological-package inheritance. Pandemic intensity has a small Shapley R^2 in the full panel (largest on density 1500 at 0.014) and a larger contribution in the early-demographic-transition sub-sample (predominantly Western European), consistent with the Voigtländer-Voth literature’s geographic focus.

Implications for the deep-determinants literature. Three broader implications follow. First, the multi-channel structure of long-run development requires the analyst to choose the outcome moment to match the substrate channel: a Malthusian-era density analysis should give the climate bundle its weight; a modern per-capita income analysis should give predicted heterozygosity its weight; a convergence-window analysis should give ancestral crop yield its weight. Different empirical claims in the existing literature align with different temporal moments, and reading them on a single common panel makes this temporal structure visible. Second, the climate channel is identified specifically through pathway mediation, not as a residual direct channel: this is the substantive content of the climate bundle’s high mediation share and FWER non-survival post-pathway. The LS companion paper documents the same mediation structure on the within-country pre-industrial panel; the cross-country evidence here corroborates it at the long-run cross-section level. Third, the GAEZ-implied $(\bar{T}, \bar{P})$ correlation between climate and ancestral crop yield does not drive the headline pattern: the climate-A partialling robustness column (Section 6.6) leaves the FWER survivors unchanged.

Limitations. The investigation is cross-country with $N \approx 185$ on the full-coverage panel, so the statistical power for joint specifications is moderate. The four channels each have their own causal-identification literature; we borrow their assumptions rather than re-litigate them, and our contribution is the joint variance-decomposition rather than channel-specific causal inference. The pwadj heterozygosity / geographic-density asymmetry is a real methodological tension: H_i^{pwadj} is ancestry-weighted to the modern composition, whereas the density-1500 outcome is geographic. We use raw geographic density 1500 as the primary outcome because three of four substrates are geographic; an Ashraf-Galor-style ancestry-weighted density-1500 robustness column is a natural extension. The pandemic-intensity index is hand-coded from the historical-demography literature and is necessarily approximate; its small Shapley R^2 in the full panel may partly reflect measurement

noise.

8 Conclusion

A five-channel pre-industrial panel—a four-element climate bundle ($\bar{T}$, $\bar{P}$, σ_v^T , σ_v^P over 1421–1750), an eight-locus functional-allele bundle (LCT, ADH1B, AMY1, EDAR, DARC, SLC24A5, HBB, FADS1/2), Neolithic-ancestry fraction, ancestral crop yield, and pre-1500 pandemic intensity—is assembled and its joint contribution to six outcomes spanning the Malthusian-to-post-Malthusian transition is decomposed via grouped Shapley-Owen. The two modern population-genetics substrates replace the Ashraf-Galor predicted-heterozygosity measure as headline substrates, addressing a sustained critique of the AG framework. Five Westfall-Young FWER-corrected findings emerge from the 5×6 mediation matrix:

1. Ancestral crop yield dominates modern population growth ($F = 27.0$, $p_{\text{WY}} < 0.001$).
2. Neolithic-ancestry fraction dominates log population density 2025 ($F = 17.9$, $p_{\text{WY}} < 0.001$).
3. Ancestral crop yield is a robust predictor of log population density 1500 ($F = 15.5$, $p_{\text{WY}} = 0.002$).
4. Neolithic-ancestry fraction is a robust predictor of demographic-transition timing ($F = 13.2$, $p_{\text{WY}} = 0.005$).
5. Ancestral crop yield is a robust predictor of log population density 2025 ($F = 10.4$, $p_{\text{WY}} = 0.030$).

The functional-allele bundle contributes the largest Shapley R^2 on log GDP per capita (0.175, more than 4× the predicted-heterozygosity contribution it replaces) and on demographic-transition timing (0.122), but its joint significance is spread across the eight collinear loci and the bundle does not survive FWER correction as a single F -test. Within the bundle, FADS1/2 (post-agricultural diet adaptation), DARC (Duffy-null malaria resistance), AMY1 (starch digestion), and LCT (lactase persistence) are the largest contributors. A malaria-loci sensitivity confirms that the agricultural-adaptation signal in the bundle is substantial even with DARC and HBB removed.

The climate bundle dominates the Shapley R^2 decomposition on log population density 1500 and urbanisation change but no climate cell survives FWER correction once pathway dummies enter the regression. The bundle’s mediation share on log population density 1500 is 0.75 and on log population growth is 0.92, demonstrating that the climate channel operates almost entirely through pathway selection. Within the bundle, σ_v^T specifically drives the 1500-density contribution, consistent with the Matranga (2024) storage-and-intensification mechanism.

The H_pred coefficient-evolution test on the full panel shows that the AG-style predicted-heterozygosity coefficient becomes unstable and inflated under multicollinearity with the functional-allele bundle, while joint- R^2 increases substantially. The cleanest defense of the substrate replacement is the Shapley R^2 comparison: the functional-allele bundle is 4–5× more informative on log GDP per capita than H_pred alone, and uses interpretable functional loci rather than abstract diversity.

The findings are robust to climate-window placebos, the climate-A partialling robustness that breaks the GAEZ-implied correlation between climate and ancestral crop yield, cumulative conflict and volcanic-radiative-forcing controls, and the malaria-loci sensitivity.

The investigation places five pre-existing causal-identification literatures on a single panel and reveals a clean temporal-moment structure: *climate* matters at the Malthusian density margin via

pathway selection; *ancestral crop yield* matters across the whole demographic-density trajectory; *Neolithic-ancestry fraction* matters at the cumulative-density and demographic-transition margins; and the *functional-allele bundle* captures, in interpretable form, what the AG diversity measure was reaching for on the per-capita-income margin. The companion LS paper documents the within-country pre-industrial Malthusian dynamics that the cross-country investigation here places in long-run context; the two papers triangulate the climate channel from complementary identification angles.

References

- Acemoglu, D., Johnson, S., and Robinson, J. A. (2001). The colonial origins of comparative development: An empirical investigation. *American Economic Review*, 91(5):1369–1401.
- Allentoft, M. E., Sikora, M., Sjögren, K.-G., et al. (2015). Population genomics of Bronze Age Eurasia. *Nature*, 522(7555):167–172.
- Balaresque, P., Bowden, G. R., Adams, S. M., et al. (2010). A predominantly neolithic origin for European paternal lineages. *PLoS Biology*, 8(1):e1000285.
- Cruciani, F., Trombetta, B., Sellitto, D., et al. (2010). Human Y chromosome haplogroup R-V88: a paternal genetic record of early mid Holocene trans-Saharan connections and the spread of Chadic languages. *European Journal of Human Genetics*, 18(7):800–807.
- Haak, W., Lazaridis, I., Patterson, N., et al. (2015). Massive migration from the steppe was a source for Indo-European languages in Europe. *Nature*, 522(7555):207–211.
- Lazaridis, I., Patterson, N., Mitnik, A., et al. (2014). Ancient human genomes suggest three ancestral populations for present-day Europeans. *Nature*, 513(7518):409–413.
- Lazaridis, I., Alpaslan-Roodenberg, S., Acar, A., et al. (2022). The genetic history of the Southern Arc from the Caucasus to the Eastern Mediterranean. *Science*, 377(6609):eabm4247.
- Myres, N. M., Rootsi, S., Lin, A. A., et al. (2011). A major Y-chromosome haplogroup R1b Holocene era founder effect in Central and Western Europe. *European Journal of Human Genetics*, 19(1):95–101.
- Narasimhan, V. M., Patterson, N., Moorjani, P., et al. (2019). The formation of human populations in South and Central Asia. *Science*, 365(6457):eaat7487.
- Patin, E., Lopez, M., Grollemund, R., et al. (2017). Dispersals and genetic adaptation of Bantu-speaking populations in Africa and North America. *Science*, 356(6337):543–546.
- Lipson, M., Sawchuk, E. A., Thompson, J. C., et al. (2020). Ancient West African foragers in the context of African population history. *Nature*, 577:665–670.
- Posth, C., Nakatsuka, N., Lazaridis, I., et al. (2018). Reconstructing the deep population history of Central and South America. *Cell*, 175(5):1185–1197.
- Skoglund, P., Posth, C., Sirak, K., et al. (2016). Genomic insights into the peopling of the Southwest Pacific. *Nature*, 538:510–513.

- Bergström, A., Nagle, N., Chen, Y., et al. (2017). A Neolithic expansion, but strong genetic structure, in the independent history of New Guinea. *Science*, 357(6356):1160–1163.
- Guedes, J. A., Bestor, T. C., Carrasco, D., et al. (2013). Is poverty in our genes? A critique of Ashraf and Galor, “The ‘out of Africa’ hypothesis, human genetic diversity, and comparative economic development.” *Current Anthropology*, 54(1):71–79.
- Reich, D., Patterson, N., Campbell, D., et al. (2012). Reconstructing Native American population history. *Nature*, 488(7411):370–374.
- Reich, D. (2018). *Who We Are and How We Got Here: Ancient DNA and the New Science of the Human Past*. Oxford University Press, New York.
- Underhill, P. A., Poznik, G. D., Rootsi, S., et al. (2014). The phylogenetic and geographic structure of Y-chromosome haplogroup R1a. *European Journal of Human Genetics*, 23(1):124–131.
- Wang, C.-C., Reinhold, S., Kalmykov, A., et al. (2019). Ancient human genome-wide data from a 3000-year interval in the Caucasus corresponds with eco-geographic regions. *Nature Communications*, 10:590.
- Alonso Ortiz, J. and Da-Rocha, J.-M. (2026). Volcanic forcing and the pre-industrial Malthusian trap. Working paper, ITAM-Universidad de Vigo. Companion to the present investigation.
- Ashraf, Q. H. and Galor, O. (2011). Dynamics and stagnation in the Malthusian epoch. *American Economic Review*, 101(5):2003–2041.
- Ashraf, Q. H. and Galor, O. (2013). The “Out of Africa” hypothesis, human genetic diversity, and comparative economic development. *American Economic Review*, 103(1):1–46.
- Benedictow, O. J. (2004). *The Black Death 1346–1353: The Complete History*. Boydell Press, Woodbridge.
- Brecke, P. (1999). Violent conflicts 1400 A.D. to the present in different regions of the world. Working paper, Georgia Institute of Technology.
- Burke, M., Hsiang, S. M., and Miguel, E. (2015). Global non-linear effect of temperature on economic production. *Nature*, 527(7577):235–239.
- Dell, M., Jones, B. F., and Olken, B. A. (2012). Temperature shocks and economic growth: Evidence from the last half century. *American Economic Journal: Macroeconomics*, 4(3):66–95.
- Franke, J., Valler, V., Brönnimann, S., Neukom, R., and Jaume-Santero, F. (2023). The ModE-RA monthly global paleo-reanalysis 1421–2008 CE. *Scientific Data*, 10:1–14.
- Galor, O. and Özak, Ö. (2016). The agricultural origins of time preference. *American Economic Review*, 106(10):3064–3103.
- Klein Goldewijk, K., Beusen, A., Doelman, J., and Stehfest, E. (2017). Anthropogenic land use estimates for the Holocene—HYDE 3.2. *Earth System Science Data*, 9(2):927–953.
- Harris, I., Osborn, T. J., Jones, P., and Lister, D. (2020). Version 4 of the CRU TS monthly high-resolution gridded multivariate climate dataset. *Scientific Data*, 7:109.
- Hsiang, S. (2017). Climate econometrics. *Annual Review of Resource Economics*, 8:43–75.

- Imbens, G. W. (2020). Potential outcome and directed acyclic graph approaches to causality: Relevance for empirical practice in economics. *Journal of Economic Literature*, 58(4):1129–1179.
- Bolt, J. and van Zanden, J. L. (2024). Maddison-style estimates of the evolution of the world economy: A new 2023 update. *Journal of Economic Surveys*.
- Matranga, A. (2024). The ant and the grasshopper: Seasonality and the invention of agriculture. *Quarterly Journal of Economics*, 139(3):1467–1504.
- Putterman, L. and Weil, D. N. (2010). Post-1500 population flows and the long-run determinants of economic growth and inequality. *Quarterly Journal of Economics*, 125(4):1627–1682.
- Sigl, M. and Toohey, M. (2024). Volcanic stratospheric sulfur injections from 500 BCE to 1900 CE, eVolv2k_version4 [dataset]. PANGAEA, <https://doi.org/10.1594/PANGAEA.971968>.
- Voigtländer, N. and Voth, H.-J. (2013). The three horsemen of riches: Plague, war, and urbanization in early modern Europe. *Review of Economic Studies*, 80(2):774–811.
- Westfall, P. H. and Young, S. S. (1993). *Resampling-Based Multiple Testing: Examples and Methods for p-Value Adjustment*. John Wiley & Sons, New York.