UNIFIED ISSUE REGISTER

Account-agnostic commercial insurance submission checks

IMPLEMENTATION SPECIFICATION FOR AN UNDERWRITING ANALYSIS AGENT

Use this catalogue as the standard set of issue categories that the process should test on every applicable commercial insurance submission. The categories are generalized from three account-level manifested and non-manifested issue registers and intentionally contain no account-specific names, IDs, addresses or exposure values.

14	UNIQUE ISSUE CATEGORIES
Cross-line	Property, General Liability, Workers' Compensation, Auto/Fleet, Driver, Loss History and Cargo checks
Reusable	Designed to run against any submission; evaluate a category only when its relevant exposure and source data exist.

How the agent should use this PDF

• Treat each U01-U14 entry as a reusable issue category, not as an account-specific rule containing fixed values.

• For each account, inspect the supplied documents and determine whether the category is applicable and whether the available evidence supports a finding.

• Compare like-for-like values: same period, location, class, state, unit, coverage basis, policy year and exposure scope.

• Retain source traceability. Every finding should identify the source document and the relevant page, worksheet, row, cell or JSON path where available.

• Do not infer missing facts, force a match, or treat company-wide public information as proof of an operation at a scheduled insured premises.

Core implementation principle

The system should detect the discrepancy pattern described by a category using the actual submission data. It must not hard-code the sample accounts, their values, issue IDs, document names or specific field values. Field aliases and document types may vary; map them to canonical concepts before comparing.

Issue category index

The register contains 14 unique categories. Use the U-codes as stable internal taxonomy identifiers; do not reuse source-account issue numbers as the canonical identifier.

ID	Category	Primary area
U01	Location count and property-value inconsistencies	Property / locations
U02	Conflicting versions of the same document	Document control
U03	Workers' Compensation payroll mismatch	Workers' Compensation
U04	Workers' Compensation experience modifier mismatch	Workers' Compensation
U05	Workers' Compensation state allocation and incomplete classification schedule	Workers' Compensation
U06	Workers' Compensation employee-count mismatch	Workers' Compensation
U07	Workers' Compensation class-rate mismatch	Workers' Compensation
U08	Loss-run and claims-history reconciliation	Loss history
U09	General Liability sales and area exposure mismatch	General Liability
U10	Declared fleet count versus scheduled active units	Auto / fleet
U11	Fleet garaging-state and address mismatch	Auto / fleet
U12	Driver roster, MVR and vehicle qualification gaps	Driver / fleet
U13	Declared operations versus external information and entity/premises matching	Operations / external data
U14	Cargo exposure versus quoted limits and coverage terms	Cargo

Detailed detection specification

Each category below defines the issue to identify, the expected source evidence, suggested comparison logic and an example detection outcome. These are detection requirements, not a substitute for carrier rules or legal/coverage determinations.

U01 | Location count and property-value inconsistencies

Identify differences in declared premises counts, scheduled location counts, premises identifiers, addresses and property values across the application, property statement of values (SOV), property schedules and related forms.

Source documents / data to inspect

• Application premises/location count and location schedule.

• Property SOV, ACORD property forms and additional-premises schedules.

• Location IDs, premises numbers, addresses, occupancy, building, contents, equipment and business-income values.

Suggested detection logic

1. Compare the number of distinct locations in each source with the count declared in the application.

2. Match locations using stable IDs where available; otherwise compare normalized address and premises attributes. Do not rely only on row order or a presumed one-to-one sequence.

3. Compare values by matched location and coverage component; identify missing, duplicated, shifted or inconsistent values.

4. Show both source values and the exact difference; keep location-count and value discrepancies traceable under this category.

Typical finding pattern

Different declared location counts; a scheduled premises missing from a form; a property value assigned to the wrong location; or SOV and ACORD values that do not agree.

U02 | Conflicting versions of the same document

Identify material field-level changes between received, revised, corrected and resubmitted versions of the same document when the revisions are unexplained or cannot be tied to an authorized change history.

Source documents / data to inspect

• All available versions of the same application or schedule, including received dates, document dates, version labels and source metadata.

• Relevant fields such as location identifiers, building values, limits, deductibles, named insured, payroll and coverage terms.

Suggested detection logic

1. Group documents by document type and submission/account context, then order versions using reliable received or document dates.

2. Diff corresponding fields across versions and report additions, removals and changed values.

3. Check whether a change log, broker explanation or explicit supersession marker explains the difference.

4. Do not infer fraud, manipulation or that the latest version is authoritative solely because it is newer.

Typical finding pattern

Two versions carry materially different values or terms, and the available packet does not explain or authorize the change.

U03 | Workers' Compensation payroll mismatch

Identify differences between payroll declared on Workers' Compensation forms, payroll allocated by class/location/state in supporting schedules, rating workbooks and quoted payroll inputs.

Source documents / data to inspect

• ACORD 130 or equivalent WC application and payroll summary.

• Payroll-by-class workbook, state rating worksheets and draft quote/rating inputs.

• Payroll period, policy period, employee population, class code, state and location scope.

Suggested detection logic

1. Sum the detailed payroll rows and compare the result with each declared or quoted total.

2. Reconcile at total, state, location and class level where the data permits.

3. Compare like-for-like periods and populations; identify rows omitted from or duplicated in a total.

4. Report the absolute and percentage variance, stating the denominator and comparison basis.

Typical finding pattern

Declared payroll and supporting/quoted payroll totals differ, or detailed allocations do not sum to the stated total.

U04 | Workers' Compensation experience modifier mismatch

Identify inconsistencies between the applicable experience modification factor, the value shown on the application, supporting modifier history and the factor applied in the quote.

Source documents / data to inspect

• ACORD 130 experience modification section.

• Current and prior experience modification worksheets or approved modifier documents.

• Draft quote and rating inputs, including effective dates.

Suggested detection logic

1. Compare numeric factors and their effective dates; distinguish current-term from prior-term factors.

2. Check that the factor used in the quote corresponds to the policy period and the current supporting source.

3. Flag a mismatch when values or effective periods conflict; do not choose a factor based only on which document is newest or lowest.

Typical finding pattern

The application, current supporting modifier and quote use inconsistent factors or effective periods.

U05 | Workers' Compensation state allocation and incomplete classification schedule

Identify missing or inconsistent WC state/location/class allocations and incomplete ACORD or equivalent classification schedules relative to supporting payroll records and the declared operations footprint.

Source documents / data to inspect

• WC application locations and classification/payroll table.

• WC rating workbook rows by state, location and class.

• Property/location schedule and documented employee work states or work locations, where available.

Suggested detection logic

1. Compare the set of locations and states represented in the WC form with the supporting workbook and available work-location evidence.

2. Identify state codes that conflict with documented work locations; do not assume property situs alone proves the WC work state.

3. Check whether every relevant location/class row in the supporting schedule is represented in the application schedule.

4. Identify omitted rows, locations or states and quantify missing payroll where the underlying records permit.

Typical finding pattern

The WC schedule omits relevant locations/classes, or state allocation is inconsistent with documented work locations and supporting schedules.

U06 | Workers' Compensation employee-count mismatch

Identify differences in full-time, part-time and total employee counts across applications, WC classification schedules, payroll workbooks and location-level records.

Source documents / data to inspect

• ACORD 125 employee counts by location, if present.

• ACORD 130 employee counts by class/location.

• WC workbook employee counts and supporting employee census, if supplied.

Suggested detection logic

1. Compare counts at overall, location and class level, preserving full-time and part-time distinctions.

2. Check whether class-level totals reconcile to location totals and whether location totals reconcile to the application total.

3. Do not compare an overall headcount with a class subset as if they were equivalent; state the level and population being compared.

Typical finding pattern

Employee counts differ for the same location, class, employment type or stated population, or schedule totals fail to reconcile.

U07 | Workers' Compensation class-rate mismatch

Identify differences in rates per payroll unit for corresponding WC class codes across the application, rating workbook and rating support.

Source documents / data to inspect

• ACORD 130 class codes and rates.

• WC rating workbook class codes, rates and state assignments.

• Carrier-approved or state/bureau rating support, when provided.

Suggested detection logic

1. Match rates using class code plus state and applicable effective period; do not compare rates from different states or periods as though they are identical.

2. Compare the rate values for matching classifications and identify each disagreement.

3. Record whether an authenticated rating source is present; do not assume either table is authoritative when the support is absent.

Typical finding pattern

One or more corresponding class-code/state/period rate values differ between the form and supporting rating data.

U08 | Loss-run and claims-history reconciliation

Identify inconsistencies within loss detail and between loss detail, loss summaries, carrier summaries and claims history recorded on ACORD forms. This includes duplicate identifiers, claim-level financial arithmetic, summary totals, annual counts and line-of-business counts.

Source documents / data to inspect

• Loss Detail and Loss Summary sheets.

• ACORD 126 and ACORD 130 prior insurance/loss history.

• Carrier loss-run summary or draft quote loss data, when supplied.

• Valuation date, policy year, date of loss, line of business, paid amounts and reserves.

Suggested detection logic

1. Check claim-ID uniqueness and identify repeated IDs with differing loss dates, lines, locations, causes or claimant references.

2. Recalculate incurred from the source-defined paid and reserve components; compare it with reported incurred at claim level.

3. Sum calculated and reported incurred values and compare them with loss-summary and carrier-summary totals.

4. Count claims by policy year and line of business, then compare with corresponding ACORD history. Keep annual/LOB discrepancies distinct from a duplicate-ID or financial-total discrepancy, but group them under this single category.

5. Use the same valuation date and policy-year definition when comparing counts or amounts.

Typical finding pattern

Duplicate or inconsistent claim records; reported incurred not equal to the component calculation; loss detail totals not equal to summary totals; or annual/line-specific claim counts that do not reconcile.

U09 | General Liability sales and area exposure mismatch

Identify unreconciled GL sales-rated and area-rated exposure bases across the application, GL hazard schedule, property schedule and rating/quote inputs.

Source documents / data to inspect

• ACORD 125 annual gross sales and premises square footage.

• ACORD 126 GL schedule of hazards, including class code, rating basis and exposure.

• Property SOV square footage and supporting rating inputs/quote.

Suggested detection logic

1. Sum sales-rated GL exposures and compare them with declared annual gross sales; quantify any unexplained residual.

2. Compare area-rated exposure with the sum and scope of premises area reported in the application and SOV.

3. Keep sales, payroll and area bases separate; do not add unlike exposure units together.

4. Check whether a support note explains excluded operations, allocations or a different rating scope before treating the residual as unexplained.

Typical finding pattern

GL sales-rated exposures do not reconcile to declared sales, or GL area-rated square footage does not reconcile to the relevant property/application area basis.

U10 | Declared fleet count versus scheduled active units

Identify differences between the declared number of power units/vehicles and the eligible active units shown in the fleet schedule or unit-count reconciliation.

Source documents / data to inspect

• ACORD 125 or equivalent declared vehicle/power-unit count.

• Fleet Schedule and Unit Count Reconciliation.

• Vehicle status, effective/reporting date, vehicle type and eligibility scope.

Suggested detection logic

1. Count distinct scheduled units using stable unit IDs; separately identify active, inactive, sold, duplicate, trailer and other unit types where the data distinguishes them.

2. Compare like-for-like categories and reporting dates with the declared count and quote input.

3. Report the unit difference and percentage only after establishing a consistent denominator and scope.

Typical finding pattern

The declared count differs from the count of eligible active scheduled units, after reconciling dates and unit scope.

U11 | Fleet garaging-state and address mismatch

Identify vehicles for which the garaging-state code conflicts with the state indicated by the associated garaging address.

Source documents / data to inspect

• Fleet Schedule columns/fields for unit ID, garaging state and garaging address.

• Address components including city, state and ZIP; location register if supplied.

Suggested detection logic

1. Parse and normalize the address state independently from the garaging-state field.

2. Compare the two state values for each unit and enumerate affected unit IDs.

3. Do not silently overwrite either value or infer the correct garaging state from a nearby office or mailing address.

Typical finding pattern

The garaging-state field and the address state disagree for one or more scheduled units.

U12 | Driver roster, MVR and vehicle qualification gaps

Identify missing or stale driver rosters/MVR evidence, unlinked driver assignments, absent qualification records and driver-to-vehicle licence/endorsement exceptions.

Source documents / data to inspect

• Driver Roster, including driver ID, licence state/class, endorsements, status and review dates.

• Fleet Schedule primary/secondary assigned driver IDs, vehicle type and GVWR.

• Submission checklist and quote notes describing missing roster/MVR records.

• Applicable jurisdictional qualification criteria or carrier rules, if supplied.

Suggested detection logic

1. Confirm that a current driver roster and required MVR evidence are present; record missing items as evidence gaps rather than completed checks.

2. Join assigned driver IDs to roster IDs and identify missing, inactive or unmatched drivers.

3. For heavier or specialized vehicles, compare recorded licence class and endorsements with applicable vehicle/jurisdiction requirements when those requirements are available.

4. Where credentials or legal criteria are absent, report the assignment as unverified rather than declaring a violation.

5. Apply an MVR freshness test only when a defined review interval or carrier rule is provided.

Typical finding pattern

Required roster/MVR evidence is missing, driver assignments cannot be validated, or recorded credentials do not demonstrate qualification for the assigned vehicle under the applicable criteria.

U13 | Declared operations versus external information and entity/premises matching

Identify material questions between declared operations, broker narratives and external corporate or regulatory information, while verifying that external evidence actually relates to the insured legal entity and scheduled premises.

Source documents / data to inspect

• Application operations narrative and operational questionnaires.

• Broker email, operations supplements and public-source research.

• External regulatory/establishment records, including exact entity names and site addresses.

Suggested detection logic

1. Compare described operations and declared exclusions/absences with broker-supplied operational detail and external context.

2. Separate company-wide service descriptions from proof that a service exists at a particular insured location.

3. For regulatory records, compare legal entity, establishment name and exact address with the scheduled premises; consider subsidiaries and operating-company distinctions.

4. If the entity or premises match is not established, retain the record as unmatched context and do not attribute it as an adverse finding at the insured location.

Typical finding pattern

The declared operations require clarification against other supplied information, or an external record cannot be reliably matched to the insured entity/premises. A mismatch alone does not establish exposure or a violation.

U14 | Cargo exposure versus quoted limits and coverage terms

Identify when declared or broker-described cargo values, peak shipment values or cargo types are not aligned with quoted limits, sublimits, exclusions or stated coverage scope.

Source documents / data to inspect

• Broker cargo/shipment narrative and exposure schedules.

• ACORD operations and coverage sections.

• Draft quote limits, sublimits, deductibles, exclusions and commodity/temperature restrictions.

Suggested detection logic

1. Identify the stated peak or maximum shipment value and its scope (per conveyance, shipment, location, occurrence or aggregate).

2. Compare it only with a limit that applies to the same exposure basis and coverage grant.

3. Identify cargo categories specifically excluded or restricted by the quote and compare them with declared goods/operations.

4. Quantify a nominal gap only when the values are comparable; do not treat the arithmetic comparison alone as a final legal coverage determination.

Typical finding pattern

Peak cargo exposure exceeds an applicable quoted limit, or declared cargo types/conditions appear outside the stated coverage terms or exclusions.

Common output contract for the coding agent

Return one structured finding per distinct discrepancy instance. A single category may have multiple instances (for example, several affected vehicles or locations). De-duplicate repeated references to the same underlying discrepancy rather than suppressing genuinely different instances.

Recommended finding fields

Illustrative JSON structure (adapt to the implementation's schema):

```
{
"issue_id": "U01",
"category": "Location count and property-value inconsistencies",
"status": "CONFIRMED | POTENTIAL | NOT_ASSESSABLE | NOT_APPLICABLE | NO_DISCREPANCY",
"finding_summary": "Short account-specific description of the observed discrepancy",
"entity_scope": {
"account_id": "resolved account identifier",
"location_id": "when applicable",
"class_code": "when applicable",
"vehicle_id": "when applicable",
"claim_id": "when applicable"
},
"observations": [
{
"source_document": "document name",
"source_locator": "page / sheet / row / cell / JSON path",
"field": "canonical field",
"value": "observed value"
}
],
"comparison": {
"basis": "same period / location / class / state / unit / coverage basis",
"difference": "calculated value when meaningful",
"calculation": "formula or comparison method"
}
}
```

Status handling

Status	Meaning
CONFIRMED	The supplied evidence directly supports the discrepancy.
POTENTIAL	There is an indicator, but a required match, scope definition or supporting fact is unresolved.
NOT_ASSESSABLE	The category is relevant, but required documents or fields are absent or insufficient.
NOT_APPLICABLE	The account does not have the exposure or document context needed for this category.
NO_DISCREPANCY	The category was checked with adequate evidence and the tested values reconciled.

General implementation requirements

• Account isolation: run comparisons only within the current submission unless the task explicitly asks for cross-account analysis.

• Canonical mapping: normalize field labels, IDs, dates, currencies, units and document aliases, but retain the original extracted values and source locations.

• Comparable basis: do not compare totals with subsets, active fleet with all units, or values from different policy periods without an explicit scope adjustment.

• Evidence: preserve document name plus page/sheet/row/cell/JSON path and both sides of every material comparison.

• Explain arithmetic: show the formula for totals, differences, percentages and incurred calculations; do not trust workbook cached totals without checking component fields where possible.

• No unsupported conclusions: unmatched public records, incomplete credentials or missing documents must not be overstated as proven violations or coverage determinations.

• No hard-coded samples: do not embed any company names, sample IDs, addresses, dollar figures, counts or fixed discrepancy values from the source issue PDFs into detection logic.

Expected process behaviour

For every submission, the agent should evaluate all 14 categories, determine applicability from the available lines of business and source documents, run the relevant comparisons, and return evidence-backed findings. It should explicitly state when a category cannot be assessed because necessary source data is missing. Do not silently treat missing data as a clean result.

Source basis: consolidated and generalized from three account-level manifested/non-manifested issue registers supplied for this task. The account-specific examples were converted into reusable issue definitions; no sample account values are implementation constants.