CREM Pipeline Document v1 - Conflict Rebase + Edge Discovery Module

Purpose

CREM organizes multi-party conflict analysis into a bounded cognitive pipeline.
It discovers conflict-generating invariants, dependency-preserving invariants,
latent axes, PSPP-ready candidate systems, and memory-ready rebase vectors.

Core Thesis

When coherent perspectives conflict, do not merely choose a winner or average them.
Identify the invariant that generates opposition, preserve shared dependencies,
probe unstable actor-role-operator bindings, and emit branch candidates that keep
a return path to the opening conflict.

Invocation Conditions

- Two or more coherent perspectives conflict.
- Opposition and alignment are both present.
- Shared dependencies are visible or suspected.
- The goal is synthesis, interpretation, strategy, or novelty.
- Reframing could change the subject unless the opening conflict is locked.

Pipeline

P0 Mission and scope lock
P1 Multi-anchor KCE
P2 Parallel party CDP and Dynamical Prism mapping
P3 Factor partition: opposition vs alignment
P4 Conflict-generating invariant extraction
P5 Dependency invariant extraction
P6 CPC gate: conflict preservation
P7 Coupler edge mode
P8 Latent axis ranking
P9 Dependency-constrained prism rotation
P10 PSPP candidate-system generation
P11 DPC gate: dependency preservation
P12 Memory rebase vector emit

Canonical Outputs

- crem_packet
- validated_rebase_invariant
- dependency_invariants
- ranked_latent_axes
- candidate_system_branches
- rebase_vector
- gate_report
- telemetry

Handoff Rule

Run CREM after initial Coupler and before PSPP. Normalize candidate_system_branches
into branch_set, preserve dependency invariants as constraints, and hand rebase_vector
to memory curation as a proposal rather than an automatic write.