



6th Workshop on Mathematics, Computer Science, and Complex Systems Modeling:
Artificial Intelligence and Applications, Higher School Of Technology
Eaasouira - Morocco. 9 &10 july, 2024.



الدرسة العليا للتكنولوجيا الصويرة
H.T.A. + H.T.M. + H.T.D. + H.T.O.
ÉCOLE SUPÉRIEURE DE TECHNOLOGIE ESSAOUIRA

CERTIFICATE

of participation

This Certificate is Proudly Presented To

Jamal ATTMANI

Laboratoire Mathématiques Informatiques et Modélisation des Systèmes Complexes, EST Essaouira, Cadi Ayyad
University, Morocco

To certify the participation in the workshop by oral communication:

Presentation title : Image Denoising Methods via PDE- Constrained Optimization

Pr Fahd KARAMI

on behalf of the organizing committee



Université
de Limoges

université
de **BORDEAUX**

Image denoising methods via PDE-Constrained optimization

Abdelghafour Atlas^a, Jamal ATTMANI^{a 1} and Fahd Karami^b

^a Ecole Nationale des Sciences Appliquées de Marrakech, Université Cadi Ayyad, Marrakesh, Morocco

^b Laboratoire MIMSCs, Ecole Supérieure de Technologie d'Essaouira, Université Cadi Ayyad, Essaouira, Morocco

Abstract. This study investigates a novel nonlinear optimization framework for image denoising under mixed noise conditions, incorporating a partial differential equation (PDE) constraint. By combining an H^{-s} -norm regularization with a decomposition strategy, we formulate a nonlinear system involving the fractional Laplacian operator. The existence and uniqueness of weak solutions to the associated direct problem are established using Schauder's fixed-point theorem. Furthermore, the well-posedness of the resulting optimal control problem is analyzed, and the existence of weak solutions to the corresponding adjoint problem is proved via the Galerkin method.

To numerically approximate the solution of the proposed model, we introduce an appropriate discretization scheme together with a primal–dual algorithm. Finally, a series of comparative numerical experiments is conducted to assess the efficiency, robustness, and effectiveness of the proposed approach in mixed-noise image denoising.

Key words: constrained PDE, fractional-order PDE, image denoising, nonlinear diffusion .

References

- [1] L.I. Rudin, S. Osher, and E. Fatemi, Nonlinear total variation based noise removal algorithms, *Phys. D. Nonlin. Phenom.* 60 (1992), no. 1-4, 259–268.
- [2] L. Afraites, A. Hadri, and A. Laghrib, A denoising model adapted for impulse and Gaussian noises using a constrained-PDE, *Inverse Probl.* 36 (2020), no. 2, 25006.
- [3] L. Afraites, A. Atlas, F. Karami, and D. Meskine, Some class of parabolic systems applied to image processing, *Discrete Contin. Dyn. Syst. Ser. B* 21 (2016), no. 6, 1671–1687.

¹Corresponding author. E-mail: mr.jamal.attmani@gmail.com

-
- [4] A. Atlas, M. Bendahmane, F. Karami, D. Meskine, and O. Oubbih, A nonlinear fractional reaction-diffusion system applied to image denoising and decomposition, *Discrete Contin. Dyn. Syst. B.* 26 (2021), no. 9, 4963–4998.