

AL BARAKAH ORGANICS

On-Farm Vermiculture & Worm Bed Setup Handbook

Technical Field Manual for Eisenia Fetida Breeding & Castings Production

Essential Steps for Setting Up an On-Farm Vermicomposting Bed:

1. Site Selection & Shading: Choose an elevated, well-drained area shaded with 75% agro-green net.
2. Bed Dimensions: Standard windrow bed dimensions are 10-20 ft length, 3-4 ft width, and 1.5 ft height.
3. Bedding Preparation: Base layer of dry straw/leaves (3-4 inches) followed by pre-composted aged cow manure.
4. Pre-Composting Cow Dung: Decompose fresh cattle dung for 10-15 days to release thermogenic heat.
5. Inoculating Red Wigglers: Introduce 1-2 kg of pure Eisenia fetida per 10 ft bed under damp jute burlap.
6. Moisture & Aeration: Maintain 60-70% moisture (damp sponge feel). Water every 1-2 days in summer.
7. Harvesting Castings: After 45-60 days, top 6-8 inches converts into granular, odor-free black castings.
8. Screening & Storage: Screen through a 3mm mesh to separate worms and viability cocoons; store in cool shade.

Summer Heat Protection Protocols (Pakistani Climate):

- Natural Jute Covers: Always keep moist natural jute burlap on bed tops to cool surface temperatures.
- Micro-Misting: Install simple overhead mister sprays running 2-3 mins during peak afternoon hours.
- Bed Height: Never exceed 1.5 ft height to avoid internal anaerobic heat accumulation.

For Worm Starter Colonies & Technical Bed Support: 0316 8803363

Al Barakah Organics — 200+ Beds Main Facility Tando Ghulam Ali & Hyderabad Branch
Website: www.albarakahorganics.com | All Over Pakistan Delivery