

Risk Assessment

Title	Working at Height and underground	Date of Assessment	Invalid date
Site		Locaiton	
Risk Assessor	Anayat Abdul Aziz	Assissted By	-
Non-Employees Involved	-	People at Risk	Employees,Member of the public,Visitors,Contractors
Task Description	To Conduct Risk Assessment at Height and Underground		
Risk Rating			
Review Date	-	Reviewer	

<u>Hazards</u>

Hazard	Work at height		
Risk of Harm	Falls from height when using ladders and steps		
Existing Control Measures	- Correct manual handling techniques as per ladder training Correct PPE inc. safety helmet - Equipment maintenance procedures No climbing during adverse weather conditions		
Hazard	Road risk		
Risk of Harm	Vehicle accident		
Existing Control Measures	- Sign on duty of care system Route planning Phone ahead, ask for dogs to be put away prior to arrival and ask about onsite hazards if appropriate (location dependant) - Defensive driving techniques applied (as per training) Starting Point (IDS)		

Hazard	Work equipment	
Risk of Harm	Injuries inside the vehicle (taking material)	
Existing Control Measures	- Sign on duty of care system Route planning Phone ahead, ask for dogs to be put away prior to arrival and ask about onsite hazards if appropriate (location dependant) - Defensive driving techniques applied (as per training) Starting Point (IDS) driver programme completion Following highway code DVLA electronic licence checks Driver rest breaks at least every 2 hours Vehicle maintenance programme.	
Hazard	Wind, rain, snow and ice	
Risk of Harm	Slips, falls and road accidents	
Existing Control Measures	- Prevent workers from draughts - Provide PPE, such as insulated jackets, trousers, safety boots, baclavas etc Provide frequent breaks and job rotations - Provide warm drinks and food - Avoid working below 0° C - Avoid working on ladders at high speed winds at 28mph+ - Suitable safety boots - Scrape, salt or grit floors and chamber lids	
Hazard	Manual handling	
Risk of Harm	Injuries with lids	
Existing Control Measures	- Maintaining clear and guarded work area Use of Manhole Cover Lifter 4A or Key - Joint Box No. 5 with roller bar in-line with the training given Correct use of the 2/4 head Gas - Detection Unit as per training given Manager Supervisory checks and regular refresher on best practice.	
Hazard	Gas Appliances and Equipment	
Risk of Harm	Intoxication with flammable gas	
Existing Control Measures	- Pre-work gas test checks using Gas - Detection Unit (GDU) and on-going use as a sentinel Venting structure using a forced air blower (applicable to specific circumstances as directed by training) - Confined space working with BA equipment (applicable to specific circumstances as directed by training)	
Hazard	Confined Spaces	
Risk of Harm	Inability to scape the area	
Existing Control Measures	- Assessment of work area in line with policies and provided training Full Confined Spaces Control Measures (as required) De-classified control measures (inc. forced air blower, 2 person working and ability to affect an escape easily in an emergency) - Basic Underground working procedures (inc. GDU and ability to affect an escape easily in an emergency)	

Hazard	Hazardous Substance
Risk of Harm	Intoxication with toxic water
Existing Control Measures	- On Site Risk Assessment Observe water test procedure and environmental instructions Kinetic lifting techniques for pump and associated accessories Basic hygiene best practice Issue 10.5 - Use of barrier creams, disposable gloves and gloves P
Hazard	Fire
Risk of Harm	Fire on site or nearby
Existing Control Measures	- Follow the training provided - Identify the type of fire - Fire triangle (Oxigen, Heat and Fuel) - Correct use of a gas extinguisher - If is uncontrollable, call a fireman

Reviews

Review Date Reviewer Comm	ent
---------------------------	-----