

This is a short file to test the various features and shortcuts built in our preamble file.

Here is an example that uses L<sup>A</sup>T<sub>E</sub>X's verbatim environment.

```
INSTALLED_APPS = (  
    'django.contrib.auth',  
    'django.contrib.contenttypes',  
    'django.contrib.sessions',  
    'django.contrib.sites',  
    'django.contrib.messages',  
    'django.contrib.staticfiles',  
    # Uncomment the next line to enable the admin:  
    # 'django.contrib.admin',  
    # Uncomment the next line to  
    # enable admin documentation:  
    # 'django.contrib.admindocs',  
    'new_app',  
)
```

The following uses the listings package to create an environment.

Listing 1: Django's Installed Apps in settings.py

```
113 INSTALLED_APPS = (  
114     'django.contrib.auth',  
115     'django.contrib.contenttypes',  
116     'django.contrib.sessions',  
117     'django.contrib.sites',  
118     'django.contrib.messages',  
119     'django.contrib.staticfiles',  
120     # Uncomment the next line to enable the admin:  
121     # 'django.contrib.admin',  
122     # Uncomment the next line to  
123     # enable admin documentation:  
124     # 'django.contrib.admindocs',  
125     'new_app',  
126 )
```

For more on the listings package, please see [the wikibook on the subject](#), or else [the documentation provided by CTAN](#).

Simplified BSD License ©2013, Andrew Pinkham