

# IntelliJ IDEA — Linux (Amazon WorkSpaces) Shortcuts for Java / Scala Development

Use the **Default** keymap in IntelliJ (**Settings** → **Keymap** → **Default**). On Amazon WorkSpaces Linux, **Ctrl** and **Alt** replace macOS **⌘** and **⌥**; run/debug use **Shift+F10** / **Shift+F9** instead of **Ctrl+R** / **Ctrl+D**.

## IDE FLOW

|                   |                                                 |
|-------------------|-------------------------------------------------|
| Shift Shift       | → search everywhere                             |
| Ctrl+Alt+B        | → go to implementation                          |
| Ctrl+Alt+Left     | → navigate back                                 |
| Ctrl+Alt+Right    | → navigate forward                              |
| Alt+Enter         | → quick fix / intention actions / static import |
| Ctrl+/<br>Ctrl+D  | → toggle line comment<br>→ duplicate line       |
| Alt+Insert        | → generate code (constructor / getter / setter) |
| Ctrl+Alt+O        | → optimize imports                              |
| Ctrl+Alt+L        | → reformat code                                 |
| Shift+F10         | → run current class/test                        |
| Alt+Enter         | → select copilot                                |
| Alt+Shift+Up/Down | → move line                                     |
| Ctrl+Y            | → delete line                                   |
| Shift+F6          | → rename variable                               |
| Ctrl+C            | → highlight line                                |

### Quick Reference (TDD / Pair Programming)

## NAVIGATION

|                |                                     |
|----------------|-------------------------------------|
| Shift Shift    | → search everywhere                 |
| Ctrl+B         | → jump to declaration / definition  |
| Ctrl+Alt+B     | → go to implementation              |
| Ctrl+E         | → recent files                      |
| Ctrl+Shift+E   | → recently edited files             |
| Ctrl+Alt+Left  | → navigate back                     |
| Ctrl+Alt+Right | → navigate forward                  |
| Ctrl+F12       | → file structure (methods / fields) |

## CODE UNDERSTANDING

|            |                          |
|------------|--------------------------|
| Ctrl+P     | → show method parameters |
| Ctrl+Q     | → quick documentation    |
| Ctrl+H     | → type hierarchy         |
| Ctrl+Alt+H | → call hierarchy         |

---

## QUICK FIX / INTENTIONS

---

|           |                                 |
|-----------|---------------------------------|
| Alt+Enter | → quick fix / intention actions |
|-----------|---------------------------------|

---

## EDITING

---

|                  |                                           |
|------------------|-------------------------------------------|
| Ctrl+/<br>Ctrl+D | → toggle line comment<br>→ duplicate line |
| Ctrl+Y           | → delete line                             |
| Ctrl+Alt+T       | → surround with (if / try / etc)          |

---

## REFACTORING (VERY COMMON IN TDD)

---

|            |                                                 |
|------------|-------------------------------------------------|
| Shift+F6   | → rename symbol                                 |
| Ctrl+Alt+V | → extract variable                              |
| Ctrl+Alt+M | → extract method                                |
| Alt+Insert | → generate code (constructor / getter / setter) |

---

## CODE CLEANUP

---

|            |                    |
|------------|--------------------|
| Ctrl+Alt+O | → optimize imports |
| Ctrl+Alt+L | → reformat code    |

---

## ▶ RUNNING / TESTING

---

|           |                               |
|-----------|-------------------------------|
| Shift+F10 | → run current configuration   |
| Shift+F9  | → debug current configuration |



## COMMON TDD FLOW (PAIR PROGRAMMING)

---

|            |                            |
|------------|----------------------------|
| Alt+Enter  | → quick fix / import class |
| Ctrl+B     | → jump to definition       |
| Shift+F6   | → rename                   |
| Ctrl+Alt+M | → extract method           |
| Ctrl+Alt+V | → extract variable         |
| Ctrl+Alt+O | → optimize imports         |
| Ctrl+Alt+L | → format code              |
| Shift+F10  | → run tests                |