```
bandit0@bandit: ~
bandit0@bandit:~$ ls
readme
bandit0@bandit:~$ file readme
readme: ASCII text
bandit0@bandit:~$ cat readme
Congratulations on your first steps into the bandit game!!
Please make sure you have read the rules at https://overthewire.org/rules/
If you are following a course, workshop, walkthrough or other educational activity,
please inform the instructor about the rules as well and encourage them to
contribute to the OverTheWire community so we can keep these games free!

The password you are looking for is: ZjLjTmM6FvvyRnrb2rfNWOZOTa6ip5If

bandit0@bandit:~$
```

```
bandit1@bandit: ~
bandit1@bandit:~$ ls
-
bandit1@bandit:~$ file ./-
./-: ASCII text
bandit1@bandit:~$ cat ./-
263JGJPfgU6LtdEvgfWU1XP5yac29mFx
bandit1@bandit:~$
```

```
bandit2@bandit: ~
bandit2@bandit:~$ ls
--spaces in this filename--
bandit2@bandit:~$ file -- --spaces\ in\ this\ filename--
--spaces in this filename--: ASCII text
bandit2@bandit:~$ cat -- --spaces\ in\ this\ filename--
MNk8KNH3Usiio41PRUEoDFPqfxLPlSmx
bandit2@bandit:~$
```

```
bandit3@bandit: ~/inhere
bandit3@bandit:~$ ls
inhere
bandit3@bandit:~$ cd inhere
bandit3@bandit:~/inhere$ ls -la
total 12
drwxr-xr-x 2 root    root    4096 Oct 14 09:26 .
drwxr-xr-x 3 root    root    4096 Oct 14 09:26 ..
-rw-r----- 1 bandit4 bandit3   33 Oct 14 09:26 ...Hiding-From-You
bandit3@bandit:~/inhere$ file -- ...Hiding-From-You
...Hiding-From-You: ASCII text
bandit3@bandit:~/inhere$ cat -- ...Hiding-From-You
2WmrDFRmJIq3IPxneAaMGhap0pFhF3NJ
```

```
bandit4@bandit: ~/inhere
bandit4@bandit:~/inhere$ ls
-file00  -file01  -file02  -file03  -file04  -file05  -file06  -file07  -file08  -file09
bandit4@bandit:~/inhere$ file ./-file00
./-file00: data
bandit4@bandit:~/inhere$ cat ./-file00
◆6);/:`d◆Jhp{r◆◆}◆k'◆◆◆◆vjbandit4@bandit:~/inhere$
bandit4@bandit:~/inhere$ file ./-file*
./-file00: data
./-file01: data
./-file02: data
./-file03: data
./-file04: data
./-file05: data
./-file06: data
./-file07: ASCII text
./-file08: data
./-file09: data
bandit4@bandit:~/inhere$ cat ./-file07
4oQYVPkxZOOEOO5pTW81FB8j8lxXGUQw
```

```
bandit5@bandit: ~/inhere/ma
bandit5@bandit:~$ cd inhere
bandit5@bandit:~/inhere$ ls
maybehere00  maybehere03  maybehere06  maybehere09  maybehere12  maybehere15  maybehere18
maybehere01  maybehere04  maybehere07  maybehere10  maybehere13  maybehere16  maybehere19
maybehere02  maybehere05  maybehere08  maybehere11  maybehere14  maybehere17
bandit5@bandit:~/inhere$ find . -type f -size 1033c
./maybehere07/.file2
bandit5@bandit:~/inhere$ file ./maybehere07/.file2
./maybehere07/.file2: ASCII text, with very long lines (1000)
bandit5@bandit:~/inhere$ cd ./mabehere07
-bash: cd: ./mabehere07: No such file or directory
bandit5@bandit:~/inhere$ cd maybehere07
bandit5@bandit:~/inhere/maybehere07$ ls -la
total 56
drwxr-x---  2 root bandit5 4096 Oct 14 09:26 .
drwxr-x--- 22 root bandit5 4096 Oct 14 09:26 ..
-rwxr-x---  1 root bandit5 3663 Oct 14 09:26 -file1
-rwxr-x---  1 root bandit5 3065 Oct 14 09:26 .file1
-rw-r-----  1 root bandit5 2488 Oct 14 09:26 -file2
-rw-r-----  1 root bandit5 1033 Oct 14 09:26 .file2
-rwxr-x---  1 root bandit5 3362 Oct 14 09:26 -file3
-rwxr-x---  1 root bandit5 1997 Oct 14 09:26 .file3
-rwxr-x---  1 root bandit5 4130 Oct 14 09:26 spaces file1
-rw-r-----  1 root bandit5 9064 Oct 14 09:26 spaces file2
-rwxr-x---  1 root bandit5 1022 Oct 14 09:26 spaces file3
bandit5@bandit:~/inhere/maybehere07$ cat .file2
HWasnPhtq9AVKe0dmk45nxy20cvUa6EG
```

```
bandit6@bandit: ~
bandit6@bandit:~$ find / -type f -user bandit7 -group bandit6 -size 33c 2>/dev/null
/var/lib/dpkg/info/bandit7.password
bandit6@bandit:~$ cat /var/lib/dpkg/info/bandit7.password
morbNTDkSW6jIlUc0ymOdMaLnOlFVAaj
```

```
bandit7@bandit: ~
bandit7@bandit:~$ ls
data.txt
bandit7@bandit:~$ file data.txt
data.txt: Unicode text, UTF-8 text
bandit7@bandit:~$ grep "millionth" data.txt
millionth       dfwvzFQi4mU0wfNbFOe9RoWskMLg7eEc
bandit7@bandit:~$
```

```
bandit8@bandit: ~
bandit8@bandit:~$ ls
data.txt
bandit8@bandit:~$ file data.txt
data.txt: ASCII text
bandit8@bandit:~$ sort data.txt | uniq -u
4CKMh1JI91bUIZZPXDqGanal4xvAg0JM
bandit8@bandit:~$
```

```
bandit9@bandit: ~
bandit9@bandit:~$ ls
data.txt
bandit9@bandit:~$ file data.txt
data.txt: data
bandit9@bandit:~$ strings data.txt | grep "==="
========== the
========== password
E========== is
5========== FGUW5ilLVJrxX9kMYMmlN4MgbpfMiqey
bandit9@bandit:~$
```

```
bandit10@bandit: ~
bandit10@bandit:~$ ls
data.txt
bandit10@bandit:~$ ls -la
total 24
drwxr-xr-x   2 root     root     4096 Oct 14 09:25 .
drwxr-xr-x 150 root     root     4096 Oct 14 09:29 ..
-rw-r--r--   1 root     root      220 Mar 31  2024 .bash_logout
-rw-r--r--   1 root     root     3851 Oct 14 09:19 .bashrc
-rw-r-----   1 bandit11 bandit10   69 Oct 14 09:25 data.txt
-rw-r--r--   1 root     root      807 Mar 31  2024 .profile
bandit10@bandit:~$ file data.txt
data.txt: ASCII text
bandit10@bandit:~$ cat data.txt
VGhlIHBhc3N3b3JkIGlzIGR0UjE3M2ZaS2IwUlJzREZTR3NnMlJXbnBOVmozcVJyCg==
bandit10@bandit:~$ man base64
bandit10@bandit:~$ base64 -d data.txt
The password is dtR173fZKb0RRsDFSGsg2RWnpNVj3qRr
bandit10@bandit:~$
```

```
bandit11@bandit: ~

bandit11@bandit:~$ ls
data.txt
bandit11@bandit:~$ file data.txt
data.txt: ASCII text
bandit11@bandit:~$ tr 'A-Za-z' 'N-ZA-Mn-za-m' < data.txt
The password is 7x16WNeHIi5YkIhWsfFIqoognUTyj9Q4
bandit11@bandit:~$
```

```
bandit12@bandit: /tmp/tmp.4

bandit12@bandit:~$ cd /tmp/tmp.4DSo9xB43B
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ cp ~/data.txt .
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ xxd -r data.txt > data.bin
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ ls
data.bin  data.txt
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ file data.bin
data.bin: gzip compressed data, was "data2.bin", last modified: Tue Oct 14 09:26:00 2025, max compression, from Unix, original size modulo 2^32 572
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ mv data2.bin data2.bin.gz
mv: cannot stat 'data2.bin': No such file or directory
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ mv data.bin data2.bin.gz
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ ls
data2.bin.gz  data.txt
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ gunzip data.bin.gz
gzip: data.bin.gz: No such file or directory
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ gunzip data2.bin.gz
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ ls
data2.bin  data.txt
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ file data2.bin
data2.bin: bzip2 compressed data, block size = 900k
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ mv data2.bin data3.bin.bz
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ ls
data3.bin.bz  data.txt
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ bunzip2 data3.bin.bz
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ ls
data3.bin  data.txt
```

```
bandit12@bandit: /tmp/tmp.4

bandit12@bandit:/tmp/tmp.4DSo9xB43B$ ls
data4.bin.gz  data.txt
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ gunzip data4.bin.gz
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ ls
data4.bin  data.txt
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ file data4.bin
data4.bin: POSIX tar archive (GNU)
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ man tar
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ mv data4.bin data5.bin.tar
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ ls
data5.bin.tar  data.txt
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ tar -xf data5.bin.tar
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ ls
data5.bin  data5.bin.tar  data.txt
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ file data5.bin
data5.bin: POSIX tar archive (GNU)
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ mv data5.bin data6.bin.tar
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ ls
data5.bin.tar  data6.bin.tar  data.txt
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ tar -xf data6.bin.tar
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ ls
data5.bin.tar  data6.bin  data6.bin.tar  data.txt
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ file data6.bin
data6.bin: bzip2 compressed data, block size = 900k
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ mv data6.bin data7.bin.bz2
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ ls
data5.bin.tar  data6.bin.tar  data7.bin.bz2  data.txt
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ bunzip2 data7.bin.bz2
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ ls
data5.bin.tar  data6.bin.tar  data7.bin  data.txt
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ file data7.bin
data7.bin: POSIX tar archive (GNU)
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ mv data7.bin data7.bin.tar
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ ls
data5.bin.tar  data6.bin.tar  data7.bin.tar  data.txt
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ tar -xf data7.bin.tar
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ ls
data5.bin.tar  data6.bin.tar  data7.bin.tar  data8.bin  data.txt
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ file data8.bin
data8.bin: gzip compressed data, was "data9.bin", last modified: Tue Oct 14 09:26:00 2025, max compression, from Unix, original size modulo 2^32 49
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ mv data8.bin data9.bin.gz
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ ls
data5.bin.tar  data6.bin.tar  data7.bin.tar  data9.bin.gz  data.txt
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ gunzip data9.bin.gz
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ ls
data5.bin.tar  data6.bin.tar  data7.bin.tar  data9.bin  data.txt
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ file data9.bin
data9.bin: ASCII text
bandit12@bandit:/tmp/tmp.4DSo9xB43B$ cat data9.bin
The password is FO5dwFsc0cbaIiH0h8J2eUks2vdTDwAn
```

bandit13@bandit: ~

```
bandit13@bandit:~$ ls
sshkey.private
bandit13@bandit:~$ cat sshkey.private
-----BEGIN RSA PRIVATE KEY-----
MIIEpAIBAAKCAQEAxkkOE83W2cOT7IWhFc9aPaaQmQDdgzuXCv+ppZHa++buSkN+
gg0tcr7Fw8NLGa5+Uzec2rEg0WmeevB13AIoYp0MZyETq46t+jk9puNwZwIt9XgB
ZufGtZEwWbFWw/vVLNwOXBe4UWStGRWzgPpEeSv5Tb1VjLZIBdGphTIK22Amz6Zb
ThMsiMnyJafEwJ/T8PQO3myS91vUHEuoOMAzoUID4kN0MEZ3+XahyK0HJVq68KsV
ObefXG1vvA3GAJ29kxJaqvRfgYnqZryWN7w3CHjNU4c/2Jkp+n8L0SnxaNA+WYA7
jiPyTF0is8uzMlYQ4l1Lzh/8/MpvhCQF8r22dwIDAQABAoIBAQC6dWBjhyEOzjeA
J3j/RWmap9M5zfJ/wb2bfidNpwbB8rsJ4sZIDZQ7XuIh4LfygoAQSS+bBw3RXvzE
pvJt3SmU8hIDuLsCjL1VnBY5pY7Bju8g8aR/3FyjyNAqx/TLfzlLYfOu7i9Jet67
xAh0tONG/u8FB5I3LAI2Vp6OviwvdWeC4nOxCthldpuPKNLA8rmMMVRTKQ+7T2VS
nXmwYckKUcUgzoVSpiNZaS0zUDypdpy2+tRH3MQa5kqN1YKjvF8RC47woOYCktsD
o3FFpGNFec9Taa3Msy+DfQQhHKZFKIL3bJDONtmrVvtYK40/yeU4aZ/HA2DQzwhe
ol1AfiEhAoGBAOnVjosBkm7sblK+n4IEwPxs8sOmhPnTDUy5WGrpSCrXOmsVIBUf
laL3ZGLx3xCIwtCnEucB9DvN2HZkupc/h6hTKUYLqXuyLD8njTrbRhLgbC9QrKrS
M1F2fSTxVqPtZDlDMwjNR04xHA/fKh8bXXyTMqOHNJTHHNhbh3McdURjAoGBANkU
1hqfnw7+aXncJ9bjysr1ZWbqOE5Nd8AFgfwaKuGTTVX2NsUQnCMWdOp+wFak40JH
PKWkJNdBG+ex0H9JNQsTK3X5PBMAS8AfX0GrKeuwKWA6erytVTqjOfLYcdp5+z9s
8DtVCxDuVsM+i4X8UqIGOlvGbtKEVokHPFXP1q/dAoGAcHg5YX7WEehCgCYTzpO+
xysX8ScM2qS6xuZ3MqUWAxUWkh7NGZvhe0sGy9iOdANzwKw7mUUFViaCMR/t54W1
GC83sOs3D7n5Mj8x3NdO8xFit7dT9a245TvaoYQ7KgmqpSg/ScKCw4c3eiLava+J
3btnJeSIU+8ZXq9XjPRpKwUCgYA7z6LiOQKxNeXH3qHXcnHok855maUj5fJNpPbY
iDkyZ8ySF8GlcFsky8Yw6fWCqfG3zDrohJ5l9JmEsBh7SadkwsZhvecQcS9t4vby
9/8X4jS0P8ibfcKS4nBP+dT81kkkg5Z5MohXBORA7VWx+ACohcDEkprsQ+w32xeD
qT1EvQKBgQDKm8ws2ByvSUVs9GjTilCajFqLJ0eVYzRPaY6f++Gv/UVfAPV4c+S0
kAWpXbv5tbkkzbS0eaLPTKgLzavXtQoTtKwrjpolHKIHUz6Wu+n4abfAIRFubOdN
/+aLoRQ0yBDRbdXMsZN/jvY44eM+xRLdRVyMmdPtP8belRi2E2aEzA==
-----END RSA PRIVATE KEY-----
bandit13@bandit:~$
```

james12345@James: /mnt/c/U

```
james12345@James:/mnt/c/Users/alivi$ echo "hi"
hi
james12345@James:/mnt/c/Users/alivi$ echo "-----BEGIN RSA PRIVATE KEY-----
MIIEpAIBAAKCAQEAxkkOE83W2cOT7IWhFc9aPaaQmQDdgzuXCv+ppZHa++buSkN+
gg0tcr7Fw8NLGa5+Uzec2rEg0WmeevB13AIoYp0MZyETq46t+jk9puNwZwIt9XgB
ZufGtZEwWbFWw/vVLNwOXBe4UWStGRWzgPpEeSv5Tb1VjLZIBdGphTIK22Amz6Zb
ThMsiMnyJafEwJ/T8PQO3myS91vUHEuoOMAzoUID4kN0MEZ3+XahyK0HJVq68KsV
ObefXG1vvA3GAJ29kxJaqvRfgYnqZryWN7w3CHjNU4c/2Jkp+n8L0SnxaNA+WYA7
jiPyTF0is8uzMlYQ4l1Lzh/8/MpvhCQF8r22dwIDAQABAoIBAQC6dWBjhyEOzjeA
J3j/RWmap9M5zfJ/wb2bfidNpwbB8rsJ4sZIDZQ7XuIh4LfygoAQSS+bBw3RXvzE
pvJt3SmU8hIDuLsCjL1VnBY5pY7Bju8g8aR/3FyjyNAqx/TLfzlLYfOu7i9Jet67
xAh0tONG/u8FB5I3LAI2Vp6OviwvdWeC4nOxCthldpuPKNLA8rmMMVRTKQ+7T2VS
nXmwYckKUcUgzoVSpiNZaS0zUDypdpy2+tRH3MQa5kqN1YKjvF8RC47woOYCktsD
o3FFpGNFec9Taa3Msy+DfQQhHKZFKIL3bJDONtmrVvtYK40/yeU4aZ/HA2DQzwhe
ol1AfiEhAoGBAOnVjosBkm7sblK+n4IEwPxs8sOmhPnTDUy5WGrpSCrXOmsVIBUf
laL3ZGLx3xCIwtCnEucB9DvN2HZkupc/h6hTKUYLqXuyLD8njTrbRhLgbC9QrKrS
M1F2fSTxVqPtZDlDMwjNR04xHA/fKh8bXXyTMqOHNJTHHNhbh3McdURjAoGBANkU
1hqfnw7+aXncJ9bjysr1ZWbqOE5Nd8AFgfwaKuGTTVX2NsUQnCMWdOp+wFak40JH
PKWkJNdBG+ex0H9JNQsTK3X5PBMAS8AfX0GrKeuwKWA6erytVTqjOfLYcdp5+z9s
8DtVCxDuVsM+i4X8UqIGOlvGbtKEVokHPFXP1q/dAoGAcHg5YX7WEehCgCYTzpO+
xysX8ScM2qS6xuZ3MqUWAxUWkh7NGZvhe0sGy9iOdANzwKw7mUUFViaCMR/t54W1
GC83sOs3D7n5Mj8x3NdO8xFit7dT9a245TvaoYQ7KgmqpSg/ScKCw4c3eiLava+J
3btnJeSIU+8ZXq9XjPRpKwUCgYA7z6LiOQKxNeXH3qHXcnHok855maUj5fJNpPbY
iDkyZ8ySF8GlcFsky8Yw6fWCqfG3zDrohJ5l9JmEsBh7SadkwsZhvecQcS9t4vby
9/8X4jS0P8ibfcKS4nBP+dT81kkkg5Z5MohXBORA7VWx+ACohcDEkprsQ+w32xeD
qT1EvQKBgQDKm8ws2ByvSUVs9GjTilCajFqLJ0eVYzRPaY6f++Gv/UVfAPV4c+S0
kAWpXbv5tbkkzbS0eaLPTKgLzavXtQoTtKwrjpolHKIHUz6Wu+n4abfAIRFubOdN
/+aLoRQ0yBDRbdXMsZN/jvY44eM+xRLdRVyMmdPtP8belRi2E2aEzA==
-----END RSA PRIVATE KEY-----" > private.key
```

bandit14@bandit: ~

```
james12345@James:/mnt/c/Users/alivi$ mv private.key ~/
james12345@James:/mnt/c/Users/alivi$ cd ~
james12345@James:~$ chmod 600 private.key
james12345@James:~$ ssh -i private.key bandit14@bandit.labs.overthewire.org -p 2220
bandit14@bandit:~$ cat /etc/bandit_pass/bandit14
MU4VWeTyJk8ROof1qqmcBPaLh7lDCPvS
```

```
bandit15@bandit: ~

bandit15@bandit:~$ man openssl
bandit15@bandit:~$ openssl s_client -connect localhost:30001
read R BLOCK
8xCjnmgoKbGLhHFAZlGE5Tmu4M2tKJQo
Correct!
kSkvUpMQ7lBYyCM4GBPvCvT1BfWRy0Dx
```

```
bandit16@bandit: ~

bandit16@bandit:~$ nmap -p 31000-32000 -sV localhost
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-02-23 11:19 UTC
Nmap scan report for localhost (127.0.0.1)
Host is up (0.00020s latency).
Not shown: 996 closed tcp ports (conn-refused)
PORT      STATE SERVICE     VERSION
31046/tcp open  echo
31518/tcp open  ssl/echo
31691/tcp open  echo
31790/tcp open  ssl/unknown
31960/tcp open  echo
1 service unrecognized despite returning data. If you know the service/version, please submit the following fingerprint at https://nmap.org/cgi-bin/submit.cgi?new-service :
SF-Port31790-TCP:V=7.94SVN%T=SSL%I=7%D=2/23%Time=699C37D4%P=x86_64-pc-linu
SF:x-gnu%r(GenericLines,32,"Wrong!\x20Please\x20enter\x20the\x20correct\x2
SF:0current\x20password\.\n")%r(GetRequest,32,"Wrong!\x20Please\x20enter\x
SF:20the\x20correct\x20current\x20password\.\n")%r(HTTPOptions,32,"Wrong!\
SF:x20Please\x20enter\x20the\x20correct\x20current\x20password\.\n")%r(RTS
SF:PRequest,32,"Wrong!\x20Please\x20enter\x20the\x20correct\x20current\x20
SF:password\.\n")%r(Help,32,"Wrong!\x20Please\x20enter\x20the\x20correct\x
SF:20current\x20password\.\n")%r(FourOhFourRequest,32,"Wrong!\x20Please\x2
SF:0enter\x20the\x20correct\x20current\x20password\.\n")%r(LPDString,32,"W
SF:rong!\x20Please\x20enter\x20the\x20correct\x20current\x20password\.\n")
SF:%r(SIPOptions,32,"Wrong!\x20Please\x20enter\x20the\x20correct\x20curren
SF:t\x20password\.\n");

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 137.69 seconds
```

```
bandit16@bandit: ~

    00c0 - 3d f0 6c 15 e8 1d 6d bf-5d f1 63 15 de 34 7d d3   =.l...m.].c..4}.
    00d0 - a8 53 8e fa 93 ec f7 e7-ef c5 8d 93 cb 00 87 41   .S.............A

    Start Time: 1771845748
    Timeout   : 7200 (sec)
    Verify return code: 18 (self-signed certificate)
    Extended master secret: no
    Max Early Data: 0
---
read R BLOCK
kSkvUpMQ7lBYyCM4GBPvCvT1BfWRy0Dx
KEYUPDATE
^Z
[1]+  Stopped                 openssl s_client -connect localhost:31790
bandit16@bandit:~$ printf "kSkvUpMQ7lBYyCM4GBPvCvT1BfWRy0Dx\n" | openssl s_client -quiet -connect localhost:31790
Can't use SSL_get_servername
depth=0 CN = SnakeOil
verify error:num=18:self-signed certificate
verify return:1
depth=0 CN = SnakeOil
verify return:1
Correct!
-----BEGIN RSA PRIVATE KEY-----
MIIEogIBAAKCAQEAvmOkuifmMg6HL2YPIOjon6iWfbp7c3jx34YkYWqUH57SUdyJ
imZeyGC0gtZPGujUSxiJSWI/oTqexh+cAMTSMlOJf7+BrJObArnxd9Y7YT2bRPQ
Ja6Lzb558YW3FZl87ORiO+rW4LCDCNd2lUvLE/GL2GWyuKN0K5iCd5TbtJzEkQTu
DSt2mcNn4rhAL+JFr56o4T6z8WWAW18BR6yGzMq7Q/kALHYW3OekePQAzL8VUYbW
JGTi65CxbCnzc/w4+mqQyvmzpWtMAzJTzAzQxNbkR2MBGySxDLrjg0LWN6sK7mNX
x0YVztz/zbIkPjfkU1jHS+9EbVNj+D1XFOJuaQIDAQABAoIBABagpxpM1aoLWfvD
KHcj10nqcoBc4oE11aFYQmik7xfW+24pRNuDE6SFthOar69jpSRlLmD1NhPx3iBl
J9nOM8OJ0VToum43UOS8YxF8WmhXriYGnc1sskbmpXOUDc9uX4+UESzH22P29ovd
d8WErY0gPxun8pbJLmxkAtWNhpMvfe0050vk9TL5mqbu9AlbssgTcCXkMQnPw9nC
YNN6DDP2lbcBrvgT9YCNL6C+ZKufD52yOQ9qOkmFTEQpjtF4uNtJom+asvlpmS8A
vLY9r60wYSvmZhNqBUrj7lyCtXMIu1kkd4w7F77k+DjHoAXyxcUp1DGL51sOmama
+TOWWgECgYEA8JtPxP0GRJ+IQkX262jM3dEIkza8ky5moIwUqYdsx0NxHgRRhORT
8c8hAuRBb2G82so8vUHk/fur850Efc9TncnCY2crpoqsghifKLxrLgtT+qDpfZnx
SatLdt8GfQ85yA7hmWWJ2MxF3NaeSDm75Lsm+tBbAiyc9P2jGRNtMSkCgYEAypHd
HCctNi/FwjulhttFx/rHYKhLidZDFYeiE/v45bN4yFm8x7R/b0iE7KaszX+Exdvt
SghaTdcG0Knywlbp JVyusavPzpaJMjdJ6tcFhVAbAjm7enCIvGCSx+X3l5SiWg0A
R57hJgleziIiVjv3aGmHwylZvtszK6zV6oXFAu0ECgYAbjo46TWhyP5tJi93V5HDi
TtieK7xRVxUl+iU7rWGAXfpMLFteQEsRr7PJ/lemmEYSeTDAFMLy9FL2m9oQWCg
R0VdwSk8r9FGLS+9aKcV5PI/WEKlwgXinB3OhYimtiG2Cg5JCqIZFHxD6MjEGOiu
L8ktHMPvodBmNsSBULpG0QKBgBAplTfC1HOnWiMGOU3KPwYWtDO6CdTkmJOmL8Ni
blh9elyZ9FsGxsgtRBXRsqXuz7WtsQAgLHxbdLq/ZJQ7YfzOKU4ZxEnabvXnvWkU
YOdjHdSOoKvDQNWu6ucyLRAWFuISeXw9a/9p7ftpxm0TSgyvmFLF2MIAEwyzRqaM
77pBAoGAMmjmIJdjp+Ez8duyn3ieo36yrttF5NSsJLAbxFpdlc1gvtGCWW+9Cq0b
dxviW8+TFVEBl1O4f7HVm6EpTscdDxU+bCXWkfjuRb7Dy9GOtt9JPsX8MBTakzh3
vBgsyi/sN3RqRBcGU40fOoZyFAMT8s1m/uYv52O6IgeuZ/ujbjY=
-----END RSA PRIVATE KEY-----
```

```
bandit17@bandit: ~

private.key  training
james12345@James:~$ nano private.key
james12345@James:~$  nano ~/bandit17.key
james12345@James:~$ ls
bandit17.key  private.key  training
james12345@James:~$ chmod 600 ~/bandit17.key
james12345@James:~$ ssh -i ~/bandit17.key bandit17@bandit.labs.overthewire.org -p 2220
```

```
james12345@James: ~

  Enjoy your stay!

bandit17@bandit:~$ diff passwords.old passwords.new
42c42
< BMIOFKM7CRSLI97voLp3TD80NAq5exxk
---
> x2gLTTjFwMOhQ8oWNbMN362QKxfRqGlO
bandit17@bandit:~$ diff passwords.new passwords.old
42c42
< x2gLTTjFwMOhQ8oWNbMN362QKxfRqGlO
---
> BMIOFKM7CRSLI97voLp3TD80NAq5exxk
bandit17@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.
james12345@James:~$ ssh bandit18@bandit.labs.overthewire.org -p 2220 cat readme
                      _                     _ _ _
                     | |__   __ _ _ __   __| (_) |_
                     | '_ \ / _` | '_ \ / _` | | __|
                     | |_) | (_| | | | | (_| | | |_
                     |_.__/ \__,_|_| |_|\__,_|_|\__|


                    This is an OverTheWire game server.
            More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit18@bandit.labs.overthewire.org's password:
cGWpMaKXVwDUNgPAVJbWYuGHVn9zl3j8
```

```
bandit19@bandit: ~

bandit19@bandit:~$ ls
bandit20-do
bandit19@bandit:~$ ./bandit20-do
Run a command as another user.
  Example: ./bandit20-do whoami
bandit19@bandit:~$ ./bandit20-do whoami
bandit20
bandit19@bandit:~$ ./bandit20-do cat /etc/bandit_pass/bandit20
0qXahG8ZjOVMN9Ghs7iOWsCfZyXOUbYO
```